STATUTORY INSTRUMENTS

1986 No. 346

CUSTOMS AND EXCISE

The Customs Duties (Spain) Order 1986

Made - - - - - -	*27th February* 1986
Laid before the House of Commons	*28th February* 1986
Coming into Operation - -	*1st March* 1986

The Treasury by virtue of the powers conferred on them by section 5(2) and (3) of the European Communities Act 1972(**a**) and of all other powers enabling them in that behalf, on the recommendation of the Secretary of State, hereby make the following Order:—

1.—(1) This Order may be cited as the Customs Duties (Spain) Order 1986 and shall come into operation on 1st March 1986.

(2) In this Order—

"beef and veal marketing year" means the marketing year determined in accordance with Article 4 of Council Regulation (EEC) No. 805/68(**b**) (relating to the common organisation of the market in beef and veal) for products listed in Article 1 to that Regulation;

"relevant goods" means goods which, at the time of their importation into the United Kingdom, are entitled to benefit from the progressive reduction of customs duties in trade between Spain and the other member States of the European Communities as constituted on 31st December 1985 by virtue of the provisions of Title II of Part Four of the Act annexed to the Treaty concerning the accession of the Kingdom of Spain and the Portuguese Republic to the European Economic Community and the European Atomic Energy Community, signed at Madrid and Lisbon on 12th June 1985, and to the Decision of the Council of the European Communities of 11th June 1985 on the accession of the Kingdom of Spain and the Portuguese Republic to the European Coal and Steel Community (**c**);

references to a heading or subheading are references to a heading or subheading of the common customs tariff of the European Economic Community;

(**a**) 1972 c. 68; section 1(2) was amended by the European Communities (Spanish and Portuguese Accession) Act 1985 (c.75) and section 5(3) by the Customs and Excise Duties (General Reliefs) Act 1979 (c. 3), Schedule 2, paragraph 3.

(**b**) OJ No. L148, 28.6.1968, OJ/SE 1968(I) p. 187.

(**c**) The Act is included in European Communities No. 27 (1985), Cmnd 9634, and the Decision is included in European Communities No. 28 (1985), Cmnd 9635.

references in Schedule 1, 2 or 4 to this Order to a rate of duty, unless otherwise stated, are references to a rate calculated as a percentage of the value of the goods;

references to the weight of any goods, unless otherwise stated, are references to their net weight, and "gross" in relation to the weight of any goods means inclusive of the weight of any earth or any other growing medium in which the goods are imported and of any container in or on which they are made up;

where symbols or abbreviations are used for units of measurement they are those authorised by the Weights and Measures (Marking of Goods and Abbreviations of Units) Regulations 1975(**a**) except that the symbol "hl" is used for the unit "hectolitre"; and

"ECU" means European Currency Unit as defined in Council Regulation (EEC) No. 3180/78(**b**) and any amount so expressed shall be converted to sterling at the rate of 1 ECU equals £0.588624(**c**).

(3) This Order does not impose or increase any customs duty or restrict any relief from customs duty otherwise than in pursuance of a Community obligation.

2.—(1) Subject to paragraph (2) and Articles 5, 6, 7 and 8(1) below, from 1st March 1986 until 31st December 1986, where in relation to any relevant goods which fall within a heading or subheading specified in column 1 of Schedule 1 to this Order a rate of customs duty is shown in column 3, then, on the importation into the United Kingdom of any of those goods, there shall be charged a duty of customs at the rate so shown.

(2) If the entry "FREE" appears in the said column 3 in relation to the goods, no customs duty shall be charged.

3.—(1) Subject to Article 7 below, from 1st March 1986 until the day immediately preceding the day on which the beef and veal marketing year begins in 1986, where in relation to any goods originating in Spain which fall within a heading or subheading specified in column 1 of Schedule 2 to this Order a rate of customs duty is shown in column 3 or 4 of the Schedule of Customs Duties forming part of the common customs tariff of the European Economic Community(**d**), then, on the importation into the United Kingdom of any of those goods, other than goods imported from another member State which are in free circulation in that State, there shall be charged a duty of customs at the lowest rate so shown.

(2) Any question under this Article whether goods at any time originate in Spain or are in free circulation in another member State shall be determined in accordance with the Treaties.

(**a**) S.I. 1975/1319, amended by S.I. 1977/1683, 1978/484, 1980/8, 1070.
(**b**) OJ No. L379, 30.12.1978, p.1.
(**c**) *See* Commission Notice of 1.10.1985 (OJ No. C250, 2.10.1985, p.1).
(**d**) *See* the CCT Schedule annexed to Council Regulation (EEC) No. 950/68 (OJ No. L172, 22.7.1968, p. 1, OJ/SE 1968(1) p.275) as last amended by Council Regulation (EEC) No. 3331/85 (OJ No. L331, 9.12.1985, p.1).

4. Subject to Article 7 below, from the day on which the beef and veal marketing year begins in 1986 until the day immediately preceding the day on which that year begins in 1987, where in relation to any relevant goods which fall within a heading or subheading specified in column 1 of Schedule 2 to this Order a rate of customs duty is shown in column 2, then, on the importation into the United Kingdom of any of those goods, there shall be charged a duty of customs at the rate so shown.

5. From 1st March 1986 until 31st December 1986, no customs duty shall be charged on any relevant goods which fall within a heading or subheading specified in column 1 of Schedule 3 to this Order and are of a description specified in column 2.

6. Subject to Articles 7 and 8(1) below, from 1st March 1986 until 31st December 1986, in the case of any relevant goods which fall within a heading or subheading specified in column 1 of Schedule 4 to this Order and are of a description specified in column 2 there shall be charged a duty of customs at the rate shown in column 3 of Schedule 4 instead of any higher rate shown in column 3 of Schedule 1 in relation to the goods.

7. In the case of any goods to which Article 2, 3, 4 or 6 applies, where in accordance with any directly applicable Community provision the rate of duty chargeable is lower than the rate chargeable under those Articles or is nil, customs duty shall be chargeable on the importation of the goods into the United Kingdom at the lower rate.

8.—(1) Where a period of time or a description of goods is specified in column 2 of Schedule 1 or 4 to this Order in relation to any heading or subheading, the duty provided for in relation to that heading or subheading by Article 2 or 6 above shall apply only during that period or to goods of that description as the case may be.

(2) Any description of goods in column 2 of Schedule 1, 3 or 4 to this Order (other than one covering a whole heading or subheading) shall be taken to comprise all goods which would be classified under an entry in the same terms constituting a subheading.

T. Garel-Jones,
A. G. Hamilton,
Two of the Lords Commissioners
of Her Majesty's Treasury.

27th February 1986.

SCHEDULE 1

Tariff Heading (1)				*Description of Goods* (2)	*Rate of Duty* (3)
01.01A.	I.			... ...	FREE
	II.			... ...	3.5
	III.			... ...	15.7
B.				... ...	10.5
C.				... ...	14.8
01.02A.	I.			... ...	FREE
	II.			... ...	14.0
B.				... ...	FREE
01.03				... ...	FREE
01.04A.	I.			... ...	FREE
	II.			... ...	4.3
B.				... ...	FREE
01.05				... ...	FREE
01.06A.				... ...	5.2
B.				... ...	8.7
C.				... ...	FREE
02.01A.	II.			... ...	7.0
	II.			... ...	17.5
	III.	a)		... ...	FREE
		b)		... ...	2.6
	IV.			... ...	FREE
B.	I.			... ...	FREE
	II.	a)		... ...	8.7
		b)	1.	... ...	6.1
			2.	... ...	3.5
		c)		... ...	FREE
		d)		... ...	2.6
02.02/02.03				... ...	FREE
02.04A.				... ...	4.3
B.				... ...	1.3
C.	1.			... ...	4.3
	II.			... ...	6.1
02.05				... ...	FREE
02.06A.				... ...	8.7
B.				... ...	FREE
C.	I.	a)		... ...	21.0
		b)		... ...	17.5
	II.	a)		... ...	FREE
	II.	b)		... ...	21.0
	III.			... ...	21.0
03.01A.	I.	a)		... ...	10.5
		b)		... ...	1.7
		c) to d)		... ...	FREE
	II.			... ...	2.6
	III.			... ...	7.0
	IV.			... ...	FREE
B.	I.	a)	1.	... ...	FREE
			2.	... ...	13.1
		b)	1.	... ...	FREE
			2.	... ...	11.3
C.			1.	... ...	FREE
			2.	... ...	19.2
D.				... ...	20.1

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
E. to G.	... ...	7.0
H.	... ...	10.5
I.J. to N.	... ...	13.1
O. 1.	... ...	FREE
2.	... ...	17.5
P. to Y.	... ...	13.1
II. a)	... ...	15.7
b) 1. to 3.	... ...	13.1
4.	... ...	10.5
5. to 6.	... ...	13.1
7.	... ...	15.7
8. to 17.	... ...	13.1
C	... ...	8.7
03.02A. I. a)	... ...	10.5
b)	... ...	FREE
c)	Salted in brine, in barrels or other containers of a capacity of 10 kg or more	4.3
	Other	8.7
d)	... ...	13.1
e)	... ...	9.6
f)	... ...	10.5
II. a)	... ...	FREE
b) to c)	... ...	13.1
d)	... ...	14.0
B I.	... ...	8.7
II.	... ...	11.3
III.	... ...	13.1
IV.	... ...	14.0
V. to VIII.	... ...	12.2
C.	... ...	9.6
D.	... ...	11.3
03.03A. I.	... ...	10.9
II.	... ...	FREE
III. a)	... ...	7.0
b) to c)	... ...	13.1
IV. a)	... ...	10.5
b) to c)	... ...	15.7
V.	... ...	10.5
B. I. a)	... ...	FREE
b)	... ...	15.7
II.	... ...	6.5
III.	... ...	FREE
IV. a) 1. aa) to bb)	... ...	5.2
cc) to dd)	... ...	7.0
2. to 6.	... ...	7.0
b) 1. aa) to bb)	... ...	5.2
cc) to dd)	... ...	7.0
2.	... ...	7.0
04.01 to 04.05 A. I.	... ...	FREE
04.05A. II.	... ...	10.5

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
B.			... ...	FREE
04.06			... ...	23.6
04.07			... ...	10.5
05.01 to 05.02			... ...	FREE
05.03A.			... ...	FREE
B.			... ...	0.3
05.04 to 05.05			... ...	FREE
05.07A.	I.		... ...	FREE
	II.		... ...	1.2
B.			... ...	0.7
05.08 to 05.12			... ...	FREE
05.13A.			... ...	FREE
B.			... ...	2.8
05.14 to 05.15			... ...	FREE
06.01A.			... ...	7.0
B.	I.		... ...	13.1
	II.		... ...	8.7
06.02A.	I.		... ...	FREE
	II.		... ...	7.0
B.			... ...	2.6
C.			... ...	FREE
D.			... ...	11.3
06.03A.	I.		... ...	21.0
	II.		... ...	14.8
B.			... ...	17.5
06.04A.			... ...	FREE
B.	I.		... ...	8.7
	II.		... ...	3.5
	III.		... ...	14.8
07.01A.	I.		... ...	6.1
	II.	a)	... ...	13.1
		b)	... ...	18.3
	III.	a)	... ...	7.8
		b)	.. ..	15.7
B.	I.	a)	... ...	15.4 subject to a minimum of 1.8 ECU per 100 kg
		b)	... ...	10.9 subject to a minimum of 1.2 ECU per 100 kg
	II.		... ...	13.6 subject to a minimum of 0.4 ECU per 100 kg.
	III.		... ...	13.6
C.			... ...	11.8
D.	I.	a)	... ...	13.5 subject to a minimum of 2.2 ECU per 100 kg gross
		b)	... ...	11.7 subject to a minimum of 1.4 ECU per 100 kg gross
	II.		Broad-leaved (Batavian) endives	11.7

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
	Other	11.8
E.	... ...	8.2
F. I. a)	... ...	9.0
b)	... ...	15.4
II. a)	... ...	11.8 subject to a minimum of 1.8 ECU per 100 kg
b)	... ...	15.4 subject to a minimum of 1.8 ECU per 100 kg
III.	Broad beans	8.9
	Other	12.7
G. I. a)	... ...	11.8
b)	... ...	15.4
II.	... ...	15.4
III.	... ...	13.6
IV.	... ...	15.4
H.	... ...	10.9
I.J.	... ...	11.8
K.	.. ..	14.5
L.	... ...	11.7
M. I.	... ...	9.9 subject to a mimimum of 1.8 ECU per 100 kg
II.	... ...	16.2 subject to a minimum of 3.1 ECU per 100 kg
N. I.	... ...	6.3
II.	... ...	FREE
O.	.. ..	6.3
P. I. a)	.. . .	14.4
b)	... ...	18.0
II.	... ...	14.5
Q. I.	.. ..	14.5
II.	... ...	3.6
III.	.. ..	6.3
IV.	... ...	7.2
R.	.. ..	9.0
S.	... .	5.7
T. I. to II.	... ...	14.4
III.	Parsley	10.1
	Other	14.5
07.02A.	.. ..	16.6
B.	... ...	15.7
07.03A. I.	.. ..	7.0
II.	. .. .	FREE
B.	.. ..	5.2
C.	... .	7.8
D.	... ...	13.1
E.	... ...	10.5
F.	... ...	13.1
07.04	... ...	14.0
07.05A. I.	... ...	1.3

SCHEDULE 1—*continued*

Tariff Heading (1)				*Description of Goods* (2)	*Rate of Duty* (3)
	II.			... ...	0.8
	III.			... ...	2.1
B.	I.			... ...	1.3
	II.			... ...	0.8
	III.			... ...	2.1
07.06A.				... ...	FREE
B.				... ...	1.3
08.01A.				... ...	5.2
B.				... ...	17.5
C.				... ...	7.8
D.				... ...	3.5
E.				... ...	0.8
F. to G.				... ...	FREE
H.				... ...	2.6
08.02A.	I.	a)		... ...	7.0
		b)		... ...	3.2
		c)		... ...	2.1
		d)		... ...	10.8
	II.	a)		Fresh	8.1
				Other	13.6
		b)		Fresh	10.9
				Other	18.1
B				Fresh	10.8
				Other	18.0
C.				Fresh	4.3
				Other	7.2
D.				... ...	2.7
E.				... ...	14.5
08.03A.				... ...	4.4
B.				... ...	8.7
08.04A.	I.	a)	1.	... ...	9.0
			2.	1 March to 31 March	8.1
			2.	Other	16.2
		b)		... ...	19.8
	II.	a)		1 March to 31 March	7.8
				Other	15.7
		b)		... ...	19.2
B.				... ...	2.6
08.05A.	I.			... ...	FREE
	II.			... ...	6.3
B.				... ...	3.6
C.				... ...	6.3
D.				... ...	1.8
E. to F.				... ...	1.3
G.				... ...	3.6
08.06A.	I.			... ...	8.1 subject to a minimum of 0.4 ECU per 100 kg
	II.	a)		... ...	12.6 subject to a minimum of 2.1 ECU per 100 kg
		b)		... ...	7.2 subject to a minimum of 2.0 ECU per 100 kg

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
c)	... ...	5.4 subject to a minimum of 1.2 ECU per 100 kg
B. I.	... ...	8.1 subject to a minimum of 0.4 ECU per 100 kg
II. a)	... ...	9.0 subject to a minimum of 1.3 ECU per 100 kg
b)	... ...	4.5 subject to a minimum of 1.8 ECU per 100 kg
c)	... ...	9.0 subject to a minimum of 1.3 ECU per 100 kg
d)	... ...	11.7 subject to a minimum of 1.8 ECU per 100 kg
C.	... ...	5.7
08.07A.	... ...	22.5
B.	... ...	19.8
C. I.	... ...	13.5 subject to a minimum of 2.7 ECU per 100 kg
II.	... ...	13.5
D. I.	... ...	13.5 subject to a minimum of 2.7 ECU per 100 kg
II.	... ...	7.2
E.	... ...	13.6
08.08A. I.	... ...	14.5 subject to a minimum of 2.7 ECU per 100 kg
II.	... ...	12.7
B.	... .	FREE
C.	... ...	3.6
D.	. . ..	9.9
E.	... ...	2.7
F. I.	... ...	3.6
II.	... ...	10.9
08.09	Pomegranates... ...	6.9
	Other	9.9
08.10A.	.. ..	15.7
B.	... ...	13.1
C.	... ...	3.5
D.	.. ..	15.7
08.11A.	... ...	14.0
B.	... .	14.0
C.	... ...	4.8
D.	... ...	7.0
E.	... ...	9.6
08.12A. to B.	... ...	3.0
C.	... ...	10.5
D.	... ...	3.5
E.	... ...	1.3
F. I.	.. ..	3.5
II.	... ...	10.5

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
G.	... ...	2.6
08.13	... ...	1.7
09.01A. I. a)	... ...	4.3
b)	... ...	11.3
II. a)	... ...	13.1
b)	... ...	15.7
B.	... ...	11.3
C.	... ...	15.7
09.02A.	... ...	2.1
B.	... ...	FREE
09.03	... ...	FREE
09.04A. I. a)	... ...	FREE
b)	... ...	4.3
II. a) to b)	... ...	FREE
c)	... ...	4.3
B. I.	... ...	5.2
II.	... ...	5.4
09.05	... ...	10.0
09.06A.	... ...	8.7
B.	... ...	7.0
09.07	... ...	13.1
09.08A. I.	... ...	FREE
II. a)	... ...	8.7
b)	... ...	FREE
B. I.	... ...	10.5
II.	... ...	7.0
III.	... ...	FREE
09.09A. I.	... ...	2.1
II.	... ...	10.0
III. a)	... ...	FREE
b) 1.	... ...	FREE
2.	... ...	2.1
B. I.	... ...	11.3
II.	... ...	FREE
III.	... ...	4.3
09.10A. I. a)	... ...	FREE
b)	... ...	6.1
II.	... ...	7.4
B.	... ...	6.1
C. I.	... ...	7.0
II.	... ...	8.3
D. to E.	... ...	FREE
F. I.	... ...	8.7
II. a)	... ...	FREE
b)	... ...	10.9
10.01A.	... ...	17.5
B.	... ...	FREE
10.02/10.05	... ...	FREE
10.06A.	... ...	10.5
B.	... ...	FREE
10.07/11.02	... ...	FREE
11.04A.	... ...	5.2
B. I.	... ...	7.4
II.	... ...	5.6
C.	... ...	FREE
11.05	... ...	16.6

SCHEDULE 1—*continued*

Tariff Heading (1)		*Description of Goods* (2)	*Rate of Duty* (3)
11.07/11.08A.		... ...	FREE
11.08B.		... ...	13.1
11.09/12.01		... ...	FREE
12.02A.		... ...	6.3
B.		... ...	FREE
12.03A.		... ...	5.6
B.		... ...	FREE
C.	I. to II.	... ...	1.7
	III.	... ...	2.1
D.		... ...	2.6
E.		... ...	3.0
12.04		... ...	FREE
12.06		... ...	7.8
12.07		... ...	1.3
B.		... ...	0.8
C.		... ...	1.3
D.		... ...	FREE
12.08A.		... ...	1.7
B.		... ...	3.5
C.	I.	... ...	0.8
	II.	... ...	3.9
D.		... ...	1.7
E		... ...	FREE
12.09		... ...	FREE
12.10A.		... ...	3.9
B.		... ...	FREE
13.02A.		... ...	0.1
B.		... ...	FREE
13.03A.	I. to II.	... ...	FREE
	III.	... ...	0.5
	IV. to VII.	... ...	1.8
	VIII. a)	... ...	0.9
	b)	... ...	FREE
B.	I.	Pectic substances and Pectinates ...	15.7
		Pectates	16.2
	II.	Pectic substances and Pectinates ...	9.1
		Pectates	9.4
C.	I.	... ...	0.9
	II.	... ...	1.0
	III.	... ...	FREE
14.01A.	I.	... ...	FREE
	II.	... ...	0.7
B.		... ...	0.3
C.		... ...	FREE
14.02/15.01		... ...	FREE
15.02A.		... ...	FREE
B.	II.	... ...	4.3
15.03A.	I.	... ...	FREE
	II.	... ...	7.0
B.		... ...	3.5
C.		... ...	8.7

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
15.04A. I.	... ...	6.0
II. to C.	... ...	FREE
15.05A.	... ...	1.8
B.	... ...	1.4
15.06	... ...	0.7
15.07A.	... ...	FREE
B.	... ...	3.0
C. I.	... ...	FREE
II.	... ...	8.0
D. I. a) 1.	... ...	4.0
2.	... ...	FREE
3.	... ...	5.0
b) 1.	... ...	FREE
2.	... ...	8.0
II. a) 1.	... ...	6.0
2.	... ...	14.0
b) 1.	... ...	20.0
2. aa)	... ...	10.0
bb)	... ...	15.0
15.08	... ...	4.3
15.10A.	... ...	2.8
B.	... ...	2.5
C.	... ...	1.6
D.	... ...	2.1
15.11A.	... ...	0.5
B.	... ...	2.1
15.12A.	... ...	20.0
B.	... ...	17.0
15.13	... ...	25.0
15.15A.	... ...	1.2
B. I.	... ...	FREE
II.	... ...	1.8
15.16A.	... ...	FREE
B.	... ...	1.4
15.17A.	... ...	2.1
B. I.	... ...	FREE
II. a)	... ...	5.0
b)	... ...	2.0
16.01	... ...	FREE
16.02A. I.	... ...	14.0
II. to BI.	... ...	FREE
B. II.	... ...	14.8
III. a)	... ...	FREE
b) 1. & 2. aa)	... ...	17.5
bb)	... ...	22.7
16.03A.	... ...	FREE
B.	... ...	3.5
C.	... .	17.5
16.04A.	... ...	26.2
B. I.	... ...	4.8
II.	... .	6.1
C. I.	... ...	13.1
II.	... ...	17.5

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
D.	... ...	22.7
E.	... ...	21.0
F.	... ...	21.8
G. I.	... ...	13.1
II.	... ...	17.5
16.05A.	... ...	14.0
B.	Crustaceans (except Norway lobsters and Freshwater crayfish) simply boiled in water and shelled;	
	Molluscs.	8.7
	Other	17.5
17.01/17.03	... ...	FREE
17.04A.	... ...	7.5
B.	... ...	7.2
C. to D.	... ...	11.7
18.01/18.02	... ...	2.6
18.03	... ...	5.4
18.04	... ...	4.3
18.05	... .	5.7
18.06A.	... ...	9.0
B. to C.	... ...	10.8
D. I. a)	... .	10.8
b)	... ...	17.1
II. a) 1.	.. ..	10.8
2.	... .	17.1
b) 1.	... ...	10.8
2.	... ...	17.1
c) 1.	... ...	10.8
2.	... .	17.1
19.02A.	... ...	7.2
B.	... ...	9.9
19.03	... ...	10.8
19.04	... ...	9.0
19.05A.	... ...	5.4
B. to C.	... ...	7.2
19.07A.	.. ..	8.1
B.	... ...	5.4
C.	... ...	6.3
D.	... ...	12.6
19.08	... ...	11.7
20.01A.	... ...	FREE
B.	Gherkins	19.2
	Cucumbers	9.6
C.	... ...	8.7
20.02A. I.	Mushrooms of ther Psalliota (Agaricus) species, hortensis, alba or bispora and subedulis	20.1
	Other	10.0
II.	... ...	10.0

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
B. to C.	... ...	15.7
D.	... ...	19.2
E.	... ...	17.5
F.	... ...	8.7
G.	... ...	21.0
H.	Mixtures, artichoke hearts and bottoms, and carrots	19.2
	Other.	9.6
20.03	... ...	22.7
20.04A.	... ...	FREE
B.	... ...	21.8
20.05A.	... ...	26.2
B. I. to II.	... ...	21.8
III.	... ...	23.6
C. I. a)	... ...	24.5
b)	... ...	26.2
II. to III.	... ...	26.2
20.06A. I.	... ...	12.2
II.	... ...	14.0
B. I. a) 1.	... ...	17.5
2 to c) 2.	... ...	28.0
d) 1. aa) 11.	... .	26.2
22.	... ...	28.0
bb) 11.	... ...	26.2
22.	... ...	28.0
2.	... ...	28.0
c) 1. aa)	... ...	26.2
bb)	... ...	28.0
2. aa)	... ...	26.2
bb)	. ...	28.0
f) 1. aa)	... .	26.2
bb)	... ...	28.0
2. aa)	... .	26.2
bb)	... ...	28.0
II. a) 1.	... ...	FREE
2.	. ...	14.8
3.	. . ..	18.3
4.	. ...	19.2
5.	.. ..	19.2
6.	. . ..	17.5
7.	. .. .	19.2
8. to 9.	... .	17.5
b) 1.	... ...	FREE
2.	... ...	14.8
3.	... ...	17.5
4. to 5.	... ...	21.0
6.	... ...	19.2
7. aa) 11.	... ...	19.2
22.	... .	21.0
bb) 11.	... ...	19.2
22.	... .	21.0
8.	... ...	21.0

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
9. aa)	... ...	13.1
bb)	... ...	19.2
c) 1. aa)	... ...	14.8
bb)	... ...	16.6
cc)	... ...	18.3
dd) to ee)	... ...	20.1
2. aa)	... ...	18.3
bb)	... ...	20.1
20.07A. I.	... ...	43.7
II. to III.	... ...	36.7
B. I. a) 1.	... ...	24.5
2. aa)	... ...	21.0
bb)	... ...	21.8
3.	... ...	21.8
b) 1.	... ...	24.5
2. aa) to bb)	... ...	21.0
cc)	... ...	21.8
3. aa) to bb)	.. ..	21.0
cc)	.. ..	21.8
4.	... ...	21.8
II. a) 1.	... ...	16.6
2.	.. ..	13.1
3. aa)	... .	15.7
bb)	... ...	16.6
4. aa)	... ...	16.6
bb)	... .	17.5
5. aa)	... .	17.5
bb)	... ...	18.3
6. aa)	.. . .	18.3
bb)	... .	19.2
7. aa) 11.	... .	16.6
22.	. . ..	17.5
bb) 11.	... ...	18.3
22.	... ...	19.2
b) 1.	... ...	16.6
2.	... ...	13.1
3. aa) to bb)	... ...	15.7
cc)	... ...	16.6
4. aa) to bb)	... ...	15.7
cc)	... ...	16.6
5. aa) to bb)	... ...	16.6
cc)	... ...	17.5
6. aa)	... ...	17.5
bb)	... ...	18.3
7. aa) to bb)	... ...	18.3
cc)	... ...	19.2
8. aa) 11. to 22	... ...	16.6
33.	... ...	17.5
bb) 11. to 22	... ...	18.3
33.	... ...	19.2
21.02A.	... ...	6.4
B.	... ...	4.3
C. I.	... ...	6.4

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
II.	... ...	7.2
D. I.	... ...	7.9
II.	... ...	12.6
21.03A. I.	... ...	2.8
II.	... ...	1.4
B.	... ...	5.0
21.04A.	... ...	FREE
B.	... ...	5.7
C.	... ...	4.3
21.05A.	... ...	6.4
B.	... ...	7.9
21.06A. I.	... ...	6.1
II.	... ...	13.5
III.	... ...	8.2
B. I.	... ...	4.6
II.	... ...	2.8
C.	... ...	3.4
21.07A. I.	... ...	7.2
II. to III.	... ...	11.7
B. I.	... ...	9.0
II.	... ...	11.7
C. to E.	... ...	11.7
F.	... ...	FREE
G. I. a) 1.	... ...	7.2
2.	... ...	11.7
b) to f)	... ...	11.7
II. to IX.	... ...	11.7
22.01A.	... ...	1.4
B.	... ...	FREE
22.02A.	... ...	5.4
B.	... .	7.2
22.03	... ...	8.6
22.04	... ...	35.0
22.05A. to B.	... .	35.0
C. I. a)	... .	12.6
b)	... ...	9.5
II. a)	... ...	14.7
b)	... ...	11.6
III. a) 1.	... ...	14.2
2.	... ...	18.0
b) 1.	... ...	11.6
2.	... ...	12.6
3.	... ...	14.7
IV. a) 1.	... ...	15.3
2.	... ...	20.1
b) 1.	... ...	12.6
2.	... ...	13.7
3.	... ...	20.1
V. a)	... ...	1.6 ECU per hl per % volume of alcohol + 10.5 ECU per hl
b)	... ...	1.6 ECU per hl per % volume of alcohol

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
22.06A. I.	... ...	6.1 ECU per hl
II.	... ...	5.0 ECU per hl
B. I.	... ...	6.8 ECU per hl
II.	... ...	5.7 ECU per hl
C.I.	... ...	0.5 ECU per hl per % volume of alcohol+3.6 ECU per hl
II.	... ...	0.5 ECU per hl per % volume of alcohol
22.07A.	... ...	1.4 ECU per hl per % volume of alcohol subject to a minimum of 7.8 ECU per hl
B. I.	... ...	26.2 ECU per hl
II. a)	... ...	10.5 ECU per hl
b)	... ...	7.8 ECU per hl
22.08A.	Obtained from agricultural products listed in Annex II to the Treaty establishing the EEC	14.0 ECU per hl
	Other	5.7 ECU per hl
B.	Obtained from agricultural products listed in Annex II to the Treaty establishing the EEC	26.2 ECU per hl
	Other	10.8 ECU per hl
22.09 A.I.	Obtained from agricultural products listed in Annex II to the Treaty establishing the EEC	1.4 ECU per hl % volume of alcohol+8.7 ECU per hl
	Other	0.5 ECU per hl per % volume of alcohol+3.6 ECU per hl
II.	Obtained from agricultural products listed in Annex II to the Treaty establishing the EEC	1.4 ECU per hl per % volume of alcohol
	Other	0.5 ECU per hl per % % volume of alcohol
B. I.	... ...	FREE
II.	... ...	9.7 subject to a minimum of 0.5 ECU per hl % volume of alcohol
C. I. a)	... ...	0.3 ECU per hl per % volume of alcohol+1.8 ECU per hl

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
		b)	... ...	0.3 ECU per hl per % volume of alcohol
	II.	a)	... ...	0.3 ECU per hl per % volume of alcohol+1.8 ECU per hl
		b)	... ...	0.3 ECU per hl per % volume of alcohol
	III.	a) 1.	... ...	1 ECU per hl per % volume of alcohol
		2.	... ...	FREE
		b) 1.	... ...	ECU per hl
		2.	... ...	FREE
	IV.	a)	... ...	0.4 ECU per hl per % volume of alcohol+1.8 ECU per hl
		b)	... ...	0.4 ECU per hl per % volume of alcohol
	V.	a)	... ...	0.5 ECU per hl per % volume of alcohol+3.6 ECU per hl
		b)	.. ..	0.5 ECU per hl per % volume of alcohol
22.10A.	I.		... ...	7.0 ECU per hl
	II.		.. . .	5.2 ECU per hl
B.	I.		... ...	7.0 ECU per hl
	II.		.. ..	5.2 ECU per hl
23.01A.			. ...	FREE
B.			.. . .	1.7
23.02A.			.. ..	FREE
B.			.. . .	3.5
23.03/23.05A.I.			... .	FREE
23.05A.	II.		.. . .	1.7
B.			... .	FREE
23.06A.	I.	a)	... .	FREE
		b)	. .. .	1.7 ECU per hl per % volume of alcohol
	II.		.. ..	FREE
B.			. .. .	1.7
23.07A.			... ...	5.2
B.			... .	FREE
C.			... .	13.1
24.01A.			... .	20.1 subject to a minimum of 24.5 ECU and a maximum of 26.2 ECU per 100 kg
B.			... .	12.2 subject to a minimum of 24.5 ECU and a maximum of 61.2 ECU per 100kg
24.02A.			... ...	32.4
B.			.. ..	18.7

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
C.		42.1
D.		23.4
E.		9.3
25.01A. I.		0.3
II. a)		1.3
b)		2.7
B.		FREE
25.02		FREE
25.03A.		FREE
B.		1.0
25.04/25.10		FREE
25.11A.		FREE
B.		0.3
25.12		FREE
25.13A.		FREE
B.		0.2
25.14		FREE
25.15A.		FREE
B. I.		FREE
II.		1.5
25.16A.		FREE
B. I.		1.2
II. a)		0.9
b)		FREE
25.17		FREE
25.18A.		FREE
B.		0.6
C.		0.7
25.19A.		1.4
B.		FREE
25.20		FREE
25.21		FREE
25.22		1.2
25.23		1.0
25.24		FREE
25.26		FREE
25.27A.		FREE
B. I.		1.0
II.		0.2
25.28		FREE
25.30		FREE
25.31A.		FREE
B.		FREE
25.32A.		0.6
B.		FREE
26.01/27.02		FREE
27.03A.		FREE
B.		0.4
27.04A. I.		0.4
II.		FREE
B.		FREE
C.		0.4

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
27.05/27.06			... ...	FREE
27.07A.	I.		... ...	1.0
	II.		... ...	0.3
B.	I.		... ...	1.8
	II.		... ...	FREE
C.			... ...	1.0
D.			... ...	0.9
E.			... ...	FREE
F.			... ...	FREE
G.	I.		... ...	FREE
	II.		... ...	1.2
27.08/27.09			... ...	FREE
27.10A.	I.		... ...	FREE
	II.		... ...	FREE
	III.	a) 1.	... ...	5.4
		2.	... ...	5.4
		b)	... ...	5.4
B.	I.		... ...	FREE
	II.		... ...	FREE
	III.		... ...	5.4
C.	I.	a)	... ...	FREE
		b)	... ...	FREE
		c)	... ...	3.1
	II.	a)	... ...	FREE
		b)	... ...	FREE
		c)	... ...	3.1
	III.	a)	... ...	FREE
		b)	... ...	FREE
		c)	... ...	3.6
		d)	... ...	5.4
27.11A.	I.		... ...	5.7
	II.		... ...	FREE
B.	I.	a)	... ...	FREE
		b)	... ...	FREE
		c)	... ...	1.3
	II.	a)	... ...	FREE
		b)	... ...	FREE
27.12A.	I.		... ...	FREE
	II.		... ...	FREE
	III.		... ...	1.6
B.			... ...	4.4
27.13A.	I.		... ...	0.5
	II.		... ...	1.3
B.	I.	a)	... ...	FREE
		b)	... ...	FREE
		c)	... ...	1.6
	II.		... ...	3.9
27.14A.			... ...	FREE
B.			... ...	FREE
C.	I.		... ...	FREE
	II.		... ...	1.6
27.15			... ...	FREE
27.16			... ...	0.2

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
27.17	... ...	FREE
28.01A.	... ...	1.8
B.	... ...	3.9
C.	... ...	3.2
D.	... ...	FREE
28.02	... ...	1.6
28.03	... ...	FREE
28.04A.	... ...	1.2
B.	... ...	1.8
C. I.	... ...	1.8
C. I.	... ...	1.8
II.	... ...	FREE
III.	... ...	0.7
IV.	... ...	2.1
V.	... ...	2.1
28.05A. I.	... ...	1.8
II.	... ...	1.8
III.	... ...	1.4
IV.	... ...	1.0
B.	... ...	1.9
C. I.	... ...	4.3
II.	... ...	0.9
D. I.	... ...	2.3
II.	... ...	FREE
28.06	... ...	2.1
28.08	... ...	1.0
28.09	... ...	2.1
28.10	... ...	3.9
28.12	... ...	1.2
28.13A.	... ...	2.5
B.	... ...	4.3
C.	... ...	1.6
D.	... ...	1.8
E.	... ...	1.6
F.	... ...	1.9
G.	... ...	2.8
H.	... ...	1.6
I.J.	... ...	1.8
28.14A. I.	... ...	2.3
II.	... ...	2.1
B.	... ...	1.9
28.15A.	... ...	1.8
B.	... ...	2.1
C.	... ...	1.2
28.16	... ...	3.9
28.17A.	... ...	4.3
B.	... ...	3.9
C.	... ...	2.8
28.18A.	... ...	1.4
B.	... ...	2.1
C.	... ...	3.1
28.19	... ...	3.9
28.20A.	... ...	1.9

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
B.		1.8
28.21		4.7
28.22A.		1.8
B.		2.4
28.23		1.6
28.24		1.6
28.25		2.1
28.27		3.7
28.28A.		2.1
B.		1.8
C. I.		1.6
II.		2.2
D.		1.8
E.		1.9
F.		FREE
G		1.8
H.		1.6
IJ. I.		1.9
II.		1.9
K.		2.5
L. I.		1.0
II.		2.1
M.		1.4
N.		3.9
28.29A. I.		3.6
II.		1.8
B. I.		4.3
II.		1.8
III.		2.8
IV.		2.8
28.30A. I.		2.3
II.		1.9
III.		1.6
IV.		0.7
V.		3.6
VI.		1.4
VII.		2.1
B. I.		1.0
II.		1.8
C.		2.4
28.31A.		2.3
B.		1.8
C.		2.4
28.32A. I.		2.8
II.		1.8
III.		2.1
B. I.		1.4
II.		1.6
III.		1.8
IV.		2.1
C.		2.4
28.35A. I.		1.9
II.		1.6

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
	III.		... ...	2.4
B.	I.		... ...	2.1
	II.		... ...	2.4
28.36			... ...	4.3
28.37			... ...	2.8
28.38A.	I.		... ...	2.5
	II.		... ...	1.0
	III.		... ...	3.2
	IV.		... ...	3.2
	V.		... ...	1.8
	VI.		... ...	1.8
	VII.		... ...	1.6
	VIII.		... ...	1.8
B.	I.		... ...	2.1
	II.		... ...	4.3
	III.		... ...	3.6
	IV.		... ...	3.9
C.			... ...	2.2
28.39A.			... ...	2.5
B.	I.		... ...	3.1
	II.		... ...	2.8
	III.		... ...	2.8
	IV.		... ...	1.6
	V.		... ...	2.4
	VI.		... ...	1.0
28.40A.			... ...	2.1
B.	I.	a)	... ...	2.3
		b)	... ...	1.8
	II.		... ...	3.6
28.42A.	I.		... ...	2.1
	II.		... ...	3.6
	III.		... ...	1.8
	IV.		.. ..	1.2
	V.		... ...	2.8
	VI.		... ...	2.1
	VII.		... ...	2.8
B.			... ...	2.3
28.43A.	I.		... ...	2.4
	II.		... ...	2.2
	III.		... ...	1.9
B.			... ...	4.3
28.44A.			... ...	2.1
B.			... ...	1.8
C.			... ...	2.4
28.45A.			... ...	1.9
B.			... ...	1.8
28.46A.	I.	a)	... ...	FREE
		b)	... ...	1.2
	II.		... ...	1.8
B.			... ...	2.4
28.47A.			... ...	2.4
B.	I.		... ...	4.6
	II.		... ...	4.4

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
	C.		... ...	2.4
	D.		... ...	2.3
	E.		... ...	1.6
	F.		... ...	2.2
28.48A.			... ...	1.8
	B. I.		... ...	2.1
	II.		... ...	2.3
	III.		... ...	1.9
	IV.		... ...	2.1
	V.		... ...	2.3
28.49A.	I.		... ...	1.8
	II.		... ...	1.2
	B.		... ...	1.8
	C. I.		... ...	2.1
	II.		... ...	1.0
28.50A.			... ...	FREE
	B.		... ...	FREE
28.51A.			... ...	3.6
	B.		... ...	2.1
28.52A.			... ...	FREE
	B.		... ...	1.0
28.54A.			... ...	2.7
	B.		... ...	2.4
28.55A.			... ...	1.8
	B.		... ...	2.3
28.56A.			... ...	2.8
	B.		... ...	1.4
	C.		... ...	5.0
	D.		... ...	2.8
	E.		... ...	1.8
28.57A.			... ...	1.6
	B.		... ...	1.6
	C.		... ...	2.2
	D.		... ...	3.1
	E.		.. ..	1.8
28.58A.			... ...	0.9
	B.		... ...	1.4
	C.		... ...	2.1
29.01A.	I.		... ...	4.3
	II.		... ...	FREE
	B. I.		... ...	2.5
	II.	a)	... ...	2.9
		b)	... ...	FREE
	C. I.		... ...	2.1
	II.		... ...	2.3
	D. I.	a)	... ...	2.8
		b)	... ...	FREE
	II.			2.1
	III.		... ...	1.6
	IV.		... ...	2.8
	V.		... ...	FREE
	VI.		... ...	2.4
	VII.		... ...	2.2

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
29.02A.	I.		... ...	2.7
	II.	a) 1.	... ...	4.3
		2.	... ...	4.3
		b)	... ...	4.3
	III.		... ...	3.0
	IV.		... ...	2.9
	V.		... ...	2.6
B.			... ...	2.6
C.			... ...	2.7
29.03A.			... ...	2.5
B.	I.		... ...	2.8
	II.		... ...	2.5
C.	I.		... .	2.3
	II.		... ...	3.9
29.04A.	I.		... ...	4.6
	II.		... ...	2.4
	III.	a)	... ...	1.6
		b)	... ...	2.3
	IV.		... .	2.8
	V.		... ...	2.7
B.	I.		... ...	2.3
	II.		... ...	2.4
C.	I.		... ...	4.6
	II.		... ...	10.8
	III.	a) 1.	... ...	10.8
		2.	... ...	8.1
		b) 1.	... ...	10.8
		2.	... ...	8.1
	IV.		... ...	2.3
	V.		... ...	2.7
29.05A.	I.		... .	2.8
	II.		... ...	3.0
	III.		... ...	2.3
	IV.		... ...	2.5
B.	I.		... ...	2.2
	II.		... ...	2.6
29.06A.	I.		... ...	1.0
	II.		... ...	0.7
	III.		... ...	5.0
	IV.		... ...	2.6
B.	I.		... ...	2.6
	II.		... ...	2.7
	III.		... .	2.6
	IV.		... ...	2.1
	V.		... ...	2.4
C.			... ...	2.7
29.07A.			... ...	2.4
B.			... ...	2.7
C.	I.		... ...	1.8
	II.		... ...	4.5
	III.		... ...	2.7
D.			... ...	2.7
29.08A.	I.	a)	... ...	2.9

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
b)	... ...	2.6
II.	... ...	2.6
III. a)	... ...	3.6
b)	... ...	4.3
c)	... ...	2.5
B. I.	... ...	2.8
II.	... ...	2.3
C. I.	... ...	3.9
II.	... ...	2.4
D.	... ...	2.3
29.09A.	... ...	4.3
B.	... ...	2.7
29.10A.	... ...	2.2
B.	... ...	1.8
29.11A. I.	... ...	2.7
II.	... ...	6.8
III.	... ...	2.7
IV.	... ...	2.5
B.	... ...	2.3
C. I.	... ...	2.7
II.	... ...	2.5
D.	... ...	2.5
E. I.	... ...	2.8
II.	... ...	2.4
F. I.	... ...	2.7
II.	... ...	2.6
G.	... ...	2.7
29.12	... ...	2.5
29.13A. I.	... ...	2.3
II.	... ...	2.1
B. I. a)	... ...	1.9
b)	.. ..	2.5
II.	.. ..	2.4
C. I.	... .	3.9
II.	... ...	2.6
III.	... ...	2.7
D. I. A)	... ...	2.5
b)	... ...	1.0
II.	... .	2.7
E.	... ...	2.7
F.	.. . .	2.6
G. I.	... .	3.9
II.	... ...	2.5
29.14A. I.	... ...	2.7
II. a)	... ...	6.0
	... ...	6.0
b) 1.	... ...	5.4
2.	... ...	3.9
3.	... ...	2.6
c) 1.	... ...	4.1
2.	... ...	2.7
3.	... ...	3.6
4.	.. ..	2.6

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
	III.		... ...	2.8
	IV.		... ...	2.7
	V.		... ...	3.0
	VI.		... ...	1.4
	VII.		... ...	2.4
	VIII.		... ...	2.2
	IX.	a)	... ...	1.9
		b)	... ...	2.5
	X.	a)	... ...	2.1
		b) 1.	... ...	2.2
		2.	... ...	2.4
	XI.		... ...	2.5
B.	I.		... ...	2.6
	II.	a)	... ...	1.8
		b)	... ...	2.5
	III.	a)	... ...	2.1
		b)	... ...	2.5
	IV.	a)	... ...	2.8
		b)	... ...	3.6
C.			... ...	2.6
D.	I.		... ...	2.6
	II.		... ...	2.7
	III.		... ...	2.7
	IV.		... ...	2.5
29.15A.	I.		... ...	2.7
	II.		... ...	4.6
	III.		... ...	2.4
	IV.	a)	... ...	2.1
		b)	... ...	2.1
	V.		... ...	2.2
B.			... ...	2.1
C.	I.		... ...	4.6
	II.		... ...	3.6
	III.		... ...	4.6
29.16A.	I.		... ...	2.3
	II.		... ...	2.3
	III.		... ...	2.7
	IV.	a)	... ...	4.6
		b)	... ...	2.8
	V.		... ...	3.0
	VI.		... ...	2.8
	VII.		... ...	2.2
	VIII.	a)	... ...	2.4
		b)	... ...	2.7
B.	I.	a)	... ...	2.8
		b)	... ...	2.7
		c) 1.	... ...	6.3
		2.	... ...	2.7
		d)	... ...	4.3
	II.		... ...	2.7
	III.		... ...	2.5
	IV.	a)	... ...	2.3
		b)	... ...	2.6

SCHEDULE 1—*continued*

Tariff Heading (1)		*Description of Goods* (2)	*Rate of Duty* (3)
V.		... ...	2.7
VI.		... ...	2.6
C. I.		... ...	2.2
II.		... ...	2.8
III.		... ...	2.6
D.		... ...	2.6
29.19A.		... ...	2.4
B.		... ...	2.3
C.		... ...	2.6
29.21A.		... ...	2.7
B. I.		... ...	2.4
II.		... ...	2.6
29.22A. I.		... ...	4.3
II.		... ...	1.9
III.		... ...	2.3
B. I.		... ...	2.5
II.		... ...	2.1
C. I.		... ...	2.2
II.		... ...	2.5
D. I.		... ...	4.3
II.		... ...	1.6
III.		... ...	2.5
IV.		... ...	2.4
V.	a)	... ...	1.6
	b)	... ...	2.5
VI.	a)	... ...	2.3
	b)	.. ..	2.5
VII.		... .	2.5
E. I.		... ...	2.3
II.		... .	3.6
29.23A. I.		... .	2.3
II.		... ...	2.5
B. I.		. . ..	2.7
II.		... .	3.6
C.		... ...	2.5
D. I.		.. ..	2.2
II.		... ...	2.4
III.		... ...	5.4
IV.		... ...	2.3
V.		.. ..	2.6
E.		... ...	2.6
29.24A.		... ...	1.9
B.		... .	2.6
29.25A. I.	a)	... ...	2.1
	b)	... ...	2.6
II.		... ...	2.7
B. I.	a)	... ...	2.1
	b)	... ...	2.4
II.	a)	... ...	6.3
	b)	... ...	5.4
	c)	... ...	2.6
III.	a)	... ...	4.3
	b)	... ...	2.6

SCHEDULE 1

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
29.26A.	I.		... ...	2.4
	II.		... ...	2.5
B.	I.		... ...	2.7
	II.	a)	... ...	5.0
		b)	... ...	1.9
		c)	... ...	2.6
29.27			... ...	4.6
29.28			... ...	2.5
29.29			... ...	2.6
29.30			... ...	4.6
29.31A.			... ...	2.3
B.			... ...	2.7
29.33			... ...	2.6
29.34A.			... ...	2.6
B.			... ...	2.8
C.			... ...	2.7
29.35A.			... ...	2.3
B.			... ...	2.6
C.			... ...	2.3
D.			... ...	1.8
E.			... ...	2.1
F.			... ...	2.3
G.			... ...	2.6
H.	I.		... ...	3.6
	II.		... ...	6.1
I.J.			... ...	2.7
K.			... ...	2.1
L.			... ...	5.0
M.			... ...	1.8
N.			... ...	2.7
O.			... ...	5.0
P.			... ...	1.9
Q.			... ...	2.8
29.36			... ...	2.3
29.37			... ...	2.6
29.38A.			... ...	1.7
B.	I.		... ...	1.2
	II.		... ...	1.5
	III.		... ...	2.7
	IV.		... ...	1.4
	V.		... ...	1.8
C.	I.		... ...	1.4
	II.		... ...	2.3
D.			... ...	2.4
29.39A.			... ...	2.3
B.			... ...	2.3
C.	I.		... ...	1.9
	II.		... ...	2.4
D.	I.		... ...	1.9
	II.		... ...	2.3
E.			... ...	2.3
29.41A.			... ...	2.1
B.			... ...	1.9

SCHEDULE 1—*continued*

Tariff Heading (1)				*Description of Goods* (2)	*Rate of Duty* (3)
C.				... ...	2.7
D.				... ...	2.3
29.42A.	I.			... ...	2.2
	II.			... ...	2.6
B.	I.			... ...	1.4
	II.			... ...	3.4
C.	I.			... ...	3.6
	II.	a)		... ...	FREE
		b)		... ...	2.3
	III.			... ...	1.8
	IV.			... ...	2.5
	V.			... ...	2.8
	VI.			... ...	4.8
	VII.			... ...	2.8
29.43A.				... ...	5.4
B.				... ...	7.2
29.44A.				... ...	2.8
B.				... ...	3.6
C.				... ...	1.8
29.45				... ...	3.6
30.01A.	I.			... ...	1.8
	II.			... ...	1.6
B.	I.			... ...	FREE
	II.			... ...	1.9
30.02A.				... ...	2.1
B.				... ...	2.5
C.				... ...	2.3
30.03A.	I.			... ...	3.1
	II.	a)	1.	... ...	2.2
			2.	... ...	2.3
		b)		... ...	1.8
B.	I.			... ...	3.4
	II.	a)		... ...	2.2
		b)		... ...	2.2
30.04				... ...	2.3
30.05				... ...	2.4
31.02A.				... ...	FREE
B.				... ...	3.9
C.				... ...	2.8
31.03A.	I.			... ...	1.7
	II.			... ...	FREE
B.				... ...	0.7
31.04A.				... ...	FREE
B.				... ...	0.7
31.05A.	I.			... ...	2.3
	II.	a)		... ...	2.3
		b)		... ...	2.3
		c)	1.	... ...	2.8
			2.	... ...	1.7
	III.	a)		... ...	FREE
		b)	1.	... ...	2.8
			2.	... ...	1.7
	IV.	a)		... ...	2.8

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
		b)	... ...	1.0
B.			... ...	3.1
32.01A.	I.		... ...	1.0
	II.		... ...	FREE
	III.		... ...	2.0
	IV.		... ...	1.8
B.			... ...	1.0
32.03			... ...	1.8
32.04A.	I.		... ...	FREE
	II.		... ...	1.2
	III.		... ...	0.7
	IV.		... ...	1.4
B.			... ...	1.8
32.05A.			... ...	3.6
B.			... ...	3.6
C.			... ...	3.6
D.			... ...	2.1
E.			... ...	1.9
32.06			... ...	3.6
32.07A.	I.		... ...	1.8
	II.		... ...	1.8
	III.		... ...	3.4
	IV.		... ...	2.1
	V.	a)	... ...	1.9
		b)	... ...	2.6
	VI.	a)	... ...	FREE
		b)	... ...	2.3
B.			... ...	2.5
C.			... ...	1.8
32.08A.			... ...	2.4
B.			... ...	2.2
C.			... ...	1.8
D.			... ...	1.2
32.09A.	I.		... ...	2.5
	II.		... ...	3.6
B.			... ...	2.3
C.			... ...	2.5
32.10			... ...	2.7
32.11			... ...	2.3
32.12			... ...	1.8
32.13A.			... ...	2.4
B.			... ...	2.3
C.			... ...	2.5
33.01A.	I.		... ...	3.9
	II.	a)	... ...	0.9
		b)	... ...	FREE
B.	I.		... ...	2.4
	II.		... ...	1.6
C.			... ...	1.4
D.			... ...	1.8
E.			... ...	1.6
33.04			... ...	1.8
33.06A.	I.		... ...	2.5

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
	II.		... ...	2.3
	B.		... ...	2.1
34.01			... ...	2.4
34.02			... ...	2.4
34.03A.			... ...	1.6
	B.		... ...	1.6
34.04			... ...	1.8
34.05			... ...	2.1
34.06			... ...	2.5
34.07			... ...	2.2
35.01A.	I.		... ...	1.8
	II.		... ...	4.5
	III.		... ...	12.6
	B.		... ...	4.6
	C.		... ...	9.0
35.02A.	I.		... ...	FREE
	II.	a) 1.	... ...	FREE
		2.	... ...	FREE
		b)	... ...	3.6
	B.		... ...	4.3
35.03A.			... ...	1.8
	B.		... ...	4.3
35.04			... ...	1.8
35.05A.			... ...	12.6
	B. I.		... ...	11.7
	II.		... ...	11.7
	III.		... ...	11.7
	IV.		... ...	11.7
35.06A.	I.	a)	... ...	1.9
		b)	... ...	2.7
	II.		... ...	2.5
	B.		... ...	2.7
35.07			... ...	2.2
36.01A.			... ...	1.6
	B.		... ...	1.9
36.02			... ...	2.5
36.04A.			... ...	2.1
	B.		... ...	3.0
36.05A.			... ...	2.2
	B.		... ...	2.3
36.06			... ...	3.6
36.08A.			... ...	2.1
	B.		... ...	2.7
37.01A.			... ...	1.8
	B.		... ...	2.6
37.02A.	I.		... ...	2.5
	II.		... ...	1.8
	B.		... ...	2.5
37.03			... ...	2.7
37.04A.	I.		... ...	FREE
	II.		... ...	0.1 ECU per 100 m
	B.		... ...	FREE
37.05A.			... ...	1.0

SCHEDULE 1—*continued*

Tariff Heading (1)				*Description of Goods* (2)	*Rate of Duty* (3)
B.				... ...	1.8
37.07A.				... ...	FREE
B.	I.			... ...	FREE
	II.	a)		... ...	0.3
		b)	1.	... ...	FREE
			2.	... ...	0.5 ECU per 100 m
			3.	... ...	0.6 ECU per 100 m
			4.	... ...	0.9 ECU per 100 m
37.08				... ...	2.1
38.01A.	I.			... ...	1.6
	II.			... ...	1.2
B.				... ...	1.4
38.03A.				... ...	2.2
B.				... ...	1.9
C.				... ...	1.4
38.05A.				... ...	FREE
B.				... ...	1.4
38.06				... ...	1.8
38.07A.				... ...	1.4
B.				... ...	1.0
C.				... ...	1.2
38.08A.				... ...	1.8
B.				... ...	1.2
C.				... ...	1.6
38.09A.				... ...	0.7
B.				... ...	1.6
38.11A.				... ...	2.5
B.				... ...	1.6
C.				... ...	2.7
D.				... ...	2.1
38.12A.	I.	a)		... ...	11.7
		b)		... ...	11.7
		c)		... ...	11.7
		d)		... ...	11.7
	II.			... ...	1.9
B.				... ...	2.3
38.13A.				... ...	2.3
B.				... ...	1.4
C.				... ...	1.8
38.14A.				... ...	2.5
B.	I.	a)		... ...	1.8
		b)		... ...	2.0
	II.			... ...	2.0
	III.			... ...	2.0
38.15				... ...	2.2
38.16				... ...	1.8
38.17				... ...	2.4
38.18				... ...	2.3
38.19A.				... ...	1.4
B.				... ...	1.0
C.				... ...	1.8
D.				... ...	1.9
E.				... ...	2.2

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
F. I.	... ...	1.8
II.	... ...	2.3
G.	... ...	2.3
H.	... ...	2.1
I.J.	... ...	1.8
K.	... ...	0.9
L.	... ...	1.8
M.	... ...	1.8
N.	... ...	2.4
O.	... ...	1.2
P.	... ...	2.5
Q.	... ...	2.5
R.	... ...	2.5
S.	... ...	2.7
T. I. a)	... ...	10.8
b)	... ...	8.1
II. a)	... ...	10.8
b)	... ...	8.1
U.	... ...	1.8
V.	... ...	1.8
W.	... ...	1.4
X.	... ...	2.7
39.01A.	... ...	2.4
B.	... ...	2.2
C. I. a)	... ...	2.4
b)	... ...	2.5
II. a)	... ...	2.4
b)	... ...	2.6
III. a)	... ...	4.6
b)	... ...	2.8
IV.	... ...	2.8
V.	... ...	2.9
VI.	... ...	2.9
VII.	... ...	2.9
VIII	... ...	2.7
39.02A.	... ...	2.7
B.	... ...	2.2
39.02C. I to XII.	... ...	4.5
XIII.	... ...	4.3
XIV. a)	... ...	4.5
b)	... ...	4.5
39.03A.	... ...	2.2
B. I. a)	... ...	2.9
b)	... ...	
1.	... ...	4.6
2.	... ...	2.4
c)	... ...	2.2
II. a) 1.	... ...	5.7
2.	... ...	2.1
b) 1. aa)	... ...	2.4
bb)	... ...	2.6
2.	... ...	2.3
III. a)	... ...	2.7

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
b) 1.	... ...	2.4
2.	... ...	2.2
3.	... ...	4.6
4. aa)	... ...	2.3
bb)	... ...	2.6
IV. a)	... ...	2.3
b) 1.	... ...	2.1
2.	... ...	2.3
3.	... ...	2.5
4. aa)	... ...	1.9
bb)	... ...	2.3
V. a) 1.	... ...	2.4
2.	... ...	2.7
b) 1.	... ...	2.5
2. aa)	... ...	2.5
bb)	... ...	2.8
VI.	... ...	1.9
39.04	... ...	1.8
39.05A.	... ...	1.9
B.	... ...	2.3
39.06A.	... ...	1.8
B. I.	... ...	4.3
II.	... ...	4.3
39.07A.	... ...	FREE
B. I.	... ...	3.0
II.	... ...	2.4
III.	... ...	2.3
IV.	... ...	2.3
V. a)	... ...	1.8
b)	... ...	1.9
c)	... ...	1.7
d)	... ...	2.9
40.01	... ...	FREE
40.02A.	... ...	1.0
B.	... ...	1.3
C.	... ...	FREE
40.03	... ...	0.3
40.04	... ...	FREE
40.05	... ...	0.9
40.06	... ...	0.9
40.07A.	... ...	2.1
B.	... ...	1.8
40.08A. I.	... ...	2.0
II.	... ...	1.7
B.	... ...	1.5
40.09A.	... ...	FREE
B.	... ...	1.7
40.10	... ...	3.6
40.11A.	... ...	1.8
B. I.	... ...	FREE
II.	... ...	2.0
40.12	... ...	1.0
40.13A.	... ...	1.8

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
B.	... ...	2.1
40.14A.	... ...	FREE
B. I.	... ...	1.8
B. II.	... ...	1.5
40.15A.	... ...	1.0
B.	... ...	FREE
40.16A.	... ...	FREE
B.	... ...	0.9
41.01/41.02		FREE
C.	... ...	2.5
41.03A.	... ...	FREE
B. I.	... ...	0.9
II.	... ...	1.3
41.04A.	... ...	FREE
B. I.	... ...	0.9
II.	... ...	1.3
41.05A.	... ...	FREE
B. I.	... ...	1.0
II.	... ...	1.2
41.06	... ...	1.3
41.08	... ...	1.3
41.09	... ...	FREE
41.10	... ...	1.3
42.01	... ...	2.0
42.02A.	... ...	2.0
B.	... ...	1.8
42.03A.	... ...	2.5
B.	... ...	3.6
C.	... ...	2.5
42.04A.	... ...	1.3
B.	... ...	1.8
42.05	... ...	1.4
42.06	... ...	1.5
43.01	... ...	FREE
43.02A.	... ...	1.2
B.	... ...	FREE
43.03A.	... ...	1.7
B.	... ...	2.1
43.04	... ...	2.0
44.01	... ...	FREE
44.02	... ...	FREE
44.03A.	... ...	0.9
B.	... ...	FREE
44.04	... ...	FREE
44.05A.	... ...	FREE
B.	... ...	1.3
C.	... ...	FREE
44.07A.	... ...	1.3
B.	... ...	0.9
44.09A.	... ...	1.5
B. I.	... ...	FREE
C.	... ...	0.9
D.	... ...	1.0

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
44.11	... ...	3.6
44.12	... ...	1.3
44.13	... ...	1.4
44.14A.	... ...	FREE
B.	... ...	2.1
44.15	... ...	3.6
44.16	... ...	1.3
44.17	... ...	1.0
44.18	... ...	3.6
44.19	... ...	1.0
44.20	... ...	1.8
44.21A.	... ...	2.4
B.	... ...	2.7
44.22A.	... ...	0.9
B.	... ...	1.4
44.23A.	... ...	1.4
B. I.	... ...	2.7
II.	... ...	2.1
44.24	... ...	1.0
44.25A.	... ...	1.6
B.	... ...	2.1
44.26	... ...	0.9
44.27A.	... ...	1.8
B.	... ...	2.1
44.28A.	... ...	0.9
B.	... ...	1.6
C.	... ...	1.5
44.28D. I.	... ...	2.7
II.	... ...	1.7
45.01	... ...	2.1
45.02	... ...	4.7
45.03	... ...	7.2
45.04	... ...	7.2
46.02A. I.	... ...	FREE
II.	... ...	1.6
B.	... ...	1.3
C.	... ...	1.4
D. I. a)	... ...	1.5
b)	... ...	1.4
II.	... ...	1.4
III.	... ...	1.4
46.03	... ...	2.1
47.01	... ...	FREE
47.02	... ...	FREE
48.01A.	... ...	1.7
B.	... ...	1.7
C. I.	... ...	0.9
II. a)	... ...	2.8
b)	... ...	2.1
D.	... ...	1.3
E.	... ...	1.8
F.	... ...	3.2
48.03	... ...	3.6

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
48.04	... ...	3.6
48.05A.	... ...	3.9
B.	... ...	3.6
48.07A.	... ...	3.6
B.	... ...	2.5
C.	... ...	2.8
D.	... ...	3.2
48.08	... ...	3.6
48.10	... ...	1.8
48.11	... ...	2.5
48.12	... ...	3.9
48.13	... ...	3.2
48.14	... ...	4.3
48.15A.	... ...	1.6
B.	... ...	3.2
48.16A.	... ...	4.3
B.	... ...	3.9
48.18	... ...	4.3
48.19	... ...	3.6
48.20	... ...	3.9
48.21A.	... ...	1.6
B. I.	... ...	3.6
II.	... ...	2.5
C.	... ...	1.9
D.	... ...	3.9
E.	... ...	3.6
F. I.	... ...	3.6
II.	... ...	3.9
49.01	... ...	FREE
49.02	... ...	FREE
49.03	... ...	2.5
49.04	... ...	FREE
49.05A.	... ...	1.6
B.	... ...	FREE
49.06	... ...	FREE
49.07A.	... ...	0.9
B.	... ...	FREE
C. I.	... ...	FREE
II.	... ...	1.8
49.08	... ...	1.8
49.09	... ...	2.3
49.10	... ...	2.1
49.11A.	... ...	FREE
B.	... ...	2.0
50.01	... ...	0.3
50.02	... ...	1.3
50.03	... ...	FREE
50.04	... ...	1.7
50.05A.	... ...	0.9
B.	... ...	0.7
50.07A.	... ...	2.1
B.	... ...	1.3
C.	... ...	0.9

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
50.09A. I.	... ...	2.4
II. a)	... ...	1.8
b)	... ...	2.7
III.	... ...	2.5
B.	... ...	1.0
51.01A.	... ...	3.2
B. I.	... ...	0.7
II.	... ...	3.4
51.02A. I.	... ...	2.0
II.	... ...	2.2
B. I.	... ...	1.2
II.	... ...	1.3
51.03A.	... ...	2.1
B.	... ...	2.0
51.04	... ...	3.9
52.01	... ...	1.7
52.02	... ...	1.9
53.01	... ...	FREE
53.02A.	... ...	0.4
B.	... ...	FREE
53/03/53.04	... ...	FREE
53.05	... ...	0.9
53.06A.	... ...	1.3
B.	... ...	1.8
53.07A. I.	... ...	1.3
II.	... ...	1.8
B. I.	... ...	0.9
II.	... ...	2.1
53.08	... ...	1.0
53.09	... ...	1.2
53.10	... ...	2.3
53.11A.	... ...	7.0
B. I.	... ...	2.5
II.	... ...	9.1
53.12	... ...	1.8
54.01/54.02	... ...	FREE
54.03A.	... ...	2.0
B. I. a)	... ...	1.6
b)	... ...	1.3
II.	... ...	1.7
54.04A.	... ...	2.1
B.	... ...	1.9
54.05	... ...	5.0
55.01	... ...	FREE
55.02	... ...	FREE
55.03	... ...	FREE
55.04	... ...	0.4
55.05A.	... ...	5.4
B. I. a)	... ...	3.6
b)	... ...	5.4
II.	... ...	5.4
55.06	... ...	3.2
55.07	... ...	2.0

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
55.08	... ...	3.6
55.09	... ...	9.0
56.01A.	... ...	2.7
B.	... ...	4.3
56.02	... ...	2.7
56.03A.	... ...	2.5
B.	... ...	2.8
56.04A.	... ...	2.8
B.	... ...	3.6
56.05	... ...	8.1
56.06	... ...	3.2
56.07A. I.	... ...	3.6
II.	... ...	3.9
B.	... ...	3.9
57.01/57.04	... ...	FREE
57.06	... ...	1.8
57.07A. I. a)	... ...	2.0
b)	... ...	1.0
II.	... ...	1.7
B.	... ...	FREE
C.	... ...	1.8
D.	... ...	1.3
57.10A. I.	... ...	3.1
II.	... ...	3.0
III.	... ...	2.7
53.10B.	... ...	3.3
57.11A.	... ...	2.2
B.	... ...	2.0
C.	... ...	2.1
58.01A. I.	... ...	3.1
II.	... ...	3.4 subject to a maximum of 0.99 ECU per m^2
B.	... ...	3.1
C.	... ...	2.4
58.02A. I.	... ...	2.8
II. a)	... ...	5.0
b)	... ...	3.1
B.	... ...	2.2
58.03	... ...	1.9
58.04	... ...	13.5
58.05A. I. a)	... ...	2.2
b)	... ...	2.1
c)	... ...	1.7
II.	... ...	2.7
B.	... ...	2.1
58.06	... ...	2.1
58.07A.	... ...	1.6
B.	... ...	1.8
58.08A.	... ...	2.1
B.	... ...	2.3
58.09A.	... ...	4.6
B. I.	... ...	4.6

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
	II.		... ...	4.1
58.10A.	I.		... ...	2.0
	II.		... ...	4.6
B.	I.		... ...	2.0
	II.		... ...	2.5
59.01A.	I.	a)	... ...	1.3
		b)	... ...	1.8
	II.		... ...	1.3
B.	I.		... ...	1.0
	II.		... ...	FREE
59.02A.			... ...	2.3
B.			... ...	2.1
59.03A.			... ...	3.1
B.			... ...	2.4
59.04			... ...	4.3
59.05A.			... ...	3.9
B.	I.		... ...	4.5
	II.		... ...	3.2
59.06			... ...	2.0
59.07			... ...	2.3
59.08			... ...	4.3
59.10			... ...	1.8
59.11A.	I.		... ...	1.6
	II.		... ...	2.0
	III.		... ...	1.9
B.			... ...	4.3
59.12			... ...	1.7
59.13			... ...	2.3
59.14			... ...	1.9
59.15			... ...	2.3
59.16			... ...	1.8
59.17A.			... ...	1.8
B.	I.		... ...	1.0
	II.		... ...	1.6
C.	I.		... ...	2.0
	II.		... ...	1.5
D.			... ...	2.1
60.01			... ...	4.3
60.02A.			... ...	3.1
60.03			... ...	7.0
60.04			... ...	7.0
60.05A.	I.	a)	... ...	3.7
		b)	... ...	2.8
	II.		... ...	5.0
B.			... ...	4.3
60.06A.			... ...	2.3
61.01A.	I.		... ...	2.8
	II. to B.		... ...	5.0
61.02A.	I.		... ...	3.7
	II.		... ...	2.8
61.02B.			... ...	5.0
61.02/61.03			... ...	7.0

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
61.04			... ...	4.6
61.05			... ...	3.6
61.06			... ...	2.8
61.07			... ...	2.2
61.09			... ...	2.3
61.10			... ...	2.7
61.11			... ...	2.2
62.01A.			... ...	2.4
B.	I.		... ...	4.0
	II.		... ...	7.5
62.2			... ...	7.0
62.03A.	I.		... ...	1.8
	II.	a)	... ...	3.1
		b)	... ...	3.0
		c)	... ...	2.7
B.	I.	a)	... ...	1.8
		b)	... ...	2.1
	II.		... ...	2.5
62.04			... ...	5.0
62.05A.			... ...	FREE
B.			... ...	1.8
C.			... ...	2.7
D.			... ...	1.9
E.	I.		... ...	2.2
	II.		... ...	2.2
63.01A.			... ...	1.8
B.			... ...	1.7
63.02			... ...	FREE
64.01			... ...	7.2
64.02A.			... ...	4.3
B.			... ...	10.8
64.03			... ...	2.0
64.04			... ...	1.7
64.05A.			... ...	2.0
B.			... ...	1.6
64.06			... ...	2.1
65.01A.			... ...	1.8
B.			... ...	1.8
65.02A.			... ...	FREE
B.			... ...	1.6
65.03A.	I.		... ...	1.8
	II.		... ...	
B.	I.		... ...	3.6
	II.		... ...	2.1
65.04A.	I.		... ...	FREE
	II.		... ...	FREE
B.			... ...	2.0
65.05			... ...	2.1
65.06			... ...	2.1
65.07A.			... ...	1.3
B.			... ...	1.8
66.01			... ...	2.8
66.02			... ...	1.7

SCHEDULE 1—*continued*

Tariff Heading (1)				*Description of Goods* (2)	*Rate of Duty* (3)
66.03A.				... ...	1.6
B.				... ...	2.7
C.				... ...	2.5
67.01A.				... ...	1.8
B.				... ...	2.0
67.02A.	I.			... ...	2.5
	II.			... ...	2.7
67.02B.				... ...	2.8
67.03A.				... ...	1.2
B.				... ...	1.7
67.04				... ...	1.8
68.01				... ...	0.7
68.02A.	I	a)		... ...	1.8
		b)	1.	... ...	FREE
			2.	... ...	1.0
	II.	a)		... ...	1.5
		b)		... ...	1.3
	III.	a)		... ...	1.8
		b)	1.	... ...	1.9
			2.	... ...	FREE
	IV.			... ...	1.7
B.				... ...	FREE
68.03				... ...	1.3
68.04A.	I.			... ...	1.2
	II.			... ...	1.0
B.	I.	a)		... ...	1.0
		b)		... ...	0.7
	II.			... ...	0.9
68.06				... ...	1.2
68.07A.				... ...	0.7
B.				... ...	0.9
68.08				... ...	0.9
68.09				... ...	1.5
68.10A.				... ...	0.9
B.				... ...	1.0
68.11				... ...	1.0
68.12A.				... ...	1.0
B.				... ...	1.6
68.13A.				... ...	1.8
B.	I.			... ...	2.8
	II.			... ...	3.6
	III.	a)		... ...	FREE
	b)			... ...	2.4
C.	I.			... ...	1.3
	II.			... ...	1.7
68.14A.				... ...	FREE
B.				... ...	1.8
68.15A.				... ...	1.2
B.				... ...	1.3
C.				... ...	1.8
68.16A.				... ...	1.9
B.				... ...	1.0
69.01A.				... ...	1.3

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
B.	... ...	1.8
69.02A.	... ...	1.4
B.	... ...	1.4
69.03	... ...	2.8
69.04A.	... ...	1.4
B.	... ...	1.3
69.05A.	... ...	0.9
B.	... ...	1.3
69.06A.	... ...	1.2
B.	... ...	2.8
69.07	... ...	4.3
69.08A.	... ...	3.2
B. I.	... ...	2.8
II.	... ...	3.2
69.09A.	... ...	2.4
B.	... ...	1.8
69.10	... ...	3.6
69.11	... ...	4.8
69.12A.	... ...	1.8
B.	... ...	2.1
C.	... ...	3.7
D.	... ...	2.7
69.13A.	... ...	1.8
B.	... ...	3.2
C.	... ...	3.2
69.14A.	... ...	2.7
B.	... ...	1.8
70.01A.	... ...	FREE
B. I.	... ...	1.0
II.	... ...	0.9
70.03A.	... ...	1.0
B.	... ...	1.7
70.04A.	... ...	1.8 subject to a minimum of 0.18 ECU per 100 kg gross
B.	... ...	1.8 subject to a minimum of 0.27 ECU per 100 kg gross
70.05	... ...	2.1 subject to a minimum of 0.18 ECU per 100 kg gross
70.06	... ...	1.3
70.07	... ...	1.8
70.08A.	... ...	FREE
B.	... ...	2.0
70.09	... ...	2.3
70.10	... ...	3.2
70.11	... ...	2.5
70.12A.	... ...	2.2
B.	... ...	4.5
70.13	... ...	4.3
70.14A. I.	... ...	3.6
II.	... ...	3.2

SCHEDULE 1—*continued*

Tariff Heading (1)				*Description of Goods* (2)	*Rate of Duty* (3)
B.				... ...	2.1
70.15				... ...	1.8
70.16				... ...	1.4 subject to a minimum of 0.54 ECU per 100 kg gross
70.17A.	I.			... ...	1.6
	II.			... ...	2.0
B.				... ...	2.0
70.18				... ...	2.0
70.19A.	I.	a)		... ...	FREE
		b)		... ...	3.6
	II.			... ...	0.1 ECU per kg
	III.	a)		... ...	FREE
		b)		... ...	2.1
	IV.	a)		... ...	1.9
		b)		... ...	2.3
B.				... ...	1.9
C.				... ...	1.8
D.				... ...	3.6
70.20A.				... ...	2.3
B.				... ...	3.4
70.21				... ...	1.9
71.01				... ...	FREE
71.02A.				... ...	FREE
B.	I.	a)		... ...	0.9
		b)		... ...	1.0
	II.			... ...	FREE
71.03A.				... ...	0.2
B.	I.			... ...	1.0
	II.			... ...	0.6
71.04				... ...	FREE
71.05A.				... ...	FREE
B.				... ...	0.6
C.				... ...	0.9
D.				... ...	1.8
E.				... ...	1.3
71.06A.				... ...	1.3
B.				... ...	1.6
71.07A.				... ...	FREE
B.				... ...	0.1
C.				... ...	0.6
D.				... ...	1.8
E.				... ...	1.4
71.08				... ...	0.9
71.09A.	I.			... ...	FREE
	II.	a)		... ...	FREE
		b)	1.	... ...	0.2
			2.	... ...	0.4
			3.	... ...	1.0
			4.	... ...	1.4
B.	I.			... ...	FREE
	II.	a)		... ...	FREE
		b)		... ...	0.7

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
71.10			... ...	0.9
71.11			... ...	FREE
71.12A.			... ...	1.2
B.			... ...	2.0
71.13A.			... ...	1.0
B.			... ...	1.3
71.14A.			... ...	1.8
B.			... ...	1.5
71.15A.			... ...	FREE
	II.		... ...	1.7
B.	I.	a)	... ...	FREE
		b)	... ...	1.8
	II.		... ...	1.7
71.16A			... ...	3.0
B			... ...	2.3
72.01			... ...	FREE
73.01A.			... ...	2.8
B.			... ...	2.8
C.			... ...	3.6
D.	I.		... ...	FREE
	II.		... ...	2.8
73.02A.	I.		... ...	3.6
	II.		... ...	1.8
B.			... ...	1.7
C.			... ...	2.1
D.			... ...	1.9
E.	I.		... ...	2.8
	II.		... ...	1.7
F.			... ...	FREE
G.			... ...	1.7
73.03			... ...	FREE
73.04			... ...	1.0
73.05A.			... ...	1.0
B.			... ...	FREE
73.06			... ...	2.2
73.07A.	I.		... ...	2.8
	II.		... ...	1.3
B.	I.		... ...	2.8
	II.		... ...	1.3
C.			... ...	1.0
73.08A.			... ...	3.4
B.			... ...	3.9
73.09			... ...	3.9
73.10A.	I.		... ...	4.4
	II.		... ...	3.9
	III.		... ...	3.4
B.			... ...	1.7
C.			... ...	1.7
D.	I.	a)	... ...	3.4
		b)	... ...	1.7
	II.		... ...	1.7
73.11A	I.		... ...	3.9
A.	II.		... ...	1.7

SCHEDULE 1—*continued*

Tariff Heading (1)				*Description of Goods* (2)	*Rate of Duty* (3)
	III.			... ...	1.7
	IV.	a)	1.	... ...	3.4
			2.	... ...	1.7
		b)		... ...	1.7
B.				... ...	3.9
73.12A				... ...	4.7
B.	I.			... ...	4.7
	II.			... ...	1.8
C.	I.			... ...	1.8
	II.			... ...	1.8
	III.	a)		... ...	4.4
		a)		... ...	1.8
	IV.			... ...	1.8
	V.	a)	1.	... ...	4.4
			2.	... ...	1.8
		b)		... ...	1.8
D.				... ...	1.8
73.13A.	I.			... ...	3.9
	II.			... ...	4.4
B.	I.	a)		... ...	4.4
		b)		... ...	3.9
73.13B.	II.	a)		... ...	1.7
		b)		... ...	3.9
		c)		... ...	4.7
	III.			... ...	4.4
	IV.	a)		... ...	1.7
		b)		... ...	4.4
		c)		... ...	4.7
		d)		... ...	4.4
	V.	a)	1.	... ...	1.7
			2.	... ...	4.4
		b)		... ...	1.7
73.14				... ...	1.8
73.15A.	I.	a)		... ...	1.2
		b)	1.	... ...	2.2
			2.	... ...	2.8
	II.			... ...	1.0
	III.			... ...	3.4
	IV.			... ...	3.9
	V.	a)		... ...	1.8
		b)	1.	... ...	4.4
			2.	... ...	3.9
		c)		... ...	1.8
		d)	1. aa)	... ...	3.4
			bb)	... ...	1.7
			2.	... ...	1.8
	VI.	a)		... ...	4.4
		b)		... ...	1.8
		c)	1. bb)	... ...	4.4
			bb)	... ...	1.8
			2.	... ...	1.8
		d)		... ...	1.8
	VII.	a)		... ...	4.4

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
b) 1.	... ...	1.7
2.	... ...	4.7
c)	... ...	4.4
d) 1.	... ...	4.4
2.	... ...	1.7
VIII.	... ...	1.8
B. I. a)	... ...	1.3
b) 1. aa)	... ...	FREE
bb)	... ...	2.2
2.	... ...	2.8
II.	... ...	1.3
III.	... ...	5.4
73.15B. IV.	... ...	5.4
V. a)	... ...	2.1
b)	... ...	5.4
c)	... ...	2.1
d) 1. aa)	... ...	4.5
bb)	... ...	2.1
2.	... ...	2.1
VI. a)	... ...	5.4
b)	... ...	2.1
c) 1. aa)	... ...	5.4
bb)	... ...	2.1
2.	... ...	2.1
d)	... ...	2.1
VII. a)	... ...	5.4
b) 1.	... ...	5.4
2. aa)	... ...	2.1
bb)	... ...	5.4
3.	... ...	5.4
4. aa)	... ...	5.4
bb)	... ...	2.1
VIII.	... ...	2.1
73.16A. I.	... ...	2.0
II. a)	... ...	3.9
b)	... ...	2.2
B.	... ...	3.4
C.	... ...	3.4
D. I.	... ...	3.4
II.	... ...	1.8
E.	... ...	1.7
73.17	... ...	2.0
73.18A.	... ...	FREE
B. I.	... ...	3.2
II.	... ...	3.2
III.	... ...	3.6
73.19	... ...	3.2
73.20	... ...	2.1
73.21	... ...	1.4
73.22	... ...	1.3
73.23A.	... ...	1.5
B.	... ...	1.7
73.24	... ...	1.7

SCHEDULE 1—*continued*

Tariff Heading (1)		*Description of Goods* (2)	*Rate of Duty* (3)
73.25A.		... ...	FREE
B.		... ...	1.9
73.26		... ...	3.2
73.27A.		... ...	2.1
B.		... ...	1.8
73.29		... ...	1.6
73.30		... ...	2.0
73.31A.		... ...	1.3
B.		... ...	1.6
73.32A.	I.	... ...	1.7
	II.	... ...	2.1
B.	I.	... ...	1.8
	II.	... ...	2.3
73.33A.		... ...	1.8
B.		... ...	1.5
73.34		... ...	1.8
73.35		... ...	1.7
73.36		... ...	1.7
73.37		... ...	1.9
73.38A.		... ...	FREE
B.	I.	... ...	1.8
	II.	... ...	1.9
73.40A.		... ...	1.4
B.		... ...	1.8
74.01		... ...	FREE
74.02		... ...	FREE
74.03A.		... ...	1.8
B.		... ...	2.1
74.04A.		... ...	2.3
B.		... ...	2.1
74.05		... ...	2.3
74.06A.		... ...	0.1
B.	I.	... ...	2.1
	II.	... ...	0.4
74.07		... ...	2.1
74.08A.		... ...	1.8
B.		... ...	2.3
74.10		... ...	2.3
74.11		... ...	2.3
74.15A.		... ...	2.3
B.		... ...	1.2
C.	I.	... ...	1.3
	II.	... ...	1.7
74.16A.		... ...	2.3
B.		... ...	2.3
74.17		... ...	2.3
74.18		... ...	1.7
74.19		... ...	1.7
75.01		... ...	FREE
75.02		... ...	1.5
75.03A.		... ...	1.7
B.		... ...	0.1
75.04A.		... ...	1.8

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
B.	... ...	1.3
75.05A.	... ...	1.0
B.	... ...	1.3
75.06A. I.	... ...	1.2
II.	... ...	1.3
B.	... ...	1.6
76.01A.	... ...	2.1
B. I. a)	... ...	FREE
b)	... ...	1.0
II.	... ...	FREE
76.02	... ...	3.6
76.03	... ...	3.6
76.04	... ...	3.6
76.05A.	... ...	2.2
B.	... ...	1.8
76.06A.	... ...	FREE
B.	... ...	3.6
76.07	... ...	2.5
76.08	... ...	2.5
76.09	... ...	2.5
76.10A.	... ...	2.5
B.	... ...	2.5
76.11	... ...	2.5
76.12	... ...	2.5
76.15	... ...	2.5
76.16A.	... ...	2.5
B.	... ...	2.5
C. I.	... ...	2.5
II.	... ...	2.5
D.	... ...	2.5
77.01A.	... ...	1.8
B. I.	... ...	1.2
II.	... ...	FREE
77.02	... ...	1.8
77.04A.	... ...	0.6
B.	... ...	1.3
78.01A. I.	... ...	FREE
II.	... ...	1.8
B.	... ...	FREE
78.02	... ...	2.8
78.03	... ...	2.8
78.04A. I.	... ...	2.8
II.	... ...	
B.	... ...	0.7
78.05	... ...	3.2
78.06A.	... ...	2.1
B.	... ...	2.8
79.01A.	... ...	1.8
B.	... ...	FREE
79.02	... ...	2.8
79.03A.	... ...	2.8
B.	... ...	1.5
79.04	... ...	2.8

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
79.06			... ...	2.5
80.01			... ...	FREE
80.02			... ...	1.0
80.03			... ...	0.9
80.04A.	I.		... ...	1.5
	II.		... ...	1.3
B.			... ...	0.9
80.05A.			... ...	1.3
B.			... ...	1.7
80.06			... ...	1.8
81.01A.			... ...	2.1
B.			... ...	2.8
C.			... ...	3.6
81.02A.	I.		... ...	2.1
	II.		... ...	1.8
	B.		... ...	2.8
	C.		... ...	3.6
81.03A.			... ...	0.9
B.			... ...	1.5
C.			... ...	2.0
81.04A.	I.		... ...	FREE
	II.		... ...	1.2
B.	I.		... ...	1.4
	II.		... ...	2.1
C.	I.		... ...	FREE
	II.		... ...	1.3
D.	I.	a)	... ...	FREE
		b)	... ...	1.8
	II.		... ...	2.5
81.04E.	I.		... ...	1.6
	II.		... ...	2.5
F.	I.		... ...	1.2
	II.		... ...	2.7
G.	I.		... ...	1.6
	II.		... ...	2.3
H.	1.		... ...	1.8
	II.		... ...	3.2
I.J.			... ...	2.8
K.	I.		... ...	1.8
	II.	a)	... ...	FREE
		b)	... ...	2.5
L.	I.		... ...	0.7
	II.		... ...	1.8
M.			... ...	0.9
N.	I.		... ...	FREE
	II.	a)	... ...	FREE
		b)	... ...	0.4
O.	I.		... ...	1.8
	II.		... ...	3.2
P.	I.		... ...	1.8
	II.		... ...	3.2
Q.	I.		... ...	0.7
	II.		... ...	1.3

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
R. I.	... ...	1.4
II.	... ...	2.7
82.01	... ...	1.5
82.02A. I.	... ...	1.7
II.	... ...	2.0
B. I.	... ...	2.0
II.	... ...	1.4
III.	... ...	2.1
82.03A.	... ...	1.3
B.	... ...	1.7
82.04	... ...	1.6
82.05	... ...	1.6
82.05A.	... ...	1.6
B.	... ...	1.6
C.	... ...	1.8
D.	... ...	1.5
82.06	... ...	1.3
82.07	... ...	1.7
82.08	... ...	1.7
82.09A.	... ...	6.1
B.	... ...	4.3
82.11A. I.	... ...	1.3
II.	... ...	1.7
B. I.	... ...	1.7
II.	... ...	1.6
C.	... ...	1.7
82.12	... ...	2.8
82.13	... ...	1.9
82.14A.	... ...	6.1
B.	... ...	2.8
82.15	... ...	1.8
83.01	... ...	1.9
83.02A.	... ...	FREE
B.	... ...	1.7
83.03	... ...	1.9
83.04	... ...	1.8
83.05	... ...	1.8
83.06A.	... ...	FREE
B.	... ...	2.1
83.07A.	... ...	FREE
B.	... ...	1.7
83.08	... ...	FREE
B.	... ...	1.7
83.09	... ...	1.6
83.11	... ...	FREE
83.13A. I.	... ...	1.7
II.	... ...	2.3
B.	... ...	1.7
B.	... ...	1.7
83.14	... ...	1.8
83.15A.	... ...	2.1
B.	... ...	1.8
84.01	... ...	1.9

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
84.02	... ...	1.9
84.03	... ...	1.4
84.05	... ...	1.8
84.06A. I.	... ...	FREE
II. a)	... ...	1.5
b)	... ...	1.0
B. I.	... ...	3.6
II.	... ...	2.5
C. I. a) 1.	... ...	FREE
2.	... ...	2.0
b) 1.	... ...	1.7
2. aa)	... ...	FREE
bb)	... ...	2.4
84.06C. II. a)	... ...	1.8
b) 1.	... ...	1.7
2.	... ...	2.4
D. I.	... ...	FREE
II. a)	... ...	1.3
b)	... ...	1.7
84.07A.	... ...	FREE
B.	... ...	2.1
C.	... ...	2.1
84.08A. I. a)	... ...	FREE
b) 1.	... ...	1.5
2.	... ...	1.3
II. a)	... ...	FREE
b)	... ...	1.5
B. I. a)	... ...	FREE
b) 1.	... ...	1.8
2.	... ...	1.3
II. a)	... ...	FREE
b)	... ...	1.9
C. I.	... ...	FREE
II.	... ...	2.5
D. I.	... ...	FREE
II. a)	... ...	1.3
b)	... ...	1.9
84.09	... ...	1.3
84.10A.	... ...	1.6
B. I.	... ...	FREE
II. a)	... ...	1.4
b)	... ...	1.4
C.	... ...	1.4
84.11A. I.	... ...	FREE
II. a)	... ...	1.5
b)	... ...	1.5
c)	... ...	1.5
B.	... ...	1.0
C. I.	... ...	FREE
II.	... ...	1.6
84.12A.	... ...	FREE
B.	... ...	1.8
84.13	... ...	1.4

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
84.14A.			... ...	1.4
B.			... ...	1.4
84.15A.			... ...	FREE
B.			... ...	1.0
C.	I.		... ...	1.3
	II.		... ...	1.3
84.16			... ...	1.3
84.17A.			... ...	1.4
B.			... ...	1.4
C.	I.		... ...	FREE
	II.		... ...	1.2
D.	I		... ...	2.0
	II.		... ...	1.5
E.	I.		... ...	1.9
	II.		... ...	1.7
F.	I.		... ...	1.5
	II.		... ...	1.4
84.18A.			... ...	1.2
B.			... ...	1.4
C.	I.		... ...	FREE
	II.	a) 1.	... ...	1.8
		2.	... ...	1.3
		b)	... ...	1.5
84.19A.	I.		... ...	1.7
	II.		... ...	1.2
B.			... ...	1.2
84.20			... ...	1.5
84.21A.			... ...	FREE
B.			... ...	1.5
84.22A.			... ...	FREE
B.	I.		... ...	1.0
	II.		... ...	2.0
	III.		... ...	1.9
	IV.		... ...	1.4
84.23A.	I.	a)	... ...	2.0
		b)	... ...	2.3
		c)	... ...	2.0
	II.	a)	... ...	0.9
		b)	... ...	1.4
B.			... ...	1.8
84.24			... ...	1.2
84.25			... ...	1.2
84.26			... ...	1.4
84.27			... ...	1.4
84.28			... ...	1.3
84.29			... ...	1.6
84.30			... ...	1.3
84.31A.			... ...	1.3
B.			... ...	1.4
84.32			... ...	1.2
84.33			... ...	1.3
84.34A.	I.		... ...	0.7
	II.		... ...	1.4

SCHEDULE 1—*continued*

Tariff Heading (1)				*Description of Goods* (2)	*Rate of Duty* (3)
B.				... ...	1.7
C.				... ...	1.4
84.35				... ...	1.0
84.36				... ...	1.3
84.37A.				... ...	1.2
B.				... ...	1.5
C.				... ...	1.0
D.				... ...	1.3
84.38				... ...	1.3
84.39				... ...	1.3
84.40A.				... ...	1.6
B.	I.			... ...	1.8
	II.			... ...	1.3
C.				... ...	1.3
84.41A.	I.	a)		... ...	2.1
		b)		... ...	4.3
	II.			... ...	1.5
	III.			... ...	2.0
B.				... ...	1.7
84.42				... ...	1.4
84.43				... ...	1.3
84.44A.				... ...	1.4
B.				... ...	1.7
84.45A.	I.			... ...	2.3
	II.			... ...	1.4
B.	I.			... ...	1.5
	II.			... ...	0.9
C.	I.	a)		... ...	1.8
		b)		... ...	1.7
	II.	a)		... ...	1.5
		b)		... ...	1.0
	III.	a)		... ...	1.8
		b)		... ...	1.7
	IV.	a)		... ...	1.3
		b)		... ...	0.7
84.45C.	V.	a)		... ...	1.9
		b)		... ...	1.8
	VI.	a)	1.	... ...	1.8
			2.	... ...	1.7
		b)	1.	... ...	0.9
			2.	... ...	0.7
	VII.	a)		... ...	1.3
		b)		... ...	0.7
	VIII.	a)	1.	... ...	1.8
			2.	... ...	1.7
		b)	1.	... ...	1.3
			2.	... ...	1.2
	IX.	a)		... ...	1.9
		b)		... ...	1.8
	X.	a)		... ...	1.4
		b)		... ...	0.9
	XI.	a)		... ...	1.5
		b)		... ...	0.9

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
XII.	... ...	1.7
84.46	... ...	1.3
84.47	... ...	2.0
84.48	... ...	0.9
84.49	... ...	1.0
84.50	... ...	1.3
84.51A.	... ...	1.6
B.	... ...	1.3
84.52A.	... ...	4.3
B.	... ...	1.4
84.53A.	... ...	FREE
B.	... ...	1.7
84.54A.	... ...	1.6
B.	... ...	1.5
84.55A.	... ...	1.7
B.	... ...	2.2
C.	... ...	1.4
84.56	... ...	1.0
84.57A.	... ...	1.2
B.	... ...	1.3
84.58	... ...	1.3
84.59A.	... ...	1.4
B.	... ...	2.1
C.	... ...	1.4
D. I.	... ...	1.3
II.	... ...	1.7
84.59E. I.	... ...	FREE
II.	... ...	1.5
84.60	... ...	1.3
84.61A.	... ...	1.5
B.	... ...	1.6
84.62	... ...	3.2
84.63A.	... ...	FREE
B. I.	... ...	2.5
II.	... ...	1.7
84.64A.	... ...	FREE
B.	... ...	1.4
84.65A.	... ...	1.2
B.	... ...	1.5
85.01A.	... ...	FREE
B. I. a)	... ...	3.0
b)	... ...	1.8
II.	... ...	2.3
C.	... ...	1.5
85.02	... ...	1.5
85.03	... ...	3.1
85.04A.	... ...	FREE
B. I.	... ...	2.1
II.	... ...	1.8
III. a)	... ...	1.0
b)	... ...	1.9
85.05	... ...	1.6
85.06A.	... ...	1.4

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
B.	... ...	1.8
85.07A.	... ...	1.6
B.	... ...	1.4
85.08A.	... ...	FREE
B. I.	... ...	1.9
II.	... ...	1.7
III.	... ...	2.2
IV.	... ...	2.0
85.09A.	... ...	1.7
B.	... ...	1.8
C.	... ...	1.8
85.10A.	... ...	1.8
B.	... ...	2.5
85.11A.	... ...	1.4
B.	... ...	1.8
85.12A.I.	... ...	FREE
II.	... ...	1.8
B. I.	... ...	FREE
II.	... ...	1.9
C.	... ...	2.1
D.	... ...	2.1
E. I.	... ...	FREE
II.	... ...	1.8
F.	... ...	1.7
85.13A.	... ...	1.6
B.	... ...	2.7
85.14A.	... ...	FREE
B.	... ...	1.7
85.15A. I. a)	... ...	FREE
b)	... ...	1.7
II. a)	... ...	FREE
b)	... ...	2.3
III. a)	... ...	FREE
b) 1.	... ...	4.3
2. aa)	... ...	5.0
bb) 11.	... ...	FREE
22.	... ...	5.0
33.	... ...	FREE
44.	... ...	5.0
55.	... ...	5.0
cc)	... ...	5.0
dd)	... ...	5.0
IV.	... ...	1.7
B. I.	... ...	FREE
II.	... ...	2.1
C. I.	... ...	FREE
II. a) 1.	... ...	1.6
2.	... ...	1.8
b)	... ...	2.0
c)	... ...	2.5
85.16	... ...	1.5
85.17A.	... ...	FREE
B.	... ...	1.5

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
85.18A.			... ...	1.7
B.			... ...	2.5
85.19A.			... ...	1.6
B.			... ...	1.8
C.			... ...	2.1
D.			... ...	1.4
85.20A.	I.		... ...	FREE
	II.		... ...	2.1
B.			... ...	1.7
C.			... ...	1.8
85.21A.	I.		... ...	1.8
	II.		... ...	1.7
	III.		... ...	5.4
	IV.		... ...	1.6
	V.		... ...	1.8
85.21B.			... ...	1.6
C.			... ...	2.8
D.	I.		... ...	3.2
	II.		... ...	5.0
E.			... ...	2.0
85.22A.			... ...	1.4
B.			... ...	1.4
C.	I.		... ...	FREE
	II.		... ...	2.5
	III.	a)	... ...	FREE
		b)	... ...	2.5
85.23A.			... ...	FREE
B.			... ...	2.3
85.24A.			... ...	2.0
B.			... ...	1.4
C.			... ...	1.8
85.25A.			... ...	3.6
B.			... ...	2.7
C.			... ...	2.1
85.26A.			... ...	3.6
B.			... ...	1.7
C.			... ...	2.7
D.			... ...	2.1
85.27			... ...	1.7
85.28			... ...	1.4
86.02			... ...	1.7
86.03			... ...	1.3
86.04A.			... ...	1.7
B.			... ...	1.6
86.05			... ...	1.8
86.06			... ...	1.3
86.07A.			... ...	1.3
B.			... ...	1.8
86.08A.			... ...	1.3
B.			... ...	1.5
86.09A.			... ...	1.3
B.			... ...	1.6
C.			... ...	2.1

SCHEDULE 1—*continued*

Tariff Heading (1)					*Description of Goods* (2)	*Rate of Duty* (3)
D.					... ...	2.7
E.					... ...	1.4
86.10					... ...	1.5
87.01A.	I.				... ...	1.5
	II.				... ...	2.0
B.					... ...	3.0
87.01C.	I.				... ...	7.2
	II.				... ...	3.9
87.02A.	I.	a)	1.		... ...	7.2
			2.		... ...	3.9
		b)			... ...	3.6
	II.				... ...	4.5
B.	I.				... ...	1.8
	II.	a)	1.	aa)	... ...	6.1
				bb)	... ...	7.9
			2.	aa)	... ...	2.1
				bb)	... ...	3.9
		b)			... ...	3.6
87.03					... ...	2.1
87.04A.	I.				... ...	7.2
	II.				... ...	3.3
B.	I.				... ...	2.3
	II.				... ...	3.9
87.05A.					... ...	2.4
B.					... ...	3.1
87.06A.					... ...	1.7
B.	I.				... ...	1.7
	II.				... ...	2.4
87.07A.					... ...	1.3
B.					... ...	1.8
C.	I.				... ...	1.7
	II.				... ...	2.1
D.					... ...	1.8
87.08A.					... ...	1.2
B.					... ...	1.3
87.09					... ...	3.2
87.10					... ...	6.1
87.11					... ...	1.7
87.12A.					... ...	2.1
B.					... ...	2.8
87.13					... ...	1.7
87.14A.					... ...	1.7
B.					... ...	1.8
C.	I.				... ...	1.3
	II.				... ...	1.4
D.					... ...	1.5
88.01A.					... ...	FREE
B.					... ...	3.2
88.02A.	I.				... ...	FREE
	II.	a)			... ...	1.7
		b)			... ...	2.5
B.	I.	a)			... ...	FREE
		b)	1.		... ...	5.4

SCHEDULE 1—*continued*

Tariff Heading (1)				*Description of Goods* (2)	*Rate of Duty* (3)
			2.	... ...	1.8
	II.	a)		... ...	FREE
		b)	1.	... ...	4.3
			2.	... ...	1.9
			3.	... ...	1.8
88.03A.	I.			... ...	FREE
	II.			... ...	3.0
B.	I.			... ...	FREE
	II.	a)		... ...	1.3
		b)		... ...	1.8
88.04				... ...	2.0
88.05A.				... ...	1.9
B.	I.			... ...	FREE
	II.			... ...	FREE
89.01A.				... ...	1.3
B.	I.			... ...	FREE
	II.	a)		... ...	1.3
		b)		... ...	0.9
89.02				... ...	FREE
B.	I.			... ...	FREE
	II.			... ...	0.9
89.03A.				... ...	FREE
B.				... ...	1.0
89.04				... ...	FREE
89.05				... ...	1.7
90.01A.	I.			... ...	FREE
	I.			... ...	2.7
B.				... ...	2.0
90.02A.				... ...	FREE
B.				... ...	3.6
90.03				... ...	1.8
90.04				... ...	2.1
90.05				... ...	2.5
90.06				... ...	2.4
90.07A.				... ...	2.5
B.	I.			... ...	1.7
	II.			... ...	1.8
90.08A.				... ...	2.1
B.				... ...	2.3
90.09				... ...	2.2
90.10A.				... ...	2.5
B.				... ...	1.5
C.				... ...	1.7
90.11				... ...	2.0
90.12				... ...	3.6
90.13				... ...	2.3
90.14A.	I.			... ...	FREE
	II.			... ...	1.8
	III.	a)		... ...	FREE
		b)		... ...	1.8
B.	I.	a)		... ...	FREE
		b)		... ...	1.9
	II.			... ...	FREE

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
	III.		... ...	1.9
90.15			... ...	2.0
90.16A.			... ...	1.8
B.			... ...	2.0
90.17			... ...	1.8
90.18A.			... ...	FREE
B.			... ...	1.6
90.19A.	I.		... ...	1.7
	II.		... ...	1.4
	III.		... ...	2.1
B.	I.		... ...	1.3
	II.		... ...	1.8
C.			... ...	2.0
90.20			... ...	1.6
90.21			... ...	1.3
90.22			... ...	1.5
90.23A.	I.		... ...	FREE
	II.	a)	... ...	2.4
		b)	... ...	1.4
B.			... ...	1.8
C.			... ...	2.2
D.			... ...	1.4
90.24A.			... ...	FREE
B.	I.		... ...	1.8
	II.		... ...	1.8
	III.		... ...	2.0
90.25			... ...	2.1
90.26			... ...	1.8
90.27A.			... ...	1.4
B.	I.		... ...	FREE
90.27B.	II.		... ...	2.0
C.			... ...	1.9
90.28A.	I.		... ...	FREE
	II.	a)	... ...	3.9
		b)	... ...	2.5
B.	I.		... ...	FREE
	II.		... ...	1.6
90.29A.	I.		... ...	FREE
	II.		... ...	2.5
B.	I.		... ...	FREE
	II.	a)	... ...	1.6
		b)	... ...	1.8
91.01			... ...	1.8 subject to a maximum of 0.25 ECU each
91.02A.	I.		... ...	2.2
	II.		... ...	2.1
B.			... ...	2.0
91.03A.			... ...	FREE
B.			... ...	2.0
91.04A.			... ...	2.1
B.			... ...	2.0
91.05			... ...	2.2

SCHEDULE 1—*continued*

Tariff Heading (1)	*Description of Goods* (2)	*Rate of Duty* (3)
91.06	... ...	2.1
91.07	... ...	2.1
91.08A.	... ...	FREE
B.	... ...	2.1
91.09	... ...	1.6
91.10	... ...	1.8
91.11A.	... ...	1.4
B.	... ...	1.9
C.	... ...	2.1
D.	... ...	2.1
E.	... ...	2.7
F.	... ...	1.8
92.01A. I.	... ...	2.0
II.	... ...	2.1
B.	... ...	1.7
92.02	... ...	2.2
92.03	... ...	1.8
92.04	... ...	2.7
92.05	... ...	1.7
92.06	... ...	2.2
92.07	... ...	2.1
92.08A.	... ...	1.5
B.	... ...	1.7
92.10A.	... ...	1.0
B.	... ...	1.7
C.	... ...	1.8
92.11A. I.	... ...	1.8
II. a)	... ...	6.8
b)	... ...	3.4
III. a)	... ...	FREE
b) 1. aa) 11.	... ...	FREE
22.	... ...	2.5
bb)	... ...	2.5
2.	... ...	2.5
B. I. a)	... ...	2.8
b)	... ...	2.8
II.	... ...	2.8
92.12A.	... ...	1.7
B. I. a)	... ...	1.2
b)	... ...	1.9
II. a) 1.	... ...	0.9
2.	... ...	1.7
b) 1.	... ...	0.2
		ECU per 100 m
2.	... ...	1.8
92.13A.	... ...	2.2
B.	... ...	1.3
C.	... ...	1.7
D.	... ...	2.0
93.01	... ...	1.0
93.02A.	... ...	1.8
B.	... ...	2.3
93.03	... ...	FREE

SCHEDULE 1—*continued*

Tariff Heading (1)			*Description of Goods* (2)	*Rate of Duty* (3)
93.04A.			... ...	2.2
B.			... ...	1.8
93.05			... ...	2.1
93.06A.			... ...	FREE
B.	I.		... ...	1.3
	II.	a)	... ...	1.8
		b)	... ...	1.7
93.07A.			... ...	1.6
B.	I.	a)	... ...	0.9
		b)	... ...	1.7
	II.	a)	... ...	2.1
		b)	... ...	1.9
94.01A.			... ...	FREE
B.	I.		... ...	1.5
	II.		... ...	1.9
94.02			... ...	1.7
94.03A.			... ...	FREE
B.			... ...	1.9
94.04A.			... ...	2.3
B.			... ...	2.5
95.05A.	I.		... ...	1.8
	II.		... ...	0.9
B.	I.		... ...	1.0
	II.		... ...	1.9
95.08A.			... ...	0.7
B.			... ...	1.5
96.01A.			... ...	2.0
B.	I.		... ...	2.1
	II.		... ...	1.7
	III.		... ...	2.7
96.05			... ...	2.1
96.06			... ...	1.8
97.01			... ...	3.7
97.02A.			... ...	2.8
B.			... ...	2.4
97.03A.			... ...	3.0
B.			... ...	2.8
97.04A.			... ...	1.8
B.			... ...	1.8
C.			... ...	1.9
97.05			... ...	2.1
97.06A.			... ...	FREE
B.			... ...	2.6
C.			... ...	2.1
97.07A.			... ...	1.3
B.			... ...	2.4
97.08			... ...	1.4
98.01A.			... ...	2.1
B.			... ...	2.5
98.02A.			... ...	4.1
B.			... ...	5.0
98.03A.			... ...	2.5
B.			... ...	2.1

SCHEDULE 1—*continued*

Tariff Heading (1)		*Description of Goods* (2)	*Rate of Duty* (3)
C.	I.	... ...	1.8
	II.	... ...	1.7
98.04A.	I.	... ...	1.0
	II.	... ...	1.6
B.		... ...	0.6
98.05A.	I.	... ...	1.9
	II.	... ...	1.7
B.		... ...	1.3
98.06		... ...	1.9
98.07		... ...	1.6
98.08		... ...	1.8
98.09		... ...	1.5
98.10A.		... ...	1.8
B.		... ...	2.3
98.11A.		... ...	0.9
B.		... ...	2.1
98.12		... ...	2.0
98.14		... ...	2.1
98.15		... ...	4.6
98.16		... ...	1.7
99.01		... ...	FREE
99.02		... ...	FREE
99.03		... ...	FREE
99.04		... ...	FREE
99.05		... ...	FREE
99.06		... ...	FREE

SCHEDULE 2

Tariff Heading (1)				*Rate of Duty* (2)
01.02A.	II.			14.0
02.01A.	II.	a)		17.5
B.	II.	b) 1.		6.1
		2.		3.5
02.06C.	I.	a)		21.0
		b)		17.5
15.02B.	I.			4.3
16.02B.	III.	b) 1.	aa)	17.5
			bb)	22.7

SCHEDULE 3

Tariff heading (1)	Description of Goods (2)
ex 03.01 B I g)2	Lesser or Greenland halibut (Reinhardtius hippoglossoides), fresh, chilled or frozen whole, headless or in pieces.
ex 03.01 B I v)	Sturgeon, fresh, chilled or frozen, whole, headless or in pieces, intended for processing
ex 03.01 B I y)	Lump fish (Cyclopterus lumpus) with roe, fresh or chilled for processing
ex 03.01 C	Soft roes, frozen, intended for the manufacture of deoxyribonucleic acid (DNA)
ex 03.01 C	Hard fish roes, fresh, chilled or frozen
03.02 A I b)	Cod (Gadus morhua, Boreogadus saida, Gadus ogac), dried, salted or in brine, whole, headless or in pieces
03.02 A II a)	Fillets of cod (Cadus morhua, Boregadus saida, Gadus ogac), dried salted or in pieces
ex 03.02 C	Hard fish roes, salted or in brine
ex 07.03 E	Mushrooms, excluding cultivated mushrooms within the meaning of subheading 07.01 Q I, in salted or sulphur water to which other substances ensuring their temporary preservation have been added, but not specially prepared for immediate consumption
ex 07.04 B	Mushrooms, excluding cultivated mushrooms within the meaning of subheading 07.01 Q I, dried, dehydrated or evaporated, whole or in identifiable slices or pieces intended for treatment other than simple repacking for retail sale
ex 07.05 B I	Beans, white, dried, of the species Phaseolus vulgaris
ex 08.01 A	Dates, fresh or dried, intended for the processing industry, other than for the production of alcohol
ex 08.01 A	Dates, fresh or dried, for packing for retail sale into immediate packings of a net capacity not exceeding 1 l kg
ex 08.08 F I	Large American cranberry, fresh (Vaccinium macrocarpum)
ex 08.09	Rose hips, fresh
08.10 ex B, C and ex D	Fruit of the species Vaccinium, whether or not cooked, in frozen state, not containing added sugar
ex 08.10 D	Rose hips, whether or not cooked, in frozen state not containing added sugar
ex 08.10 D	Dates, frozen, in immediate packings of a net capacity of 5 kg or more, not intended for the production of alcohol
ex 09.04 B I	Ground paprika for use in animal feedingstuffs
ex 13.03 A V	Extract of dewaxed pyrethrum
ex 16.04 A II	Hard fish roes, cleansed of adherent organs and simply salted or in brine

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 16.05 A	Crabs of the species 'King' (Paralithodes camchaticus), 'Hanasaki' (Paralithodes brevipes), 'Kegani' (Erimacrus isenbecki), 'Queen' and 'Snow' (Chinoecetes spp.), 'Red' (Geryon quinquedens), 'Rough stone' (Neolithodes asperrimus) Lithodes antasctica, 'Mud' (Scylla serrata), 'Blue' (Portunus spp.), simply boiled in water and shelled, whether or not frozen, in immediate packings of a net capacity of 2 kg or more
ex 23.07 A	Fish or marine mammal solubles
ex 27.07 A I	Crude light oils containing by weight: — not less than 10% of vinyltoluenes — not less than 10% of indene — not less than 1% and not more than 5% of naphthalene
ex 27.10 B III	Mixture of hydrocarbons, consisting of 85% or more of linear paraffins by weight, with chain lengths of eight to 16 carbon atoms, and of not more than 13% of alkylbenzenes by weight, with linear chains of 10 to 12 carbon atoms
ex 27.13 B II	Synthetic paraffin wax having a molecular weight of not less than 460 and not more than 1,560
ex 27.13 B II	1-Alkenes containing a C 18 to C 30 carbon chains
ex 28.04 B	Helium
ex 28.05 C I	Alloys of cerium and other rare earth metals containing not less than 47% by weight of cerium
ex 28.13 IJ	Tellurium dioxide
ex 28.14 B	Iodine pentafluoride
ex 28.20 A	Alluminium hydroxide containing by weight not more than: — 0,15% of silicone dioxide — 0,06% of diiron trioxide — 0,2% of disodium oxide
ex 28.21	Chromium dioxide
ex 28.22 B	Manganese oxide containing not less than 77% by weight of manganese
ex 28.38 C	Potassium hydrogenperoxomonosulphate
ex 28.39 A	Potassium for the manufacture of cooling and cutting fluids used in the working of metal or metal carbides
ex 28.40 B II	*penta*Calcium hydroxide tris(orthophosphate) for use in non-ferrous metallurgy
ex 28.42 A VI	Lithium carbonates not corresponding to the following specifications in the form of white powder, containing 98,5% or more of Li_2CO_3 and: — less than 2 ppm of arsenic — less than 200 ppm of calcium — less than 200 ppm of chlorides — less than 20 ppm of iron

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— less than 150 ppm of magnesium — less than 20 ppm of heavy metals — less than 300 ppm of potassium — less than 300 ppm of sodium — less than 200 ppm of sulphates
28.46 A I b)	Sodium borates, anhydrous
ex 28.46 A II	Disodium tetraborate pentahydrate
ex 28.47 C	Potassium permanganate
ex 28.47 F	Calcium wolframate, for the manufacture of ferro-alloys or deca-ammonium 41-oxododecawolframate (ammomium paratungstate) (a)
ex 28.48 B III	Hydrotalcite (INN)
ex 28.49 C II	Carboplatin (INN)
ex 28.49 C II and ex 30.03 A II b)	Carboplatin (INN)
28.51A	Deuterium, deuterium oxide (heavy water) and other compounds of deuterium; hydrogen and compounds thereof enriched in deuterium, mixtures and solutions containing these products *(Euratom)*
ex 28.52 B	Lathanum bromide oxide
ex 28.55 A	Phosphides of iron (ferro-phosphorus) containing by weight: — not less than 68% and not more than 72% of iron — not less than 22% and not more than 26% of phosphorus — not more than 3,5% of silicon of which not less than 99% by weight is of a particle size of less than 20 micrometres, for the manufacture of varnishes or paints (a)
ex 28.57 A	Silane (silicone hydride)
ex 29.01 C I	*beta*-Pinene
ex 29.01 D VII	Vinyltoluenes
ex 29.01 D VII	Tricyclo [8.2.2.2.^{4,7}] hexadeca-1(12),4,6,10,13,15-hexaene
ex 29.01 D VII	*p*-Cymene
ex 29.01 D VII	1,3-Diisopropylbenzene with a purity of not less than 94% by weight
ex 29.02 A I	Carbon tetrafluoride (tetrafluoromethane)
ex 29.02 A I	Hexafluoropropene
ex 29.02 A II b)	1,2,3-Trichloropropenes
ex 29.02 A III	Vinyl bromide
ex 29.02 A V	Bromochloromethane

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.1.^{6,9}.0^{2,13}.0^{5,10}]octadeca-7,15-diene, for use in the manufacture of polyamide (a)
ex 29.02 C	Di- or tetrachlorotricyclo [8.2.2.2^{4,7}] hexadeca-1(12),4,6,10,13,15-hexaene, mixed isomers
ex 29.03 A	Methanesulphonic acid
ex 29.03 B II	Nitromethane
ex 29.03 B II	1-Nitropropane
ex 29.03 B II	2-Nitropropane
ex 29.03 B II	Nitroethane
ex 29.03 C I	Methansulphonyl chloride
ex 29.03 C I	2,2,2-Trifluoroethyl trichloromethanesulphonate
ex 29.04 A III a)	2-Methylpropan-2-ol (*tert*-butyl alcohol) with a purity of not less than 90% but not more than 96% by weight
ex 29.04 C I	Hexane-1,6-diol
ex 29.04 C I	Butane-1,3-diol
ex 29.04 C I	2,4,7,9-Tetramethyldec-5-yne-4,7-diol
ex 29.04 C V	2,2-Bis(bromomethyl)propanediol
29.05 A II	Menthol
ex 29.05 A IV	Labd-14-ene-8,13-diol
ex 29.06 A IV	2-Isopropylphenol
ex 29.06 A IV	3-Ethylphenol
ex 29.06 B V	4,4′-(2,3-Dimethyltetramethylene)dipyrocatechol, not less than 98% pure
ex 29.06 B V	6,6′,6″-Tri-*tert*-butyl-4,4′,4″-(1-methylpropan-1-yl-3-ylidene)tri-*m*-cresol, whether or not containing toluene of crystallization
ex 29.06 BV	2,5-Di(*tert*-pentyl)hydroquinone
ex 29.07 A	4,4′-(Perfluoroisopropylidene)diphenol
ex 29.07 C III	2,4-Dinitro-6-octylphenol
ex 29.08 A III c)	2-Bromo-6-methoxynaphthalene
ex 29.08 A III c)	Bis (phenoxyphenoxy) benzene, mixed isomers
ex 29.08 A III c)	1,2-Bis (2,4,6,-tribromophenoxy) ethane for use in the manufacture of acrylonitrile-butadiene-styrene (ABS)
ex 29.08 B I	3,3′-Oxydi(propylene glycol)
ex 29.08 B I	2-(2-Chloroethoxy)ethanol
ex 29.08 B II	2,2′-[Isopropylidenebis(2,6-dibromo-4,1-phenyleneoxy)]di-ethanol
ex 29.09 B	1,2-Epoxy-4-(epoxyethyl)cyclohexane

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 29.10 B	8,9-Epoxy-3-(3,4-epoxycyclohexyl)-2,4-dioxaspiro [5,5] undecane
ex 29.13 A I	5-Methylhexan-2-one
ex 29.13 A I	3,3-Dimethylbutanone
ex 29.13 B I b)	Refined natural bornan-2-one(camphor)
ex 29.13 D I b)	11-*alpha*,17,21-Trihydroxy-16-*beta*-methylpregna-1,4-diene-3,20-dione
ex 29.13 E	4-Methoxy-4-methylpentan-2-one
ex 29.13 E	6'-Methoxy-2'-propiononaphthone
ex 29.13 F	Ubidecarenone (INN) (Coenzyme Q-10)
ex 29.13 F	1,4-Naphthoquinone
ex 29.13 G II	1-Chloro-3,3-dimethylbutanone
ex 29.14 A II c) 4	20-Oxopregna-5,16-dien-3-*beta*-yl acetate
ex 29.14 A VI or ex 29.39 D II	Alclometasone 17,21-dipropionate (INNM)
ex 29.14 A VII	1-Isopropyl-2,2-dimethyltrimethylene diisobutyrate
ex 29.14 B I	2,3-Epoxypropyl methacrylate
ex 29.14 B IV b)	Butyl perchlorocrotonate
ex 29.14 B IV b)	Crotonic acid
ex 29.15 A IV a)	Azelaic acid and sebacic acid
ex 29.15 A V	Sodium 1,2-bis(cyclohexyloxycarbonyl) ethanesulphonate
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride
ex 29.15 C III	Tetrachlorophthalic anhydride
ex 29.15 C III	Tetrabromophthalic anhydride
ex 29.15 C III	Benzene-1,2,4-tricarbonyl trichloride
ex 29.16 A II	Malic acid and its salts, with an *L*-isomer of not less than 94%
ex 29.16 A VIII a)	2,2-Bis(hydroxymethyl)propionic acid
ex 29.16 B VI	Octadecyl-3-(3,5-di-*tert*-butyl-4-hydroxyphenyl)propionate
ex 29.16 B VI	Pentaerythritol tetrakis[3-(3,5-di-*tert*-butyl-4-hydroxyphenyl)propionate]
ex 29.16 D	Dinoprostone (INN)
ex 29.16 D	Alprostadil (INN)
ex 29.16 D	3,4-Epoxycyclohexylmethyl-3,4-epoxycyclohexanecarboxylate
ex 29.16 D	2,6-Dimethoxybenzoic acid
ex 29.16 D	Methyl 5-(2,4-dichlorophenoxy)-2-nitrobenzoate

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 29.21 B II	1,1′-Dimethyl-2,2′-oxydiethylene tetraphenyl bis(phosphite)
ex 29.21 B II	0,0′-Dioctadecyl pentaerythritol bis (phosphite)
ex 29.21 B II	*0,0′*-Bis(2,4-di-*tert*-butylphenyl) pentaerylthritol bis(phosphite)
ex 29.22 A III	*tert*-Butylamine
ex 29.22 A III	1,1,3,3-Tetramethylbutylamine
ex 29.22 A III	1,1-Dimethylprop-2-ynylamine
ex 29.22 B II	*N,N,N′,N′*-Tetrabutylhexamethylenediamine
ex 29.22 C II	Cyclohex-1,3-ylenediamine (1,3-diaminocyclohexane)
ex 29.22 D IV	*alpha′,alpha′,alpha′*-Trifluoro-2,3-xylidine
ex 29.22 E II	*m*-Phenylenebis(methylamine)
ex 29.22 E II	1,8-Naphthlenediymine
ex 29.23 A II	Dinoprost (INN), Trometamol (INN) salt
ex 29.23 A II	(+)-4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol
ex 29.23 A II	1-Dioxy-1-(octylamino)-*D*-glucitol
ex 29.23 B II	Dobutamine (INN) and its salts
ex 29.23 C	Ketamine hydrocholoride (INNM)
ex 29.23 D V	Tranexamic acid (INN)
ex 29.23 D V	*beta*-Alanine
ex 29.23 D V	Diclofenac sodium (INNM)
ex 29.23 E	Metipranolol (INN)
ex 29.23 E	Diethyl-1,3-benzodioxol-5-ylaminomethylenemalonate
ex 29.23 E	6-Acetyl-1,3-benzodioxol-5-ylammonium chloride
ex 29.23 E	Levodopa (INN)
ex 29.23 E	Nadolol (INN)
ex 29.23 E	Methyldopa (INN)
ex 29.23 E	Indenolol hydrochloride (INNM)
ex 29.25 A II	(3-Methacrylamidopropyl)trimethylammonium chloride
ex 29.25 A II	2-Acrylamido-2-methylpropanesulphonic acid and its sodium or ammonium salts
ex 29.25 B II c)	Barbituric acid
ex 29.25 B III b)	Bendiocarb (ISO)
ex 29.25 B III b)	Flutamide (INN)
ex 29.25 B III b)	3,5-Dichloro-N-(1,1-dimethylprop-2-ynyl)benzamide
ex 29.26 A I	1,2-Benzisothiazol-3-one 1,1-dioxide, sodium salt
ex 29.26 A II	3,3′,4,4′5,5′,6,6′-Octabromo-*N,N′*-ethylenediphthalimide

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 29.27	(−)-*N*-(*alpha*-Cyano-4-hydroxy-3-methoxy-*alpha*-methylphenetyl)acetamide
ex 29.27	2-(3-Phenoxyphenyl)propionitrile
ex 29.29	20-Hydroxyminopregna-5,16-dien-3-yl acetate
ex 29.29	Carbidopa (INN)
ex 29.29	Robenidine-hydrochloride (INNM)
ex 29.29	*N,N*-Diethylhydroxylamine
ex 29.29	3,3'-Bis(3,5-di-*tert*-buty-4-hydroxyphenyl) *N,N'*-bipropionamide
ex 29.29	2,4,6-Trichlorophenylhydrazine
ex 29.30	*0,0*-Bis(4-*tert*-butylphenyl)-*N*-cyclohexylphosphoramidothioate
ex 29.30	Methylenedicyclohexyl di-isocyanate, mixed isomers
ex 29.30	*p*-Phenylene diisocyanate
ex 29.30	*trans*-(Cyclohex-1,4-ylene diisocyanate) for the production of thermoplastic polyurethane elastomers (a)
ex 29.30	3,3-Dimethylbiphenyl-4,4-diyldiisocyanate
ex 29.31 B	2-Methyl-2-(methylthio)propionaldehyde oxime
ex 29.31 B	Thiophenol
ex 29.31 B	2,2'-Thiodiethyl bis[3-(3,5-di-*tert*-butyl-4-hydroxyphenyl)-propionate]
ex 29.31 B	4,4'-Sulphonyldiphenol with a purity of not less than 99,5% by weight
ex 29.31 B	Probucol (INN)
ex 29.31 B	Ethoprophos (ISO)
ex 29.31 B	3-{(*Z*)-6-[(*S*)-2,2-Dimethylcyclopropanecarboxamido]-6-(sodio-oxycarbonyl)hex-5-enylthio}L-alanine
ex 29.31 B	Aldicarb (ISO), dissolved in dichloromethane
ex 29.34 C	2-Diphenylphosinobenzoic acid
ex 29.34 C	Crystalline dimethyltin dichloride in the form of powder, for the production of goods falling within Chapter 70 (a)
ex 29.34 C	Chlorodiphenylphosphine
ex 29.35 Q	Octrizole (INN)
ex 29.35 Q	Drometrizole (INN)
ex 29.35 Q	2,6-Di-*tert*-butyl-4-[4,6-bis(octylthio)-1,3,5-triazin-2-ylamino)phenol
ex 29.35 Q and ex 30.03 A II b)	Butorphanol (INN) and its salts
ex 29.35 Q	Timolol (INN)
ex 29.35 Q	Clotiazepam (INN)

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 29.35 Q	1,4-Diazabicyclo[2.2.2]octane (triethylenediamine)
ex 29.35 Q	2,4-Di-*tert*-butyl-6-(5-chlorobenzotriazol-2-yl)phenol
ex 29.35 Q	Carpipramine-dihydrochloride (INNM)
ex 29.35 Q	2,3-Dihydro-2,2-dimethylbenzofuran-7-ol
ex 29.35 Q	1-Ethyl-1,4-dihydro-4-oxo[1,3]dioxolo[4,5-*g*]cinnoline-3-carbonitrile
ex 29.35 Q	Diphemanil metilsulphate (INN)
ex 29.35 Q	(25 *R*)-Spirost-5-en-3-*beta*-ol (diosgenin) and its esters
ex 29.35 Q	Azatadine-dimaleate (INNM)
ex 29.35 Q	Amprolium-hydrochloride (INNM)
ex 29.35 Q	2-(4-Pyridyl)ethanesulphonic acid
ex 29.35 Q	Prifinium bromide (INN)
ex 29.35 Q	Glucurolactone (INN)
ex 29.35 Q	2-Chlorodibenz[*bf*][1,4]oxazepin-11(10 *H*)-one
ex 29.35 Q	2,3,5,6-Tetrachloropyridine
ex 29.35 Q	Diltiazem hydrochloride (INNM)
ex 29.35 Q	(6 *R*,7 *R*)-3-Acetoxymethyl-7-[(*R*)-2-formyloxy-2-phenyl-acetamido]-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid and its salts and esters
ex 29.35 Q and ex 30.03 A II b)	Buspirone hydrochloride (INNM)
ex 29.35 Q	Adenosine phosphate (INN)
ex 29.35 Q	3-(1-Ethyl-1-methylpropyl)isoxazol-5-ylamine
ex 29.35 Q	4,4′-*Bis*(hydroximinomethyl)-1,1′-(oxydimethylene)=dipyridinium dichloride
ex 29.35 Q and ex 20.03 A II b)	Encainide hydrochloride (INNM)
ex 29.35 Q	5-Bromopyrimidine
ex 29.35 Q	Minoxidil (INN)
ex 29.35 Q	Triazolam (INN)
ex 29.35 Q	Diazoxide (INN)
ex 29.35 Q	(6*R*, 7*R*)-7-Amino-3-(5-methyl-1,3,4-thiadiazool-2-ylthio-methyl)-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid and its salts
ex 29.35 Q	Captopril (INN)
ex 29.35 Q	Flunixin meglumine (INNM)
ex 29.35 Q	Tryptophan
ex 29.35 Q	2-Chloro-5-trifluoromethylpyridine
ex 29.35 Q	Norfloxacin (INN)

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 29.35 Q	Lasalocid sodium (INNM)
ex 29.35 Q	1-Hydroxy-4-[1-(4-hydroxy-3-methoxycarbonyl-1-naphthyl)-3-oxo-1*H*,3*H*-benzo[de]isochromen-1-yl]-6-octadecyloxy-2-naphthoic acid
ex 29.35 Q	Isonicotinonitrile
ex 29.35 Q and ex 30.03 A II b)	Tegafur (INN)
ex 29.35 Q	Bis(2-hydroxyethyl) (9,10-dihydro-10-oxo-9-10λ^5-phospha-10-phenanthryl-methyl)succinate
ex 29.35 Q	13,14,15,16-Tetranorlabdano-12,8 *alpha*-lactone
ex 29.35 Q	5-Nitrofurfurylidene di(acetate)
ex 29.35 Q	Tetrahydrofuran, containing not more than 40 mg per litre in total of tetrahydro-2-methylfuran and tetrahydro-3-methylfuran for the manufacture of *alpha*-4-hydroxybutyl-*omega*-hydroxypoly (oxytetramethylene)
ex 29.35 Q	Estazolam (INN)
ex 29.35 Q	Timpedium bromide (INN)
ex 29.35 Q	6-Hydroxy-2-phenylpyridazin-3(2H)one
ex 29.36	Quinethazone (INN)
ex 29.36	Sulfaguanidine (INN)
ex 29.36	Sulfathiazole (INN)
ex 29.36	4-Chloro-5-sulphamoylanthranil-*o*-toluidide
ex 29.36	3-[1-(7-Hexadecanc-1-sulphonamidoindol-3-yl)-3-oxo-1*H*,3*H*-benzo-[dc) isochromen-1-yl]indole-7-carboxylic acid
ex 29.37	(2,3-Dihydro-3-oxobenz[*d*]isothiazol-2-yl)-*N*-5-methylisoxazol-3-ylacetamide *S*,*S*-dioxide
ex 29.38 A	Nicotinic acid (INN)
ex 29.38 B II	Dexpanthenol (INN)
ex 29.38 B III	Folic acid (INN)
ex 29.38 B V	Nicotinamide (INN)
ex 29.38 C I	Serum gonadotrophin (INN)
ex 29.39 D II	Betamethasone 17,21-dipropionate (INNM)
ex 29.39 D II	Diflorasone di(acetate) (INNM)
ex 29.39 E	Calcitonin (INN), salmon-type and its salts
ex 29.39 E	Prasterone (INN)
ex 29.39 E	Calcitonin (INN), porcine
ex 29.42 C VII	Vindesine sulphate (INNM)
ex 29.43 B	Ribose
ex 29.43 B	Sucralfate (INN)

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 29.43 B	Sucrose benzoate, having a saponification equivalent of not more than 175
ex 29.44 A	Epicillin (INN)
ex 29.44 A	Piperacillin (INN)
ex 29.44 A and ex 30.03 A II a) 1	Piperacillin sodium (INNM)
ex 29.44 C	Amphotericin B (INN)
ex 29.44 C	Minocycline (INN) and its salts
ex 29.44 C	Clindamycin (INN) and its salts and esters
ex 29.44 C	Spectinomycin dihydrochloride (INNM), pentahydrate
ex 29.44 C	Nystatin (INN)
ex 29.44 C	Sisomicin sulphate (INNM)
ex 29.44 C	Spectinomycin sulphate (INNM)
ex 29.44 C	Tobramycin (INN) and its salts
ex 29.44 C	Lincomycin (INN) and its salts and esters, for the manufacture of products falling within heading No. 30.03
ex 29.44 C	Monensin (INN) and its salts
ex 29.44 C	Cefaclor (INN) and its hydrates, salts and esters
ex 29.44 C	Netilmicin sulphate (INNM)
ex 29.44 C	Dibekacin sulphate (INNM)
ex 29.44 C	Cefoxitin sodium (INNM)
ex 29.44 C	Cefradine (INN)
ex 29.44 C	Cefamandole (INN) and its salts and esters
ex 29.44C	Cefazolin (INN) and its salts
ex 29.44C	Latamoxef (INN) and its salts and esters
ex 29.44C	Josamycin (INN)
ex 29.44C	Josamycin propionate (INNM)
ex 29.44C	Ribostamycin sulphate (INNM)
ex 29.44C	Fumagillin dicyclohexylammonium (INNM)
ex 29.44C	Ceftezole (INN)
ex 29.44C	Aztreonam (INN)
ex 29.44C	Imipenem (INN)
ex 29.44C	Cefotetan (INN)
ex 29.44C	Ceftizoxime sodium (INNM)
ex 29.44C	Midecamycin (INN) and its acetates
ex 29.44C and ex 30.03 A II b)	Amikacin (INN) and its salts
ex 29.44 C and	Mitomycin (INN)

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 30.03 A II b)	
ex 29.44 C and ex 30.03 A II b)	Bleomycin sulphate (INNM)
ex 29.44 and ex 30.03 A II b)	Aclarubicine hydrochloride (INNM)
ex 29.45	Potassium *tert*-butoxide
ex 30.02 A	Tetanus immunoglobulin
ex 30.02 A	Anti-tetanus immunoplasma
ex 30.02 A	German measles immunoplasma
ex 30.02 A	Whooping-cough immunoplasma
ex 30.02 A	Rabies immunoplasma
ex 30.03 A II b) and B II b)	Human albumin, whether or not in solution
ex 30.03 A II b) and B II b)	Preserved serum derived from human blood
ex 30.03 A II b) and B II b)	Anti-haemophilic globulin and anti-Rh_0 (D)-globulin derived from human blood
ex 30.03 A II b)	Mixture of oestrogens of equine origin, in powder form
ex 30.03 A II b)	Mixture of cefradine (INN) and arginine (INN)
ex 30.03 A II b) and B II b)	Gamma-globulin, in solution, derived from human blood
ex 30.03 B II b)	Lyophilized gamma-globulin derived from human blood
32.01 A I	Tanning extracts of wattle (mimosa)
ex 32.01 A IV	Tanning extracts derived from gambier and myrobolan fruits
ex 32.07 B	Inorganic colouring matter preparations mentioned in note 3 to Chapter 32, in hollow polyurethane spheres having a diameter of less than 200 micrometres
ex 32.08 D	Glass, in the form of flakes, of a length not less than 0,1 mm and not more than 3,5 mm, of a thickness not less than two micrometres and not more than five micrometres
ex 32.08 D	Glass in the form of powder or granules, with a silicon dioxide content of not less than 99% by weight
ex 32.09 A II and ex 39.02 C V	Polyurethane of 2,2'-(*tert*-butylimino)diethanol and 4,4'-methylenedi cyclohexyl isocyanate, dissolved in *N,N*-dimethylacetamide, with a copolymer content of not less than 48% by weight
ex 32.09 A II and ex 39.02 C XIV a)	Copolymer of *p*-cresol and divinylbenzene, dissolved in *N,N*-dimethylacetamide, with a copolymer content of not less than 48% by weight
ex 34.02	*alpha*-Methyl-*omega*-hydroxypoly(oxypropylene), having an average molecular weight of between 240 and 260

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 34.02	Mixture of docusate sodium (INN) and sodium benzoate
ex 34.02	2-Alkyl-1-[2-(sodiooxycarbonylmethoxy)ethyl]-1-sodiooxycarbonylmethyl-2-imidazolinium hydroxide
ex 34.02	Preparation containing not less than 30% by weight 2-Alkyl-1-[2-(sodiooxycarbonylmethoxy)ethyl]-1-sodiooxycarbonylmethyl-2-imidazolinium dodecyl sulphate
ex 35.07	Bromelains (INN)
ex 35.07	Mixture of streptokinase (INN) and streptodornase (INN)
ex 35.07	Pyruvate: oxygen oxidoreductase
ex 35.07	Lipoprotein lipase
ex 35.07	Serrapeptase (INN)
ex 37.02 B	Colour negative film, of a width not less than 75 mm and not more than 105 mm and of length of 100 m or more, for use in the manufacture of instant picture film packs (a)
ex 38.03 B	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplane spacing values of 0,44, 0,40, 0,33 and 0,25 nm the line corresponding to 0,40 nm being the most intense, for the manufacture of self-copy paper (a)
38.07 B	Spirits of sulphate turpentine, crude dipentene
ex 38.08 C	Hydroabietyl alcohol
ex 38.19 F II or ex 38.19 X	*tetra*-Aluminium nonamagnesium dicarbonate hexacosahydroxide hepta hydrate coated with a surface active agent
ex 38.19 G	Catalysts, consisting essentially of diphosphorus pentaoxide on an inert support
ex 38.19 G	Catalysts, in the form of spherical grains with a diameter of not less than 1,4 mm and not more than 1,8 mm, consisting of boron trifluoride on an aluminium oxide support
ex 38.19 G	Catalysts, in the form of rodlets having a length of not more than 5,0 mm and a diameter of not more than 3,6 mm, consisting of copper oxide and dichromium trioxide
ex 38.19 G	Catalysts, consisting of copper chloride, supported on aluminium oxide, for the preparation of dichloroethane, ethylene, hydrochloric acid and oxygen, with a surface area of less than 90 m^2/g (a)
ex 38.19 G	Catalysts, consisting of chromium of dichromium trioxide, fixed on a silicon dioxide support with a pore volume, as determined by the nitrogen absorption method, of not less than 2 cm^3/g
ex 38.19 G	Catalysts, in the form of rodlets having a length of not less than 3 mm and not more than 6 mm and a diameter of not more than 3,8 mm, consisting of not less than 18% and not more than 21% by weight of dichromium trioxide and not less than 78% and not more than 81% by weight of aluminium oxide

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 38.19 G	Catalysts, in the form of granules, consisting of a mixture of oxides on a carrier of aluminium oxide and containing, by weight: — not less than 12% and not more than 20% of nickel — not less than 5% and not more than 10% of copper — not less than 0,5% and not more than 1,5% of manganese The pore volume is not less than 0,25 cm^3/g and not more than 0,95 cm^3/g and the apparent specific gravity is not less than 0,5 and not more than 1,25
ex 38.19 G	Catalysts, in the form of grains, of which not less than 90% by weight have a particle size of less than 10 micrometres, consisting of a mixture of oxides on a carrier of magnesium silicate and containing, by weight: — not less than 20% and not more than 35% of copper — not less than 2% and not more than 3% of bismuth The catalysts has an apparent specific gravity of not less than 0,2 and not more than 1,0
ex 38.19 G	Catalysts, in the form of granules having a diameter of not more than 1,4 mm, consisting of cobalt oxide on a silicon dioxide support
ex 38.19 G	Catalysts, in powder form, consisting of a mixture of titanium trichloride and aluminium chloride, containing not less than 20% and not more than 30% by weight of titanium and not less than 55% and not more than 72% by weight of chlorine
ex 38.19 G	Catalysts, in the form of granules or rings having a diameter of not less than 3 mm and not more than 10 mm, consisting of silver supported on aluminium oxide, the silver content being not less than 10% and not more than 20% by weight
ex 38.19 G	Catalysts consisting of ethyltriphenylphosphonium acetate, dissolved in methanol
ex 38.19 G	Catalysts, consisting of copper chloride, supported on aluminium oxide, for the preparation and dichloroethane from ethcylene, hydrochloric acid and oxygen, by the fixed bed process (a)
ex 38.19 G	Catalysts, in the form of pellets, consisting of mixed vanadium and phosphorus oxides, containing not more than 0,5% by weight of one of the following elements: lithium, potassium, sodium cadmium or zinc, for use in the manufacture of maleic anhydride from butane
ex 38.19 G	Catalysts, in the form of powder, consisting of a mixture of titanium, magnesium and aluminium compounds on a carrier of silicon dioxide, containing by weight: — not less than 3 and not more than 6% of titanium, — not less than 2 and not more than 3% of magnesium, — not less than 0,3 and not more than 0,5% of aluminium, for use in the production of polyethylene with a density of at least 0,935 g/cm^3

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 38.19 G	Catalysts, consisting of dialkyldimethylammoniumacetate containing chain lengths of 16 and 18 carbon atoms, suspended in organic solvents to a concentration of not less than 40% by weight
ex 38.19 K	Sintered magnesite mixed with small quantities of mineral oils
ex 38.19 X	A mixture of 5-ethyl-2-methyl-2-oxo-1,3,2λ^5-dioxaphosphoran-5-ylmethyl methyl methylphosphonate and bis(5-ethyl-2-methyl-2-oxo-1,3,2λ^5-dioxaphosphoran-5-ylmethyl)-methylphosphonate
ex 38.19 X	Butylethylmagnesium dissolved in organic solvents to a concentration of not less than 19% but not more than 30% by weight
ex 38.19 X	Mixed oxides of barium, bismuth, lead, titanium and zinc in powder form, having a barium content of not less than 5% and a titanium content of not less than 15% by weight, for use as dielectric materials during the manufacture of multilayer ceramic capacitors
ex 38.19 X	Calcined bauxite (refractory grade)
ex 38.19 X	Diosegnin crude
ex 38.19 X	4-(6-Fluoro-2-methylinden-3-ylmethyl)phenyl methyl sulphide dissolved in toluene
ex 38.19 X	Mixtures of *x*-butyl-4-4′ isopropylenediphenol and *x*,*x*′-dibutyl-4,4′-isopropylidenediphenol
ex 38.19 X	Mixture of nitromethane and 1,2-epoxybutane
ex 38.19 X	Residues of manufacture containing not less than 40% by weight of 11-*beta*,17,20,21-tetrahydroxy-6-methylpregna-1,4-dien-3-one-21-acetate
ex 38.19 X	Intermediate products from the manufacture of monensin salts
ex 38.19 X	Tetramethylammonium hydroxide dissolved in methanol
ex 38.19 X	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of *Streptomyces tenebrarius*, whether or not dried
ex 38.19 X	Products obtained by the *N*-ethylation of sisomicin (INN)
ex 38.19 X	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of *Micromonospora purpurea*, whether or not dried
ex 38.19 X	Cholic acid and 3-*alpha*, 12-*alpha*, dihydroxy-5-*beta*, cholan-24-oic acid (deoxycholic-acid), crude
ex 38.19 X	Crude bile acids
ex 38.19 X	Collodial antimony pentaoxide
ex 38.19 X	Magnesium bromide 2-oxoperhydroazepin-1-ide dissolved in *epsilon*-caprolactam to a concentration of not less than 20% and not more than 25% by weight

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 38.19 X	Reaction products of dibutyl dihydrogendiphosphate and 1,2-epoxypropane for use in the production of non-rigid polyurethane (a)
ex 38.19 X	2,3-Bis[2-(perfluoroalkyl)ethylthio]butane-1,4-diol
ex 38.19 X	Intermediate products of the antiobiotics manufacturing process obtained from the fermentation of *Micromonospora inyoensis*, whether or not dried
ex 38.19 X	Intermediate products of the antibiotics manufacturing process obtained from the fermentation of *Streptomyces kasugaensis*, whether or not dried
ex 38.19 X	Film consisting of the oxides of barium, calcium and either titanium or zirconium, mixed with binding materials
ex 38.19 X	Mixture of amines derived from dimerized fatty acids with an average molecular weight of between 520 and 550
ex 38.19 X	Mixture obtained by fermentation containing not less than 5% by weight peptides having the structure of the A chain of human insulin in the form of a salt of the *S*-sulphonate derivative
ex 38.19 X	Mixture obtained by fermentation containing not less than 5% by weight peptides having the structure of the B chain of human insulin in the form of a salt of the *S*-sulphonate derivative
ex 38.19 X	Crude lithium hypochlorite
ex 38.19 X	Reaction mixture containing benzyl 3-isobutyryloxy-1-isopropyl, 2,2-dimethylpropyl phthalate and benzyl 3-isobutyryloxy-2,2,4-trimethylpentyl phthalate
ex 38.19 X	Mixture of 2-(perfluoroalkyl)ethanethiols containing C_6 to C_{14} perfluoroalkyl chains
ex 38.19 X	Lyophilized extract of the blood cells of the crab *Limulus polyphemus* ('Limulus amoebocyte lysate')
ex 39.01 A	Colestipol-hydrochloride (INNM)
ex 39.01 C I a)	Polycondensation products of phenol and formaldehyde in the form of hollow spheres with a diameter of less than 150 micrometres
ex 39.01 C II a)	Polycondensation products of formaldehyde and a mixture of toluene-2-sulphonamide- and toluene-4-sulphonamide
ex 39.01 C III a)	Reflecting polyester sheeting embossed in a regular pyramidal pattern
ex 39.01 C III a)	Reflecting polyester sheeting in which microspheres are embedded
ex 39.19 C III a)	Transparent film consisting of polyester coated with a layer of indium and silver
ex 39.01 C III a)	Polyester film, having a thickness of not less than 74 micrometres and not more than 76 micrometres, for use in the manufacture of flexible magnetic discs (floppy discs) (a)

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 39.01 C III a)	Reflecting laminated sheeting, metallized, consisting of one sheet of polyester and at least another sheet of polyester or other plastic material and coated on one side with an adhesive which is protected by a release sheet
ex 39.01 C III b) and ex 39.03 B II b) 2, B III b) 4 aa) and B IV b) 4 aa)	Waste and scrap of photographic (including cinematographic) and X-ray film
ex 39.01 C III b)	Polyester of a mixture of isophthalic acid and terephthalic acid and 4,4′-isopropylidenediphenol
ex 39.01 C III b)	Waste and scrap from polyester film coated with a tungsten compound or with rare earth metal compounds
ex 39.01 C III b)	Poly(oxy-1,4-phenylenecarbonyl) in powder form
ex 39.01 C IV	Poly(iminomethylene-1,3-phenylenemethyleneiminoadipoyl in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.01 C IV	Film consisting of poly(*epsilon*-caprolactam) blended with: — either not more than 10% by weight of polyethylene — or not more than 10% by weight of a copolymer of ethylene with vinyl acetate
ex 39.01 C IV	Poly(epsilon-caprolactam) film having a softening point of not less than 200 °C
ex 39.01 C V	Reflecting polyurethane sheeting
ex 39.01 C VII	Polyamide sheet and strip
ex 39.01 C VII	Poly[oxy(2,6-dibromo-1,4-phenylene)] for use in the manufacture of polyamide (a)
ex 39.01 C VII	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene) in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.01 C VII	Liquid poly(oxypropylene) with 3-(3-{2-[2-(2-mercaptoethoxy)ethoxy]ethylthio} propoxycarbonylamino)-*p*-tolylcarbamoyloxy as the end group
ex 39.01 C VII	Poly[oxy-1,4-phenyleneisopropylidene-1,4-phenyleneoxy-(2-hydroxytrimethylene)], with an average molecular weight of not less than 26,000, in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 A	Ion-exchange membranes in fluorinated plastic material, for use in chlor-alkali electrolytic cells
ex 39.02 C I a)	Synthetic paper pulp, in the form of moist sheets made from unconnected finely branched, polyethylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent
ex 39.02 C I a)	Synthetic paper pulp, in the form of moist sheets made from unconnected finely branched fibrils of a mixture of poly-

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	ethylene and a polyethylene copolymer, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent
ex 39.02 C I a)	Polyethylene, in one of the forms mentioned in note 3 (b) to Chapter 39, having a density of not less than 0,958 g/cm³ at 23 °C and containing by weight not more than: — 50 ppm of aluminium — 2 ppm of calcium — 2 ppm of chromium — 2 ppm of iron — 2 ppm of nickel — 2 ppm of titanium — 8 ppm of vanadium for the manufacture of chlorosulphonated polyethylene
ex 39.02 C I a)	Polyethylene, in one of the forms mentioned in note 3 (b) to Chapter 39, having a density of not less than 0,945 and not more than 0,985 g/cm³ for the manufacture of typewriter ribbon or similar ribbon
ex 39.02 C II	Microporous polytetrafluoroethylene film coated on one side with a polymer permeable to water vapour not less than 30 cm in width and weighing not more than 50 g/m²
ex 39.02 C II	Microporous polytetrafluoroethylene film of a width of not less than 30 cm and weighing not more than 22,4 g/m²
ex 39.02 C II	Poly(1-chlorotrifluoroethylene) film
ex 39.02 C IV	Synthetic paper pulp, in the form of moist sheets made from unconnected finely branched polypropylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent
ex 39.02 C VI a)	An A-B-A block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing not more than 35% by weight of styrene, in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C VI a) and b)	Copolymers, solely of allyl alcohol with styrene, which have an acetyl value of not less than 175
ex 39.02 C VI a)	Copolymer, entirely of maleic anhydride and styrene, whether or not containing a styrene-butadiene block copolymer in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C IV b)	Plates, made of a copolymer consisting of maleic anhydride and styrene, also containing styrene-block copolymer, covered on both sides with a sheet of the abovementioned copolymer, modified with butadiene or pigmented
ex 39.02 C VII b)	Polyvinyl chloride sheeting, of a thickness of less than mm, coated with an adhesive in which are embedded hollow

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	glass balls having a diameter of not more than 100 micrometres
ex 39.02 C VII b)	Reflecting polyvinyl chloride sheeting, wholly embossed on one side in a regular pyramidal pattern
ex 39.02 C VIII	Copolymers of vinylidene chloride with vinyl chloride, containing not less than 79,5% by weight of vinylidene chloride, in one of the forms mentioned in note 3 (a) and (b) to Chapter 39, for the manufacture of fibres, monofil or strip (a)
ex 39.02 C XI	Poly(vinyl formal), in one of the forms mentioned in note 3 (b) to Chapter 39, having a molecular weight not less than 10,000 and not more than 40,000 and containing, by weight: — not less than 9,5% and not more than 13% of the acetyl groups, expressed as vinyl acetate — not less than 5% and not more than 6,5% of the hydroxy groups, expressed as vinyl alcohol
ex 39.02 C XI	Films of a thickness of not more than 1 mm, entirely of polyvinyl-alcohol, containing not more than 2% by weight of unhydrolyzed acetate groups expressed as vinyl acetate and not less than 5% and not more than 15% by weight of glycerol as a plasticizer
ex 39.02 C XI	Polyvinyl alcohol film coated on both sides having a total thickness of less than 1 mm and with an extension at break (longitudinal or transversal) of not less than 65%
ex 39.02 C XI	Polyvinyl alcohol film containing not less than 99% by weight of polyvinyl alcohol, uncoated, with a thickness of not more than 1 mm
ex 39.02 C XI	Polyvinyl alcohol film soluble in water at a temperature of 20 °C
ex 39.02 C XII	Copolymers of 2-di-isopropylaminoethyl methacrylate and decyl methacrylate dissolved in *N,N*-dimethylacetamide, with a copolymer content of not less than 55% by weight
ex 39.02 C XII	Copolymerization products of acrylic and methacrylic esters, in the form of film with a thickness not exceeding 150 micrometres
ex 39.02 C XII	Copolymer of acrylic acid and 2-ethylhexyl acrylate, containing not less than 10% and not more than 11% by weight of 2-ethylhexyl acrylate
ex 39.02 C XII	Poly[*N*-(3-hydroxyimino-1,1-dimethylbutyl)acrylamide]
ex 39.02 C XII	Reflecting polyacrylic sheeting in which microspheres are embedded
ex 39.02 C XIV a)	Copolymers of vinylidene chloride and acrylonitrile, in the form of expandable beads of a diameter not less than four micrometres and not more than 20 micrometres
ex 39.02 C XIV a)	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight not less than 89% and not more than 92% of vinyl chloride, not less than 2% and not

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	more than 6% of vinyl acetate and not less than 4% and not more than 8% of vinyl alcohol, in one of the forms mentioned in note 3 (a) and (b) to Chapter 39
ex 39.02 C XIV a)	Poly(1-ethylethylene) (Polybutene-1) in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C XIV a)	Alternating copolymer of ethylene and maleic anhydride, for use as a thickener in textile pigment printing pastes (a)
ex 39.02 C XIV a)	Copolymer of acrylonitrile and methylacrylate modified with polybutadieneacrylonitrile (NBR)
ex 39.02 C XIV a)	Polyvinyl fluoride in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C XIV a)	Poly(tribromostyrene), containing not less than 66% and not more than 71% by weight of bromine, in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C XIV a)	Synthetic paper pulp, in the form of moist sheets made from unconnected finely branched fibrils of polypropylene modified by an organic acid, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent
ex 39.02 C XIV a)	Polymerization products of acrylic acid with small quantities of a polyunsaturated monomer for use as a thickener in textile pigment printing pastes or in the manufacture of products falling within heading No 30.03
ex 39.02 C XIV a)	Polymerization products of acrylic acid, with alkyl methacrylate and small quantities of other monomers for use as thickeners in the manufacture of textile printing pastes
ex 39.02 C XIV a)	Copolymer of a poly(oxyalkylene) ester of a polycarboxylic acid and *epsilon*-caprolactam
ex 39.02 C XIV a)	Ionomer resin consisting of a salt of a copolymer of ethylene and methacrylic acid
ex 39.02 C XIV a)	Ionomer resin consisting of a salt of a terpolymer of ethylene, isobutyl acrylate, and methacrylic acid
ex 39.02 C XIV a)	Polymerization products of a (polybutadiene)polyol and two lactams *N,N'*-linked by the bivalent acyl radical of a dicarboxylic acid
ex 39.02 C XIV a)	Copolymer of ethylene with chlorotrifluoroethylene, in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C XIV a)	Terpolymer of ethylene with chlorotrifluoroethylene and hexafluoro(2-methylpropene) in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C XIV a)	Poly[(*R*)-*p*-mentha-1,8-diene] in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C XIV a)	Copolymer of tetrafluoroethylene and hexafluoropropene compounded with not less than 1% and not more than 51% by weight of one of the following: — barium sulphate

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— dibismuth trioxide — dibismuth carbonate dioxide — tungsten in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C XIV a)	Copolymers of ethylene with acrylic acid, or with methacrylic acid, containing not less than 3% and not more than 30% of acrylic acid or methacrylic acid by weight, in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C XIV a)	Copolymer of vinyl alcohol with ethylene, in one of the forms mentioned in note 3 (b) to Chapter 39
ex 39.02 C XIV b)	Polyvinyl fluoride sheet
ex 39.02 C XIV b)	Reflecting sheeting of an acrylic polymer modified by melamine-formaldehyde
ex 39.02 C XIV b)	Polyvinylidene fluoride film
ex 39.02 C XIV b)	Copolymer of ethylene with propylene in the form of self-adhesive strip of a width of not less than 18 mm and not more than 27 mm or not less than 58 and not more than 90 cm and of a thickness not exceeding 1 mm; which, after being extended at 23 °C to twice their original length, returns to its original length, with a tolerance of not more than +15%, within a period of two minutes
ex 39.02 C XIV b)	Film of a thickness of not more than 1 mm of a copolymerization of vinyl alcohol with ethylene containing no other polymerization products or copolymerization products, with an extension at break (longitudinal or transversal) of not less than 65%
ex 39.02 C XIV b)	Sheet consisting of a copolymer of ethylene with chlorotrifluoroethylene, whether or not backed with a woven glass fibre fabric
ex 39.03 B V a) 1	Ethylcellulose, not plasticized
ex 39.03 B V a) 2	Hydroxyalkylhydroxyethylcellulose
ex 39.03 B V a) 2	Alkylhydroxyethylcellulose
ex 39.03 B V a) 2	Hydroxypropylcellulose
ex 39.06 B I	*O*-(2-hydroxyethyl)amylopectin hydrolysate
ex 39.07 B V d)	Two polyethylene sheets containing multiple slits laid crosswise upon each other and bonded together
ex 39.07 B V d)	Reflecting sheeting or tape, consisting of a facing strip of polyvinyl chloride embossed in a regular pyramidal pattern, heat sealed in parallel lines or a grid pattern to a backing strip of plastic material, or of knitted or woven fabric covered on one side with plastic material
ex 40.05 C	Strip, consisting of polybutadiene-acrylonitrile containing, in the mass, microspheres, laminated on the upper surface with a polyvinyl chloride sheet also containing microspheres

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
41.02 B	Bovine cattle leather (including buffalo leather) not further prepared than chrome-tanned, in the wet-blue state
ex 41.02 C	Leather of East India kip, whole, whether or not the heads and legs have been removed, each weighing more than 4,5 kg net and not more than 8 kg, not further prepared than vegetable tanned, whether or not having undergone further preservative treatment with oil, but obviously unsuitable for immediate use in the manufacture of leather articles
41.03 B I	Sheep and lambskin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned
41.04 B I	Goat and kidskin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned
41.05 B I	Other kinds of leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned
ex 44.22 B	Used casks and barrels of oak, whether assembled or not; their staves and heads
ex 44.28 C	Match splint, manufactured from aspen *(Populus tremuloides)*, for the manufacture of matches not requiring a specific striking surface (so called 'strike-anywhere' matches)
ex 44.28 D II	Shingles for roofs and walls, of coniferous wood
45.01	Natural cork, unworked, crushed, granulated or ground; waste cork
ex 48.07 C	Bleached paper, impregnated with acrylic resin and coated with poly(vinylidene chloride), or coated with acrylic resin, having a thickness of not less than 200 micrometres and not more than 255 micrometres and a weight per square metre of not less than 165 grams and not more than 185 grams
ex 48.07 D	Coloured paper, impregnated with acrylic resin and coated with poly(vinylidene chloride), or coated with acrylic resin, having a thickness of not less than 200 micrometres and not more than 255 micrometres and a weight per square metre of not less than 165 grams and not more than 185 grams
ex 48.21 F II	Strips of paper glued to one another to form a honeycomb with a maximum height of 13 cm, impregnated with a copper-based preservative
ex 49.11 B	Artists' screen prints (commonly described as serigraphs), signed by the artist and numbered from 1 to 200
ex 49.11 B	Microcopies on an opaque base for data banks and libraries
ex 51.01 A	Yarn of polytetrafluorethylene
ex 51.01 A	Yarn of polyvinyl alcohol, soluble in water at a temperature of 50 °C, for use in the manufacture of weftless 'felts' for papermaking machines

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 51.01 A	Yarn of a copolymer of glycolic acid and lactic acid for the manufacture of surgical sutures
ex 51.01 A	Yarn wholly of polyglycollic acid
ex 51.01 A	Yarn of poly(1,4-dioxanone)
ex 51.01 A	Non-textured filament yarn of poly(vinyl alcohol), for the manufacture of sleeves for printing rollers
ex 51.01 A	Yarn of synthetic textile fibres exclusively of aromatic polyamides obtained by the polycondensation of *m*-phenylenediamine and isophthalic acid
ex 51.01 A	Polyamide yarn, not textured, untwisted or with not more than 22 turns per metre, of crimpable biocomponent filaments consisting of poly(hexamethylene adipamide) and a copolyamide for the manufacture of knee-length stockings falling within subheading 60.03 B I, women's stockings falling within subheading 60.03 B II a) or panty hose (tights) falling within subheading 60.04 B III a) 1
ex 51.01 A	Yarn, multiple, of polyamide, coated, impregnated or covered with a phenolic resin
ex 51.02 A I	Monofil of polytetrafluoroethylene
ex 51.02 A I	Monofil of poly(1,4-dioxanone)
ex 51.02 A I	Monofil of a copolymer of 1,3-dioxan-2-one with 1,4-dioxan-2,5-dione for the manufacture of surgical sutures
ex 51.02 A II	Polyimide strip
ex 51.02 A II	Strip of polytetrafluoroethylene, whether or not in rolls, with an extension at break not exceeding 25 %
ex 51.04 A IV	Woven fabrics of polyvinyl alcohol fibres, for machine embroidery
ex 51.04 A IV or ex 59.08	Woven poly(tetrafluoroethylene) fibre fabric coated on one side with a copolymer of tetrafluoroethylene and trifluoroethylene having perfluorinated alkoxy side chains ending in carboxylic acid or sulphonic acid groups in the potassium or sodium salt form, whether or not coated on the same side with a metallic inorganic compound
ex 56.01 A	Textile fibres of polytetrafluoroethylene
ex 56.01 A	Textile fibres exclusively of aromatic polyamides obtained by the polycondensation of *m*-phenylenediamine and isophthalic acid, for uses other than the manufacture of articles falling within Chapters 60, 61, 64 and 65 or of materials used in the manufacture of such articles
ex 56.01 A and ex 59.01 B I	Polyvinyl alcohol fibres, whether or not acetalized
ex 56.01 A	Acetalized, multicomponent spun fibres with a matrix fibril structure, consisting of emulsion polymerized poly(vinyl alcohol) and vinyl chloride
ex 56.01 A	Fibres wholly of poly(thio-1,4-phenylene)

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 56.01 B	Fibres entirely of Modal (ISO)
ex 58.07 A and ex 59.04	Braid, wholly of polyglycollic acid yarn
ex 58.07 A and ex 59.04	Braid of yarn of a copolymer of glycollic acid and lactic acid, whether or not coated, for the manufacture of surgical sutures
ex 59.03 B	Bonded fibre fabrics and similar bonded yarn fabrics of aromatic polyamide man-made fibres obtained by polycondensation of *m*-phenylenediamine and isophthalic acid, whether or not impregnated or coated, in the piece or cut into rectangles
ex 59.03 B	Poly(vinyl alcohol) bonded fibre fabrics, with a thickness of not less than 200 micrometres and not more than 280 micrometres and of a weight of not less than 20 g/m^2 and not more than 50 g/m^2, whether or not impregnated or coated, in the piece or cut into rectangles
ex 59.03 B	Bonded fibre fabrics with a thickness of not more than 300 micrometres of spun-bonded polyethylene fibres, with a weight not exceeding 115 g/m^2, whether or not impregnated or coated, in the piece or cut into rectangles
ex 59.03 B	Bonded fibre fabrics of polypropylene consisting of a meltblown central layer, laminated on each side with spun-bonded fibres, with a thickness of not more than 550 micrometres and a weight not exceeding 80 g/m^2, in the piece or simply cut into rectangular shape, not impregnated or coated
ex 59.03 B	Spun-bonded fibre fabric of continuous polyester filaments bonded together with polyacrylates, pressed and embossed with a weave pattern, whether or not impregnated or coated, in the piece or cut into rectangles
ex 59.04	Coir yarn, for the manufacture of carpets, carpeting and rugs, mats and the like
ex 59.08	Knitted or woven fabric, coated or covered on one side with artificial plastic material in which are embedded microspheres
ex 59.12	Textile fabrics coated with adhesive in which are embedded microspheres, the diameter of which is not more than 75 micrometers, and weighing not more than 550 g/m^2
ex 59.17 A	Needle punched synthetic fibre felts on a woven synthetic fibre base coated or covered on one side with polytetrafluoroethylene film, for the manufacture of filtration products]
ex 59.17 D	Yarn of poly(*p*-phenylene terephthalamide), impregnated, oiled
ex 59.17 D	Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
62.03 A I	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 57.03
62.03 B I a)	Sacks and bags, of a kind used for the packing of goods, used, of flax or of sisal
ex 68.16 B	Microspheres containing more than 90% by weight of barium and titanium expressed as barium oxide and titanium dioxide with a diameter of less than 100 micrometers and a refractive index of not less than 2,1 and not more than 2,4
ex 69.03 C and ex 69.09 B	Yarn of continuous ceramic filaments, each filament of which contains not less than 12% by weight of diboron trioxide, not more than 26% by weight of silicon dioxide and not less than 60% by weight of dialuminium trioxide
ex 69.09 B	Catalysts supports consisting of porous cordierite or mullite ceramic pieces of roughly circular, square, rectangular or oval cross-section with parallel sides having an overall volume of not less than 240 ml and not more than 11,100 ml, and having a minimum external rectilineal dimension of not less than 20 mm and a maximum external rectilineal dimension of not more than 480 mm, having not less than one continuous channel per 100 mm^2 running parallel to the main axis of symmetry, the total channel cross-section area being not less than 10% and not more than 80% of the whole cross-section area
ex 69.09 B	Plates made of dialuminium trioxide and titanium carbide with dimensions of not more than 48×48 mm, for the manufacture of magnetic heads
ex 70.11	Glass envelopes, for monochrome cathode-ray tubes, having a rectangular diagonal face of not less than 22 cm and not exceeding 51 cm, and a nominal neck diameter of 20 mm, 29 mm or 37 mm
ex 70.20 A	Non-textile glass fibres having a diameter of less than four micrometres
ex 70.20 A	Webs, felts, thin sheets and similar products of non-textile glass fibres, of a weight per square metre of not more than 120 g and a fibre diameter, excluding any coating, of not more than 7 micrometres, for the manufacture of filtration products
ex 70.20 B	Yarns, spun from continuous glass filaments having a diameter of not less than 5,8 micrometres and not more than 7,1 micrometres of 33, 34 or 51 tex ± 7,5%, or a multiple thereof
ex 70.20 B	Yarns of 22 tex spun from continuous glass filaments having a diameter of not less than 4,7 and not more than 5,5 micrometres
ex 70.20 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 2,5 micrometres and not more than 5,1 micro-

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	metres, other than those treated so as to improve their adhesion to elastomers
ex 70.20 B	Yarns, spun from continuous glass filaments having a diameter of not less than 5,8 micrometres and not more than 6,5 micrometres of 33, 34 or 51 tex or a multiple thereof
ex 74.05 B	Sheets and plates of polytetrafluoroethylene, with aluminium oxide or titanium dioxide as a filter or reinforced with glass-fibres fabric, laminated on both sides with copper foil
ex 75.04 A	Tubes of nickel, not alloyed, of a purity not less than 99 % by weight, not deviating from straightness lengthwise by more than 1 mm per 150 cm of length, and with an outside diameter either: — not less than 231,36 mm and not more than 214 mm or — not less than 209,95 mm and not more than 210,59 mm or — not less than 168,28 mm and not more than 168,78 mm
76.01 B I b)	Waste of aluminium, other (including factory rejects)
ex 76.03	Aluminium alloy rectangular strip in coils, not lacquered, varnished, painted or plastic-coated, having a width of not less than 75 and not more than 230 mm and a thickness of not less than 2,9 and not more than 6,5 mm, containing by weight: — not less than 18% and not more than 23% of tin — not less than 0,7% and not more than 1,5% of copper — other metals where present each having a concentration lower than that of the copper
ex 77.02	Ground and polished magnesium sheets whose dimensions do not exceed 770×1020 mm, coated on one side with epoxy resin, insensitive to light
ex 81.03 B	Wire of unalloyed tantalum, of a diameter not less than 0,2 mm and not more than 0,5 mm, for the manufacture of capacitors
ex 81.04 D I b)	Chromium, in the form of cathode chips, pellets or briquettes, which contains not more than 0,10% by weight of total oxygen, not more than 0,015% by weight of total aluminium and not more than 0,001% by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and evaluated as aluminium, for the production of alloy for the manufacture of the following parts of gas turbines and jet engines (a): — blades, fixed or movable, including their rings — vanes — nozzles
ex 81.04 G I	Electrolytic manganese of a purity of at least 99,7% by weight, for the chemical industry

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 81.04 G I	Electrolytic manganese of a purity of at least 99,7% by weight, for the production of non-ferrous alloys
ex 81.04 K I	Waste and scrap titanium
ex 81.04 K I	Titanium sponge
ex 84.17 F II	Immersion tube (coils) bundles consisting of an assembly of plastic tubes terminating at each end in a honeycomb structure (end fitting) surrounded by a pipe connector
ex 84.18 C II b)	Components of separators for the separation of gases from gas mixtures, consisting of a bundle of permeable hollow fibres passing through a block of plastic material at one end and sealed at the other end—the whole being enclosed within a metal container, whether or not perforated, of an overall length of not less than 300 mm and not more than 3,700 mm and a diameter of not more than 350 mm
ex 84.18 C II b)	Parts of equipment for the filtration and purification of water, consisting of a bundle of hollow fibres of artificial plastic material with permeable walls, embedded in a block of artificial plastic material at one end and passing through a block of artificial plastic material at the other end, the whole being enclosed in an artificial plastic cylinder
ex 84.18 C II b)	Apparatus for catalytic conversion of nitrogen oxides into nitrogen and water, consisting of shaped and fired units in honeycomb structure of a mixture of vanadium oxides or vanadium sulphates and titanium dioxide or barium sulphate in a metallic basket not exceeding 120×120×160 cm
ex 84.18 C II b)	Parts of equipment for the purification of water by reverse osmosis, consisting essentially of plastic-based membranes, supported internally by textile materials which are wound round a perforated tube of plastic material and housed in a plastic cylinder
ex 84.18 C II b)	Parts of apparatus for catalytic conversion of nitrogen oxides into nitrogen and water, consisting of shaped and fired units in honeycomb structure of a mixture of vanadium oxides or vanadium sulphates and titanium dioxide or barium sulphate or of vanadium oxide, tungsten (wolfram) oxide and titanium dioxide, contained in a metal basket
ex 84.31 A	Suction roll shells, not drilled, being alloy steel tubes with a length of not less than 5,207 mm and an outside diameter of not less than 754 mm, for use in machinery for making paper or paperboard
ex 84.51 A	Typewriters with Braille characters
ex 84.51 A	Electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape
ex 84.55 C	Dot matrix displays, whose external dimensions do not exceed 14×40×210 mm excluding cables and connectors, consisting of two glass layers or sheets in which are arranged crystal displays with 2,560 dots (arranged in 16 lines and

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	160 columns) or 2,400 dots (arranged in 16 lines and 150 columns) mounted on a printed circuit board comprising electronic components providing drive and control functions, with or without 10 or 20-core flat cable connector
ex 84.55 C	Assemblies for automatic data-processing machines, comprising static random-access memories of C-MOS technology (C-MOS S-RAMs) with a storage capacity of 256 K bits, consisting of a multilayer substrate, the exterior dimensions of which do not exceed 17×39 mm, on which are mounted: — four static random-access memories of C-MOS technology (C-MOS S-RAMs) in the form of monolithic integrated circuits with a capacity of 64 K bits, each contained in a ceramic housing, — a decoder in the form of a monolithic integrated circuit, — a decoupling capacitor. The assemblies have not more than 28 connecting pins and bear: — an identification marking either consisting of or including the following combination of figures and letters: EDH 8832 MC 20 or — other identification markings relating to assemblies complying with the abovementioned description
ex 84.55 C	Winchester or thin film technology magnetic heads for disc file peripherals, as well as carrying arms equipped with such magnetic heads, capable of recording to a density of not less than 10 tracks per millimetre
ex 84.55 C	Dot matrix displays, whose external dimensions do not exceed 15×90×280 mm excluding cables and connectors consisting of a layer of liquid crystals between two sheets or plates with 30,720 dots (arranged in 64 lines and 480 columns), mounted on a printed-circuit board comprising electronic components providing drive functions, with or without cable and connector
ex 84.55 C	Dot matrix displays consisting of a layer of liquid crystal between two glass sheets or plates with a maximum of 15,360 dots (arranged in 64 lines and 240 columns), complete with an interface electronics board in C-MOS technology whose exterior dimensions do not exceed 181×76×15 mm, with not more than 544 connecting areas
ex 84.55 C	Magnetic read/write elements in thin film technology for the manufacture of magnetic heads for disc file peripherals, capable of recording to a density of not less than 10 tracks per mm, in the form of sheets measuring not more than 48×48 mm and containing not less than 200 elements or in the form of strips measuring not more than 4×48 mm and containing not less than 10 elements
ex 84.55 C	Assemblies for automatic data-processing machines, consisting of two stacked substrate layers each with two static random-access memories of N-MOS (including H-MOS)

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	technology (N-MOS-S-RAMs), in the form of monolithic integrated circuits each with a storage capacity of 2 K bits and with a total storage capacity of either 8 K×1 bit, or 4 K×2 bits, contained in a housing, the exterior dimensions of which do not exceed 13×13 mm, with not more than 23 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures: 4598601 5121850 5121934 5121935 5122148 5123059 5123120 5123128 5123129 5123337 5123339 or — other identification markings relating to assemblies complying with the abovementioned description
ex 84.55 C	Assemblies for automatic data-processing machines, consisting of two stacked substrate layers each with two quasi-static random-access memories of N-MOS (including H-MOS) technology, other than dynamic (N-MOS (quasi-static RAMs) in the form of monolithic integrated circuits each with a storage capacity of 4 K bits and with a total storage capacity of either 16 K×1 bit or 8 K×2 bits, contained in a housing the exterior dimensions of which do not exceed 13×13 mm, with not more than 24 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures: 4599766 4599767 4599768 4599769 4599770 4599771 4599772 4599773 4599774 4599893 or — other identification markings relating to assemblies complying with the abovementioned description
ex 84.55 C	Assemblies for automatic data-processing machines, consisting of two stacked substrate layers with one or two static random access memories of bipolar technology (bipolar S-RAMs) in the form of monolithic integrated circuits, each with a storage capacity of 1 K bits and with a maximum

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	storage capacity of 4 K bits, contained in a housing the exterior dimensions of which do not exceed 13×13 mm, with not more than 23 connecting pins and bearing: — an identification marking, either consisting of or including one of the following combinations of figures: 770965 4599497 7379442 or — other identification markings relating to assemblies complying with the abovementioned description
ex 84.55 C	Assemblies for automatic data-processing machines, comprising static random-access memories of C-MOS technology (C-MOS S-RAMs) with a storage capacity of 256 K bits consisting of a multilayer substrate, the exterior dimensions of which do not exceed 17×39 mm, on which are mounted: — four static random-access memories of C-MOS technology (C-MOS S-RAMs) in the form of monolithic integrated circuits each with a capacity of 64 K bits — a decoder in the form of a monolithic integrated circuit — a decoupling capacitor The assemblies have not more than 28 connecting pins and bear: — an identification marking either consisting of or including the following combination of figures and letters: EDH 8832 MC-20 or — other identification markings relating to assemblies complying with the abovementioned description
ex 84.55 C	Magnetic bubble memories with a storage capacity of not more than 4 megabits contained in a housing the exterior dimensions of which do not exceed 43×44 mm, with not more than 42 connecting pins or contact areas and bearing: — an identification marking consisting of or including one of the following combinations of figures or figures and letters: BDL 0133 MBM 2011 FBM 64 DA BDL 0134 MBM 2256 7110 BDN 0151 FBM 54 DB 7114-1 or — other identification markings relating to magnetic bubble complying with the abovementioned description
ex 84.55 C	Component forming the arithmetic/logic element of a central processing unit, comprising not more than nine printed circuit boards, the dimensions of which do not exceed 290×310 mm on each of which are mounted not more than 121 ECL gate arrays or ECL random access memories (ECL-RAMs) and combinations thereof contained in a framework the dimensions of which do not

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	exceed 611×501×596 mm which serves as a housing and interconnector for the printed circuit boards, which bear: — an identification marking either consisting of or including one of the following combinations of figures and letters: CO1B 2675 E 500 CO1B 2675 H 500 CO1B 2675 H 501 CO1B 2675 H 502 CO1B 2675 H 503 CO1B 2675 H 504 or — other identifications markings relating to components complying with the abovementioned description
ex 84.55 C	Display unit with maximum dimensions, excluding cables and connectors, of 15×115×290 mm, comprising two layers or sheets of glass enclosing 128,000 liquid-crystal dots arranged in 200 rows and 640 columns, fixed to a printed circuit fitted with electronic components performing control functions, with or without cables and connectors
ex 84.59 B	Integrally forged, rough-turned components, with unit weights of more than 150 tonnes, for reactor pressure vessels
ex 84.61 B	Hydraulic five-stage valve, with two magnetic valves for servo-control, consisting essentially of three plastic sections, for incorporation in water softening devices with automatic regeneration (throughflow and counterflow) with a maximum capacity of 650 L ion exchange volume
ex 84.63 B II	Integrally forged and roughly shaped generator and turbine shafts of a weight exceeding 215 tonnes
ex 85.01 B I b)	DC electric motor, brushless, with a maximum torque of 0,20 N/m, with an incorporated electronic control plate, outside rotor with circular cross-section and maximum diameter of 95 mm, aluminium precision-made hub with inside diameter of 28,6 mm, speed of 300 or 360 rpm, supply voltage of 12 volts ± 10%
ex 85.01 B I b)	DC electric motor, brushless, with a maximum torque of 0,20 N/m, with outside rotor of a maximum diameter of 55 mm, coupling flange of a diameter of 77 mm and precision-made chuck of a diameter of 44 mm, four-phase winding, rated speed of 3,600 rpm, supply voltage 12 volts ± 10% and fitted with wires and connectors
ex 85.01 B I b)	Two or three-phase DC electric motor, brushless, with a maximum torque of 0,20 N/m, with an external rotor of 62 mm maximum diameter and incorporating an electronic control panel, maximum dimensions 85×85×20 mm, including the shaft, nominal operating voltage of 12 volts ± 10% and a rate of rotation of 300 rpm

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 85.01 B I b)	Bipolar stepping motors with an angle of step of 1,8 degrees 200 steps per revolution, 2-phase rotation sequence with bipolar-type windings, maximum external dimensions of 39×39×20 or 25 mm excluding shaft, fixing screws and boss, with a minimum torque of 0,25 N/m for the version with a maximum height of 20 mm and 0,35 N/m for the version with a maximum height of 25 mm
ex 85.01 B I b)	Hybrid stepping motor, with an angle of step of 0,9°, 400 steps per revolution, 4-phase rotation sequence with bipolar-type winding, consisting of a rotor, of a laminated stator held between two square flanges, not more than 40 mm wide, fitted with biterminate shaft, wires and connectors
ex 85.01 B I b)	Hybrid stepping motor with an angle of step of 0,9°, 400 steps per revolution, 2-phase rotation sequence and bipolar windings, comprising a rotor and a stator encapsulated in a cylindrical housing with a maximum diameter of 47 mm and maximum thickness of 14 mm, fitted with a single shaft output and cables with connectors
ex 85.01 B I b)	Hybrid stepping motor with an angle of step of 0,9°, 400 steps per revolution and 2-phase rotation sequence, and bipolar windings, comprising a rotor, a laminated stator enclosed between two square section flanges with sides not exceeding 40 mm, an integral two or three-phase tachometer enclosed in a cap with a maximum diameter of 35 mm, and separate cables and connectors for the motor and tachometer outputs, with maximum dimensions of 40×40×62 mm, including the shaft
ex 85.03	Lithium iodine single cell battery with dimensions of 45×9×23 mm and a voltage not exceeding 2,8
ex 85.03	Dry zinc/carbon batteries of a voltage of not less than 5,5 and not more than 6,5 and of a size not exceeding 110×90×5 mm, for incorporation in film cassettes for instant pictures
ex 85.13 B or ex 85.21 D II	Opto-electronic receiving device (PINFET receiver) with a wavelength range 1,300–1,600 nanometres, and a speed of not less than 165 megabits per second, in the form of a hybrid integrated circuit, contained in a housing the exterior dimensions of which do not exceed 25 mm×13 mm×13 mm, with not more than 16 connecting pins, with an attached optical fibre lead (pig-tail), and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: 416/7/97013 QDFI-XXXX-001 or — other identification markings relating to devices complying with the abovementioned description
ex 85.18 B	Adjustable capacitor, in the form of a circular plate fitted with a screw head in its centre and two connecting tags, of a thickness not exceeding 3 mm and a capacity of from 5 to 30

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	picofarads, for the manufacture of products falling within Chapter 91
ex 85.19 A	Thermal relays contained in a hermetically sealed glass cartridge not exceeding 35 mm in length excluding wires, with a maximum leakage rate of 10^{-6} cm^3 He/sec at 1 bar in the temperature range 0 to 160 °C, to be incorporated into compressors for refrigerating equipment
ex 85.19 A	Reed switches in the form of a glass capsule containing not more than three electrical contacts on metal arms and a small quantity of mercury
ex 85.19 C	Single-face printed circuit, of dimensions not exceeding 30×30 mm, for the manufacture of products falling within Chapter 91
ex 85.21 A V	Cathode-ray tubes with dot mask (so-called dot-mask technology), with electron guns arranged in triangular fashion (so-called delta technology), with a distance between the coloured dots of 0,31 mm, with devices for automatic convergence
ex 85.21 A V	Cathode-ray tubes with a memory (direct view storage tubes) for the reproduction of alphanumeric and analogue data, equipped with a scanning device, for reading the images
ex 85.21 A V	Colour cathode-ray tubes, using shadow mask, in-line technology in which images are displayed on a screen with a usable surface not exceeding 165×165 mm for use in electronic flight instrument, warning and systems displays
ex 85.21 A V	Colour cathode-ray tubes with a dot mask equipped with electron guns placed side by side (in-line technology) with a distance of less than 0,4 mm between colour dots and with at least one of the following characteristics: — a diagonal screen measurement of at least 48 cm, a diagonal angle of deflection of a most 90° and convergence errors of not more than 0,8 mm maximum in the corners — equipped with an inseparable cladding on the tubes for absorbing vibrations (petting system) — without internal magnetic screen — equipped with a phosphor layer calibrated with the following co-ordinates for the colour dots: red: X=0,64 and Y=0,33 or X=0,64 and Y=0,34; green: X=0,29 and Y=0,60 or X=0,31 and Y=0,595; blue: X=0,15 and Y=0,06 or X=0,155 and Y=0,07
ex 85.21 A V	Colour cathode ray tubes with a dot mask equipped with electron guns in a triangular fashion (delta technology) with a distance of less than 0,4 mm between colour dots, with at least one of the following characteristics: — a diagonal screen measurement of at least 66 cm — equipped with a phosphor layer calibrated with the

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	following co-ordinates for the colour dots: red: X=0,64 and Y=0,33 or X=0,64 and Y=0,34; green: X=0,29 and Y=0,60 or X=0,31 and Y=0,595; blue: X=0,15 and Y=0,06 or X=0,155 and Y=0,07
ex 85.21 A V	Displays in the form of a tube consisting of a glass housing mounted on a board the dimensions of which do not exceed 350×300 mm excluding leads. The tube contains one or more rows of characters or lines arranged in rows, each character or line consisting of fluorescent or phosphorescent elements. These elements are mounted on a metallized base which is covered with fluorescent substances or phosphorescent salts which give off light when bombarded with electrons
ex 85.21 C	Quartz crystal oscillating at a frequency of 4,194,304 Hz, contained in a housing, for the manufacture of products falling within Chapter 91
ex 85.21 C	Quartz crystal oscillating at a frequency of 32,768 Hz, contained in a cylindrical housing of a length not exceeding 8,2 mm and a diameter not exceeding 3,2 mm, for the manufacture of products falling within Chapter 91
ex 85.21 D II	Digital displays of a size not exceeding 25×35 mm, consisting of a printed circuit board on which are mounted, under a plastic cover, up to 22 light-emitting diodes manufactured from gallium-based semi-conductor compounds. Each display consists of a single character with or without a plus or minus sign and/or one or two dots
ex 85.21 D II	Digital displays, consisting of a printed circuit board of a size not exceeding 35×90 mm with a single line of characters, not less than two in number, comprising light-emitting diodes made from gallium-based semi-conductor compounds mounted thereon. Each character is composed of up to eight segments with or without a decimal point and the line of characters has a protective cover of plastic
ex 85.21 D II	Read-only memory in C-MOS technology (C-MOS ROM) with a storage capacity of 256 K bits and a standby current of not more than 0,03 mA, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 17×50 mm, with not more than 54 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: HN 61256 HN 613256 MB 83256 or — other identification markings relating to C-MOS ROMs complying with the abovementioned description
ex 85.21 D II	Read-only memory of C-MOS technology (C-MOS ROM) with a storage capacity of 1 megabit in the form of a monolithic integrated circuit contained in a housing the

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: HN 62301 P, MB 831124, TC 531000 P or — other identification markings relating to C-MOS ROMs complying with the abovementioned description
ex 85.21 D II	UV-erasable, programmable, read-only memories (EPROMs) with a storage capacity of 2 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with a quartz window on the upper surface and bearing: — an identification marking either consisting of one of the following combinations of figures or including one of following combinations: AMI 702 ADC 82140 PP or — other identification markings relating to EPROMs complying with the abovementioned description
ex 85.21 D II	UV-erasable, programmable, read-only memories (EPROMs) with a storage capacity of 256 K bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17×39 mm, with a quartz window on the upper surface and bearing: — an identification marking either consisting of or including the following combination of figures or figures and letters: D 27256 27256 TMS 27256 JL 27 C 256 or — other identification markings relating to EPROMs complying with the abovementioned description
ex 85.21 D II	Memories in the form of a monolithic integrated circuit consisting of a multi-layer substrate, whose exterior dimensions do not exceed 17×39 mm, on which are mounted a decoder, a decoupling capacitor two resistances and one UV-erasable, programmable read-only memory (EPROM) having a storage capacity of 64 K bits and a quartz window on the upper surface and three static random-access memories in C-MOS technology (C-MOS S-RAM's) each having a storage capacity of 16 K bits and a total capacity of 48 K bits with not more than 28 connecting pins. The assemblies bear:

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— an identification marking either consisting of or including one of the following combinations of figures and letters: EDH 90 806 BS-25 (15) EDH 90 806 BS-30 (20) or — other identification markings relating to memories complying with the above description
ex 85.21 D II	UV-erasable, programmable, read-only memories (EPROMs), in the form of monolithic integrated circuits, consisting of a multilayer substrate whose exterior dimensions do not exceed 17×39 mm, on which are mounted a decoder, a decoupling capacitor, two resistances and two EPROMs each having a storage capacity of 128 K bits and with a total storage capacity of 256 K bits, with two quartz windows on the upper surface and bearing: — an identification marking either consisting of or including the following combination of figures and letters: EDH 7832 MM-30 or — other identification markings relating to EPROMs complying with the abovementioned description
ex 85.21 D II	Memories in the form of monolithic integrated circuits, consisting of a multilayer substrate whose exterior dimensions do not exceed 17×39 mm, on which are mounted a decoder, a decoupling capacitor and four UV-erasable, programmable, read-only memories (EPROMs) each having a storage capacity of 64 K bits and with a total EPROM capacity of 256 K bits, with a quartz window on the upper surface and bearing: — an identification marking either consisting of or including the following combination of figures and letters: EDH 7832 MC-35 — other identification markings relating to EPROMs complying with the abovementioned description
ex 85.21 D II	Static, random-access memories of C-MOS technology (C-MOS S-RAMs), in the form of a monolithic integrated circuit consisting of a multilayer substrate, whose exterior dimensions do not exceed 17×39 mm, on which are mounted a decoder, a decoupling capacitor and two chips each having a storage capacity of 16 K bits and with a total storage capacity of 32 K bits, with not more than 28 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: EDH 8804 C-20 EDH 8804 CL-20 or

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Static, random-access memories of C-MOS technology (C-MOS S-RAMs), in the form of a monolithic integrated circuit consisting of a multilayer substrate, whose exterior dimensions do not exceed 17×39 mm, on which are mounted a decoder, a decoupling capacitor and four chips each having a storage capacity of 16 K bits and with a total storage capacity of 64 K bits, with not more than 28 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: EDH 8808 B-20 EDH 8808 C-10 EDH 8808 C-12 EDH 8808 C-15 EDH 8808 C-20 EDH 8808 CL-15 EDH 8808 CL-20 or — other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Static, random-access memories of C-MOS technology (C-MOS S-RAMs), in the form of a monolithic integrated circuit consisting of a multilayer substrate, whose exterior dimensions do not exceed 17×39 mm, on which are mounted a decoder, a decoupling capacitor and four chips each having a storage capacity of 64 K bits and with a total storage capacity of 256 K bits, with not more than 28 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: EDH 8832 MC-20 or — other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Memories, in the form of monolithic integrated circuits consisting of a multi-layer substrate, whose exterior dimensions do not exceed 17×39 mm, on which are mounted a decoder, a decoupling capacitor, two resistances and one UV-erasable, programmable, read-only memory (EPROM) having a storage capacity of 64 K bits, two static random-access memories of C-MOS technology (C-MOS S-RAMs) each having a storage capacity of 16 K bits and which a total S-RAM storage capacity of 32 K bits, with not more than 28 connecting pins, with a quartz window on the upper surface and bearing: — an identification marking either consisting of or including the following combinations of figures and letters: EDH 90804 BS-25 (15)

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	EDH 90804 BS-30 (20) or — other identification markings relating to memories complying with the abovementioned description
ex 85.21 D II	Memories, in the form of monolithic integrated circuits consisting of a multi-layer substrate, whose exterior dimensions do not exceed 17×39 mm, on which are mounted a decoder, a decoupling capacitor, two resistances and two UV-erasable, programmable, read-only memories (EPROMs), each having a storage capacity of 64 K bits and with a total EPROM capacity of 128 K bits, two static random-access memories of C-MOS technology (C-MOS S-RAMs) each having a storage capacity of 64 K bits and with a total S-RAM storage capacity of 128 K bits, with not more than 28 connecting pins, with two quartz windows on the upper surface and bearing: — an identification marking either consisting of or including the following combination of figures and letter: EDH 91616 CL-30 (20) or — other identification markings relating to memories complying with the abovementioned description
ex 85.21 D II	Direct-access memory controllers of N-MOS technology (N-MOS DMA controller), in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 23×82 mm, with not more than 64 connecting pins, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: HD 6844 8237 MCM 68440 HD 68 A 44 8257 MCM 68450 HD 68 B 44 HD 68450-4 AM 9517 A HD 68450-6 HD 68450-8 CO 21698 or — other identification markings relating to N-MOS DMA controllers complying with the abovementioned description
ex 85.21 D II	Graphic display controller (GDC) with the capacity for controlling a 256 K word 16 bit memory, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 15×52 mm, with not more than 40 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: PD 7220 or

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— other identification markings relating to GDCs complying with the abovementioned description
ex 85.21 D II	16 bit microprocessor in N-MOS (including H-MOS) technology, in the form of monolithic integrated circuit, consisting of a central processing unit (CPU), a timing generator, two independent DMA channels, a programmable interrupt controller, three programmable 16 bit timers, programmable memory and external chip selection logic, a programmable wait state generator with bus control unit, contained in a housing the exterior dimensions of which do not exceed 30×30 mm, with not more than 68 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures: 80186 or — other identification markings relations to microprocessors complying with the above description
ex 85.21 D II	Non-volatile memory in the form of a monolithic integrated circuit, consisting of a C-MOS S-RAM, with a capacity of 16 K bits and internal power supply, contained in a housing the exterior dimensions of which do not exceed 17×33 mm, with not more than 28 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: MK 48 Z 02 (B) or — other identification markings relating to non-volatile memories complying with the abovementioned description
ex 85.21 D II	Monolithic integrated circuits, consisting of eight independent elements capable of controlling the eight segments and/or characters of fluorescent or gas discharge displays, contained in a housing the exterior dimensions of which do not exceed 7×23 mm, with not more than 18 connecting pins and bearings: — an identification marking either consisting of or including one of the following combinations of figures: 513 514 534 594 6118 6128 6138 or — other identification markings relating to circuits complying with the abovementioned description
ex 85.21 D II	Read-only memories (ROMs), in the form of a monolithic integrated circuit, with a storage capacity of 16 K×8 bits,

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	with read-register and serial output control, contained in a housing the exterior dimensions of which do not exceed 50×16 mm, with not more than 40 connecting pins and bearing: — an identification marking either consisting of one of the following combinations of figures or including one of those combinations: from 62000 to 62999 or — other identification markings relating to ROMs complying with the abovementioned description
ex 85.21 D II	Programmable, non-erasable, read-only memories (PROMs) with a storage capacity of 4 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 24 connecting pins or 28 contact areas and bearing: — an identification marking either consisting of or including one of the following combinations of figures or figures and letters: 18 S 42, 18 S 46, 18 SA 42, 18 SA 46, 24 S 41, 24 SA 41, 27 S 15, 27 S 25, 27 S 26, 27 S 27, 27 S 28, 27 S 29, 27 S 30, 27 S 31, 27 S 32, 27 S 33, 28 L 42, 28 L 45, 28 L 46, 28 P 42, 28 P 45, 28 R 45, 28 S 4 XFD, 28 SA 41, 28 S 42, 28 SA 42, 28 S 45, 28 S 46, 28 SA 46 29620, 29621, 29622, 29623, 29624, 29625, 29626, 29627, 3604, 3624, 3625, 38510, 5340, 5341, 53 S 440, 53 RA 441, 53 RS 441, 53 S 441, 5348, 5349, 5350, 5351, 5352, 5353 54 S 472, 54 S 473, 54 S 474, 54 S 475, 54 S 476, 54 S 477, 54 S 572, 54 S 573, 54740, 54741, 5605, 5625, 6340, 6341, 63 S 440, 63 RA 441, 63 RS 441, 63 S 441, 6348, 6349, 6350, 6351, 6352, 6353, HM 6641, 7054, 7059, 7121 74 S 472, 74 S 473, 74 S 474, 74 S 475, 74 S 476, 74 S 477, 74 S 572, 74 S 573, 7640, 7641, 7642, 7643, 7644, 7645, 7646, 7647, 7648, 7649, 82 HS 137, 82 HS 147, 82 S 115, 82 S 136, 82 S 137, 82 S 140, 82 S 141, 82 S 142, 82 S 146, 82 S 147, 93438, 93448

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	7122 93452 7123 93453 7124 7125 7126 7226 or — other identification markings relating to PROMs complying with the abovementioned description
ex 85.21 D II	Programmable, non-erasable read-only memories (PROMs) with a storage capacity of 8 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 24 connecting pins and 28 contact points and bearing: — an identification marking either consisting of one of the following combinations of figures and letters or including one of those combinations: 24 S 81 3628 74 LS 478 82707 24 SA 81 74 S 2708 82708 24 S 86 5380 74 S 454 82 HS 185 5381 74 S 455 82 LS 180 27 S 180 5388 74 S 478 82 LS 181 27 S 181 5389 74 S 479 82 S 180 27 S 185 53 S 840 82 S 181 27 S 35 53 S 841 7608 82 S 182 7680 82 S 183 28 L 85 54 LS 478 7681 82 S 184 28 L 86 54 S 2708 7684 82 S 185 28 P 85 54 S 454 7685 82 S 2708 28 R 35 54 S 455 7686 28 R 85 54 S 478 7687 87 S 180 28 S 2708 54 S 479 7688 87 S 181 28 S 85 7689 87 S 184 28 S 86 6380 87 S 185 28 SA 86 6381 77 S 180 87 S 186 28 S 8 XMFE 6388 77 S 181 87 S 187 6389 77 S 184 29623 63 S 840 77 S 185 93450 29630 63 S 841 77 S 186 93451 29631 77 S 187 93460 29632 7050 93461 29633 7055 TBPS 81 M 93465 29634 7060 93466 29635 93 L 450 29636 7127 93 L 451 29637 7128 29650 7129 9460 29651 7130 29652 7131 29653 7132 7232 or

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— other identification markings relating to PROMs complying with the abovementioned description
ex 85.21 D II	UV-erasable, programmable, read-only memory (EPROM) equipped with a programmable input/output system, with a storage capacity of 2 K×8 bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 15×52 mm, with a quartz window on the upper face and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: D 8755 A TMP 8755 AC or — other identification marking relating to memories complying with the abovementioned description
ex 85.21 D II	Electrically erasable, programmable, read-only memories (E^2PROMs) with a storage capacity of 256 bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 10×12 mm, with not more than eight connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: NMC 9306 or — other identification markings relating to E^2PROMs complying with the abovementioned description
ex 85.21 D II	Electrically erasable programmable, read-only memories (E^2PROMs) with a storage capacity of 4 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×33 mm, with not more than 24 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: X 2804 A X 2404 X 24 C 04 or — other identification markings relating to E^2PROMs complying with the abovementioned description
ex 85.21 D II	Electrically erasable, programmable, read-only memories (E^2PROMs) with a storage capacity of 16 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×33 mm, with not more than 24 connecting pins and bearing: — an identification marking consisting of or including one of the following combination of figures and letters: X 24 C 16 X 2816 A 52 B 13 52 B 13 H or

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— other identification markings relating to E²PROMs complying with the abovementioned description
ex 85.21 D II	Electrically erasable, programming, read-only memories (E²PROMs) with a storage capacity of 64 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of or including one of the following combination of figures and letters: X 2864 A MCM 2864 52 B 33 52 B 33 H or — other identification markings relating to E²PROMs complying with the abovementioned description
ex 85.21 D II	Electrically erasable, programmable, read-only memories (E²PROMs) with a storage capacity of 128 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: X 28128 A or — other identification markings relating to E²PROMs complying with the abovementioned description
ex 85.21 D II	Electrically erasable, programmable, read-only memories (E²PROMs) with a storage capacity of 256 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: X 28256 A or — other identification markings relating to E²PROMs complying with the abovementioned description
ex 85.21 D II	Static, random-access memories of TTL technology (TTL S-RAMs) with a storage capacity of 1 K bit, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×30 mm, with not more than 22 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters:

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	2205 74 LS 214 93412 74 LS 215 93 L 412 2510 74 LS 314 93415 2511 74 LS 315 93 L 415 74 S 207 93422 74 S 208 93 L 422 74 S 214 93425 74 S 314 93 F 425 93 L 425 or — other identification markings relating to TTL S-RAMs complying with the abovementioned description
ex 85.21 D II	Static, random-access memories of C-MOS technology (C-MOS S-RAMs), with a storage capacity of 4 K×1 bit, a maximum access time not exceeding 70 ns and a standby mode supply current of less than 1 mA, in the form of a monolithic integrated circuit, contained in a housing the dimensions of which do not exceed 9×26 mm, with 18 connecting pins, and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: 6147 MCM 61 L 47 or — other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Static, random-access memory of C-MOS technology (C-MOS S-RAM) with a storage capacity of 2 K×8 bits and with a maximum standby power of 0,025 milliwatts at 25 °C in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×33 mm with not more than 24 connecting pins and bearing: — an identification marking consisting of or including one of the following combination of figures and letters: TC 5516 A or — other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Static, random-access memories of N-MOS (including H-MOS) technology (N-MOS S-RAMs) with a storage capacity of 8 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 24 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures or figures and letters:

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	4008 8104 8108 4118 8112 8114 PD 421 8185 4801 or — other identification relating to N-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Static, random-access memories of N-MOS (including H-MOS) technology (N-MOS S-RAMs), in the form of a monolithic integrated circuit consisting of two stacked substrate layers each with two chips, each having a storage capacity of 2 K bits and with a total storage capacity of 8 K×1 bit or 4 K×2 bits, contained in a housing the exterior dimensions of which do not exceed 13×13 mm, with not more than 23 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures: 4598601 5121850 5121934 5121935 5122148 5123059 5123120 5123128 5123129 5123337 5123339 or — other identification markings relating to N-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Static, random-access memories of N-MOS (including H-MOS) technology (N-MOS S-RAMs) with a storage capacity of 256×4 bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 24 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures or figures and letters: M 120 8101 8111 2101 21 H 01 9101 2102 91 L 01 2111 9111 21 H 11 91 L 11 2112 9112

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	21 H 12 91 L 12 9122 91 L 22 or — other identification markings relating to N-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Static, random-access memories of C-MOS technology (C-MOS S-RAMs) with a storage capacity of 64 K bits in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 18×39 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of the following combination of figures and letters or including one of those combinations: TC 5564 MB 8464 TC 5565 C MCM 6164 HM 6264 P-12 HM 6264 P-15 6264 LFP-15 or — other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Monolithic integrated circuit consisting of a static, random-access memory (S-RAM) with a storage capacity of 256 bits superimposed bit-for-bit on a programmable, electrically erasable, read-only memory (E^2PROM), contained in a housing the exterior dimensions of which do not exceed 8×24 mm, with not more than 18 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: X 2210 X 2443 X 2444 or — other identification markings relating to S-RAMs superimposed of E^2PROMs complying with the abovementioned description
ex 85.21 D II	Monolithic integrated circuit consisting of a static, random-access memory (S-RAM) with a storage capacity of 1 K bit, superimposed bit-for-bit on an electrically erasable, programmable, read-only memory (E^2PROM), contained in a housing the exterior dimensions of which do not exceed 17×33 mm, with not more than 24 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: X 2001 X 2201 A X 2212

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	or — other identification markings relating to S-RAMs stracked on E²PROMs complying with the abovementioned description
ex 85.21 D II	Monolithic integrated circuit consisting of a static, random-access memory (S-RAM) with a storage capacity of 2 K bit, superimposed bit-for-bit on an electrically erasable, programmable, read-only memory (E²PROM), contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of the following combination of figures and letter: X 2002 or — other identification markings relating to S-RAMs stacked on E²PROMs complying with the abovementioned description
ex 85.21 D II	Monolithic integrated circuit consisting of a static, random-access memory (S-RAM) with a storage capacity of 4 K bits, superimposed bit-for-bit on an electrically erasable, programmable, read-only memory (E²PROM), contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of the following combination of figures and letters: X 2004 or — other identification markings relating to SRAMs stacked on E²PROMs complying with the abovementioned description
ex 85.21 D II	'Quasi-static' random-access memories of N-MOS (including H-MOS) technology (N-MOS quasi-static RAMs), in the form of a monolithic integrated circuit consisting of two stacked substrate layers, each with two chips, each having a storage capacity of 4 K bits and with a total storage capacity of 16 K×1 bit or 8 K×2 bits, contained in a housing the exterior dimensions of which do not exceed 13×13 mm, with not more than 24 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures: 4599766 4599769 4599772 4599893 4599767 4599770 4599773 4599768 4599771 4599774 or — other identification markings relating to N-MOS quasi-static RAMs complying with the abovementioned description
ex 85.21 D II	Random-access memories of ECL technology (ECL-RAMs) with a storage capacity of 1 K×4 bits, in the form of a

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 10×10 mm, with not more than 24 connecting pins and bearing: — an identification marking consisting of or including the following combinations of figures or figures and letters: PB 10474 100474 or — other identification markings relating to ECL-RAMs complying with the abovementioned description
ex 85.21 D II	Semi-custom logic array (Gate arrays) of C-MOS technology, in the form of a monolithic integrated circuit, with not less than 8,000 2-input NAND functions, contained in a housing the exterior dimensions of which do not exceed 39×39 mm, with not less than 179 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: MB 66000 VH or — other identification markings relating to C-MOS logic arrays complying with the abovementioned description
ex 85.21 D II	Single-chip microcomputers, in the form of a monolithic integrated circuit, consisting of an arithmetical unit with a capacity of four bits plus a read-only memory (ROM) with a capacity of not less than 18 K bits and not more than 65 K bits and a random-access memory (RAM) with a capacity of not less than 512 bits and not more than 4 K bits, contained in a housing the exterior dimensions of which do not exceed 17×58 mm, with not more than 80 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: CD 3200-3299 TMC 0270-0279 TMC 0500-0599 TMC 0980-0989 TMC 1500-1599 TMC 1980-1999 TP 0310-03299 TP 0450-04599 TP 0480-04899 TP 0500-05999 HD 38800 HD 38820 HD 44796 HD 44800 HD 44801 HD 44820 HD 44840 HD 44860 or — other identification markings relating to single-chip microcomputers complying with the abovementioned description
ex 85.21 D II	Central processing unit of N-MOS (including H-MOS) technology (N-MOS CPU), in the form of a monolithic integrated circuit consisting of a 16×16 bit service memory, a 16×20 bit service memory, a 32×32 bit service memory,

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	an 8×8 bit service memory, a 16 bit register, two 20 bit registers, an 8 bit register, one 12 bit register, a 5 bit counter and a timing network, contained in a housing the exterior dimensions of which do not exceed 25×25 mm, with not more than 68 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: LSI-604041855 or — other identification markings relating to N-MOS central processing units complying with the abovementioned description
ex 85.21 D II	Contention resolving local area network (LAN) controllers, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 63×16 mm, with not more than 48 connecting pins, and bearing: — an identification marking either consisting of the following combinations of figures or figures and letters or including one of those combinations: MCM 68590 AM 7990 8001 8003 82586 or — other identification markings relating to contention resolving local area network controllers complying with the abovementioned description
ex 85.21 D II	Hard-disc controllers of N-MOS (including H-MOS) technology (N-MOS HDCs), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 15×53 mm, with not more than 40 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: WD 1010 PD 7261 or — other identification markings relating to N-MOS HDCs complying with the abovementioned description
ex 85.21 D II	Multi-protocol communication controller of MOS technology (MOS-MPCC) for the transmission and receiving of data specialized in the synchronous mode, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×54 mm, with not more than 44 connecting pins or contact areas and bearing:

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— an identification marking either consisting of or including one of the following combinations of figures: 2652 16456 68652 8273 8274 or — other identification markings relating to multi-protocol communication controllers (MOS-MPCC) complying with the abovementioned description
ex 85.21 D II	Arithmetic-logic units of N-MOS (including H-MOS) technology, in the form of a monolithic integrated circuit, consisting of one 32 bit register, one 24 bit register, one 4 bit register, twelve 1 bit registers, two 16×24 bit service memories, one logic network performing arithmetic and logic operations, decodifying logic, an error detection and management logic, one 8 bit counter and a timing network, contained in a housing the exterior dimensions of which do not exceed 23×82 mm, with not more than 64 connecting pins and bearing: — the identification marking: ALU 0486 or — other identification markings relating to arithmetic-logic units complying with the abovementioned description
ex 85.21 D II	Logic control circuits of N-MOS (including H-MOS) technology, in the form of a monolithic integrated circuit, consisting of one 7 bit register, three timers, one multiplexer sequential and combining networks intended to perform control operations, decodifying logic, error detection and management logic and a timing network, contained in a housing the exterior dimensions of which do not exceed 23×82 mm, with not more than 64 connecting pins and bearing: — the identification marking: MIC 0482 or — other identification markings relating to logic control circuits complying with the abovementioned description
ex 85.21 D II	Logic circuit of N-MOS (including H-MOS) technology (N-MOS LC) serving as a clock generator for central process unit, main memory and input/output interfaces, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 25×25 mm, with not more than 68 connecting pins and bearing: — an identification marking either consisting of or including the following combination figures and letters: H 108982 (MCC) or

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— other identification markings relating to N-MOS logic circuits (N-MOS LCs) complying with the abovementioned description
ex 85.21 D II	Sequence control circuits of N-MOS (including H-MOS) technology, in the form of a monolithic integrated circuit, consisting of one 32 bit register, three 16 bit registers, one 16×16 bit service memory, one 7×17 bit last-in first-out (LIFO) memory, one adder circuit, decodifying logic, priority logic, error detection and management logic, one 16 bit multiplexer, one 8 bit counter and a timing network, contained in a housing the exterior dimensions of which do not exceed 23×82 mm, with not more than 64 connecting pins and bearing: — the identification marking: CSS 0484 or — other identification markings relating to sequence control circuits complying with the abovementioned description
ex 85.21 D II	Error correction and detection unit (ECDU) of bipolar technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×62 mm, with not more than 48 connecting pins and bearing: — an identification marking either consisting of or including the following combinations of figures and letters: 2960 74 F 630 74 F 631 DP 8400 74 LS 630 74 LS 631 or — other identification markings relating to error correction and detection units (ECDUs) complying with the abovementioned description
ex 85.21 D II	Error detection and correction circuit of N-MOS (including H-MOS) technology capable of detecting and correcting single bit errors and detecting all double bit errors, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 25×25 mm, with not more than 68 contact areas and bearing: — an identification marking either consisting of or including the following combination of figures: 8206 or — other identification markings relating to N-MOS error detection and correction circuits complying with the abovementioned description

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 85.21 D II	Burst error processor (BEP) or N-MOS (including H-MOS) technology for detecting and correcting multiple errors derived from a line of magnetic discs, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×54 mm, with not more than 40 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: Z 8065 AM 9520 AM 9521 or — any other identification marking relating to N-MOS burst error processor complying with the abovementioned description
ex 85.21 D II	Electronic control circuit of bipolar technology in the form of a monolithic integrated circuit for the control of dynamic random-access memories (D-RAMs), capable of multiplexing address and generating timing, contained in a housing the exterior dimensions of which do not exceed 17×62 mm, with not more than 48 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: DP 8408 DP 8409 MB 1422 or — other identification markings relating to electronic control circuits complying with the abovementioned description
ex 85.21 D II	Enhanced programmable communications interface (EPCI), in the form of a monolithic integrated circuit, contained in a housing the external dimensions of which do not exceed 16×38 mm, with not more than 28 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures: 2661 or — other identification markings relating to EPCIs complying with the abovementioned description
ex 85.21 D II	Serial interfaces, capable of implementing the data stream encoding, decoding and associated control functions for a local area network, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×33 mm, with not more than 24 connecting pins and bearing:

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— an identification marking either consisting of the following combination of figures or figures and letters or one of those combinations: AM 7991 8002 8023 82501 or — other identification markings relating to serial interface devices complying with the abovementioned description
ex 85.21 D II	Station digital interface circuit for parallel/serial or serial/parallel conversion of digital signals in telephone sets, of C-MOS technology (C-MOS STID), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins, and bearing: — an identification marking consisting of or including the following combination of figures and letters: WCC 295 G or — other identification markings referring to station interface digital circuits complying with the abovementioned description
ex 85.21 D II	Transceivers with four channels (Quad bus) of ALP Schottky technology with on-chip D type registers and internal ODD 4 bit parity generator/checker, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 9×28 mm, with not more than 20 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: AM 2907 or — other identification markings relating to transceivers (Quad bus) complying with the abovementioned description
ex 85.21 D II	Demodulator/tone decoder of bipolar technology for frequency decoding, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 10×21 mm, with not more than 14 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: XR 2211 or — other identification markings relating to demodulator tone decoders complying with the abovementioned description

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 85.21 D II	C-MOS clock circuits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×54 mm, with more than 16 connecting pins, and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: HI 2060 HI 2065 MSM 5537 T 3605 or — other indentification markings relating to clock circuits complying with the abovementioned description for the production of automatic time-switches, instrument panel clocks and either of a similar type for motor vehicles (a)
ex 85.21 D II	C-MOS clock circuits, operating from a single 1,5 V power supply, with a liquid crystal display (LCD) driver, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 15×21 mm, with not more than 56 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: TC 8219 AT or — other identification markings relating to C-MOS clock circuits complying with the abovementioned description
ex 85.21 D II	P-MOS 12/24-hour clock circuits, incorporating an elapsed time facility, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 54×14 mm, with not more than 42 connecting pins and bearing: — an identification marking either consisting of or including one of the following combination of figures and letters: MM 53124 LM 8363 or — other identification markings relating to clock circuits complying with the abovementioned description
ex 85.21 D II	Amplifier, in the form of a monolithic integrated analogue circuit, contained in a housing the dimensions of which do not exceed 2×4×4 mm, with not more than 10 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters:

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	V 35 C 05 or — other identification markings relating to amplifiers complying with the abovementioned description This amplifier is for the manufacture of products falling within subheading 90.19 B I
ex 85.21 D II	Four-line drivers of advanced, low-power Schottky technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 20×7 mm, with not more than 16 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: AM 26LS29 AM 26LS31 SN 75172 SN 75174 or — other identification markings relating to four-line drivers of ALPS technology complying with the abovementioned description
ex 85.21 D II	16 bit microprocessor of bipolar technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 67×24 mm, with not more than 52 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: AM 29116 or — other identification markings relating to microprocessors complying with the abovementioned description
ex 85.21 D II	Numeric processor extension units of N-MOS (including H-MOS) technology (N-MOS NPX) containing not more than 14 registers, in the form of a monolithic integrated circuit, contained in a package the exterior dimensions of which do not exceed 15×52 mm, with not more than 40 connecting pins and bearing: — an identification marking consisting of or including one of the following combination of figures: 8087-3 8087-2 80287 or — other identification markings, relating to N-MOS NPXs complying with the abovementioned description
ex 85.21 D II	Floppy-disc data separator (FDDS), in the form of a monolithic integrated circuit, contained in a housing the

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	exterior dimensions of which do not exceed 27×8 mm, with not more than 20 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: FDC 9216 FDC 9126-B WD 9216-00 WD 9216-01 FDC 9229 T FDC 9229 BT or — other identification markings relating to FDDS, complying with the abovementioned description
ex 85.21 D II	C-MOS-phoneme speech synthesizer, with a supply current of less than 10 mA, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 24 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: SC 01 SSI 263 or — other identification markings relating to phoneme speech synthesizers complying with the abovementioned description
ex 85.21 D II	Triple video digital to analogue converter (VDAC), each channel having a capacity of not more than 8 bits with a maximum conversion time of not more than 25 nanoseconds, in the form of a hybrid integrated circuit whether or not incorporating three random access memories (RAMs) each with a storage capacity of not more than 2 K bits, contained in a housing the exterior dimensions of which do not exceed 54×62 mm, with not more than 61 connecting pins and bearing: — an identification marking consisting of one of the following combinations of letters and figures: VDAC 444 TD RGB DAC 4 T RGB DAC 8 E RGB DAC 8 T or — other identification markings relating to triple VDACs complying with the abovementioned description
ex 85.21 D II	Electronically adjustable differential amplifiers for at least the full range of signals from 0 to not less than 400 MHz in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	11×11 mm, with not more than 16 connecting pins, and bearing: — an identification marking consisting of or containing the following combinations of figures: 0078-10 or — other identification markings relating to amplifiers complying with the abovementioned description
ex 85.21 D II	Static, random-access memories of bipolar technology (bipolar SRAMs), in the form of a monolithic integrated circuit and with a storage capacity of 64×9 bits, contained in a housing the exterior dimensions of which do not exceed 15×40 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: 82 S 09 or — other identification markings relating to bipolar SRAMS complying with the abovementioned description
ex 85.21 D II	8 bit (octal) dynamic memory bipolar driver in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 16×33 mm, with not more than 20 connecting pins and bearing: — an identification marking consisting of or including one of the following combination of figures and letters: AM 2965 AM 2966 or — other identification markings relating to dynamic memory bipolar drivers complying with the above description
ex 85.21 D II	Bus interface circuits of bipolar technology with 9 or 10 bit registers, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 9×34 mm, with not more than 24 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of numbers and letters: AM 28821 AM 29843 AM 29823 AM 29844 AM 29824 or — other identification markings relating to BUS interface circuits which comply with the above description
ex 85.21 D II	Multiple bus interface circuit (Multiple Bus Buffer) of low power Schottky technology for interfacing the error correction and detection unit system data bus and dynamic random access memory (D-RAM), in the form of a monolithic integrated circuit contained in a housing the

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	exterior dimensions of which do not exceed 8×33 mm, with not more than 24 connecting pins and bearing: — an identification marking consisting of or including the following combination of numbers and letters: AM 2961 or — other identification markings relating to error correction multiple bus buffers which comply with the above description
ex 85.21 D II	Status and shift control unit of bipolar technology in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×57 mm with not more than 42 connecting pins, and bearing: — an identification marking consisting of or including the following combination of figures and letters: AM 2904 or — other identification markings relating to status and shift control units complying with the above description
ex 85.21 D II	Amplifier, in the form of a monolithic integrated analog circuit the exterior dimensions of which do not exceed 3×3 mm for use in the manufacture of products falling within subheading 90.19 B I (a)
ex 85.21 D II	Text-co-processor, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 25×25 mm, with not more than 68 connecting pins, and bearing: — an identification marking either consisting of or including the following combination of figures and letters: C 82730 or — other identification markings relating to text-co-processors complying with the above description
ex 85.21 D II	Single-chip-microcomputer, in the form of a monolithic integrated circuit, consisting of an arithmetic-logic unit with a capacity of 8 bits plus an electronic, programmable, read-only memory (EPROM) UV erasable with a capacity of 32 K bits and a random access memory (RAM) with a capacity of 1 K bit, two 16 bit counters, contained in a housing the exterior dimensions of which do not exceed 15×50 mm, with a quartz window and not more than 40 connecting pins and bearing: — an identification marking either consisting of the following combination of figures or including this combination: 8751 or — other identification markings relating to single-chip-microcomputers which conform to the foregoing description

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 85.21 D II	Single-chip microcomputers in C-MOS technology, in the form of a monolithic integrated circuit consisting of an ALU with a capacity of 32 bits plus a ROM with a capacity of 24 K bits and a RAM with a capacity of 2 K bits, contained in a housing the exterior dimensions of which are not less than 30×30 mm, with a minimum of 88 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: MB 8764 or — other identification markings relating to single-chip microcomputers complying with the abovementioned description
ex 85.21 D II	Subscriber line interface circuit (SLIC) with direct internal relay drive, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 18×39 mm, with not more than 28 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures or figures and letters: 5502 ICME 00155/RIFA (PBL) 3735 or — other identification markings relating to SLICs complying with the abovementioned description
ex 85.21 D II	Input output circuit of N-MOS (including H-MOS) technology for data control equipped with a timing control with a static random access memory (S-RAM) with a capacity of 128×8 bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×54 mm, with not more than 40 connecting pins and bearing: — an identification marking either consisting of one of the following combinations of figures or letters and figures or including one of those combinations: 6532 CO 10750 or — other identification markings relating to input output control circuits complying with the abovementioned description
ex 85.21 D II	4-channel drive circuit for stepping motor, of bipolar technology, with incorporated diodes, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 6×20 mm, with 16 connecting pins and bearing: — an identification marking either consisting of or includ-

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	ing one of the following combinations of figures and letters: HA 13007 75437 A or — other identification markings relating to motor drive circuits complying with the abovementioned decription
ex 85.21 D II	Analog/digital monolithic integrated circuit used to control brushless motors, maintaining them at a constant speed, contained in a housing the exterior dimensions of which do not exceed 6×25 mm, with 18 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: MGA 3015 A or — other identification markings relating to integrated circuits complying with the abovementioned description
ex 85.21 D II	Analog/digital monolithic integrated circuit of bipolar technology for interface signals between the peripheral hard-disk memory unit and the central unit, contained in a housing the dimensions of which do not exceed 15×50 mm, with not more than 40 connecting pins, and bearing: — an identification marking consisting in or including the following combination of figures and letters: AD 581 C or — other identifications markings relating to integrated circuits complying with the abovementioned description
ex 85.21 D II	Voltage-multiplier circuit for operating stepping motors, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 6×24 mm, with not more than 20 connecting pins, and bearing: — an identification marking consisting of or including the following combination of figures and letters: P 20 A579 or — other identification markings relating to voltage-multiplier circuits complying with the above description
ex 85.21 D II	Memory management unit of N-MOS (including H-MOS) technology (N-MOS MMU) with a maximum addressing capacity of 16 M bytes, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 25×82 mm, with not more than 64 connecting pins or 68 contact areas and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: 68451 L 6

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	68451 L 8 68451 L 10 68451 ZBL 6 68451 ZBL 8 68451 ZBL 10 or — other identification markings relating to N-MOS MMUs complying with the above description
ex 85.21 D II	Electronic circuit of advanced low power Schottky (ALPS) technology for the asynchronous control of signal lines (bus) and the conversion of a local bus into a multiplexed bus (BAM) in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 37×13 mm, with not more than 28 connecting pins and bearing: — the identification marking: 68452 or — other identification markings relating to ALPS BAMs conforming to the foregoing description
ex 85.21 D II	Cathode-ray tube controller (CRTC) of N-MOS (including H-MOS) technology in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 62×16 mm, with not more than 48 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: AM 8052 D 8275 H P 8275 H or — other identification markings relating to CRTCs complying with the abovementioned description
ex 85.21 D II	Display controller and character generator (DCCG) for liquid crystal dot matrix display system in the form of a monolithic integrated circuit of C-MOS technology contained in a housing the exterior dimensions of which do not exceed 20×26 mm, with not more than 60 connecting pins, and bearing: — an identification marking consisting of the following combination of figures and letters: HD 61830 or — other identification markings relating to C-MOS Display Controller and character generators complying with the abovementioned descriptions
ex 85.21 D II	Video digital to analog converter (VDAC) with a maximum conversion time of 10 nanoseconds, in the form of a hybrid integrated circuit, contained in a housing the exterior

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	dimensions of which do not exceed 20×35 mm, with not more than 24 connecting pins and bearing: — an identification marking consisting of or including one of the following combination of figures and letters: VDAC 0405 H VDAC 0605 H VDAC 0805 H or — other identification markings relating to VDACs complying with the abovementioned description
ex 85.21 D II	Input/output management microprocessor of N-MOS (including H-MOS) technology in the form of a monolithic integrated circuit the exterior dimensions of which do not exceed 17×53 mm, with not more than 40 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: 8089 or — other identification markings relating to input/output management microprocessors complying with the abovementioned description
ex 85.21 D II	Interpolation pulse generator of C-MOS technology for controlling geometrical functions, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: KM 3701 or — other identification markings relating to interpolation modules complying with the abovementioned description
ex 85.21 D II	Static, random access memory of C-MOS technology (C-MOS-S-RAM) with a storage capacity of 32 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 18×39 mm, with not more than 28 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: TC 5532 or — other identifying marking relating to C-MOS-S-RAM complying with the abovementioned description
ex 85.21 D II	Controller for servo-devices of C-MOS technology in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	17×54 mm, with not more than 40 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: KM 3702 or — other identification markings relating to controllers complying with the abovementioned description
ex 85.21 D II	Function generator of bipolar technology for the generation of variable waveforms, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 10×21 mm, with not more than 16 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: XR 2206 XR 8038 or — other identification markings relating to function generators complying with the abovementioned description
ex 85.21 D II	Video amplifier of bipolar technology in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×17 mm, with not more than 44 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures: 702 703 or — other identification markings relating to video amplifiers complying with the abovementioned description for use in the manufacture of portable colour television cameras
ex 85.21 D II	Amplifier, of bipolar technology for the amplification of either read or write signals of floppy discs, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 11×29 mm, with not more than 22 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: XR 2247 XR 3470 or — other indentification markings relating to amplifiers complying with the abovementioned description
ex 85.21 D II	Aperture and colour temperature balance controller of bipolar technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	which do not exceed 17×17 mm, with not more than 44 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures: 704 or — other identification markings relating to devices complying with the abovementioned description for use in the manufacture of portable colour television cameras (a)
ex 85.21 D II	Impulse generator in C-MOS technology, in the form of a monolithic integrated digital circuit, contained in a housing the exterior dimensions of which do not exceed 25×25 mm, with not more than 68 connecting pins and bearing: — an identification marking consisting of or including one of the following combination of figures: 705 706 or — other identification markings relating to impulse generators complying with the abovementioned description for use in the manufacture of portable colour television cameras (a)
ex 85.21 D II	Static random access memories of bipolar technology (bipolar S-RAMs) in the form of a monolithic integrated circuit consisting of a substrate layer on which are mounted either 1 or 2 chips each having a storage capacity of 1 K bit, contained in a housing the exterior dimensions of which do not exceed 13×13 mm, with not more than 23 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures: 770639 770823 5120360 7379769 or — other identification markings relating to bipolar S-RAMs complying with the abovementioned description
ex 85.21 D II	Static memories consisting of two stacked substrate layers with one or two static random access memories of bipolar technology (bipolar S-RAMs) in the form of monolithic integrated circuits, each with a storage capacity of 1 K bits and with a maximum storage capacity of 4 K bits, contained in a housing the exterior dimensions of which do not exceed 13×13 mm, with nor more than 23 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures: 770965

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	4599497 7379442 or — other identification markings relating to static memories complying with the abovementioned description
ex 85.21 D II	Programmable digital signal synthesizer of C-MOS technology with 32 frequency generators to generate 8 notes each and a simultaneous output of up to 160 notes in the form of a monolithic integrated circuit contained in a housing, the exterior dimensions of which do not exceed 25×25 mm, with not more than 68 connecting pins or contact areas. The housing bears: MEG or — other indentification markings relating to digital synthesizers complying with the abovementioned description
ex 85.21 D II	Repeater circuit, of bipolar technology for the regeneration of pulse code-modulated signals, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 10×21 mm, with not more than 16 connecting pins and bearing: — an identification marking consisting of or including the following combination of figures and letters: XR C 240 or — other identification markings relating to repeater circuits complying with the abovementioned description
ex 85.21 D II	Dynamic random access memory controller of N-MOS (including H-MOS) technology (N-MOS D-RAM controller) capable of multiplexing addresses and generating timing, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 17×62 mm, with not more than 48 connecting pins or 52 contact areas, and bearing: — an identification marking consisting of or including the following combination of figures and letters: C 8208 or — other identification markings relating to N-MOS D-RAM controllers complying with the abovementioned description
ex 85.21 D II	C-MOS clock/calendar circuit, incorporating a quartz crystal oscillator, independent timer recorders and a timer, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 7×20 mm with not more than 16 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters:

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	MM 58174A 58274 or — other identification markings relating to clock/calendar circuits complying with the abovementioned description
ex 85.21 D II	Programmable asynchronous communication element circuit in N-MOS (including H-MOS) technology, for the asynchronous transmission and reception of data, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×54 mm, with not more than 40 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: INS 8250 WD 8250 or — other identification markings relating to ACE circuits complying with the abovementioned description
ex 85.21 D II	Encoder/decoder circuit using the 'MANCHESTER' (MED) code for the transmission or retransmission of serial data, of C-MOS technology and in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 16×33 mm, with not more than 20 pins and bearing: — an identification marking consisting or including the following combination of figures and letters: HD 6409 or — other identification markings relating to circuits complying with the abovementioned description
ex 85.21 D II	UV-erasable programmable read-only memories (EPROMs) in the form of a monolithic integrated circuit with a storage capacity of 512 Kbits, contained in a housing the exterior dimensions of which do not exceed 20×42 mm, with a quartz window on the upper surface. The housing bears: — an identification marking consisting or including the following combination of figures and letters: AM 27512 or — other identification markings relating to EPROMs complying with the abovementioned description
ex 85.21 D II	TTL Logic modules in bipolar technology, with not more than six logic functions independent of each other and not interconnected, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 17×34 mm, with not more than 24 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures or letters:

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	SH 767 369 SH 998 088 or — another identification marking relating to logic modules as described above
ex 85.21 D II	6-Channel monolithic integrated circuit (Read/write data processor circuit) for the amplification and conversion of read signals and conversion of write signals for hard disc drives, contained in a housing the exterior dimensions of which do not exceed 19×38 mm, with not more than 28 connecting pins or contact areas and bearing: — an identification marking consisting of or including the following combiation of letters and figures: SSI 540 or — other identification markings relating to integrated circuits complying with the abovementioned description
ex 85.21 D II	8-Channel control circuit for maintaining a constant electronmagnetic traction force with incorporated diodes and a storage capacity of 8 bits, in the form of a monolithic integrated circuit, of C-MOS technology contained in a housing the exterior dimensions of which do not exceed 9×28 mm, with not more than 22 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: UCN 5801 or — other identification markings relating to control circuits complying with the abovementioned description
ex 85.21 D II	4-Channel control circuit for maintaining a constant electromagnetic traction force with incorporated diodes and a storage capacity of 4 bits, in the form of a monolithic integrated circuit of C-MOS technology, contained in a housing the exterior dimensions of which do not exceed 7×22 mm, with not more than 16 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: UCN 5813 or — other identification markings relating to control circuits complying with the abovementioned description
ex 85.21 D II	Six-channel monolithic integrated circuit for the generation of read/write signals for hard disc drives, contained in a housing the exterior dimensions of which do not exceed 13×13 mm, with not more than 28 connecting pins and bearing:

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	— an identification marking consisting of or including the following combination of letters and figures: SSI 117 or — other identification markings relating to integrated circuits complying with the abovementioned description
ex 85.21 D II	Programmable non-erasable read-only memories (PROMS) with a storage capacity of 16 K bits, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 39×17 mm, with not more than 32 connecting pins or contact areas and bearing: — an identification marking either consisting of or including the following combination of figures and letters: 27 PS 191 A 7 C 245 7 C 292 29683 7 C 291 HM 6616 or — other identification markings relating to PROMS complying with the abovementioned description
ex 85.21 D II	Hard Disc Data Separator (HDDS) of N-MOS (including H-MOS) technology in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 8×33 mm, with not more than 24 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of figures and letters: DP 8460-2 DP 8460-3 DP 8460-4 or — other identification markings relating to devices complying with the abovementioned description
ex 85.21 D II	Control and interface circuit for central processor (CPU-Controller) of HC-MOS technology in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 25×25 mm, with not more than 68 connecting pins and bearing: — an identification marking consisting of or including the following combinations of letters and figures: FE 2000 L1A0392 or — other identification markings relating to control and interfacing circuits complying with the abovementioned description
ex 85.21 D II	Amplifiers for a full range of signals from 0 to 60 KHz in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	6×13×26 mm, with not more than 18 connecting pins and a leakage of not more than 0,3μA and bearing: — an identification marking either consisting of or including the following combination of figures and letters: ISO 100 or — other identification markings relating to amplifiers complying with the abovementioned description, for use in the manufacture of telephone exchanges
ex 85.21 D II	Light-emitting diode (LED) made from a gallium-based semiconductor compound contained in a housing the exterior dimensions of which do not exceed 20×21 mm, with 2 connecting pins and bearing: — an identification marking consisting of or including one of the following identification markings: LT 9305 LY 9306 SLF 209 SLF 909 or — other identification markings relating to LEDs, complying with the abovementioned description; for use in the manufacture of radio broadcast receivers and sound recorders or reproducers (a)
ex 85.21 D II	Single-chip microcomputer of C-MOS technology, in the form of a monolithic integrated circuit, consisting of an arithmetical logic unit (ALU) with an organization of 4 bits, a read-only memory (ROM) with a storage capacity of 2 K×8 bits, a dual-tone, multi-frequency (DTMF) generator, a random access memory (RAM), with a storage capacity of 1 K bit, a random access memory (RAM) with a storage capacity of 512 bits and two 12-bit counters, contained in a housing the exterior dimensions of which do not exceed 15×40 mm, with not more than 42 connecting pins and bearing: — an identification marking consisting of the following combination of figures and letters: T 6978 or — other identification markings relating to single-chip microcomputers complying with the abovementioned description
ex 85.21 D II	Asynchronous First-in First-out (FIFO) memories of C-MOS technology in the form of a monolithic integrated circuit with a capacity of 64×4 bits, or 64×5 bits, contained in a housing the exterior dimensions of which do not exceed 11×24 mm with not more than 18 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures or figures and letters: CY7C401

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	CY7C402 CY7C403 CY7C404 CY 3341 or — other identification markings relating to asynchronous Fist-in First-out memories complying with the above-mentioned description
ex 85.21 D II	Static Random Access Memories of C-MOS technology (C-MOS S-RAMs) in the form of a monolithic integrated circuit with a storage capacity of 16 K bits and an access time of not more than 45 ns, contained in a housing the exterior dimensions of which do not exceed 9×27 mm, with not more than 20 connecting pins or contact areas, and bearing: — an identification marking either consisting of or containing the following combination of figures and letters: CY7C168 CY7C169 or — other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Static Random Access Memories of C-MOS technology (C-MOS S-RAMs) in the form of a monolithic integrated circuit with a storage capacity of 16×4 bits, an access time not exceeding 35 ns, contained in a housing the exterior dimensions of which do not exceed 9×21 mm, with not more than 16 connecting pins and bearing: — an identification marking either consisting of or containing one of the following combinations of figures and letters: CY7C189 CY7C190 CY74S189 CY54S189 CY27S03 C727S07 or — other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 85.21 D II	Static random access memories of C-MOS technology (C-MOS S-RAMs) in the form of a monolithic integrated circuit with a storage capacity of 256×4 bits and an access time not exceeding 60 ns, contained in a housing the exterior dimensions of which do not exceed 12×29 mm, with not more than 22 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures or figures and letters: CY7C122

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
	CY93422/93L422 or — other indentification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 85.21 E	Tungsten elements coated with insulating material, grids and cathodes for use in the manufacture of electron guns for monochrome cathode-ray tubes
ex 85.22 C II	Electromagnetic displays consisting of seven electromagnetic coils, which by means of the residual magnesium in the stators provide indefinite memory, and seven pivoting light-reflecting segments each of which is attached to a bar magnet. The display is contained in a housing the exterior dimensions of which do not exceed 28×36×50 mm
ex 85.22 C II	Portable machines for reading and writing Braille with tactile read-out and magnetic tape cassette recording systems, microphone and speaker, equipped with a standard electromechanical Braille typewriter keyboard and an electromechanical Braille read-out unit with 20 characters, all contained in a case whose exterior dimensions do not exceed 24×36×11 cm
ex 90.01 A II	Octagonal Fresnel lens of acrylic resin unmounted, for use in overhead projectors
ex 90.01 B	Material consisting of a polarizing film, supported on one or both sides by transparent material
ex 90.02	Image reversers made up from an assembly of optical fibres
ex 90.02 B	Image reversers made up from an assembly of optical fibres
ex 90.19 A III	Heat valves and parts thereof
ex 90.19 A III	Vascular prostheses of which the largest opening has an internal diameter not exceeding 8 mm
ex 90.19 A III	Vascular prostheses incorporating a tubular carrier made of yarns enclosed in animal collagen
ex 91.11 C II or ex 91.11 F	Assembly consisting of a printed circuit on which is mounted one quartz oscillator, at least one watch circuit and at least one capacitor, of a thickness not exceeding 5 mm for the manufacture of products falling within Chapter 91
ex 91.11 F	Assembly consisting of a printed circuit on which is mounted a watch circuit, with a thickness not exceeding 5 mm, for the manufacture of products falling within Chapter 91
ex 90.19 B I	Receivers of hearing aids, contained in a housing whose external dimensions excluding connecting points do not exceed 5×6×8 mm
ex 90.19 B II	Reading appliances for the blind, in which a miniature camera using photo-transistors transmits letters onto a scanning board with piezo-electric pencils, and their parts and accessories

SCHEDULE 3—*continued*

Tariff heading (1)	Description of Goods (2)
ex 90.04 A II	Non-fibrous plastic pen-tips with an internal channel
ex 98.10 B	Flint wheels, whether or not with guard wheels, for use in the manufacture of non-refillable gas-fuelled pocket lighters
ex 98.10 B	Piezo-electric ignition mechanism

SCHEDULE 4

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
ex 03.01 A I b)	Salmon, frozen and headless, for the processing industry for manufacture into pastes or spreads	0.9
ex 03.01 B I e) 1	Piked dog-fish (Squalus acanthias), fresh, chilled or frozen, whole, headless or in pieces	5.2
ex 03.02 A I f)	Saithe (Pollachius virens), salted or in brine, whole, headless or in pieces, intended for smoking or drying	7.8
ex 03.02 A II d)	Fillets of saithe (Pollachius virens or Gadus virens), salted, or in brine, intended for smoking or drying	8.7
ex 03.03 A V b)	Krill for processing	5.2
ex 07.04 B	Sweet red or green peppers, dried, dehydrated or evaporated, in pieces, with a moisture content not exceeding 9.5% but not further prepared	8.7
ex 15.07 D I b) 2	Purified soya-bean oil in glass bottles. Each bottle holds 10 litres of purified soya-bean oil containing by weight: — a minimum of 8,5% a and a maximum of 12% of palmitic acid esters, — a minimum of 2,5% and a maximum of 4,7% of stearic acid esters, — a minimum of 22,4% and a maximum of 29% of oleic acid esters, — a minimum of 46,6% and a maximum of 53,7% of linoleic acid esters, — a minimum of 7,4% and a maximum of 11% of linoleic acid esters, and containing: — not more than 5 millimoles of free fatty acid per kg of oil — phosphalipids corresponding to a nitrogen content not exceeding 0,04 mg per gram of oil The soya-bean oil covered by this description is intended for the preparation of emulsions for injections	7 with a maximum duty of 109.3 ECU per 100 kg
ex 16.04 B I	Salmon for the processing industry for manufacture into pastes or spreads	2.4
ex 16.05 B	Lobster flesh, cooked, to be used by the processing industry for the manu-	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	facture of butters based on lobster, pastes, pâtés, soups or sauces	8.7
ex 16.05 B	Shrimps and prawns of the species 'Pandalus borealis', boiled in water and shelled, whether or not frozen or dried, intended for the industrial processing of products falling within heading No 16.05	7.6
ex 28.20 A	Aluminium hydroxide oxide in the form of pseudoboehmite	1.4
ex 29.02 A III	1,2-Dibromoethane	1.4
ex 29.09 B	1,2-Epoxybutane	2.5
ex 29.13 G II	2-Chloro-4'-isobutylpropiophenone	1.8
ex 29.14 A XI	2,2-Dichloropropionic acid	2.1
ex 29.19 C	2,2-Bis(chloromethyl)trimethylene tetrakis(2-chloroethyl) bis(phosphate)	1.8
ex 29.22 D VII	Pendimethalin (ISO)	2.5
29.25 B II a)	Phenobarbital (INN) and its salts	3.9
ex 29.27	Isophthalonitrile	2.1
ex 29.30	Methyl isocyanate	1.2
ex 29.31 B	Thiofanox (ISO)	0.4
ex 29.34 C	2-Chloroethylphosphonic acid	2.7
ex 29.35 Q	Alprazolam (INN)	1.6
ex 29.35 Q	Zotepine (INN)	1.4
ex 29.35 Q	(RS)-1-[2-(4-Chlorobenzhydryloxy) ethyl] piperidine and its salts	1.4
ex 29.35 Q	3,6-Dichloropyridine-2-carboxylic acid	1.0
ex 29.35 Q	2-Hydroxyethylammonium-3,6-dichloropyridine-2-carboxylate	1.0
29.41 C I	Caffeine and its salts	1.4
ex 30.03 B II b)	Purified collagen dispersed in a phosphate physiological saline solution whether or not containing lidocaine (INN)	1.8
ex 32.01 A IV	Tanning extracts of eucalyptus	1.0
38.07 C	Spirits of wood turpentine; terpenic solvents produced by the distillation or other treatment of coniferous woods; sulphite turpentine; pine oil (excluding 'pine oils' not rich in terpineol)	0.5
ex 38.19 X	Tetrakis(2-chloroethyl) ethylene bis (phosphate)	1.8

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
ex 38.19 X	Grains, consisting of a mixture of dialuminium trioxide and zirconium dioxide, containing by weight not less than 70% and not more than 78% dialuminium trioxide and not less than 19% and not more than 26% zirconium dioxide	1.9
ex 38.19 X	Grains, consisting of a mixture of dialuminium trioxide and zirconium dioxide, containing by weight not less than 54% and not more than 62% dialuminium trioxide and not less than 36% and not more than 44% zirconium dioxide	1.9
ex 39.01 C I a)	Thermosetting resin arising from the alkali-catalyzed polycondensation of phenol and formaldehyde, in one of the forms mentioned in note 3 (b) to Chapter 39	0.5
ex 39.01 C III a)	Polyester film, dyed in the mass of a thickness of not more than 15 micrometres and metallized on one side	2.1
ex 39.01 C V	Polyurethane polymers, in one of the forms mentioned in note 3 (a) to Chapter 39, based on a mixture of 2-methyl and 4-methyl-m-phenylene diisocyanates and branched chain triols with an average molecular weight of not less than 6000 and containing terminal epoxy groups	1.4
ex 39.01 C VII	Polyethylene oxide having a molecular weight of not less than 4,000,000	2.8
ex 39.02 C XI	Poly(vinyl butyral) film having a graduated coloured band	2.8
ex 39.02 C XIV a)	Terpolymer of ethylene, methyl acrylate and a monomer containing a non-terminal carboxy group as a substituent, whether or not compounded with silica	2.8
ex 39.02 C XIV a)	Copolymers of vinyl alcohol with ethylene, in one of the forms mentioned in note 3 (b) to Chapter 39	1.8
39.03 B V a) 1	Ethylcellulose, not plasticized	1.4
ex 39.03 B V a) 2	Ethylhydroxyethylcellulose, insoluble in water	1.4
45.02	Natural cork, in blocks, plates, sheets or strips (including cubes or square slabs, cut to size for corks or stoppers)	1.4

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
ex 51.01 A	Yarn of poly(*p*-phenylene terephthalamide) for uses other than for the manufacture of tyres or of products used in the manufacture of tyres	0.7
ex 54.03 B I a)	Unbleached linen yarn (excluding yarn of flax tow), measuring per kilogram 30,000 m or less, for the manufacture of multiple or cabled yarns of the footwear industry or for whipping cable (a)	0.6
ex 56.01 A	Textile fibres containing not less than 85% by weight of fibres of aromatic polyamides obtained by the polycondensation of *m*-phenylenediamine and isophthalic acid and not less than 1% and not more than 15% by weight of fibres of poly (*p*-phenylene terephthalamide)	1.8
ex 56.01 A and ex 59.01 B I	Fibres of poly(*p*-phenylene terephthalamide)	0.7
ex 70.20 B	Yarns obtained from continuous spun glass filaments having a diameter of not less than 12,5 micrometres and not more than 13,5 micrometres treated with resorcinolformaldehyde, of not less than 340 tex and not more than 680 tex	5.0 2.5
ex 84.55 C	Assemblies for automatic data-processing machines, comprising UV-erasable, programmable, read-only memories (EPROMs), with a storage capacity of 256 K bits, consisting of a multilayer substrate, the exterior dimensions of which do not exceed 17×39 mm, on which are mounted: — two UV-erasable, programmable, read-only memories (EPROMs), in the form of monolithic integrated circuits, each with a storage capacity of 128 K bits and a quartz window on the upper surface — a decoder in the form of a monolithic integrated circuit — a decoupling capacitor — two resistances The assemblies bear: — an identification marking either consisting of or including the following combination of figures and letters:	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	EDH 7832 MM-30 or — other identification markings relating to assemblies complying with the abovementioned description	0.7
ex 84.55 C	Assemblies for automatic data-processing machines, comprising UV-erasable, programmable, read-only memories (EPROMs), with a storage capacity of 256 K bits, consisting of a multilayer substrate, the exterior dimensions of which do not exceed 17×39 mm, on which are mounted: — four UV-erasable, programmable, read-only memories (EPROMs), in the form of monolithic integrated circuits, each with a storage capacity of 64 K bits and a quartz window on the upper surface — one decoder in the form of a monolithic integrated circuit — one decoupling capacitor The assemblies bear: — an identification marking either consisting of or including the following combination of figures and letters: EDH 7832 MC-35 or — other identification markings relating to assemblies complying with the abovementioned description	0.7
ex 84.55 C	Assemblies for automatic data-processing machines, comprising static random-access memories of C-MOS technology (C-MOS S-RAMs) with a storage capacity of 32 K bits consisting of a multilayer substrate, the exterior of which do not exceed 17×39 mm, with not more than 28 connecting pins, on which are mounted: — two static random-access memories of C-MOS technology (C-MOS S-RAMs) in the form of monolithic integrated circuits each with a storage capacity of 16 K bits — a decoder in the form of a monolithic integrated circuit — a decoupling capacitor	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	The assemblies bear: — an identification marking either consisting of or including one of the following combinations of figures and letters: EDH 8804 C-20 EDH 8804 CL-20 or — other identification markings relating to assemblies complying with the abovementioned description	0.7
ex 84.55 C	Assemblies for automatic data-processing machines, comprising static random-access memories of C-MOS technology (C-MOS S-RAMs) with a storage capacity of 64 K bits consisting of a multilayer substrate, the exterior dimensions of which do not exceed 17×39 mm, on which are mounted: — four static random-access memories of C-MOS technology (C-MOS S-RAMs) in the form of monolithic integrated circuits each with a storage capacity of 16 K bits — a decoder in the form of a monolithic integrated circuit — a decoupling capacitor The assemblies have not more than 28 connecting pins and bear: — an identification marking either consisting of or including one of the following combinations of figures and letters: EDH 8808 B-20 EDH 8808 C-10 EDH 8808 C-12 EDH 8808 C-15 EDH 8808 C-20 EDH 8808 CL-15 EDH 8808 CL-20 or — other identification markings relating to assemblies complying with the abovementioned description	0.7
ex 84.55 C	Assemblies for automatic data-processing machines comprising a UV-erasable, programmable, read-only memory (EPROM) with a storage capacity of 64 K bits and a static random-access memory of C-MOS	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	technology (C-MOS S-RAMs) with a storage capacity of 32 K bits consisting of a multilayer substrate, the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins, on which are mounted: — one UV-erasable, programmable, read-only memory (EPROM) in the form of a monolithic integrated circuit, with a storage capacity of 64 K bits and with a quartz window on the upper surface — two static random-access memories of C-MOS technology (C-MOS S-RAMs) in the form of monolithic integrated circuits, each with a storage capacity of 16 K bits — one decoder in the form of a monolithic integrated circuit — one decoupling capacitor — two resistances The assembblies bear: — an identification marking either consisting of or including one of the following combinations of figures and letters: EDH 90804 BS-25 (15) EDH 90804 BS-30 (20) or — other identification markings relating to assemblies complying with the abovementioned description	0.7
ex 84.55 C	Assemblies for automatic data-processing machines comprising UV-erasable, programmable, read-only memories (EPROMs) with a storage capacity of 128 K bits and static random-access memories of C-MOS technology (C-MOS S-RAMs) with a storage capacity of 128 K bits consisting of a multilayer substrate, the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins, on which are mounted: — two UV-erasable, programmable, read-only memories (EPROMs) in the form of monolithic integrated circuits, each with a storage capacity of 64 K bits and a quartz window on the upper surface	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	— two static random-access memories of C-MOS technology (C-MOS S-RAMs) in the form of monolithic integrated circuits, each with a storage capacity of 64 K bits — one decoder in the form of a monolithic integrated circuit — one decoupling capacitor — two resistances The assemblies bear: — an identification marking either consisting of or including the following combination of figures and letters: EDH 91616 CL-30 (20) or — other identification markings relating to assemblies complying with the abovementioned description	0.7
ex 84.55 C	Assemblies for automatic data-processing machines, comprising UV-erasable, programmable, read-only memories (EPROMs) with a storage capacity of 64 K bits and static random-access memory in C-MOS technology (C-MOS S-RAM) with a storage capacity of 48 K bits consisting of a multilayer substrate, the exterior dimensions of which do not exceed 17×39 mm with 28 connecting pins on which are mounted: — a UV-erasable, programmable, read-only memory (EPROM) in the form of a monolithic integrated circuit with a storage capacity of 64 K bits and a quartz window on the upper surface — three static random-access memories in C-MOS technology (C-MOS S-RAM) in the form of monolithic integrated circuits each with a storage capacity of 16 K bits — a decoder in the form of a monolithic integrated circuit — a decoupling capacitor — two resistances The assemblies bear: — an identification marking either consisting of or including one of the following combinations of figures and letters:	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	EDH 90806 BS-25 (15) EDH 90806 BS-30 (20) or — other identification markings relating to assemblies complying with the above description	0.7
ex 85.21 D II	Dynamic, random-access memories of N-MOS technology (N-MOS D-RAMs) with a storage capacity of 256 K bits, in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 17×34 mm, with not more than 20 connecting pins or contact areas and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: 41245 TMM 4256 AP PD 41256 D TMM 4256 P TMM 41257 MCM 4256 S TMS 4256 TMS 4257 MCM 4267 S HMSO 257 MCM 6256 MCM 6257 81256 81257 82256 or — other identification markings relating to N-MOS D-RAMs complying with the above mentioned description	1.8
ex 85.21 D II	Static, random-access memories (S-RAMs), with a storage capacity of 16K×1bit, a maximum access time of 35 ns and a standby power of not more than 150 milliwatts, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 16×33 mm. with not more 20 connecting pins and bearings: — an identification marking either consisting of or including the following combination of figures and letters:	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	HM 6267 HP-35 MCM 2016-35 MB 81C 67-35 or — other identification markings relating to S-RAMs complying with the abovementioned description	3.0
ex 85.21 D II	Static, random-access memories of N-MOS technology (N-MOS, S-RAMs) with a storage capacity of 2 K×8 bits and a maximum access time of 45 ns, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 16×33 mm, with not more than 24 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: TMM 2018 H-35 TMM 2018 H-45 65161 65162 or — other identification markings relating to N-MOS S-RAMs complying with the above-mentioned description	3.0
ex 85.21 D II	Programmable, non-erasable, read-only memories (PROMs) of Schottky TTL technology, with a storage capacity of 2 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 24 connecting pins or contact areas, and bearing: — an identification marking either consisting of one of the following combinations of figures or figures and letters or including one of those combinations: 27 S 12 5305 6305 27 S 13 5306 6306 5308 6308 28 L 22 5309 6309 28 LA 22 53 S 240 63 S 240 28 L2 XMFC 53 S 241 63 S 241 6335 29613 54 S 570 6336	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	29770 54 S 571 29771 7053 5604 7058 76 LS 03 7620 7621 82 S 114 82 S 130 82 S 131 93436 93446 38510 5624 74 S 570 74 S 571 MB 7115 MB 7116 MB 7117 MB 7118 or — other identification markings relating to PROMs complying with the abovementioned description	4.1
ex 85.21 D II	UV-erasable, programmable, read-only memories (EPROMs) with storage capacity of 16 K×8 bits, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17×39 mm, with a quartz window on the upper surface and bearing: — an identification marking either consisting of or including the following combination of figures: 27128 or — other identification markings relating to EPROMs complying with the abovementioned description	3.0
ex 85.21 D II	Static, random-access memories of N-MOS (including H-MOS) technology (N-MOS-S-RAMs) with a storage capacity of 1 K×4 bits and access time not exceeding 70 ns, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 8×23 mm, with not more than 18 connecting pins and bearing: — an identification marking either consisting of or including one of the	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	following combinations of figures and letters: AM 2149 PD 2149 SY 2149 H TMS 2149 or — other identification markings relating to N-MOS S-RAMs complying with the abovementioned description	3.0
ex 85.21 D II	Field programmable array logics (PALs) of bipolar technology, in the form of a monolithic integrated circuit, with fusible links, a programmable AND array, fixed OR array, not more than 20 inputs and not more than 10 outputs, whether or not with registers, contained in a housing the exterior dimensions of which do not exceed 19×39 mm, with not more than 28 connecting pins and bearing: — an identification marking either consisting of or including the following combinations of figures and letters: 10 H 8 / 10 L 8 / 12 H 6 / 12 L 6 / 12 L 10 / 14 H 4 / 14 L 4 / 14 L 8 / 16 A 4 / 16 C 1 / 16 H 2 / 16 L 2 / 16 L 6 / 16 L 8 / 16 R 4 / 16 R 6 / 16 R 8 / 16 X 4 / 18 L 4 / 20 C 1 / 20 L 2 / 20 L 10 / 20 R 4 / 20 X 4 / 20 X 8 / 20 X 10 or — other identification markings relating to PALs complying with the abovementioned description	1.8
ex 85.21 D II	Programmable, non-erasable, logic circuits (field programmable logic array) of TTL Schottky technology, with not more than 48 AND functions, not more than eight OR functions, and not more than 16 inputs, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing:	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	— an identification marking either consisting of or including one of the following combinations of figures or figures and letters: FP 54 AS 839 FP 74 AS 839 FP 54 AS 840 FP 74 AS 840 SN 54 LS 333 SN 74 LS 333 SN 54 LS 334 SN 74 LS 334 SN 54 LS 335 SN 74 LS 335 SN 54 LS 336 SN 74 LS 336 82 S 100 82 S 101 93458 93459 or — other identification markings relating to programmable field logic arrays complying with the above-mentioned description	1.8
ex 85.21 D II	N-MOS (including H-MOS) programmable communication interfaces (N-MOS PCIs), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letter: 8251 A or — other identification markings relating to N-MOS PCIs complying with the abovementioned description	3.0
ex 85.21 D II	N-MOS (including H-MOS) programmable interval timers (N-MOS PITs), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 24 connecting pins and bearing: — an identification marking either consisting of or including one of the following combination of figures: 8253 8254 or	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	— other identification markings relating to N-MOS PITs complying with the abovementioned description	2.1
ex 85.21 D II	Universal Synchronous/Asynchronous Receiver/Transmitter (USART) of C-MOS technology, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 32 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: MSM 82 C 51 or — other identification markings relating to Universal Synchronous/A synchronous Receiver/Transmitters complying with the above-mentioned description	3.0
ex 85.21 D II	8 bit microprocessor of N-MOS (including H-MOS) technology with 16 bit internal architecture, in the form of a monolithic integrated circuit consisting of a central procession unit (CPU), a timing generator, two independent DMA channels, a programmable interrupt controller, three programmable 16 bit timers, programmable memory and peripheral chip select, a programmable wait state generator and a local bus controller, contained in a housing the dimensions of which do not exceed 30×30 mm with not more than 68 contact areas, and bearing: — an identification marking consisting of or including the following combination of figures: 80188 or — other identification markings relating to microprocessors complying with the above-mentioned description	3.0
ex 85.21 D II	Subscriber line audio-processing circuit (SLAC) with two digital signal processors, an analogue-digital	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	converter and a digital-analogue converter, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm with not more than 28 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures and letters: AM 7901 AM7905 or — other identification markings relating to SLACs complying with the abovementioned description	3.0
ex 85.21 D II	Monolithic integrated circuit in the form of pulse code modulation (PCM) of N-MOS (including H-MOS) technology, with encoding decoding and filter functions and a maximum data clock frequency of more than 3,5 MHz, contained in a housing the exterior dimensions of which do not exceed 8×26 m, with not more than 20 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures: 2913 or — other identification markings relating to integrated circuits complying with the above-mentioned description	3.0
ex 85.21 D II	Single-chip microcomputers in C-MOS technology, in the form of a monolithic integrated circuit consisting of an ALU with a storage capicity of 8 bits with a ROM with a storage capacity of 128 K bits and a RAM with a storage capacity of 2 K bits, contained in a housing the exterior dimensions of which are not less than 20×26 mm, with a minimum of 80 connecting pins and bearing: — an identification marking either consisting of or including the following combinations of figures and letters:	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	HD 6301 Y or — other identification markings relating to single-chip micro-computers complying with the abovementioned description	4.3
ex 85.21 D II	Dynamic, random-access read/write memory of N-MOS (including H-MOS) technology, (N-MOS D-RAMs) with a storage capacity of 64 K×4 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×34 mm, with not more than 20 connecting pins or contact areas arranged in 2 parallel lines (dual-in-line package) and bearing: — an identification marking consisting of or including one of the following combination of figures and letters TMS 4464 PD 41254 M5M 446 HM 50464 4 PD 41464 TMM 4146 4 MB 81464 — other identification marking relating to N-MOS D-RAMS complying with the abovementioned description	3.6
ex 85.21 D II	Circuit for the control of floppy discs (floppy disc controller) of C-MOS technology, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 16×62 mm, with not more than 48 connecting pins and bearing: — an identification marking consisting of or including one of the following combinations of letters and figures: FE 2100 G 70360-33 or — other identification markings relating to adaptor circuits complying with the above-mentioned description	3.0

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
ex 85.21 D II	Pulse code modulation (PCM) Codec and filter of NMOS (including H-MOS technology), in the form of a monolithic integrated circuit, consisting of a fully integrated PCM codec with transmit/receive filters, contained in a housing the exterior dimensions of which do not exceed 10×23 mm, with not more than 16 connecting pins and bearing: — an identification marking either consisting of or including one of the following combinations of figures: 2916 2917 or — either identification markings relating to PCM Codec and filter devices complying with the abovementioned description	3.0
ex 85.21 D II	Electronic circuit for synchronizing signals between the user and the exchange in a telephone system, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 14×37 mm, with not more than 28 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: QMV 18 CW 1 or — other identification marking relating to microcircuits complying with the above-mentioned description	3.0
ex 85.21 D II	Monolithic integrated circuit for scanning and distributing logic signals, for use in telephone exchanges, contained in a housing the exterior dimensions of which do not exceed 14×53 mm, with not more than 40 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters:	

SCHEDULE 4—*continued*

Tariff Heading (1)	Description of Goods (2)	Rate of duty (3)
	QMV 16 BW 1 or — other identification marking relating to integrated circuits complying with the abovementioned description	3.0
ex 85.21 D II	Monolithic integrated interface circuit for pulse code modulation (PCM), of C-MOS technology, with encoding, decoding and filtering functions and a processing frequency of 2 565 MHz, contained in a housing the exterior dimensions of which do not exceed 10×28 mm, with not more than 22 connecting pins and bearing: — an identification marking either consisting of or including the following combination of figures and letters: QMV 81 AD 1 or — other identification markings relating to integrated circuits complying with the above-mentioned description	3.0
ex 90.13	Liquid crystal devices (LCD), whose external dimensions do not exceed 40×154 mm with not more than 192 contact areas, consisting of a layer of liquid crystal between two glass sheets or plates with a minimum of 7 and a maximum of 32 figures or letters, and bearing: — an identification marking either consisting of one of the following combination of figures or including one of those combinations. from 1000000-0001 to 9999999-9999 — or other identification marking relating to liquid crystal devices complying with the above-mentioned description	1.4
ex 90.19 B II	Portable reading appliance for the visually handicapped in which a fibre optic camera transmits a magnified image on to a display screen, and parts thereof	1.0

EXPLANATORY NOTE

(This Note is not part of the Order.)

This Order implements obligations of the United Kingdom concerning Spain under the Treaty of Accession of Spain and Portugal to the European Communities from 1st March 1986. Obligations for the first 2 months of 1986 were implemented by the Customs Duties (Spain and Portugal) Order 1985 (S.I. 1985/2019) and ECSC products for that period were taken account of in the Customs Duties (ECSC) (No. 2) (Amendment) Order 1985 (S.I. 1985/2020). It provides for the reductions in the customs duties between the United Kingdom and Spain which are to be made under the Act annexed to the Treaty under the first stage of the transitional measures (see European Communities No. 27 and 28 (1985) Cmnd 9634 and 9635). The basic duties to be adopted in the Communities as constituted immediately before the accession of Spain and Portugal to the Communities for the purpose of calculating the successive reductions in the customs duties between the Communities and Spain under the Treaty are calculated on the basis of the duties applied on 1st January 1986 or any lower rate applied in 1985 in accordance with the Council Regulation (EEC) No. 443/1986 (OJ No. L50, 28.2.1986) and Commission Decision No. 511/1986 (OJ No. L51, 28.2.1986). It also charges duties on products covered by the European Economic Community's common organisation of the market in beef and veal which are listed in Schedule 2 from 1st March 1986 until the start of the beef and veal marketing year in 1986 at the present rates namely those applicable under the common customs tariff of that Community.

Goods in Schedule 3 are subject to total suspension of customs duty and goods in Schedule 4 are subject to a partial suspension of customs duty instead of any higher rate which would apply under Schedule 1.

The beef and veal marketing year is determined in accordance with Article 4 of Council Regulation EEC No. 805/68 which provides that the marketing year shall begin on the first Monday in April of each year and end on the day preceding that day in the following year except where the Council decide otherwise. The beef and veal marketing year for 1986/7 will, therefore, run from 7th April 1986 until 5th April 1987, unless the Council decide otherwise.

SI 1986/346
ISBN 0-11-066346-2

