1988 No. 1261

CUSTOMS AND EXCISE

The Customs Duties (Spain) Order 1988

Made - - - -	*20th July 1988*
Laid before the House of Commons -	*20th July 1988*
Coming into force -	*10th August 1988*

The Treasury, by virtue of the powers conferred on them by section 5(2) and (3) of the European Communities Act 1972(a) and of all other powers enabling them in that behalf, on the recommendation of the Secretary of State, hereby make the following Order:–

1.—(1) This Order may be cited as the Customs Duties (Spain) Order 1988 and shall come into force on 10th August 1988.

(2) In this Order–

"beef and veal marketing year" means the marketing year determined in accordance with article 4 of Council Regulation (EEC) No. 805/68(b) (relating to the common organisation of the market in beef and veal) for products listed in article 1 to that Regulation;

"relevant goods" means goods which, at the time of their importation into the United Kingdom, are entitled to benefit from the progressive reduction of customs duties in trade between Spain and the other member States of the European Communities as constituted on 31st December 1985 by virtue of the provisions of Title II of Part Four of the Act annexed to the Treaty concerning the accession of the Kingdom of Spain and the Portuguese Republic to the European Economic Community and the European Atomic Energy Community, signed at Madrid and Lisbon on 12th June 1985, and to the Decision of the Council of the European Communities of 11th June 1985 on the accession of the Kingdom of Spain and the Portuguese Republic to the European Coal and Steel Community(c);

references to a heading or subheading are references to a heading or subheading of the Combined Nomenclature of the European Economic Community(d);

references in Schedule 1, 2 or 4 to this Order to a rate of duty, unless otherwise stated, are references to a rate calculated as a percentage of the value of the goods;

references to the weight of any goods, unless otherwise stated, are references to their net weight, and "gross" in relation to the weight of any goods means inclusive of the weight of any earth or any other growing medium in which the goods are imported and of any container in or on which they are made up;

(a) 1972 c.68; section 1(2) was amended by the European Communities (Spanish and Portuguese Accession) Act 1985 (c.75) and section 5(3) by the Customs and Excise Duties (General Reliefs) Act 1979 (c.3), section 19 and Schedule 2, paragraph 3.

(b) OJ No. L148, 28.6.1968, OJ/SE (I) p. 187.

(c) The Act is included in European Communities No. 27 (1985), Cmnd 9634, and the Decision is included in European Communities No. 28 (1985) Cmnd 9635.

(d) *See* Council Regulation (EEC) 2658/87 (OJ No. L256, 7.9.1987, p. 1).

where symbols or abbreviations are used for units of measurement they are those authorised by the Weights and Measures (Quantity Marking and Abbreviations of Units) Regulations 1987(a) except that the symbol "hl" is used for the unit "hectolitre"; and

"ECU" means European Currency Unit as defined in Council Regulation (EEC) No. 3180/78(b) and any amount expressed as a number of ECUs shall be converted to sterling at such rate as may be required by the customs rules of the European Communities(c).

(3) This Order does not impose or increase any customs duty or restrict any relief from customs duty otherwise than in pursuance of a Community obligation.

2.—(1) Subject to paragraph (2) and articles 5, 6, 7 and 8(1) below, from 10th August 1988 up to and including 31st December 1995, where in relation to any relevant goods which fall within a heading or subheading specified in column 1 of Schedule 1 to this Order a rate of customs duty is shown in column 3 as from 10th August 1988 or as from 1st January in any subsequent year, then, on the importation into the United Kingdom of any of those goods during the relevant period, there shall be charged a duty of customs at the rate so shown for that period.

(2) If the entry "O" appears in the said column 3 in relation to the goods for any period, no customs duty shall be charged on the importation into the United Kingdom of any of those goods during that period or any subsequent year.

3. Subject to article 7 below, from 10th August 1988 up to and including the day immediately preceding the day on which the beef and veal marketing year begins in 1989, where in relation to any relevant goods which fall within a subheading specified in column 1 of Schedule 2 to this Order a rate of customs duty is shown in column 2 of that Schedule in relation to that period, then, on the importation into the United Kingdom of any of those goods, there shall be charged a duty of customs at the rate so shown.

4. Subject to article 7 below, from the day on which the beef and veal marketing year begins in 1989 up to and including the day immediately preceding the day on which that year begins in 1990, and during each marketing year thereafter up to and including the day immediately preceding the day on which that marketing year begins in 1993, where in relation to any relevant goods which fall within a subheading specified in column 1 of Schedule 2 to this Order a rate of customs duty is shown in column 2 in relation to any marketing year, then, on the importation into the United Kingdom of any of those goods during that marketing year, there shall be charged a duty of customs at the rate so shown for that marketing year.

5. From 10th August 1988 up to and including 31st December 1995 no customs duty shall be charged on any relevant goods which fall within a heading or subheading specified in column 1 of Schedule 3 to this Order and are of a description specified in column 2.

6. Subject to articles 7 and 8(1) below, from 10th August 1988 up to and including 31st December 1995, where in relation to any relevant goods which fall within a subheading specified in column 1 of Schedule 4 to this Order and are of a description specified in column 2 a rate of customs duty is shown in column 3 as from 10th August 1988 or as from 1st January in any subsequent year, then, on the importation into the United Kingdom of any of those goods during the relevant period, there shall be charged a duty of customs at the rate so shown for that period instead of any higher rate shown in column 3 of Schedule 1 in relation to the goods in respect of that period.

7. In the case of any goods to which articles 2, 3, 4 or 6 applies, where in accordance with any directly applicable Community provision the rate of duty chargeable is lower

---

(a) S.I. 1987/1538, amended by S.I. 1988/627.
(b) OJ No. L379, 30.12.1978 p. 1.
(c) *See* Council Regulation (EEC) No. 2779/78, (OJ No. L333, 30.11.1978, p. 5), amended by Council Regulation (EEC) No. 289/84, (OJ No. L33, 4.2.1984, p. 2).

than the rate chargeable under those articles or is nil, customs duty shall be chargeable on the importation of the goods into the United Kingdom at the lower rate.

8.—(1) Where a period of time or a description of goods is specified in column 2 of Schedule 1 or 4 to this Order in relation to any heading or subheading, the duty provided for in relation to that heading or subheading by article 2 or 6 above shall apply only during that period or to goods of that description as the case may be.

(2) Any description of goods in column 2 of Schedule 1, 3 or 4 to this Order shall be taken to comprise all goods which would be classified under an entry in the same terms constituting a subheading.

Tony Durant
Mark Lennox-Boyd

20th July 1988 Two of the Lords Commissioners of Her Majesty's Treasury

SCHEDULE 1

Article 2

CUSTOMS DUTIES

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0101 19 10		2.5	2	1.5	1	0.5	0		
0101 19 90		11.2	9	6.7	4.5	2.2	0		
0101 20 10		7.5	6	4.5	3	1.5	0		
0101 20 90		10.6	8.5	6.3	4.2	2.1	0		
0102 90 10		10	8	6	4	2	0		
0102 90 31		10	8	6	4	2	0		
0102 90 33		10	8	6	4	2	0		
0102 90 35		10	8	6	4	2	0		
0102 90 37		10	8	6	4	2	0		
0104 20 10		3.1	2.5	1.8	1.2	0.6	0		
0106 00 10		3.7	3	2.2	1.5	0.7	0		
0106 00 20		6.2	5	3.7	2.5	1.2	0		

SCHEDULE 1: Chapter 2 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0201 10 10		12.5	10	7.5	5	2.5	0		
0201 10 90		12.5	10	7.5	5	2.5	0		
0201 20 11		12.5	10	7.5	5	2.5	0		
0201 20 19		12.5	10	7.5	5	2.5	0		
0201 20 31		12.5	10	7.5	5	2.5	0		
0201 20 39		12.5	10	7.5	5	2.5	0		
0201 20 51		12.5	10	7.5	5	2.5	0		
0201 20 59		12.5	10	7.5	5	2.5	0		
0201 20 90		12.5	10	7.5	5	2.5	0		
0201 30 00		12.5	10	7.5	5	2.5	0		
0202 10 00		12.5	10	7.5	5	2.5	0		
0202 20 10		12.5	10	7.5	5	2.5	0		
0202 20 30		12.5	10	7.5	5	2.5	0		
0202 20 50		12.5	10	7.5	5	2.5	0		
0202 20 90		12.5	10	7.5	5	2.5	0		
0202 30 10		12.5	10	7.5	5	2.5	0		
0202 30 50		12.5	10	7.5	5	2.5	0		
0202 30 90		12.5	10	7.5	5	2.5	0		

SCHEDULE 1: Chapter 2 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0203 11 90		1.8	1.5	1.1	0.7	0.3	0		
0203 12 90		1.8	1.5	1.1	0.7	0.3	0		
0203 19 90		1.8	1.5	1.1	0.7	0.3	0		
0203 21 90		1.8	1.5	1.1	0.7	0.3	0		
0203 22 90		1.8	1.5	1.1	0.7	0.3	0		
0203 29 90		1.8	1.5	1.1	0.7	0.3	0		
0205 00 00		5	4	3	2	1	0		
0206 10 91		4.3	3.5	2.6	1.7	0.8	0		
0206 10 95		12.5	10	7.5	5	2.5	0		
0206 10 99		2.5	2	1.5	1	0.5	0		
0206 21 00		2.5	2	1.5	1	0.5	0		
0206 22 90		4.3	3.5	2.6	1.7	0.8	0		
0206 29 91		12.5	10	7.5	5	2.5	0		
0206 29 99		2.5	2	1.5	1	0.5	0		
0206 30 90		1.8	1.5	1.1	0.7	0.3	0		
0206 41 99		1.8	1.5	1.1	0.7	0.3	0		
0206 49 99		1.8	1.5	1.1	0.7	0.3	0		

0206 80 91		6.2	5	3.7	2.5	1.2	0
0206 80 99		1.8	1.5	1.1	0.7	0.3	0
0206 90 91		6.2	5	3.7	2.5	1.2	0
0206 90 99		1.8	1.5	1.1	0.7	0.3	0
0208 10 10		3.1	2.5	1.8	1.2	0.6	0
0208 10 90		0.9	0.7	0.5	0.3	0.1	0
0208 20 00		3.1	2.5	1.8	1.2	0.6	0
0208 90 10		3.1	2.5	1.8	1.2	0.6	0
0208 90 30		0.9	0.7	0.5	0.3	0.1	0
0208 90 50							
	Whalemeat	3.1	2.5	1.8	1.2	0.6	0
	Other	4.3	3.5	2.6	1.7	0.8	0
0210 11 90		15	12	9	6	3	0
0210 12 90		15	12	9	6	3	0
0210 19 90		15	12	9	6	3	0
0210 20 10		15	12	9	6	3	0
0210 20 90		15	12	9	6	3	0
0210 90 10		15	12	9	6	3	0
0210 90 20		15	12	9	6	3	0
0210 90 41		15	12	9	6	3	0
0210 90 49		12.5	10	7.5	5	2.5	0
0210 90 60		15	12	9	6	3	0
0210 90 80		15	12	9	6	3	0
0210 90 90		12.5	10	7.5	5	2.5	0

SCHEDULE 1: Chapter 3 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0301 10 90		9.3	7.5	5.6	3.7	0			
0301 91 00		7.5	6	4.5	3	0			
0301 93 00		5	4	3	0				
0302 11 00		7.5	6	4.5	3	0			
0302 21 30		5	4	3	0				
0302 21 90		9.3	7.5	5.6	3.7	0			
0302 22 00		9.3	7.5	5.6	3.7	0			
0302 23 00		9.3	7.5	5.6	3.7	0			
0302 29 00		9.3	7.5	5.6	3.7	0			
0302 31 90		13.7	11	8.2	5.5	2.7	0		
0302 32 90		13.7	11	8.2	5.5	2.7	0		
0302 33 90		13.7	11	8.2	5.5	2.7	0		
0302 39 90		13.7	11	8.2	5.5	2.7	0		
0302 40 90		9.3	7.5	5.6	3.7	0			
0302 50 10		7.5	6	4.5	3	0			
0302 50 90		7.5	6	4.5	3	0			
0302 61 10		14.3	11.5	8.6	5.7	2.8	0		
0302 61 30		9.3	7.5	5.6	3.7	0			

0302 61 99	8.1	6.5	4.8	3.2	0	
0302 62 00	9.3	7.5	5.6	3.7	0	
0302 63 00	9.3	7.5	5.6	3.7	0	
0302 64 90	12.5	10	7.5	5	2.5	0
0302 65 10	5	4	3	0		
0302 65 90	5	4	3	0		
0302 61 11	5	4	3	0		
0302 69 25	13.7	11	8.2	5.5	2.7	0
0302 69 31	5	4	3	0		
0302 69 33	5	4	3	0		
0302 69 35	7.5	6	4.5	3	0	
0302 69 41	9.3	7.5	5.6	3.7	0	
0302 69 45	9.3	7.5	5.6	3.7	0	
0302 69 51	9.3	7.5	5.6	3.7	0	
0302 69 55	9.3	7.5	5.6	3.7	0	
0302 69 61	9.3	7.5	5.6	3.7	0	
0302 69 65	9.3	7.5	5.6	3.7	0	
0302 69 71	9.3	7.5	5.6	3.7	0	
0302 69 75	9.3	7.5	5.6	3.7	0	
0302 69 81	9.3	7.5	5.6	3.7	0	
0302 69 85	9.3	7.5	5.6	3.7	0	
0302 70 00	6.2	5	3.7	2.5	0	
0303 21 00	7.5	6	4.5	3	0	

SCHEDULE 1: Chapter 3 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0303 31 30		5	4	3	0				
0303 31 90		9.3	7.5	5.6	3.7	0			
0303 32 00		9.3	7.5	5.6	3.7	0			
0303 33 00		9.3	7.5	5.6	3.7	0			
0303 39 10		9.3	7.5	5.6	3.7	0			
0303 39 90		9.3	7.5	5.6	3.7	0			
0303 41 90		13.7	11	8.2	5.5	2.7	0		
0303 42 90		13.7	11	8.2	5.5	2.7	0		
0303 43 90		13.7	11	8.2	5.5	2.7	0		
0303 49 90		13.7	11	8.2	5.5	2.7	0		
0303 50 90		9.3	7.5	5.6	3.7	0			
0303 60 10		7.5	6	4.5	3	0			
0303 60 90		9.3	7.5	5.6	3.7	0			
0303 71 10		14.3	11.5	8.6	5.7	2.8	0		
0303 71 30		9.3	7.5	5.6	3.7	0			
0303 71 99		8.1	6.5	4.8	3.2	0			
0303 72 00		9.3	7.5	5.6	3.7	0			
0303 73 00		9.3	7.5	5.6	3.7	0			

0303 74 19	12.5	10	7.5	5	2.5	0
0303 74 90	9.3	7.5	5.6	3.7	0	
0303 75 10	5	4	3	0		
0303 75 90	5	4	3	0		
0303 77 00	9.3	7.5	5.6	3.7	0	
0303 78 10	9.3	7.5	5.6	3.7	0	
0303 78 90	9.3	7.5	5.6	3.7	0	
0303 79 11	5	4	3	0		
0303 79 31	13.7	11	8.2	5.5	2.7	0
0303 79 35	5	4	3	0		
0303 79 37	5	4	3	0		
0303 79 41	7.5	6	4.5	3	0	
0303 79 45	9.3	7.5	5.6	3.7	0	
0303 79 51	9.3	7.5	5.6	3.7	0	
0303 79 55	9.3	7.5	5.6	3.7	0	
0303 79 63	12.5	10	7.5	5	2.5	0
0303 79 65	9.3	7.5	5.6	3.7	0	
0303 79 71	9.3	7.5	5.6	3.7	0	
0303 79 73	9.3	7.5	5.6	3.7	0	
0303 79 75	9.3	7.5	5.6	3.7	0	
0303 79 81	9.3	7.5	5.6	3.7	0	
0303 79 83	9.3	7.5	5.6	3.7	0	

SCHEDULE 1: Chapter 3 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0303 79 99		9.3	7.5	5.6	3.7	0			
0303 80 00		6.2	5	3.7	2.5	0			
0304 10 11		7.5	6	4.5	3	0			
0304 10 31		11.2	9	6.7	4.5	0			
0304 10 39		11.2	9	6.7	4.5	0			
0304 20 11		7.5	6	4.5	3	0			
0304 20 21		9.3	7.5	5.6	3.7	0			
0304 20 29		9.3	7.5	5.6	3.7	0			
0304 20 31		9.3	7.5	5.6	3.7	0			
0304 20 33		9.3	7.5	5.6	3.7	0			
0304 20 35		7.5	6	4.5	3	0			
0304 20 37		7.5	6	4.5	3	0			
0304 20 41		9.3	7.5	5.6	3.7	0			
0304 20 43		9.3	7.5	5.6	3.7	0			
0304 20 45		11.2	9	6.7	4.5	2.2	0		
0304 20 51		9.3	7.5	5.6	3.7	0			
0304 20 53		9.3	7.5	5.6	3.7	0			

0304 20 57	9.3	7.5	5.6	3.7	0
0304 20 59	9.3	7.5	5.6	3.7	0
0304 20 61	9.3	7.5	5.6	3.7	0
0304 20 69	9.3	7.5	5.6	3.7	0
0304 20 71	9.3	7.5	5.6	3.7	0
0304 20 73	9.3	7.5	5.6	3.7	0
0304 20 75	9.3	7.5	5.6	3.7	0
0304 20 79	9.3	7.5	5.6	3.7	0
0304 20 81	9.3	7.5	5.6	3.7	0
0304 20 83	9.3	7.5	5.6	3.7	0
0304 20 99	9.3	7.5	5.6	3.7	0
0304 90 25	9.3	7.5	5.6	3.7	0
0304 90 31	5	4	3	0	
0304 90 35	9.3	7.5	5.6	3.7	0
0304 90 37	7.5	6	4.5	3	0
0304 90 41	9.3	7.5	5.6	3.7	0
0304 90 45	9.3	7.5	5.6	3.7	0
0304 90 47	9.3	7.5	5.6	3.7	0
0304 90 49	9.3	7.5	5.6	3.7	0
0304 90 51	9.3	7.5	5.6	3.7	0
0304 90 55	9.3	7.5	5.6	3.7	0
0304 90 57	9.3	7.5	5.6	3.7	0
0304 90 59	9.3	7.5	5.6	3.7	0

SCHEDULE 1: Chapter 3 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0304 90 99		9.3	7.5	5.6	3.7	0			
0305 10 00		8.1	6.5	4.8	3.2	0			
0305 20 00		6.8	5.5	4.1	2.7	0			
0305 30 11		10	8	6	4	0			
0305 30 30		9.3	7.5	5.6	3.7	0			
0305 30 50		9.3	7.5	5.6	3.7	0			
0305 30 90		10	8	6	4	0			
0305 41 00		8.1	6.5	4.8	3.2	0			
0305 42 00		6.2	5	3.7	2.5	0			
0305 49 10		9.3	7.5	5.6	3.7	0			
0305 49 20		10	8	6	4	0			
0305 49 30		8.7	7	5.2	3.5	0			
0305 49 40		8.7	7	5.2	3.5	0			
0305 49 50		8.7	7	5.2	3.5	0			
0305 49 90		8.7	7	5.2	3.5	0			
0305 59 30		7.5	6	4.5	3	0			
0305 59 50		6.2	5	3.7	2.5	0			
0305 59 60		7.5	6	4.5	3	0			

0305 59 70		9.3	7.5	5.6	3.7	0	
0305 59 90		9.3	7.5	5.6	3.7	0	
0305 61 00		7.5	6	4.5	3	0	
0305 63 00	In barrels not exceeding 10 Kgs net weight	3.1	2.5	0			
	Other	6.2	5	3.7	2.5	0	
0305 69 20		7.5	6	4.5	3	0	
0305 69 30		9.3	7.5	5.6	3.7	0	
0305 69 50		6.8	5.5	4.1	2.7	0	
0305 69 90		7.5	6	4.5	3	0	
0306 11 00		7.8	6.2	4.6	3.1	0	
0306 13 10		7.5	6	4.5	3	0	
0306 13 30		11.2	9	6.7	4.5	2.2	0
0306 13 90		11.2	9	6.7	4.5	2.2	0
0306 14 10		5	4	3	0		
0306 14 30		9.3	7.5	5.6	3.7	0	
0306 14 90		9.3	7.5	5.6	3.7	0	
0306 19 10		9.3	7.5	5.6	3.7	0	
0306 19 30		7.5	6	4.5	3	0	
0306 19 90		7.5	6	4.5	3	0	
0306 21 00		7.8	6.2	4.6	3.1	0	
0306 23 10		7.5	6	4.5	3	0	
0306 23 31		11.2	9	6.7	4.5	2.2	0

SCHEDULE 1: Chapter 3 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0306 23 39		11.2	9	6.7	4.5	2.2	0		
0306 23 90		11.2	9	6.7	4.5	2.2	0		
0306 24 10		5	4	3	0				
0306 24 30		9.3	7.5	5.6	3.7	0			
0306 24 90		9.3	7.5	5.6	3.7	0			
0306 29 10		9.3	7.5	5.6	3.7	0			
0306 29 30		7.5	6	4.5	3	0			
0306 29 90		7.5	6	4.5	3	0			
0307 10 90		11.2	9	6.7	4.5	2.2	0		
0307 21 00		5	4	3	0				
0307 29 10		5	4	3	0				
0307 29 90		5	4	3	0				
0307 31 10		4.6	3.7	2.8	0				
0307 31 90		5	4	3	0				
0307 39 10		4.6	3.7	2.8	0				
0307 39 90		5	4	3	0				
0307 41 10		5	4	3	0				
0307 41 91		3.7	3	2.2	0				

0307 41 99	5	4	3	0
0307 49 11	5	4	3	0
0307 49 19	5	4	3	0
0307 49 31	3.7	3	2.2	0
0307 49 33	3.7	3	2.2	0
0307 49 39	3.7	3	2.2	0
0307 49 51	3.7	3	2.2	0
0307 49 59	5	4	3	0
0307 49 71	5	4	3	0
0307 49 91	3.7	3	2.2	0
0307 49 99	5	4	3	0
0307 51 00	5	4	3	0
0307 59 10	5	4	3	0
0307 59 90	5	4	3	0
0307 99 11	5	4	3	0
0307 99 13	5	4	3	0
0307 99 19	5	4	3	0
0307 99 90	5	4	3	0

SCHEDULE 1: Chapter 4 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0403 10 51		7.5	6	4.5	3	1.5	0		
0403 10 53		7.5	6	4.5	3	1.5	0		
0403 10 59		7.5	6	4.5	3	1.5	0		
0403 10 91		5	4	3	2	1	0		
0403 10 93		5	4	3	2	1	0		
0403 10 99		5	4	3	2	1	0		
0403 90 71		7.5	6	4.5	3	1.5	0		
0403 90 73		7.5	6	4.5	3	1.5	0		
0403 90 79		7.5	6	4.5	3	1.5	0		
0403 90 91		5	4	3	2	1	0		
0403 90 93		5	4	3	2	1	0		
0403 90 99		5	4	3	2	1	0		
0407 00 90		5	4	3	2	1	0		
0409 00 00		16.8	13.5	10.1	6.7	3.3	0		
0410 00 00		7.5	6	4.5	3	1.5	0		
0505 10 90		0.8	0.7	0.5	0.3	0.1	0		
0505 90 00		0.5	0.4	0.3	0.2	0.1	0		
0509 00 90		2.0	1.6	1.2	0.8	0.4	0		

SCHEDULE 1: Chapter 6 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0601 10 10		5	4	3	2	1	0		
0601 10 20		5	4	3	2	1	0		
0601 10 30		5	4	3	2	1	0		
0601 10 40		5	4	3	2	1	0		
0601 10 90		5	4	3	2	1	0		
0601 20 10		1.2	1	0.7	0.5	0.2	0		
0601 20 30		9.3	7.5	5.6	3.7	1.8	0		
0601 20 90		6.2	5	3.7	2.5	1.2	0		
0602 10 90		5	4	3	2	1	0		
0602 20 10		1.8	1.5	1.1	0.7	0.3	0		
0602 20 91		8.1	6.5	4.8	3.2	1.6	0		
0602 20 99		8.1	6.5	4.8	3.2	1.6	0		
0602 30 10		8.1	6.5	4.8	3.2	1.6	0		
0602 30 90		8.1	6.5	4.8	3.2	1.6	0		
0602 40 11		8.1	6.5	4.8	3.2	1.6	0		
0602 40 19		8.1	6.5	4.8	3.2	1.6	0		
0602 40 90		8.1	6.5	4.8	3.2	1.6	0		
0602 91 00		8.1	6.5	4.8	3.2	1.6	0		

SCHEDULE 1: Chapter 6 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0602 99 30		8.1	6.5	4.8	3.2	1.6	0		
0602 99 41		8.1	6.5	4.8	3.2	1.6	0		
0602 99 45		8.1	6.5	4.8	3.2	1.6	0		
0602 99 49		8.1	6.5	4.8	3.2	1.6	0		
0602 99 51		8.1	6.5	4.8	3.2	1.6	0		
0602 99 59		8.1	6.5	4.8	3.2	1.6	0		
0602 99 70		8.1	6.5	4.8	3.2	1.6	0		
0602 99 91		8.1	6.5	4.8	3.2	1.6	0		
0602 99 99		8.1	6.5	4.8	3.2	1.6	0		
0603 10 11		15	12	9	6	3	0		
0603 10 13		15	12	9	6	3	0		
0603 10 15		15	12	9	6	3	0		
0603 10 21		15	12	9	6	3	0		
0603 10 25		15	12	9	6	3	0		
0603 10 29		15	12	9	6	3	0		
0603 10 51		10.6	8.5	6.3	4.2	2.1	0		
0603 10 53		10.6	8.5	6.3	4.2	2.1	0		
0603 10 55		10.6	8.5	6.3	4.2	2.1	0		

0603 10 61		10.6	8.5	6.3	4.2	2.1	0		
0603 10 65		10.6	8.5	6.3	4.2	2.1	0		
0603 10 69		10.6	8.5	6.3	4.2	2.1	0		
0603 90 00		12.5	10	7.5	5	2.5	0		
0604 10 90		2.5	2	1.5	1	0.5	0		
0604 91 10		6.2	5	3.7	2.5	1.2	0		
0604 91 90		6.2	5	3.7	2.5	1.2	0		
0604 99 10		2.5	2	1.5	1	0.5	0		
0604 99 90		10.6	8.5	6.3	4.2	2.1	0		
0701 10 00		4.3	3.5	2.6	1.7	0.8	0		
0701 90 10		5.6	4.5	3.3	2.2	1.1	0		
0701 90 51		9.3	7.5	5.6	3.7	1.8	0		
0701 90 59		13.1	10.5	7.8	5.2	2.6	0		
0701 90 90		11.2	9	6.7	4.5	2.2	0		
0702 00 10	From 1 Nov to 31 Dec	7.2% subject to a minimum of 1.4 ECU per 100 kg	6.6% subject to a minimum of 1.2 ECU per 100 kg	3.8% subject to a minimum of 0.7 ECU per 100 kg	2.2% subject to a minimum of 0.4 ECU per 100 kg	1.7% subject to a minimum of 0.3 ECU per 100 kg	1.3% subject to a minimum of 0.2 ECU per 100 kg	0.8% subject to a minimum of 0.1 ECU per 100 kg	0.4%
	From 1 Jan to end of Feb	3.8% subject to a minimum of 0.7 ECU per 100 kg	3.3% subject to a minimum of 0.6 ECU per 100 kg	1.9% subject to a minimum of 0.3 ECU per 100 kg	1.1% subject to a minimum of 0.2 ECU per 100 kg	0.8% subject to a minimum of 0.1 ECU per 100 kg	0.6% subject to a minimum of 0.1 ECU per 100 kg	0.4%	0.2%
	From 1 March to 14 May	7.7% subject to a minimum of 1.4 ECU per 100 kg	6.6% subject to a minimum of 1.2 ECU per 100 kg	3.8% subject to a minimum of 0.7 ECU per 100 kg	2.2% subject to a minimum of 0.4 ECU per 100 kg	1.7% subject to a minimum of 0.3 ECU per 100 kg	1.3% subject to a minimum of 0.2 ECU per 100 kg	0.8% subject to a minimum of 0.1 ECU per 100 kg	0.4%
0703 00 90	From 15 May to 31 October	12.6% subject to a minimum of 2.4 ECU per 100 kg	10.8% subject to a minimum of 2.1 ECU per 100 kg	6.3% subject to a minimum of 1.2 ECU per 100 kg.	3.6% subject to a minimum of 0.7 ECU per 100 kg	2.8% subject to a minimum of 0.5 ECU per 100 kg	2.1% subject to a minimum of 0.4 ECU per 100 kg	1.4% subject to a minimum of 0.2 ECU per 100 kg	0.7% subject to a minimum of 0.1 ECU per 100 kg

SCHEDULE 1: Chapter 7 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0703 10 11		8.7	7.6	6.5	5.4	4.3	3.2	2.1	1
0703 10 19		8.7	7.6	6.5	5.4	4.3	3.2	2.1	1
0703 10 90		8.7	7.6	6.5	5.4	4.3	3.2	2.1	1
0703 20 00		8.7	7.6	6.5	5.4	4.3	3.2	2.1	1
0703 90 00		9.4	8.2	7	5.9	4.7	3.5	2.3	1.1
0704 10 10		12.3% subject to a minimum of 1.4 ECU per 100 kg	10.8% subject to a minimum of 1.2 ECU per 100 kg	9.2% subject to a minimum of 1 ECU per 100 kg	7.7% subject to a minimum of 0.9 ECU per 100 kg	6.1% subject to a minimum of 0.7 ECU per 100 kg	4.6% subject to a minimum of 0.5 ECU per 100 kg	3% subject to a minimum of 0.3 ECU per 100 kg	1.5% subject to a minimum of 0.1 ECU per 100 kg
0704 10 90		8.7% subject to a minimum of 1 ECU per 100 kg	7.6% subject to a minimum of 0.8 ECU per 100 kg	6.5% subject to a minimum of 0.7 ECU per 100 kg	5.4% subject to a minimum of 0.6 ECU per 100 kg	4.3% subject to a minimum of 0.5 ECU per 100 kg	3.2% subject to a minimum of 0.3 ECU per 100 kg	2.1% subject to a minimum of 0.2 ECU per 100 kg	1% subject to a minimum of 0.1 ECU per 100 kg
0704 20 00		10.9%	9.5%	8.1%	6.8%	5.4%	4%	2.7%	1.3%
0704 90 10		10.9% subject to a minimum of 0.3 ECU per 100 kg	9.5% subject to a minimum of 0.3 ECU per 100 kg	8.1% subject to a minimum of 0.2 ECU per 100 kg	6.8% subject to a minimum of 0.2 ECU per 100 kg	5.4% subject to a minimum of 0.1 ECU per 100 kg	4.1% subject to a minimum of 0.1 ECU per 100 kg	2.7%	1.3%
0704 90 90		10.9%	9.5%	8.1%	6.8%	5.4%	4%	2.7%	1.3%
0705 11 10		10.5% subject to a minimum of 1.7 ECU per 100 kg	9.0% subject to a minimum of 1.5 ECU per 100 kg	5.2% subject to a minimum of 0.8 ECU per 100 kg	3% subject to a minimum of 0.5 ECU per 100 kg	2.4% subject to a minimum of 0.4 ECU per 100 kg	1.8% subject to a minimum of 0.3 ECU per 100 kg	1.2% subject to a minimum of 0.2 ECU per 100 kg	0.6% subject to a minimum of 0.1 ECU per 100 kg

0705 11 90		9.1% subject to a minimum of 1.1 ECU per 100 kg	7.8% subject to a minimum of 0.9 ECU per 100 kg	4.5% subject to a minimum of 0.5 ECU per 100 kg	2.6% subject to a minimum of 0.3 ECU per 100 kg	2% subject to a minimum of 0.2 ECU per 100 kg	1.5% subject to a minimum of 0.1 ECU per 100 kg	1% subject to a minimum of 0.1 ECU per 100 kg	0.5%
0705 19 00		9.4	8.2	7	5.9	4.7	3.5	2.3	1.1
0705 21 00		9.4	8.2	7	5.9	4.7	3.5	2.3	1.1
0705 29 00		9.4	8.2	7	5.9	4.7	3.5	2.3	1.1
0706 10 00		12.3	10.8	9.2	7.7	6.1	4.6	3	1.5
0706 90 11		9.4	8.2	7	5.9	4.7	3.5	2.3	1.1
0706 90 19		12.3	10.8	9.2	7.7	6.1	4.6	3	1.5
0706 90 30		10.9	9.5	8.1	6.8	5.4	4	2.7	1.3
0706 90 90		12.3	10.8	9.2	7.7	6.1	4.6	3	1.3
0707 00 11		11.2	9.6	5.6	3.2	2.5	1.9	1.2	0.6
0707 00 19		14	12	7	4	3.2	2.4	1.6	0.8
0707 00 90		11.6	10.1	8.7	7.2	5.8	4.3	2.8	1.4
0708 10 10		7.2	6.3	5.4	4.5	3.6	2.7	1.8	0.9
0708 10 90		12.3	10.8	9.2	7.7	6.1	4.6	3	1.5
0708 20 10		9.4% subject to a minimum of 1.4 ECU per 100 kg	8.2% subject to a minimum of 1.2 ECU per 100 kg	7% subject to a minimum of 1 ECU per 100 kg	5.9% subject to a minimum of 0.9 ECU per 100 kg	4.7% subject to a minimum of 0.7 ECU per 100 kg	3.5% subject to a minimum of 0.5 ECU per 100 kg	2.3% subject to a minimum of 0.3 ECU per 100 kg	1.1% subject to a minimum of 0.1 ECU per 100 kg
0708 20 90		12.3% subject to a minimum of 1.4 ECU per 100 kg	10.8% subject to a minimum of 1.2 ECU per 100 kg	9.2% subject to a minimum of 1 ECU per 100 kg	7.7% subject to a minimum of 0.9 ECU per 100 kg	6.1% subject to a minimum of 0.7 ECU per 100 kg	4.6% subject to a minimum of 0.5 ECU per 100 kg	3% subject to a minimum of 0.3 ECU per 100 kg	1.5% subject to a minimum of 0.1 ECU per 100 kg
0708 90 00	Vicia Saba Mayo	7.1	6.2	5.3	4.4	3.5	2.6	1.7	0.8
	Other	10.1	8.9	7.6	6.3	5	3.8	2.5	1.2
0709 10 00		9.1	7.8	4.5	2.6	2	1.5	1	0.5
0709 20 00		11.6	10.1	8.7	7.2	5.8	4.3	2.8	1.4

SCHEDULE 1: Chapter 7 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0709 30 00		11.2	9.6	5.6	3.2	2.5	1.9	1.2	0.6
0709 40 00		11.6	10.1	8.7	7.2	5.8	4.3	2.8	1.4
0709 51 10		11.6	10.1	8.7	7.2	5.8	4.3	2.8	1.4
0709 51 30		2.9	2.5	2.1	1.8	1.4	1	0.7	0.3
0709 51 50		5	4.4	3.8	3.1	2.5	1.9	1.2	0.6
0709 51 90		5.8	5	4.3	3.6	2.9	2.1	1.4	0.7
0709 52 00		5.8	5	4.3	3.6	2.9	2.1	1.4	0.7
0709 60 10		4.5	4	3.4	2.8	2.2	1.7	1.1	0.5
0709 60 99		3.1	2.5	1.8	1.2	0.6	0		
0709 70 00		9.4	8.2	7	5.9	4.7	3.5	2.3	1.1
0709 90 10		9.4	8.2	7	5.9	4.7	3.5	2.3	1.1
0709 90 20		6.6	5.7	4.9	4.1	3.3	2.4	1.6	0.8
0709 90 31		4.3	3.5	2.6	1.7	0.8	0		
0709 90 40		5	4.4	3.8	3.1	2.5	1.9	1.2	0.6
0709 90 50		7.2	6.3	5.4	4.5	3.6	2.7	1.8	0.9
0709 90 70		11.2	9.6	5.6	3.2	2.5	1.9	1.2	0.6
0709 90 90	Parsley	8.1	7.1	6.1	5	4	3	2	1
	Other	11.6	10.1	8.7	7.2	5.8	4.3	2.8	1.4

0710 10 00	11.2	9	6.7	4.5	2.2	0
0710 21 00	11.2	9	6.7	4.5	2.2	0
0710 22 00	11.2	9	6.7	4.5	2.2	0
0710 29 00	11.2	9	6.7	4.5	2.2	0
0710 30 00	11.2	9	6.7	4.5	2.2	0
0710 40 00	5	4	3	2	1	0
0710 80 10	11.8	9.5	7.1	4.7	2.3	0
0710 80 51	11.2	9	6.7	4.5	2.2	0
0710 80 59	3.1	2.5	1.8	1.2	0.6	0
0710 80 60	11.2	9	6.7	4.5	2.2	0
0710 80 70	11.2	9	6.7	4.5	2.2	0
0710 80 80	11.2	9	6.7	4.5	2.2	0
0710 80 90	11.2	9	6.7	4.5	2.2	0
0710 90 00	11.2	9	6.7	4.5	2.2	0
0711 10 00	5.6	4.5	3.3	2.2	1.1	0
0711 20 10	5	4	3	2	1	0
0711 30 00	3.7	3	2.2	1.5	0.7	0
0711 40 00	9.3	7.5	5.6	3.7	1.8	0
0711 90 30	5	4	3	2	1	0
0711 90 50	7.5	6	4.5	3	1.5	0
0711 90 70	7.5	6	4.5	3	1.5	0
0711 90 90	9.3	7.5	5.6	3.7	1.8	0
0712 10 00	10	8	6	4	2	0

SCHEDULE 1: Chapter 7 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0712 20 00		10	8	6	4	2	0		
0712 30 00		10	8	6	4	2	0		
0712 90 30		10	8	6	4	2	0		
0712 90 50		10	8	6	4	2	0		
0712 90 90		10	8	6	4	2	0		
0713 10 11		0.9	0.7	0.5	0.3	0.1	0		
0713 10 19		0.9	0.7	0.5	0.3	0.1	0		
0713 10 90		0.9	0.7	0.5	0.3	0.1	0		
0713 20 10		0.9	0.7	0.5	0.3	0.1	0		
0713 20 90		0.9	0.7	0.5	0.3	0.1	0		
0713 31 10		0.9	0.7	0.5	0.3	0.1	0		
0713 31 90		0.9	0.7	0.5	0.3	0.1	0		
0713 32 10		0.9	0.7	0.5	0.3	0.1	0		
0713 32 90		0.9	0.7	0.5	0.3	0.1	0		
0713 33 10		0.9	0.7	0.5	0.3	0.1	0		
0713 33 90		0.9	0.7	0.5	0.3	0.1	0		
0713 39 10		0.9	0.7	0.5	0.3	0.1	0		

0713 39 90	0.9	0.7	0.5	0.3	0.1	0
0713 40 10	0.6	0.5	0.3	0.2	0.1	0
0713 40 90	0.6	0.5	0.3	0.2	0.1	0
0713 50 10	1.5	1.2	0.9	0.6	0.3	0
0713 50 90	1.5	1.2	0.9	0.6	0.3	0
0713 90 10	1.5	1.2	0.9	0.6	0.3	0
0713 90 90	1.5	1.2	0.9	0.6	0.3	0
0714 20 00	0.9	0.7	0.5	0.3	0.1	0
0714 90 90	0.9	0.7	0.5	0.3	0.1	0

SCHEDULE 1: Chapter 8 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0801 10 10		0.6	0.4	0.3	0.2	0.1	0		
0801 10 90		0.6	0.4	0.3	0.2	0.1	0		
0802 11 90		5	4.4	3.8	3.1	2.5	1.9	1.2	0.6
0802 12 90		5	4.4	3.8	3.1	2.5	1.9	1.2	0.6
0802 21 00		2.9	2.5	2.1	1.8	1.4	1	0.7	0.3
0802 22 00		2.9	2.5	2.1	1.8	1.4	1	0.7	0.3
0802 31 00		2.9	2.5	2.1	1.8	1.4	1	0.7	0.3
0802 32 00		2.9	2.5	2.1	1.8	1.4	1	0.7	0.3
0802 40 00		5	4.4	3.8	3.1	2.5	1.9	1.2	0.6
0802 50 00		1.4	1.2	1	0.9	0.7	0.5	0.3	0.1
0802 90 30		0.9	0.7	0.5	0.3	0.1	0		
0802 90 90		2.9	2.5	2.1	1.8	1.4	1	0.7	0.3
0803 00 10		12.5	10	7.5	5	2.5	0		
0803 00 90		12.5	10	7.5	5	2.5	0		
0804 10 00		3.7	3	2.2	1.5	0.7	0		
0804 20 10		3.5	3.1	2.6	2.2	1.7	1.3	0.8	0.4

0804 20 90		6.2	5	3.7	2.5	1.2	0		
0804 30 00		5.6	4.5	3.3	2.2	1.1	0		
0804 40 10		1.2	1	0.7	0.5	0.2	0		
0804 40 90		2.5	2	1.5	1	0.5	0		
0804 50 00		1.8	1.5	1.1	0.7	0.3	0		
0805 10 11		5.4	4.6	2.7	1.5	1.2	0.9	0.6	0.3
0805 10 15		5.4	4.6	2.7	1.5	1.2	0.9	0.6	0.3
0805 10 19		5.4	4.6	2.7	1.5	1.2	0.9	0.6	0.3
0805 10 21		2.5	2.1	1.2	0.7	0.5	0.4	0.2	0.1
0805 10 25		2.5	2.1	1.2	0.7	0.5	0.4	0.2	0.1
0805 10 29		2.5	2.1	1.2	0.7	0.5	0.4	0.2	0.1
0805 10 31		1.6	1.4	0.8	0.4	0.3	0.2	0.1	0
0805 10 35		1.6	1.4	0.8	0.4	0.3	0.2	0.1	0
0805 10 39		1.6	1.4	0.8	0.4	0.3	0.2	0.1	0
0805 10 41		8.4	7.2	4.2	2.4	1.9	1.4	0.9	0.4
0805 10 45		8.4	7.2	4.2	2.4	1.9	1.4	0.9	0.4
0805 10 49		8.4	7.2	4.2	2.4	1.9	1.4	0.9	0.4
0805 10 70	Fresh	6.5	5.7	4.9	4	3.2	2.4	1.6	0.8
	Other	10.9	9.5	8.1	6.8	5.4	4	2.7	1.3
0805 10 90	Fresh	8.7	7.6	6.5	5.4	4.3	3.2	2.1	1
	Other	14.5	12.7	10.9	9	7.2	5.4	3.6	1.8

SCHEDULE 1: Chapter 8 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3) as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0805 20 10	Fresh	8.4	7.2	4.2	2.4	1.9	1.4	0.9	0.4
	Other	14.5	12.7	10.9	9	7.2	5.4	3.6	1.8
0805 20 30	Fresh	8.4	7.2	4.2	2.4	1.9	1.4	0.9	0.4
	Other	14.5	12.7	10.9	9	7.2	5.4	3.6	1.8
0805 20 30	Fresh	8.4	7.2	4.2	2.4	1.9	1.4	0.9	0.4
	Other	14.5	12.7	10.9	9	7.2	5.4	3.6	1.8
0805 20 50	Fresh	8.4	7.2	4.2	2.4	1.9	1.4	0.9	0.4
	Other	14.5	12.7	10.9	9	7.2	5.4	3.6	1.8
0805 20 70	Fresh	8.4	7.2	4.2	2.4	1.9	1.4	0.9	0.4
	Other	14.5	12.7	10.9	9	7.2	5.4	3.6	1.8
0805 20 90	Fresh	8.4	7.2	4.2	2.4	1.9	1.4	0.9	0.4
	Other	14.5	12.7	10.9	9	7.2	5.4	3.6	1.8
0805 30 10	Fresh	3.3	2.8	1.6	0.9	0.7	0.5	0.3	0.1
	Other	5.8	5	4.3	3.6	2.9	2.1	0.6	0.3
0805 30 90		11.6	10.1	8.7	7.2	5.8	4.3	2.8	1.4
0805 40 00		2.1	0						

0805 90 00		11.6	10.1	8.7	7.2	5.8	4.3	2.8	1.4
0806 10 11	From 1 December to 31 December	7	6	3.5	2	1.6	1.2	0.8	0.4
	From 1 January to 31 January	3.5	3	1.7	1	0.8	0.6	0.4	0.2
0806 10 15	From 1 February to 31 March	12.6	10.8	6.3	3.6	2.8	2.1	1.4	0.7
	From 1 April to 14 July	6.3	5.4	3.1	1.8	1.4	1	0.7	0.3
	From 1 November to 31 December	12.6	10.8	6.3	3.6	2.8	2.1	1.4	0.7
0806 10 19		15.4	13.2	7.7	4.4	3.5	2.6	1.7	0.8
0806 10 91	From 1 November to 31 December	11.2	9	6.7	4.5	2.2	0		
	From 1 January to 31 March	5.6	4.5	3.3	2.2	1.1	0		
	From 1 April to 14 July	11.2	9	6.7	4.5	2.2	0		
0806 10 99		13.7	11	8.2	5.5	2.7	0		
0806 20 11		1.8	1.5	1.1	0.7	0.3	0		
0806 20 19		1.8	1.5	1.1	0.7	0.3	0		
0806 20 91		1.8	1.5	1.1	0.7	0.3	0		
0806 20 99		1.8	1.5	1.1	0.7	0.3	0		
0807 10 10		7.9	6.9	5.9	4.9	3.9	2.9	1.9	0.9
0807 10 90		7.9	6.9	5.9	4.9	3.9	2.9	1.9	0.9
0807 20 00		2.1	1.9	1.6	1.3	1	0.8	0.5	0.2

SCHEDULE 1: Chapter 8 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0808 10 10		6.3% subject to a minimum of 0.2 ECU per 100 kg	5.4% subject to a minimum of 0.2 ECU per 100 kg	3.1% subject to a minimum of 0.1 ECU per 100 kg	1.8%	1.4%	1%	0.7%	0.3%
0808 10 91		9.8% subject to a minimum of 1.6 ECU per 100 kg	8.4% subject to a minimum of 1.4 ECU per 100 kg	4.9% subject to a minimum of 0.8 ECU per 100 kg	2.8% subject to a minimum of 0.4 ECU per 100 kg	2.2% subject to a minimum of 0.3 ECU per 100 kg	1.6% subject to a minimum of 0.2 ECU per 100 kg	1.1% subject to a minimum of 0.1 ECU per 100 kg	0.5%
0808 10 93		5.6% subject to a minimum of 1.6 ECU per 100 kg	4.8% subject to a minimum of 1.3 ECU per 100 kg	2.8 subject to a minimum of 0.8 ECU per 100 kg	1.6 subject to a minimum of 0.4 ECU per 100 kg	1.2 subject to a minimum of 0.3 ECU per 100 kg	0.9 subject to a minimum of 0.2 ECU per 100 kg	0.6 subject to a minimum of 0.1 ECU per 100 kg	0.3%
0808 10 99		4.2% subject to a minimum of 0.9 ECU per 100 kg	3.6% subject to a minimum of 0.8 ECU per 100 kg	2.1% subject to a minimum of 0.4 ECU per 100 kg	1.2% subject to a minimum of 0.2 ECU per 100 kg	0.9% subject to a minimum of 0.2 ECU per 100 kg	0.7% subject to a minimum of 0.1 ECU per 100 kg	0.4% subject to a minimum of 0.1 ECU per 100 kg	0.2%
0808 20 10		6.3% subject to a minimum of 0.2 ECU per 100 kg	5.4% subject to a minimum of 0.2 ECU per 100 kg	3.1% subject to a minimum of 0.1 ECU per 100 kg	1.8%	1.4%	1%	0.7%	0.3%
0808 20 31		7% subject to a minimum of 1 ECU per 100 kg	6% subject to a minimum of 0.9 ECU per 100 kg	3.5% subject to a minimum of 0.5 ECU per 100 kg	2% subject to a minimum of 0.3 ECU per 100 kg	1.6% subject to a minimum of 0.2 ECU per 100 kg	1.2% subject to a minimum of 0.1 ECU per 100 kg	0.8% subject to a minimum of 0.1 ECU per 100 kg	0.4%
0808 20 33		3.5% subject to a minimum of 1.4 ECU per 100 kg	3% subject to a minimum of 1.2 ECU per 100 kg	1.7% subject to a minimum of 0.7 ECU per 100 kg	1% subject to a minimum of 0.4 ECU per 100 kg	0.8% subject to a minimum of 0.3 ECU per 100 kg	0.6% subject to a minimum of 0.2 ECU per 100 kg	0.4% subject to a minimum of 0.1 ECU per 100 kg	0.2%
0808 20 35		7% subject to a minimum of 1 ECU per 100 kg	6% subject to a minimum of 0.9 ECU per 100 kg	3.5% subject to a minimum of 0.5 ECU per 100 kg	2% subject to a minimum of 0.3 ECU per 100 kg	1.6% subject to a minimum of 0.2 ECU per 100 kg	1.2% subject to a minimum of 0.1 ECU per 100 kg	0.8% subject to a minimum of 0.1 ECU per 100 kg	0.4%
0808 20 39		9.1% subject to a minimum of 1.4 ECU per 100 kg	7.8% subject to a minimum of 1.2 ECU per 100 kg	4.5% subject to a minimum of 0.7 ECU per 100 kg	2.6% subject to a minimum of 0.4 ECU per 100 kg	2% subject to a minimum of 0.3 ECU per 100 kg	1.5% subject to a minimum of 0.2 ECU per 100 kg	1% subject to a minimum of 0.1 ECU per 100 kg	0.5%

0808 20 90	4.5	4	3.4	2.8	2.2	1.7	1.1	0.5
0809 10 00	17.5	15	8.7	5	4	3	2	1
0809 20 10	10.5% subject to a minimum of 2.1 ECU per 100 kg	9% subject to a minimum of 1.8 ECU per 100 kg	5.2% subject to a minimum of 1 ECU per 100 kg	3% subject to a minimum of 0.6 ECU per 100 kg	2.4% subject to a minimum of 0.4 ECU per 100 kg	1.8% subject to a minimum of 0.3 ECU per 100 kg	1.2% subject to a minimum of 0.2 ECU per 100 kg	0.6% subject to a minimum of 0.1 ECU per 100 kg
0809 20 90	10.5	9	5.2	3	2.4	1.8	1.2	0.6
0809 30 00	15.4	13.2	7.7	4.4	3.5	2.6	1.7	0.8
0809 40 11	10.5% subject to a minimum of 2.1 ECU per 100 kg	9% subject to a minimum of 1.8 ECU per 100 kg	5.2% subject to a minimum of 1 ECU per 100 kg	3% subject to a minimum of 0.6 ECU per 100 kg	2.4% subject to a minimum of 0.4 ECU per 100 kg	1.8% subject to a minimum of 0.3 ECU per 100 kg	1.2% subject to a minimum of 0.2 ECU per 100 kg	0.6% subject to a minimum of 0.1 ECU per 100 kg
0809 40 19	5.6	4.8	2.8	1.6	1.2	0.9	0.6	0.3
0809 40 90	10.9	9.5	8.1	6.8	5.4	4	2.7	1.3
0810 10 10	11.6% subject to a minimum of 2.1 ECU per 100 kg	10.1% subject to a minimum of 1.9 ECU per 100 kg	8.7% subject to a minimum of 1.6 ECU per 100 kg	7.2% subject to a minimum of 1.3 ECU per 100 kg	5.8% subject to a minimum of 1 ECU per 100 kg	4.3% subject to a minimum of 0.8 ECU per 100 kg	2.8% subject to a minimum of 0.5 ECU per 100 kg	1.4% subject to a minimum of 0.2 ECU per 100 kg
0810 10 90	10.1	8.9	7.6	6.3	5	3.8	2.5	1.2
0810 20 10	7.9	6.9	5.9	4.9	3.9	2.9	1.9	0.9
0810 20 90	8.7	7.6	6.5	5.4	4.3	3.2	2.1	1
0810 30 10	7.9	6.9	5.9	4.9	3.9	2.9	1.9	0.9
0810 30 30	7.9	6.9	5.9	4.9	3.9	2.9	1.9	0.9
0810 30 90	8.7	7.6	6.5	5.4	4.3	3.2	2.1	1
0810 40 30	2.9	2.5	2.1	1.8	1.4	1	0.7	0.3

SCHEDULE 1: Chapter 8 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0810 40 50		2.9	2.5	2.1	1.8	1.4	1	0.7	0.3
0810 40 90		8.7	7.6	6.5	5.4	4.3	3.2	2.1	1
0810 90 10		7.9	6.9	5.9	4.9	3.9	2.9	1.9	0.9
0810 90 90	Pomegranates	5.5	4.8	4.1	3.4	2.7	2	1.3	0.6
	Other	7.9	6.9	5.9	4.9	3.9	2.9	1.9	0.9
0811 10 11		16.2	13	9.7	6.5	3.2	0		
0811 10 19		16.2	13	9.7	6.5	3.2	0		
0811 10 90		11.2	9	6.7	4.5	2.2	0		
0811 20 11		16.2	13	9.7	6.5	3.2	0		
0811 20 19		16.2	13	9.7	6.5	3.2	0		
0811 20 31		11.2	9	6.7	4.5	2.2	0		
0811 20 39		11.2	9	6.9	4.5	2.2	0		
0811 20 51		9.3	7.5	5.6	3.7	1.8	0		
0811 20 59		9.3	7.5	5.6	3.7	1.8	0		
0811 20 90		11.2	9	6.7	4.5	2.2	0		
0811 90 10		16.2	13	9.7	6.5	3.2	0		
0811 90 30		16.2	13	9.7	6.5	3.2	0		

0811 90 50	9.3	7.5	5.6	3.7	1.8	0
0811 90 70	2.5	2	1.5	1	0.5	0
0811 90 90	11.2	9	6.7	4.5	2.2	0
0812 10 00	6.8	5.5	4.1	2.7	1.3	0
0812 20 00	6.8	5.5	4.1	2.7	1.3	0
0812 90 10	10	8	6	4	2	0
0812 90 20	10	8	6	4	2	0
0812 90 30	3.4	2.7	2	1.3	0.6	0
0812 90 40	5	4	3	2	1	0
0812 90 50	6.8	5.5	4.1	2.7	1.3	0
0812 90 60	6.8	5.5	4.1	2.7	1.3	0
0812 90 90	6.8	5.5	4.1	2.7	1.3	0
0813 10 00	2.1	1.7	1.1	0.8	0.4	0
0813 20 00	7.5	6	4.5	3	1.5	0
0813 30 00	2.5	2	1.5	1	0.5	0
0813 40 10	2.1	1.7	1.1	0.8	0.4	0
0813 40 30	2.5	2	1.5	1	0.5	0
0813 40 50	0.9	0.7	0.5	0.3	0.1	0

SCHEDULE 1: Chapter 8 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0813 40 90		1.8	1.5	1.1	0.7	0.3	0		
0813 50 11		2.5	2	1.5	1	0.5	0		
0813 50 19		7.5	6	4.5	3	1.5	0		
0814 40 00		1.2	1	0.7	0.5	0.2	0		

SCHEDULE 1: Chapter 9 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0901 11 00		3.1	2.5	1.8	1.2	0.6	0		
0901 12 00		8.1	6.5	4.8	3.2	1.6	0		
0901 21 00		9.3	7.5	5.6	3.7	1.8	0		
0901 22 00		11.2	9	6.7	4.5	2.2	0		
0901 30 00		8.1	6.5	4.8	3.2	1.6	0		
0901 40 00		11.2	9	6.7	4.5	2.2	0		
0902 10 00		1.5	1.2	0.9	0.6	0.3	0		
0902 30 00		1.5	1.2	0.9	0.6	0.3	0		
0904 11 90		3.1	2.5	1.8	1.2	0.6	0		
0904 12 00		3.8	3.1	2.3	1.5	0.7	0		
0904 20 10		7.5	6	4.5	3	1.5	0		
0904 20 39		3.1	2.5	1.8	1.2	0.6	0		
0904 20 90		3.7	3	2.2	1.5	0.7	0		
0905 00 00		7.1	5.7	4.3	2.8	1.4	0		
0906 10 00		5	4	3	2	1	0		
0906 20 00		6.2	5	3.7	2.5	1.2	0		
0907 00 00		9.3	7.5	5.6	3.7	1.8	0		
0908 10 90		6.2	5	3.7	2.5	1.2	0		

SCHEDULE 1: Chapter 9 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
0908 20 90		5	4	3	2	1	0		
0909 10 10		1.5	1.2	0.9	0.6	0.3	0		
0909 10 90		7.1	5.7	4.3	2.8	1.4	0		
0909 30 19		1.5	1.2	0.9	0.6	0.3	0		
0909 30 90		3.1	2.5	1.8	1.2	0.6	0		
0909 40 19		1.5	1.2	0.9	0.6	0.3	0		
0909 40 90		3.1	2.5	1.8	1.2	0.6	0		
0909 50 19		1.5	1.2	0.9	0.6	0.3	0		
0909 50 90		3.1	2.5	1.8	1.2	0.6	0		
0910 20 10		5	4	3	2	1	0		
0910 20 90		5.9	4.7	3.5	2.3	1.1	0		
0910 40 13		4.3	3.5	2.6	1.7	0.8	0		
0910 40 19		5.3	4.2	3.1	2.1	1	0		
0910 40 90		4.3	3.5	2.6	1.7	0.8	0		
0910 91 10		6.2	5	3.7	2.5	1.2	0		
0910 91 90		7.8	6.2	4.6	3.1	1.5	0		
0910 99 91		6.2	5	3.7	2.5	1.2	0		
0910 99 99		7.8	6.2	4.6	3.1	1.5	0		

SCHEDULE 1: Chapter 10 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1001 90 10		12.5	10	7.5	5	2.5	0		
1006 10 10		7.5	6	4.5	3	1.5	0		

SCHEDULE 1: Chapter 11 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1105 10 00		11.8	9.5	7.1	4.7	2.3	0		
1105 20 00		11.8	9.5	7.1	4.7	2.3	0		
1106 10 00		3.7	3	2.2	1.5	0.7	0		
1106 30 10		5.3	4.2	3.1	2.1	1	0		
1106 30 90		4	3.2	2.4	1.6	0.8	0		
1108 20 00		9.3	7.5	5.6	3.7	1.8	0		

SCHEDULE 1: Chapter 12 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1208 10 00		5	4.4	3.8	3.1	2.5	1.9	1.2	0.6
1209 11 00		4	3.2	2.4	1.6	0.8	0		
1209 19 00		4	3.2	2.4	1.6	0.8	0		
1209 21 00		1.5	1.2	0.9	0.6	0.3	0		
1209 22 10		1.2	1	0.7	0.5	0.2	0		
1209 22 30		1.2	1	0.7	0.5	0.2	0		
1209 22 90		1.2	1	0.7	0.5	0.2	0		
1209 23 10		1.2	1	0.7	0.5	0.2	0		
1209 23 30		1.5	1.2	0.9	0.6	0.3	0		
1209 23 90		1.5	1.2	0.9	0.6	0.3	0		
1209 24 00		1.2	1	0.7	0.5	0.2	0		
1209 25 10		1.2	1	0.7	0.5	0.2	0		
1209 25 90		1.2	1	0.7	0.5	0.2	0		
1209 26 00		1.2	1	0.7	0.5	0.2	0		
1209 29 11		1.2	1	0.7	0.5	0.2	0		
1209 29 19		1.2	1	0.7	0.5	0.2	0		
1209 29 20		1.2	1	0.7	0.5	0.2	0		

SCHEDULE 1: Chapter 12 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1209 29 30		1.2	1	0.7	0.5	0.2	0		
1209 29 40		1.2	1	0.7	0.5	0.2	0		
1209 29 50		1.5	1.2	0.9	0.6	0.3	0		
1209 29 60		1.5	1.2	0.9	0.6	0.3	0		
1209 29 70		1.5	1.2	0.9	0.6	0.3	0		
1209 29 90		1.5	1.2	0.9	0.6	0.3	0		
1209 30 00		1.8	1.5	1.1	0.7	0.3	0		
1209 91 10		1.8	1.5	1.1	0.7	0.3	0		
1209 91 90		2.1	1.7	1.1	0.8	0.4	0		
1209 99 91		1.8	1.5	1.1	0.7	0.3	0		
1209 99 99		2.1	1.7	1.1	0.8	0.4	0		
1210 10 00		5.6	4.5	3.3	2.2	1.1	0		
1210 20 00		5.6	4.5	3.3	2.2	1.1	0		
1211 10 00		0.6	0.5	0.3	0.2	0.1	0		
1211 90 10		0.9	0.7	0.5	0.3	0.1	0		
1211 90 30		0.9	0.7	0.5	0.3	0.1	0		

1212 10 10	2.5	2	1.5	1	0.5	0
1212 10 91	0.6	0.5	0.3	0.2	0.1	0
1212 10 99	2.8	2.2	1.6	1.1	0.5	0
1212 30 00	1.2	1	0.7	0.5	0.2	0
1212 99 10	1.2	1	0.7	0.5	0.2	0
1214 90 10	2.8	2.2	1.6	1.1	0.5	0

SCHEDULE 1: Chapter 13 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1302 12 00		1.2	1	0.7	0.5	0.2	0		
1302 13 00		1.2	1	0.7	0.5	0.2	0		
1302 14 00		1.2	1	0.7	0.5	0.2	0		
1302 19 30		1.2	1	0.7	0.5	0.2	0		
1302 19 91		0.6	0.5	0.3	0.2	0.1	0		
1302 20 10		11.2	9	6.7	4.5	2.2	0		
1302 20 90		6.5	5.2	3.9	2.6	1.3	0		
1302 31 00		0.6	0.5	0.3	0.2	0.1	0		
1302 32 10		0.7	0.6	0.4	0.3	0.1	0		

SCHEDULE 1: Chapter15 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1502 00 91		3.1	2.5	1.8	1.2	0.6	0		
1502 00 99		3.1	2.5	1.8	1.2	0.6	0		
1503 00 19		5	4	3	2	1	0		
1503 00 30		2.5	2	1.5	1	0.5	0		
1503 00 90		6.2	5	3.7	2.5	1.2	0		
1504 10 10		6	6	6	4.9	3.9	2.9	1.9	0.9
1504 20 10		17	17	17	14.1	11.3	8.4	5.6	2.8
1504 30 11		17	17	17	14.1	11.3	8.4	5.6	2.8
1504 30 19		17	17	17	14.1	11.3	8.4	5.6	2.8
1505 10 00		1.2	1	0.7	0.5	0.2	0		
1505 90 00		1	0.8	0.6	0.4	0.2	0		
1506 00 00		0.5	0.4	0.3	0.2	0.1	0		
1507 10 10		5	5	5	4.1	3.3	2.4	1.6	0.8
1507 10 90		10	10	10	8.3	6.6	4.9	3.3	1.6
1507 90 10		8	8	8	6.6	5.3	3.9	2.6	1.3
1507 90 90		15	15	15	12.4	9.9	7.4	4.9	2.4
1508 10 10		5	5	5	4.1	3.3	2.4	1.6	0.8

SCHEDULE 1: Chapter15 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1508 10 90		10	10	10	8.3	6.6	4.9	3.3	1.6
1508 90 10		8	8	8	6.6	5.3	3.9	2.6	1.3
1508 90 90		15	15	15	12.4	9.9	7.4	4.9	2.4
1511 10 10		4	4	4	3.3	2.6	1.9	1.3	0.6
1511 10 90		6	6	6	4.9	3.9	2.9	1.9	0.9
1511 90 11		20	20	20	16.6	13.3	9.9	6.6	3.3
1511 90 19		17	17	17	14.1	11.3	8.4	5.6	2.8
1511 90 91		8	8	8	6.6	5.3	3.9	2.6	1.3
1511 90 99		14	14	14	11.6	9.3	6.9	4.6	2.3
1512 11 10		5	5	5	4.1	3.3	2.4	1.6	0.8
1512 11 91		10	10	10	8.3	6.6	4.9	3.3	1.6
1512 11 99		10	10	10	8.3	6.6	4.9	3.3	1.6
1512 19 10		8	8	8	6.6	5.3	3.9	2.6	1.3
1512 19 91		15	15	15	12.4	9.9	7.4	4.9	2.4
1512 19 99		15	15	15	12.4	9.9	7.4	4.9	2.4
1512 21 10		5	5	5	4.1	3.3	2.4	1.6	0.8
1512 21 90		10	10	10	8.3	6.6	4.9	3.3	1.6

1512 29 10	8	8	8	6.6	5.3	3.9	2.6	1.3
1512 29 90	15	15	15	12.4	9.9	7.4	4.9	2.4
1513 11 10	5	5	5	4.1	3.3	2.4	1.6	0.8
1513 11 91	20	20	20	16.6	13.3	9.9	6.6	3.3
1513 11 99	10	10	10	8.3	6.6	4.9	3.3	1.6
1513 19 11	20	20	20	16.6	13.3	9.9	6.6	3.3
1513 19 19	17	17	17	14.1	11.3	8.4	5.6	2.8
1513 19 30	8	8	8	6.6	5.3	3.9	2.6	1.3
1513 19 91	20	20	20	16.6	13.3	9.9	6.6	3.3
1513 19 99	15	15	15	12.4	9.9	7.4	4.9	2.4
1513 21 11	5	5	5	4.1	3.3	2.4	1.6	0.8
1513 21 19	5	5	5	4.1	3.3	2.4	1.6	0.8
1513 21 30	20	20	20	16.6	13.3	9.9	6.6	3.3
1513 21 91	10	10	10	8.3	6.6	4.9	3.3	1.6
1513 21 99	10	10	10	8.3	6.6	4.9	3.3	1.6
1513 29 11	20	20	20	16.6	13.3	9.9	6.6	3.3
1513 29 19	17	17	17	14.1	11.3	8.4	5.6	2.8
1513 29 30	8	8	8	6.6	5.3	3.9	2.6	1.3
1513 29 50	20	20	20	16.6	13.3	9.9	6.6	3.3
1513 29 91	15	15	15	12.4	9.9	7.4	4.9	2.4
1513 29 99	15	15	15	12.4	9.9	7.4	4.9	2.4
1514 10 10	5	5	5	4.1	3.3	2.4	1.6	0.8
1514 10 90	10	10	10	8.3	6.6	4.9	3.3	1.6

SCHEDULE 1: Chapter15 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1514 90 10		8	8	8	6.6	5.3	3.9	2.6	1.3
1514 90 90		15	15	15	12.4	9.9	7.4	4.9	2.4
1515 11 00		5	5	5	4.1	3.3	2.4	1.6	0.8
1515 19 10		8	8	8	6.6	5.3	3.9	2.6	1.3
1515 19 90		15	15	15	12.4	9.9	7.4	4.9	2.4
1515 21 10		5	5	5	4.1	3.3	2.4	1.6	0.8
1515 21 90		10	10	10	8.3	6.6	4.9	3.3	1.6
1515 29 10		8	8	8	6.6	5.3	3.9	2.6	1.3
1515 29 90		15	15	15	12.4	9.9	7.4	4.9	2.4
1515 30 90		8	8	8	6.6	5.3	3.9	2.6	1.3
1515 40 00		3	3	3	2.4	1.9	1.4	0.9	0.4
1515 50 11		5	5	5	4.1	3.3	2.4	1.6	0.8
1515 50 19		10	10	10	8.3	6.6	4.9	3.3	1.6
1515 50 91		8	8	8	6.6	5.3	3.9	2.6	1.3
1515 50 99		15	15	15	12.4	9.9	7.4	4.9	2.4
1515 60 90		1	0.8	0.6	0.4	0.2	0		
1515 90 10		3	3	3	2.4	1.9	1.4	0.9	0.4

1515 90 29	10	10	10	8.3	6.6	4.9	3.3	1.6
1515 90 39	15	15	15	12.4	9.9	7.4	4.9	2.4
1515 90 40	5	5	5	4.1	3.3	2.4	1.6	0.8
1515 90 51	20	20	20	16.6	13.3	9.9	6.6	3.3
1515 90 59	10	10	10	8.3	6.6	4.9	3.3	1.6
1515 90 60	8	8	8	6.6	5.3	3.9	2.6	1.3
1515 90 91	20	20	20	16.6	13.3	9.9	6.6	3.3
1515 90 99	15	15	15	12.4	9.9	7.4	4.9	2.4
1516 10 10	20	20	20	16.6	13.3	9.9	6.6	3.3
1516 10 90	17	17	17	14.1	11.3	8.4	5.6	2.8
1516 20 91	8	8	8	6.6	5.3	3.9	2.6	1.3
1516 20 99	8	8	8	6.6	5.3	3.9	2.6	1.3
1517 10 10	8.1	6.5	4.8	3.2	1.6	0		
1517 10 90	25	25	25	20.8	16.6	12.4	8.3	4.1
1517 90 10	8.1	6.5	4.8	3.2	1.6	0		
1517 90 91	15	15	15	12.4	9.9	7.4	4.9	2.4
1517 90 93	1.1	0.9	0.6	0.4	0.2	0		
1517 90 99	25	25	25	20.8	16.6	12.4	8.3	4.1
1518 00 10	3	2.4	1.8	1.2	0.6	0		
1518 00 31	3	2.5	1.8	1.2	0.6	0		
1518 00 39	5	4	3	2	1	0		
1518 00 90	3	2.4	1.8	1.2	0.6	0		
1519 11 00	2	1.6	1.2	0.8	0.4	0		

SCHEDULE 1: Chapter15 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1519 12 00		1.7	1.4	1	0.7	0.3	0		
1519 13 00		1.1	0.9	0.6	0.4	0.2	0		
1519 19 00		1.1	0.9	0.6	0.4	0.2	0		
1519 20 00		1.1	0.9	0.6	0.4	0.2	0		
1519 30 00		1.3	1	0.7	0.5	0.2	0		
1520 10 00		0.3	0.3	0.2	0.1	0			
1520 90 00		1.5	1.2	0.9	0.6	0.3	0		
1521 10 90		1	0.8	0.6	0.4	0.2	0		
1521 90 10		0.8	0.7	0.5	0.3	0.1	0		
1521 90 99		1.2	1	0.7	0.5	0.2	0		
1522 00 10		1.5	1.2	0.9	0.6	0.3	0		
1522 00 91		5	5	5	4.1	3.3	2.4	1.6	0.8
1522 00 99		1.2	1	0.7	0.5	0.2	0		

SCHEDULE 1: Chapter 16 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1602 20 10		10	8	6	4	2	0		
1602 41 90		10.6	8.5	6.3	4.2	2.1	0		
1602 42 90		10.6	8.5	6.3	4.2	2.1	0		
1602 49 90		10.6	8.5	6.3	4.2	2.1	0		
1602 50 10		12.5	10	7.5	5	2.5	0		
1602 50 90		16.2	13	9.7	6.5	3.2	0		
1602 90 31		10.6	8.5	6.3	4.2	2.1	0		
1602 90 61		12.5	10	7.5	5	2.5	0		
1602 90 69		16.2	13	9.7	6.5	3.2	0		
1602 90 71		12.5	10	7.5	5	2.5	0		
1602 90 79		12.5	10	7.5	5	2.5	0		
1602 90 99		16.2	13	9.7	6.5	2.5	0		
1603 00 10		12.5	10	7.5	5	2.5	0		
1603 00 30		12.5	10	7.5	5	2.5	0		
1604 11 00		3.4	2.7	2	1.3	0.6	0		
1604 12 10		9.3	7.5	5.6	3.7	1.8	0		
1604 12 90		12.5	10	7.5	5	2.5	0		

SCHEDULE 1: Chapter 16 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1604 13 10		18.1	15.9	13.6	11.3	9	6.8	4.5	2.2
1604 13 90		12.5	10	7.5	5	2.5	0		
1604 14 10		15	12	9	6	3	0		
1604 14 90		15.6	12.5	9.3	6.2	3.1	0		
1604 15 10		15.6	12.5	9.3	6.2	3.1	0		
1604 15 90		12.5	10	7.5	5	2.5	0		
1604 16 00		15.6	12.5	9.3	6.2	3.1	0		
1604 19 10		4.3	3.5	2.6	1.7	0.8	0		
1604 19 30		15	12	9	6	3	0		
1604 19 50		15.6	12.5	9.3	6.2	3.1	0		
1604 19 91		9.3	7.5	5.6	3.7	1.8	0		
1604 19 99		12.5	10	7.5	5	2.5	0		
1604 20 10		3.4	2.7	2	1.3	0.6	0		
1604 20 30		4.3	3.5	2.6	1.7	0.8	0		
1604 20 40		15.6	12.5	9.3	6.2	3.1	0		
1604 20 50		15.6	12.5	9.3	6.2	3.1	0		
1604 20 70		15	12	9	6	3	0		

1604 20 90		12.5	10	7.5	5	2.5	0
1604 30 10		18.7	15	11.2	7.5	3.7	0
1604 30 90		18.7	15	11.2	7.5	3.7	0
1605 10 00		10	8	6	4	2	0
1605 20 00	Simply boiled and shelled	6.2	5	3.7	2.5	1.2	0
	Other	12.5	10	7.5	5	2.5	0
1605 30 00	Simply boiled and shelled	6.2	5	3.7	2.5	1.2	0
	Other	12.5	10	7.5	5	2.5	0
1605 40 00	Simply boiled and shelled	6.2	5	3.7	2.5	1.2	0
	Other	12.5	10	7.5	5	2.5	0
1605 90 10		6.2	5	3.7	2.5	1.2	0
1605 90 90		16.2	13	9.7	6.5	3.2	0

SCHEDULE 1: Chapter 17 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1702 50 00		5	4	3	2	1	0		
1702 90 10		5	4	3	2	1	0		
1704 10 11		5	4	3	2	1	0		
1704 10 19		5	4	3	2	1	0		
1704 10 91		5	4	3	2	1	0		
1704 10 99		5	4	3	2	1	0		
1704 90 10		5.2	4.2	3.1	2.1	1	0		
1704 90 30		8.1	6.5	4.9	3.2	1.6	0		
1704 90 51		8.1	6.5	4.9	3.2	1.6	0		
1704 90 55		8.1	6.5	4.9	3.2	1.6	0		
1704 90 61		8.1	6.5	4.9	3.2	1.6	0		
1704 90 65		8.1	6.5	4.9	3.2	1.6	0		
1704 90 71		8.1	6.5	4.9	3.2	1.6	0		
1704 90 75		8.1	6.5	4.9	3.2	1.6	0		
1704 90 81		8.1	6.5	4.9	3.2	1.6	0		
1704 90 99		8.1	6.5	4.9	3.2	1.6	0		

SCHEDULE 1: Chapter 18 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1801 00 00		1.8	1.5	1.1	0.7	0.3	0		
1802 00 00		1.8	1.5	1.1	0.7	0.3	0		
1803 10 00		3.7	3	2.2	1.5	0.7	0		
1803 20 00		3.7	3	2.2	1.5	0.7	0		
1804 00 00		3	2.4	1.8	1.2	0.6	0		
1805 00 00		4	3.2	2.4	1.6	0.8	0		
1806 10 10		6.2	5	3.7	2.5	1.2	0		
1806 10 30		6.2	5	3.7	2.5	1.2	0		
1806 10 90		6.2	5	3.7	2.5	1.2	0		
1806 20 10		7.5	6	4.5	3	1.5	0		
1806 20 30		7.5	6	4.5	3	1.5	0		
1806 20 50		7.5	6	4.5	3	1.5	0		
1806 20 70		11.8	9.5	7.1	4.7	2.3	0		
1806 20 90		7.5	6	4.5	3	1.5	0		
1806 31 10		7.5	6	4.5	3	1.5	0		
1806 31 90		7.5	6	4.5	3	1.5	0		

SCHEDULE 1: Chapter 18 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1806 32 10		7.5	6	4.5	3	1.5	0		
1806 32 90		7.5	6	4.5	3	1.5	0		
1806 90 11		7.5	6	4.5	3	1.5	0		
1806 90 19		7.5	6	4.5	3	1.5	0		
1806 90 31		7.5	6	4.5	3	1.5	0		
1806 90 39		7.5	6	4.5	3	1.5	0		
1806 90 50		7.5	6	4.5	3	1.5	0		
1806 90 60		7.5	6	4.5	3	1.5	0		
1806 90 70		7.5	6	4.5	3	1.5	0		
1806 90 90		7.5	6	4.5	3	1.5	0		

SCHEDULE 1: Chapter 19 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1901 10 00		6.8	5.5	4.1	2.7	1.3	0		
1901 20 00		6.8	5.5	4.1	2.7	1.3	0		
1901 90 11		5	4	3	2	1	0		
1901 90 19		5	4	3	2	1	0		
1901 90 90		6.8	5.5	4.1	2.7	1.3	0		
1902 11 00		7.5	6	4.5	3	1.5	0		
1902 19 10		7.5	6	4.5	3	1.5	0		
1902 19 90		7.5	6	4.5	3	1.5	0		
1902 20 10		3.4	2.7	2	1.3	0.6	0		
1902 20 91		8.1	6.5	4.8	3.2	1.6	0		
1902 20 99		8.1	6.5	4.8	3.2	1.6	0		
1902 30 10		6.2	5	3.7	2.5	1.2	0		
1902 30 90		6.2	5	3.7	2.5	1.2	0		
1902 40 10		7.5	6	4.5	3	1.5	0		
1902 40 90		6.2	5	3.7	2.5	1.2	0		
1903 00 00		6.2	5	3.7	2.5	1.2	0		
1904 10 10		3.7	3	2.2	1.5	0.7	0		
1904 10 30		5	4	3	2	1	0		

SCHEDULE 1: Chapter 19 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
1904 10 90		5	4	3	2	1	0		
1904 90 10		7.5	6	4.5	3	1.5	0		
1904 90 90		7.5	6	4.5	3	1.5	0		
1905 10 00		5.6	4.5	3.3	2.2	1.1	0		
1905 20 10		8.1	6.5	4.8	3.2	1.6	0		
1905 20 30		8.1	6.5	4.8	3.2	1.6	0		
1905 20 90		8.1	6.5	4.8	3.2	1.6	0		
1905 30 11		8.1	6.5	4.8	3.2	1.6	0		
1905 30 19		8.1	6.5	4.8	3.2	1.6	0		
1905 30 30		8.1	6.5	4.8	3.2	1.6	0		
1905 30 51		8.1	6.5	4.8	3.2	1.6	0		
1905 30 59		8.1	6.5	4.8	3.2	1.6	0		
1905 30 91		8.1	6.5	4.8	3.2	1.6	0		
1905 30 99		8.1	6.5	4.8	3.2	1.6	0		
1905 40 00		8.1	6.5	4.8	3.2	1.6	0		
1905 90 10		3.7	3	2.2	1.5	0.7	0		
1905 90 20		4.3	3.5	2.6	1.7	0.8	0		

1905 90 30	8.7	7	5.2	3.5	1.7	0
1905 90 40	8.1	6.5	4.8	3.2	1.6	0
1905 90 50	8.1	6.5	4.8	3.2	1.6	0
1905 90 60	8.1	6.5	4.8	3.2	1.6	0
1905 90 90	8.1	6.5	4.8	3.2	1.6	0

SCHEDULE 1: Chapter 20 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2001 10 00	Cucumbers	6.8	5.5	4.1	2.7	1.3	0		
	Gherkins	13.7	11	8.2	5.5	2.7	0		
2001 20 00		6.2	5	3.7	2.5	1.2	0		
2001 90 20		3.1	2.5	1.8	1.2	0.6	0		
2001 90 30		5	4	3	2	1	0		
2001 90 40		8.1	6.5	4.8	3.2	1.6	0		
2001 90 50		6.2	5	3.7	2.5	1.2	0		
2001 90 90	Sweet peppers	6.2	5	3.7	2.5	1.2	0		
	Cauliflowers	6.2	5	3.7	2.5	1.2	0		
	Other	6.2	5	3.7	2.5	1.2	0		
2002 10 00		11.2	9	6.7	4.5	2.2	0		
2002 90 10		11.2	9	6.7	4.5	2.2	0		
2002 90 30		11.2	9	6.7	4.5	2.2	0		
2002 90 90		11.2	9	6.7	4.5	2.2	0		
2003 10 10	Of additional note to chapter 7	14.3	11.5	8.6	5.7	2.8	0		
	Other	7.1	5.7	4.3	2.8	1.4	0		
2003 10 90		7.1	5.7	4.3	2.8	1.4	0		

2003 20 00		11.2	9	6.7	4.5	2.2	0
2004 10 10		11.2	9	6.7	4.5	2.2	0
2004 10 91		6.8	5.5	4.1	2.7	1.3	0
2004 10 99		6.8	5.5	4.1	2.7	1.3	0
2004 90 10		5	4	3	2	1	0
2004 90 30	Capers	6.2	5	3.7	2.5	1.2	0
	Olives	6.2	5	3.7	2.5	1.2	0
	Saverkraut	12.5	10	7.5	5	2.5	0
2004 90 50		15	12	9	6	3	0
2004 90 91		11.2	9	6.7	4.5	2.2	0
2004 90 95	Artichoke Hearts and bottoms	13.7	11	8.2	5.5	2.7	0
	Other	6.8	5.5	4.1	2.7	1.3	0
2004 90 99	Mixtures of vegetables	13.7	11	8.2	5.5	2.7	0
	Carrots	13.7	11	8.2	5.5	2.7	0
	Sweet peppers	6.8	5.5	4.1	2.7	1.3	0
	Other	6.8	5.5	4.1	2.7	1.3	0
2005 10 00		6.8	5.5	4.1	2.7	1.3	0
2005 20 10		6.8	5.5	4.1	2.7	1.3	0
2005 20 90		6.8	5.5	4.1	2.7	1.3	0
2005 30 00		12.5	10	7.5	5	2.5	0
2005 40 00		15	12	9	6	3	0
2005 51 00		6.8	5.5	4.1	2.7	1.3	0

SCHEDULE 1: Chapter 20 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2005 59 00		15	12	9	6	3	0		
2005 60 00		13.7	11	8.2	5.5	2.7	0		
2005 70 00		6.2	5	3.7	2.5	1.2	0		
2005 80 00		5	4	3	2	1	0		
2005 90 10		3.1	2.5	1.8	1.2	0.6	0		
2005 90 30		6.2	5	3.7	2.5	1.2	0		
2005 90 50	Artichoke Hearts and bottoms	13.7	11	8.2	5.5	2.7	0		
	Other	6.8	5.5	4.1	2.7	1.3	0		
2005 90 90	Mixtures of vegetables	13.7	11	8.2	5.5	2.7	0		
	Carrots	13.7	11	8.2	5.5	2.7	0		
	Sweet peppers	6.8	5.5	4.1	2.7	1.3	0		
	Other	6.8	5.5	4.1	2.7	1.3	0		
2006 00 31		15.6	12.5	9.3	6.2	3.1	0		
2006 00 39		15.6	12.5	9.3	6.2	3.1	0		
2006 00 90		15.6	12.5	9.3	6.2	3.1	0		
2007 10 10		18.7	15	11.2	7.5	3.7	0		

2007 10 90	18.7	15	11.2	7.5	3.7	0
2007 91 10	15.6	12.5	9.3	6.2	3.1	0
2007 91 30	15.6	12.5	9.3	6.2	3.1	0
2007 91 90	16.8	13.5	10.1	6.7	3.3	0
2007 99 10	17.5	14	10.5	7	3.5	0
2007 99 20	18.7	15	11.2	7.5	3.7	0
2007 99 31	18.7	15	11.2	7.5	3.7	0
2007 99 33	18.7	15	11.2	7.5	3.7	0
2007 99 35	18.7	15	11.2	7.5	3.7	0
2007 99 39	18.7	15	11.2	7.5	3.7	0
2007 99 51	18.7	15	11.2	7.5	3.7	0
2007 99 59	18.7	15	11.2	7.5	3.7	0
2007 99 90	18.7	15	11.2	7.5	3.7	0
2008 11 10	5	4	3	2	1	0
2008 11 91	8.7	7	5.2	3.5	1.7	0
2008 11 99	7.5	6	4.5	3	1.5	0
2008 19 10	8.7	7	5.2	3.5	1.7	0
2008 19 90	10	8	6	4	2	0
2008 20 11	20	16	12	8	4	0
2008 20 19	20	16	12	8	4	0
2008 21 31	20	16	12	8	4	0
2008 20 39	20	16	12	8	4	0
2008 20 51	13.7	11	8.2	5.5	2.7	0

SCHEDULE 1: Chapter 20 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2008 20 59		13.7	11	8.2	5.5	2.7	0		
2008 20 71		15	12	9	6	3	0		
2008 20 79		15	12	9	6	3	0		
2008 20 91		14.3	11.5	8.6	5.7	2.8	0		
2008 20 99		14.3	11.5	8.6	5.7	2.8	0		
2008 30 11		18.7	15	11.2	7.5	3.7	0		
2008 30 19		20	16	12	8	4	0		
2008 30 31		18.7	15	11.2	7.5	3.7	0		
2008 30 39		20	16	12	8	4	0		
2008 30 51		10.6	8.5	6.3	4.2	2.1	0		
2008 30 55	Mandarin (including tangerine and satsuma segments), in cans	10	8	6	4	2	0		
	Other	13.1	10.5	7.8	5.2	2.6	0		
2008 30 59		12.5	10	7.5	5	2.5	0		
2008 30 71		10.6	8.5	6.3	4.2	2.1	0		

2008 30 75	Mandarin (including tangerine and satsuma segments), in cans	10	8	6	4	2	0
	Other	12.5	10	7.5	5	2.5	0
2008 30 79		15	12	9	6	3	0
2008 30 91		14.3	11.5	8.6	5.7	2.8	0
2008 30 99		14.3	11.5	8.6	5.7	2.8	0
2008 40 11		18.7	15	11.2	7.5	3.7	0
2008 40 19		20	16	12	8	4	0
2008 40 21		18.7	15	11.2	7.5	3.7	0
2008 40 29		20	16	12	8	4	0
2008 40 31		18.7	15	11.2	7.5	3.7	0
2008 40 39		18.7	15	11.2	7.5	3.7	0
2008 40 51		12.5	10	7.5	5	2.5	0
2008 40 59		12.5	10	7.5	5	2.5	0
2008 40 71		13.7	11	8.2	5.5	2.7	0
2008 40 79		13.7	11	8.2	5.5	2.7	0
2008 04 91		13.1	10.5	7.8	5.2	2.6	0
2008 40 99		13.1	10.5	7.8	5.2	2.6	0
2008 50 11		18.7	15	11.2	7.5	3.7	0
2008 50 19		20	16	12	8	4	0
2008 50 31		18.7	15	11.2	7.5	3.7	0
2008 50 39		20	16	12	8	4	0

SCHEDULE 1: Chapter 20 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2008 50 51		20	16	12	8	4	0		
2008 50 59		20	16	12	8	4	0		
2008 50 61		13.7	11	8.2	5.5	2.7	0		
2008 50 69		13.7	11	8.2	5.5	2.7	0		
2008 50 71		15	12	9	6	3	0		
2008 50 79		15	12	9	6	3	0		
2008 50 91		10.6	8.5	6.3	4.2	2.1	0		
2008 50 99		14.3	11.5	8.6	5.7	2.8	0		
2008 60 11		18.7	15	11.2	7.5	3.7	0		
2008 60 19		20	16	12	8	4	0		
2008 60 31		18.7	15	11.2	7.5	3.7	0		
2008 60 39		20	16	12	8	4	0		
2008 60 51		12.5	10	7.5	5	2.5	0		
2008 60 59		12.5	10	7.5	5	2.5	0		
2008 60 61		15	12	9	6	3	0		
2008 60 69		15	12	9	6	3	0		
2008 60 71		14.3	11.5	8.6	5.7	2.8	0		

2008 60 79	14.3	11.5	8.6	5.7	2.8	0
2008 60 91	14.3	11.5	8.6	5.7	2.8	0
2008 60 99	14.3	11.5	8.6	5.7	2.8	0
2008 70 11	18.7	15	11.2	7.5	3.7	0
2008 70 19	20	16	12	8	4	0
2008 70 31	18.7	15	11.2	7.5	3.7	0
2008 70 39	20	16	12	8	4	0
2008 70 51	20	16	12	8	4	0
2008 70 59	20	16	12	8	4	0
2008 70 61	13.7	11	8.2	5.5	2.7	0
2008 70 69	13.7	11	8.2	5.5	2.7	0
2008 70 71	13.7	11	8.2	5.5	2.7	0
2008 70 79	13.7	11	8.2	5.5	2.7	0
2008 70 91	11.8	9.5	7.1	4.7	2.3	0
2008 70 99	14.3	11.5	8.6	5.7	2.8	0
2008 80 11	18.7	15	11.2	7.5	3.7	0
2008 80 19	20	16	12	8	4	0
2008 80 31	18.7	15	11.2	7.5	3.7	0
2008 80 39	20	16	12	8	4	0
2008 80 50	12.5	10	7.5	5	2.5	0
2008 80 70	15	12	9	6	3	0
2008 80 91	14.3	11.5	8.6	5.7	2.8	0
2008 80 99	14.3	11.5	8.6	5.7	2.8	0

SCHEDULE 1: Chapter 20 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2008 91 00		5	4	3	2	1	0		
2008 92 11		18.7	15	11.2	7.5	3.7	0		
2008 92 19		20	16	12	8	4	0		
2008 92 31		18.7	15	11.2	7.5	3.7	0		
2008 92 39		20	16	12	8	4	0		
2008 92 50		12.5	10	7.5	5	2.5	0		
2008 92 71		9.3	7.5	5.6	3.7	1.8	0		
2008 92 79		13.7	11	8.2	5.5	2.7	0		
2008 92 91		14.3	11.5	8.6	5.7	2.8	0		
2008 92 99		14.3	11.5	8.6	5.7	2.8	0		
2008 99 11		12.5	10	7.5	5	2.5	0		
2008 99 19		20	16	12	8	4	0		
2008 99 21		20	16	12	8	4	0		
2008 99 29		20	16	12	8	4	0		
2008 99 31		18.7	15	11.2	7.5	3.7	0		
2008 99 33		20	16	12	8	4	0		
2008 99 35		18.7	15	11.2	7.5	3.7	0		

2008 99 39	20	16	12	8	4	0
2008 99 43	13.7	11	8.2	5.5	2.7	0
2008 99 45	12.5	10	7.5	5	2.5	0
2008 99 49	12.5	10	7.5	5	2.5	0
2008 99 53	15	12	9	6	3	0
2008 99 55	15	12	9	6	3	0
2008 99 59	15	12	9	6	3	0
2008 99 71	11.8	9.5	7.1	4.7	2.3	0
2008 99 79	14.3	11.5	8.6	5.7	2.8	0
2008 99 85	5	4	3	2	1	0
2008 99 91	8.1	6.5	4.8	3.2	1.6	0
2008 99 99	5	4	3	2	1	0
2009 11 11	26.2	21	15.7	10.5	5.2	0
2009 11 19	26.2	21	15.7	10.5	5.2	0
2009 11 91	11.8	9.5	7.1	4.7	2.3	0
2009 11 99	11.8	9.5	7.1	4.7	2.3	0
2009 19 11	26.2	21	15.7	10.5	5.2	0
2009 19 19	26.2	21	15.7	10.5	5.2	0
2009 19 91	11.8	9.5	7.1	4.7	2.3	0
2009 19 99	11.8	9.5	7.1	4.7	2.3	0
2009 20 11	26.2	21	15.7	10.5	5.2	0
2009 20 19	26.2	21	15.7	10.5	5.2	0
2009 20 91	9.3	7.5	5.6	3.7	1.8	0
2009 20 99	7.5	6	4.5	3	1.5	0

SCHEDULE 1: Chapter 20 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2009 30 11		26.2	21	15.7	10.5	5.2	0		
2009 30 19		26.2	21	15.7	10.5	5.2	0		
2009 30 31		11.2	9	6.7	4.5	2.2	0		
2009 30 39		11.8	9.5	7.1	4.7	2.3	0		
2009 30 51		11.2	9	6.7	4.5	2.2	0		
2009 30 55		11.2	9	6.7	4.5	2.2	0		
2009 30 59		11.8	9.5	7.1	4.7	2.3	0		
2009 30 91		11.2	9	6.7	4.5	2.2	0		
2009 30 95		11.2	9	6.7	4.5	2.2	0		
2009 30 99		11.8	9.5	7.1	4.7	2.3	0		
2009 40 11		26.2	21	15.7	10.5	5.2	0		
2009 40 19		26.2	21	15.7	10.5	5.2	0		
2009 40 30		11.8	9.5	7.1	4.7	2.3	0		
2009 40 91		11.8	9.5	7.1	4.7	2.3	0		
2009 40 93		11.8	9.5	7.1	4.7	2.3	0		
2009 40 99		12.5	10	7.5	5	2.5	0		
2009 50 10		12.5	10	7.5	5	2.5	0		
2009 50 90		13.1	10.5	7.8	5.2	2.6	0		

SCHEDULE 1: Chapter 20 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2009 60 11		31.2	25	18.7	12.5	6.2	0		
2009 60 19		31.2	25	18.7	12.5	6.2	0		
2009 60 51		17.5	14	10.5	7	3.5	0		
2009 60 59		17.5	14	10.5	7	3.5	0		
2009 60 71		17.5	14	10.5	7	3.5	0		
2009 60 79		17.5	14	10.5	7	3.5	0		
2009 60 90		17.5	14	10.5	7	3.5	0		
2009 70 11		18.7	15	11.2	7.5	3.7	0		
2009 70 19		18.7	15	11.2	7.5	3.7	0		
2009 70 30		11.2	9	6.7	4.5	2.2	0		
2009 70 91		11.2	9	6.7	4.5	2.2	0		
2009 70 93		11.2	9	6.7	4.5	2.2	0		
2009 70 99		11.2	9	6.7	4.5	2.2	0		
2009 80 11		26.2	21	15.7	10.5	5.2	0		
2009 80 19		26.2	21	15.7	10.5	5.2	0		
2009 80 31		26.2	21	15.7	10.5	5.2	0		
2009 80 39		26.2	21	15.7	10.5	5.2	0		
2009 80 50		15	12	9	6	3	0		

SCHEDULE 1: Chapter 20 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2009 80 61		15	12	9	6	3	0		
2009 80 63		15	12	9	6	3	0		
2009 80 69		15.6	12.5	9.3	6.2	3.1	0		
2009 80 80		13.1	10.5	7.8	5.2	2.6	0		
2009 80 91		13.1	10.5	7.8	5.2	2.6	0		
2009 80 93		13.1	10.5	7.8	5.2	2.6	0		
2009 80 95		8.7	7	5.2	3.5	1.7	0		
2009 80 99		13.7	11	8.2	5.5	2.7	0		
2009 90 11		26.2	21	15.7	10.5	5.2	0		
2009 90 19		26.2	21	15.7	10.5	5.2	0		
2009 90 21		26.2	21	15.7	10.5	5.2	0		
2009 90 29		26.2	21	15.7	10.5	5.2	0		
2009 90 31		15.6	12.5	9.3	6.2	3.1	0		
2009 90 39		15.6	12.5	9.3	6.2	3.1	0		
2009 90 41		11.8	9.5	7.1	4.7	2.3	0		
2009 90 49		12.5	10	7.5	5	2.5	0		
2009 90 51		13.1	10.5	7.8	5.2	2.6	0		
2009 90 59		13.7	11	8.2	5.5	2.7	0		

2009 90 71	11.8	9.5	7.1	4.7	2.3	0
2009 90 73	11.8	9.5	7.1	4.7	2.3	0
2009 90 79	12.5	10	7.5	5	2.5	0
2009 90 91	13.1	10.5	7.8	5.2	2.6	0
2009 90 93	13.1	10.5	7.8	5.2	2.6	0
2009 90 99	13.7	11	8.2	5.5	2.7	0

SCHEDULE 1: Chapter 21 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2101 10 11		4.5	3.6	2.7	1.8	0.9	0		
2101 10 19		4.5	3.6	2.7	1.8	0.9	0		
2101 10 91		4.5	3.6	2.7	1.8	0.9	0		
2101 10 99		8.1	6.5	4.8	3.2	1.6	0		
2101 20 10		3	2.4	1.8	1.2	0.6	0		
2101 20 90		8.1	6.5	4.8	3.2	1.6	0		
2101 30 11		4.5	3.6	2.7	1.8	0.9	0		
2101 30 19		5	4	3	2	1	0		
2101 30 91		5.5	4.4	3.3	2.2	1.1	0		
2101 30 99		8.7	7	5.2	3.5	1.7	0		
2102 10 10		4.2	3.4	2.5	1.7	0.8	0		
2102 10 31		9.3	7.5	5.6	3.7	1.8	0		
2102 10 39		9.3	7.5	5.6	3.7	1.8	0		
2102 10 90		5.7	4.6	3.4	2.3	1.1	0		
2102 20 11		3.2	2.6	1.9	1.3	0.6	0		
2102 20 19		2	1.6	1.2	0.8	0.4	0		
2102 30 00		2.3	1.9	1.4	0.9	0.4	0		
2103 10 00		3	2.4	1.8	1.2	0.6	0		

2103 20 00	4	3.2	2.4	1.6	0.8	0
2103 30 10	1	0.8	0.6	0.4	0.2	0
2103 30 90	3.5	2.8	2.1	1.4	0.7	0
2103 90 90	3	2.4	1.8	1.2	0.6	0
2104 10 00	4.5	3.6	2.7	1.8	0.9	0
2104 20 00	5.5	4.4	3.3	2.2	1.1	0
2105 00 10	7.5	6	4.5	3	1.5	0
2105 00 91	7.5	6	4.5	3	1.5	0
2105 00 99	7.5	6	4.5	3	1.5	0
2106 10 10	5	4	3	2	1	0
2106 10 90	8.1	6.5	4.8	3.2	1.6	0
2106 90 10	8.1	6.5	4.8	3.2	1.6	0
2106 90 91	5	4	3	2	1	0
2106 90 99	8.1	6.5	4.8	3.2	1.6	0

SCHEDULE 1: Chapter 22 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2201 10 00		1	0.8	0.6	0.4	0.2	0		
2202 10 00		3.7	3	2.2	1.5	0.7	0		
2202 90 10		3.7	3	2.2	1.5	0.7	0		
2202 90 91		5	4	3	2	1	0		
2202 90 95		5	4	3	2	1	0		
2202 90 99		5	4	3	2	1	0		
2203 00 10		6	4.8	3.6	2.4	1.2	0		
2203 00 90		6	4.8	3.6	2.4	1.2	0		
2204 10 11		25 ECU/HL	20 ECU/HL	15 ECU/HL	10 ECU/HL	5 ECU/HL	0		
2204 10 19		25 ECU/HL	20 ECU/HL	15 ECU/HL	10 ECU/HL	5 ECU/HL	0		
2204 10 90		25 ECU/HL	20 ECU/HL	15 ECU/HL	10 ECU/HL	5 ECU/HL	0		
2204 21 10		25 ECU/HL	20 ECU/HL	15 ECU/HL	10 ECU/HL	5 ECU/HL	0		
2204 21 21		9 ECU/HL	7.2 ECU/HL	5.4 ECU/HL	3.6 ECU/HL	1.8 ECU/HL	0		
2204 21 23		9 ECU/HL	7.2 ECU/HL	5.4 ECU/HL	3.6 ECU/HL	1.8 ECU/HL	0		
2204 21 25		9 ECU/HL	7.2 ECU/HL	5.4 ECU/HL	3.6 ECU/HL	1.8 ECU/HL	0		
2204 21 29		9 ECU/HL	7.2 ECU/HL	5.4 ECU/HL	3.6 ECU/HL	1.8 ECU/HL	0		
2204 21 31		10.5 ECU/HL	8.4 ECU/HL	6.3 ECU/HL	4.2 ECU/HL	2.1 ECU/HL	0		
2204 21 33		10.5 ECU/HL	8.4 ECU/HL	6.3 ECU/HL	4.2 ECU/HL	2.1 ECU/HL	0		

2204 21 35	10.5 ECU/HL	8.4 ECU/HL	6.3 ECU/HL	4.2 ECU/HL	2.1 ECU/HL	0
2204 21 39	10.5 ECU/HL	8.4 ECU/HL	6.3 ECU/HL	4.2 ECU/HL	2.1 ECU/HL	0
2204 21 41	10.1 ECU/HL	8.1 ECU/HL	6.1 ECU/HL	4 ECU/HL	2 ECU/HL	0
2204 21 49	12.8 ECU/HL	10.3 ECU/HL	7.7 ECU/HL	5.1 ECU/HL	2.5 ECU/HL	0
2204 21 51	10.9 ECU/HL	8.7 ECU/HL	6.5 ECU/HL	4.3 ECU/HL	2.1 ECU/HL	0
2204 21 59	14.3 ECU/HL	11.5 ECU/HL	8.6 ECU/HL	5.7 ECU/HL	2.8 ECU/HL	0
2204 21 90	1.2 ECU per % Volume per HL +7.5 ECU/HL	0.9 ECU per % Volume per HL +6 ECU/HL	0.7 ECU per % Volume per HL +4.5 ECU/HL	0.4 ECU per % Volume per HL +3 ECU/HL	0.2 ECU per % Volume per HL +1.5 ECU/HL	0
2204 29 10	25 ECU/HL	20 ECU/HL	15 ECU/HL	10 ECU/HL	5 ECU/HL	0
2204 29 21	6.8 ECU/HL	5.4 ECU/HL	4 ECU/HL	2.7 ECU/HL	1.3 ECU/HL	0
2204 29 23	6.8 ECU/HL	5.4 ECU/HL	4 ECU/HL	2.7 ECU/HL	1.3 ECU/HL	0
2204 29 25	6.8 ECU/HL	5.4 ECU/HL	4 ECU/HL	2.7 ECU/HL	1.3 ECU/HL	0
2204 29 29	6.8 ECU/HL	5.4 ECU/HL	4 ECU/HL	2.7 ECU/HL	1.3 ECU/HL	0
2204 29 31	8.3 ECU/HL	6.6 ECU/HL	4.9 ECU/HL	3.3 ECU/HL	1.6 ECU/HL	0
2204 29 33	8.3 ECU/HL	6.6 ECU/HL	4.9 ECU/HL	3.3 ECU/HL	1.6 ECU/HL	0
2204 29 35	8.3 ECU/HL	6.6 ECU/HL	4.9 ECU/HL	3.3 ECU/HL	1.6 ECU/HL	0
2204 29 39	8.3 ECU/HL	6.6 ECU/HL	4.9 ECU/HL	3.3 ECU/HL	1.6 ECU/HL	0
2204 29 41	8.3 ECU/HL	6.6 ECU/HL	4.9 ECU/HL	3.3 ECU/HL	1.6 ECU/HL	0
2204 29 45	9 ECU/HL	7.2 ECU/HL	5.4 ECU/HL	3.6 ECU/HL	1.8 ECU/HL	0
2204 29 49	10.5 ECU/HL	8.4 ECU/HL	6.3 ECU/HL	4.2 ECU/HL	2.1 ECU/HL	0
2204 29 51	9 ECU/HL	7.2 ECU/HL	5.4 ECU/HL	3.6 ECU/HL	1.8 ECU/HL	0
2204 29 55	9.8 ECU/HL	7.8 ECU/HL	5.8 ECU/HL	3.9 ECU/HL	1.9 ECU/HL	0
2204 29 59	14.3 ECU/HL	11.5 ECU/HL	8.6 ECU/HL	5.7 ECU/HL	2.8 ECU/HL	0

SCHEDULE 1: Chapter 22 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2204 29 90		1.2 ECU per % Volume per HL	0.9 ECU per % Volume per HL	0.7 ECU per % Volume per HL	0.4 ECU per % Volume per HL	0.2 ECU per % Volume per HL	0		
2204 30 10		25	20	15	10	5	0		
2204 30 91		17.5	14	10.5	7	3.5	0		
2204 30 99		31.2	25	18.7	12.5	6.2	0		
2205 10 10		4.2 ECU/HL	3.4 ECU/HL	2.5 ECU/HL	1.7 ECU/HL	0.8 ECU/HL	0		
2205 10 90		0.3 ECU per % Volume per HL	0.2 ECU per % Volume per HL	0.1 ECU per % Volume per HL	0.1 ECU per % Volume per HL	0			
		+2.5 ECU/HL	+2 ECU/HL	+1.5 ECU/HL	+1 ECU/HL				
2205 90 10		3.5 ECU/HL	2.8 ECU/HL	2.1 ECU/HL	1.4 ECU/HL	0.7 ECU/HL	0		
2205 90 90		0.3 ECU per % Volume per HL	0.2 ECU per % Volume per HL	0.1 ECU per % Volume per HL	0.1 ECU per % Volume per HL	0			
2206 00 10		1 ECU per % Volume per HL subject to a minimum of 5.6 ECU per HL	0.8 ECU per % Volume per HL subject to a minimum of 4.5 ECU per HL	0.6 ECU per % Volume per HL subject to a minimum of 3.3 ECU per HL	0.4 ECU per % Volume per HL subject to a minimum of 2.2 ECU per HL	0.2 ECU per % Volume per HL subject to a minimum of 1.1 ECU per HL	0		
2206 00 91		18.7 ECU/HL	15 ECU/HL	11.2 ECU/HL	7.5 ECU/HL	3.7 ECU/HL	0		
2206 00 93		7.5 ECU/HL	6 ECU/HL	4.5 ECU/HL	3 ECU/HL	1.5 ECU/HL	0		
2206 00 99		5.6 ECU/HL	4.5 ECU/HL	3.3 ECU/HL	2.2 ECU/HL	1.1 ECU/HL	0		
2207 10 00	Obtained from Annex II products	18.7 ECU/HL	15 ECU/HL	11.2 ECU/HL	7.5 ECU/HL	3.7 ECU/HL	0		
	Other	7.5 ECU/HL	6 ECU/HL	4.5 ECU/HL	3 ECU/HL	1.5 ECU/HL	0		

2207 20 00	Obtained from Annex II products	10 ECU/HL	8 ECU/HL	6 ECU/HL	4 ECU/HL	2 ECU/HL	0
	Other	4 ECU/HL	3.2 ECU/HL	2.4 ECU/HL	1.8 ECU/HL	0.8 ECU/HL	0
2208 10 90		6.7 min 0.3 ECU/% Vol/HL	5.4 min 0.3 ECU/% Vol/HL	4 min 0.2 ECU/% Vol/HL	2.7 min 0.1 ECU/% Vol/HL	1.3	0
2208 20 10		0.3 ECU/% Vol/HL +2.5 ECU/HL	0.3 ECU/% Vol/HL +2 ECU/HL	0.2 ECU/% Vol/HL +1.5 ECU/HL	0.1 ECU/% Vol/HL +1 ECU/HL	0.5 ECU/HL	0
2208 20 90		0.3 ECU/% Vol/HL	0.3 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0	
2208 30 11		0.3 ECU/HL	0.3 ECU/HL	0.2 ECU/HL	0.1 ECU/HL	0	
2208 30 91		0.7 ECU/HL	0.6 ECU/HL	0.4 ECU/HL	0.3 ECU/HL	0.1 ECU/HL	0
2208 40 10		0.2 ECU/% Vol/HL +1.2 ECU/HL	0.2 ECU/% Vol/HL +1 ECU/HL	0.1 ECU/% Vol/HL +0.7 ECU/HL	0.1 ECU/% Vol/HL +0.5 ECU/HL	0.2 ECU/HL	0
2208 40 90		0.2 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0	
2208 50 11		0.2 ECU/% Vol/HL +1.2 ECU/HL	0.2 ECU/% Vol/HL +1 ECU/HL	0.1 ECU/% Vol/HL +0.7 ECU/HL	0.1 ECU/% Vol/HL +0.5 ECU/HL	0.2 ECU/HL	0
2208 50 19		0.2 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0	
2208 50 91		0.3 ECU/% Vol/HL +2.5 ECU/HL	0.3 ECU/% Vol/HL +2 ECU/HL	0.2 ECU/% Vol/HL +1.5 ECU/HL	0.1 ECU/% Vol/HL +1 ECU/HL	0.5 ECU/HL	0
2208 50 99		0.3 ECU/% Vol/HL	0.3 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0	
2208 90 11		0.2 ECU/% Vol/HL +1.2 ECU/HL	0.2 ECU/% Vol/HL +1 ECU/HL	0.1 ECU/% Vol/HL +0.7 ECU/HL	0.1 ECU/% Vol/HL +0.5 ECU/HL	0.2 ECU/HL	0
2208 90 19		0.2 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0	

SCHEDULE 1: Chapter 22 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2208 90 31		0.3 ECU/% Vol/HL +1.2 ECU/HL	0.2 ECU/% Vol/HL +1 ECU/HL	0.1 ECU/% Vol/HL +0.7 ECU/HL	0.1 ECU/% Vol/HL +0.5 ECU/HL	0.2 ECU/HL	0		
2208 90 33		0.3 ECU/% Vol/HL +1.2 ECU/HL	0.2 ECU/% Vol/HL +1 ECU/HL	0.1 ECU/% Vol/HL +0.7 ECU/HL	0.1 ECU/% Vol/HL +0.5 ECU/HL	0.2 ECU/HL	0		
2208 90 39		0.3 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0			
2208 90 51		0.3 ECU/% Vol/HL +2.5 ECU/HL	0.3 ECU/% Vol/HL +2 ECU/HL	0.2 ECU/% Vol/HL +1.5 ECU/HL	0.1 ECU/% Vol/HL +1 ECU/HL	0.5 ECU/HL	0		
2208 90 53		0.3 ECU/% Vol/HL +2.5 ECU/HL	0.3 ECU/% Vol/HL +2 ECU/HL	0.2 ECU/% Vol/HL +1.5 ECU/HL	0.1 ECU/% Vol/HL +1 ECU/HL	0.5 ECU/HL	0		
2208 90 55		0.3 ECU/% Vol/HL +2.5 ECU/HL	0.3 ECU/% Vol/HL +2 ECU/HL	0.2 ECU/% Vol/HL +1.5 ECU/HL	0.1 ECU/% Vol/HL +1 ECU/HL	0.5 ECU/HL	0		
2208 90 59		0.3 ECU/% Vol/HL +2.5 ECU/HL	0.3 ECU/% Vol/HL +2 ECU/HL	0.2 ECU/% Vol/HL +1.5 ECU/HL	0.1 ECU/% Vol/HL +1 ECU/HL	0.5 ECU/HL	0		
2208 90 71		0.3 ECU/% Vol/HL	0.3 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0			
2208 90 73		0.3 ECU/% Vol/HL	0.3 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0			
2208 90 79		0.3 ECU/% Vol/HL	0.3 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0			

2208 90 91	Obtained from Annex II products	1 ECU/% Vol/HL +6.2 ECU/HL	0.8 ECU/% Vol/HL +5 ECU/HL	0.6 ECU/% Vol/HL +3.7 ECU/HL	0.4 ECU/% Vol/HL +2.5 ECU/HL	0.2 ECU/% Vol/HL +1.2 ECU/HL	0
	Other	0.3 ECU/% Vol/HL +2.5 ECU/HL	0.3 ECU/% Vol/HL +2 ECU/HL	0.2 ECU/% Vol/HL +1.5 ECU/HL	0.1 ECU/% Vol/HL +1 ECU/HL	0.5 ECU/HL	0
2208 90 99	Obtained from Annex II products	1 ECU/% Vol/HL	0.8 ECU/% Vol/HL	0.6 ECU/% Vol/HL	0.4 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0
	Other	0.3 ECU/% Vol/HL	0.3 ECU/% Vol/HL	0.2 ECU/% Vol/HL	0.1 ECU/% Vol/HL	0	
2209 00 11		5 ECU/HL	4 ECU/HL	3 ECU/HL	2 ECU/HL	1 ECU/HL	0
2209 00 19		3.7 ECU/HL	3 ECU/HL	2.2 ECU/HL	1.5 ECU/HL	0.7 ECU/HL	0
2209 00 91		5 ECU/HL	4 ECU/HL	3 ECU/HL	2 ECU/HL	1 ECU/HL	0
2209 00 99		3.7 ECU/HL	3 ECU/HL	2.2 ECU/HL	1.5 ECU/HL	0.7 ECU/HL	0

SCHEDULE 1: Chapter 23 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2302 50 00		2.5	2	1.5	1	0.5	0		
2307 00 19		1.2 ECU per kg of total alcohol	1 ECU per kg of total alcohol	0.7 ECU per kg of total alcohol	0.5 ECU per kg of total alcohol	0.2 ECU per kg of total alcohol	0		
2308 90 19		1.2 ECU per kg of total alcohol	1 ECU per kg of total alcohol	0.7 ECU per kg of total alcohol	0.5 ECU per kg of total alcohol	0.2 ECU per kg of total alcohol	0		
2308 90 90		1.2	1	0.7	0.5	0.2	0		
2309 10 90		9.3	7.5	5.6	3.7	1.8	0		
2309 90 10		3.7	3	2.2	1.5	0.7	0		
2309 90 99		1.2	1	0.7	0.5	0.2	0		

SCHEDULE 1: Chapter 24 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2401 10 10		14.3% subject to a minimum of 17.5 ECU and a maximum of 18.7 ECU per 100 kg	11.5% subject to a minimum of 14 ECU and a maximum of 15 ECU per 100 kg	8.6% subject to a minimum of 10.5 ECU and a maximum of 11.2 ECU per 100 kg	5.7% subject to a minimum of 7 ECU and a maximum of 7.5 ECU per 100 kg	2.8% subject to a minimum of 3.5 ECU and a maximum of 3.7 ECU per 100 kg	0		
2401 10 20		14.3% subject to a minimum of 17.5 ECU and a maximum of 18.7 ECU per 100 kg	11.5% subject to a minimum of 14 ECU and a maximum of 15 ECU per 100 kg	8.6% subject to a minimum of 10.5 ECU and a maximum of 11.2 ECU per 100 kg	5.7% subject to a minimum of 7 ECU and a maximum of 7.5 ECU per 100 kg	2.8% subject to a minimum of 3.5 ECU and a maximum of 3.7 ECU per 100 kg	0		
2401 10 30		14.3% subject to a minimum of 17.5 ECU and a maximum of 18.7 ECU per 100 kg	11.5% subject to a minimum of 14 ECU and a maximum of 15 ECU per 100 kg	8.6% subject to a minimum of 10.5 ECU and a maximum of 11.2 ECU per 100 kg	5.7% subject to a minimum of 7 ECU and a maximum of 7.5 ECU per 100 kg	2.8% subject to a minimum of 3.5 ECU and a maximum of 3.7 ECU per 100 kg	0		
2401 10 41		14.3% subject to a minimum of 17.5 ECU and a maximum of 18.7 ECU per 100 kg	11.5% subject to a minimum of 14 ECU and a maximum of 15 ECU per 100 kg	8.6% subject to a minimum of 10.5 ECU and a maximum of 11.2 ECU per 100 kg	5.7% subject to a minimum of 7 ECU and a maximum of 7.5 ECU per 100 kg	2.8% subject to a minimum of 3.5 ECU and a maximum of 3.7 ECU per 100 kg	0		
2401 10 49		14.3% subject to a minimum of 17.5 ECU and a maximum of 18.7 ECU per 100 kg	11.5% subject to a minimum of 14 ECU and a maximum of 15 ECU per 100 kg	8.6% subject to a minimum of 10.5 ECU and a maximum of 11.2 ECU per 100 kg	5.7% subject to a minimum of 7 ECU and a maximum of 7.5 ECU per 100 kg	2.8% subject to a minimum of 3.5 ECU and a maximum of 3.7 ECU per 100 kg	0		

SCHEDULE 1: Chapter 24 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2401 10 50		8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 26.2 ECU per 100 kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0		
2401 10 60		8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 26.2 ECU per 100kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0		
2401 10 70		8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 26.2 ECU per 100 kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0		
2401 10 80		8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 26.2 ECU per 100 kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0		
2401 10 90		8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 17.5 ECU per 100 kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0		

2401 20 10	14.3% subject to a minimum of 17.5 ECU and a maximum of 18.7 ECU per 100 kg	11.5% subject to a minimum of 14 ECU and a maximum of 15 ECU per 100 kg	8.6% subject to a minimum of 10.5 ECU and a maximum of 11.2 ECU per 100 kg	5.7% subject to a minimum of 7 ECU and a maximum of 7.5 ECU per 100 kg	2.8% subject to a minimum of 3.5 ECU and a maximum of 3.7 ECU per 100 kg	0
2401 20 20	14.3% subject to a minimum of 17.5 ECU and a maximum of 18.7 ECU per 100 kg	11.5% subject to a minimum of 14 ECU and a maximum of 15 ECU per 100 kg	8.6% subject to a minimum of 10.5 ECU and a maximum of 11.2 ECU per 100 kg	5.7% subject to a minimum of 7 ECU and a maximum of 7.5 ECU per 100 kg	2.8% subject to a minimum of 3.5 ECU and a maximum of 3.7 ECU per 100 kg	0
2401 20 30	14.3% subject to a minimum of 17.5 ECU and a maximum of 18.7 ECU per 100 kg	11.5% subject to a minimum of 14 ECU and a maximum of 15 ECU per 100 kg	8.6% subject to a minimum of 10.5 ECU and a maximum of 11.2 ECU per 100 kg	5.7% subject to a minimum of 7 ECU and a maximum of 7.5 ECU per 100 kg	2.8% subject to a minimum of 3.5 ECU and a maximum of 3.7 ECU per 100 kg	0
2401 20 40	14.3% subject to a minimum of 17.5 ECU and a maximum of 18.7 ECU per 100 kg	11.5% subject to a minimum of 14 ECU and a maximum of 15 ECU per 100 kg	8.6% subject to a minimum of 10.5 ECU and a maximum of 11.2 ECU per 100 kg	5.7% subject to a minimum of 7 ECU and a maximum of 7.5 ECU per 100 kg	2.8% subject to a minimum of 3.5 ECU and a maximum of 3.7 ECU per 100 kg	0
2401 20 49	14.3% subject to a minimum of 17.5 ECU and a maximum of 18.7 ECU per 100 kg	11.5% subject to a minimum of 14 ECU and a maximum of 15 ECU per 100 kg	8.6% subject to a minimum of 10.5 ECU and a maximum of 11.2 ECU per 100 kg	5.7% subject to a minimum of 7 ECU and a maximum of 7.5 ECU per 100 kg	2.8% subject to a minimum of 3.5 ECU and a maximum of 3.7 ECU per 100 kg	0
2401 20 50	8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 26.2 ECU per 100 kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0

SCHEDULE 1: Chapter 24 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2401 20 60		8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 26.2 ECU per 100 kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0		
2401 20 70		8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 26.2 ECU per 100 kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0		
2401 20 80		8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 26.2 ECU per 100 kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0		
2401 20 90		8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 26.2 ECU per 100 kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0		
2401 30 00		8.7% subject to a minimum of 17.5 ECU and a maximum of 43.7 ECU per 100 kg	7% subject to a minimum of 14 ECU and a maximum of 35 ECU per 100 kg	5.2% subject to a minimum of 10.5 ECU and a maximum of 26.2 ECU per 100 kg	3.5% subject to a minimum of 7 ECU and a maximum of 17.5 ECU per 100 kg	1.7% subject to a minimum of 3.5 ECU and a maximum of 8.7 ECU per 100 kg	0		

2402 10 00	10.7	8.6	6.4	4.3	2.1	0
2402 20 00	22.5	18	13.5	9	4.5	0
2402 90 00	22.5	18	13.5	9	4.5	0
2403 10 00	29.2	23.4	17.5	11.7	5.8	0
2403 91 00	6.5	5.2	3.9	2.6	1.3	0
2403 99 10	16.2	13	9.7	6.5	3.2	0
2403 99 90	6.5	5.2	3.9	2.6	1.3	0

SCHEDULE 1: Chapter 25 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2501 00 31		0.2 ECU per 1000 kg	0.1 ECU per 1000 kg	0.1 ECU per 1000 kg	0				
2501 00 51		0.9 ECU per 1000 kg	0.7 ECU per 1000 kg	0.5 ECU per 1000 kg	0.3 ECU per 1000 kg	0.1 ECU per 1000 kg	0		
2501 00 91		1.9 ECU per 1000 kg	1.4 ECU per 1000 kg	1 ECU per 1000 kg	0.6 ECU per 1000 kg	0.3 ECU per 1000 kg	0		
2501 00 99		1.9 ECU per 1000 kg	1.4 ECU per 1000 kg	1 ECU per 1000 kg	0.6 ECU per 1000 kg	0.3 ECU per 1000 kg	0		

SCHEDULE 1: Chapter 27 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2710 00 21		3.7	2.8	2.1	0				
2710 00 25		3.7	2.8	2.1	0				
2710 00 31		3.7	2.8	2.1	0				
2710 00 33		3.7	2.8	2.1	0				
2710 00 35		3.7	2.8	2.1	0				
2710 00 37		3.7	2.8	2.1	0				
2710 00 39		3.7	2.8	2.1	0				
2710 00 51		3.7	2.8	2.1	0				
2710 00 55		3.7	2.8	2.1	0				
2710 00 59		3.7	2.8	2.1	0				
2710 00 69		2.1	0						
2710 00 79		2.1	0						
2710 00 95		2.5	0						
2710 00 99		3.7	2.8	2.1	0				
2711 12 11		4	3	2.2	0				
2712 10 90		3	2.2	0					
2712 20 00		2.7	0						
2712 90 90		2.7	0						

SCHEDULE 1: Chapter 28 – *continued*

Combined nomenclature code (1)	*Description of Goods* (2)	*Rates of duty* (3) *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2801 10 00		2.7	0						
2805 30 10		3	2.2	0					
2805 40 10		1.6 ECU per bottle or flask	1.2 ECU per bottle or flask	0.9 ECU per bottle or flask	0.5 ECU per bottle or flask	0.2 ECU per bottle or flask	0		
2809 10 00		2.7	0						
2811 23 00		3	2.2	0					
2814 10 00		2.7	0						
2814 20 00		2.7	0						
2815 11 00		3	2.2	0					
2815 12 00		3	2.2	0					
2815 20 10		2.7	0						
2815 20 90		2.7	0						
2816 30 00		2.1	0						
2817 00 00		2.7	0						
2819 10 00		3.3	2.5	0					
2819 90 00		3.3	2.5	0					
2824 10 00		2.6	0						
2824 20 00		2.6	0						

2824 90 00	2.6	0	
2825 80 00	2.7	0	
2825 90 90	2.7	0	
2826 11 00	2.5	0	
2826 20 00	3	2.2	0
2827 34 00	2.5	0	
2827 35 00	2.5	0	
2831 10 00	3	2.2	0
2831 90 00	3	2.2	0
2833 21 00	2.2	0	
2833 22 00	2.2	0	
2833 23 00	2.2	0	
2833 26 00	2.2	0	
2833 27 00	2.2	0	
2833 30 90	2.5	0	
2835 22 00	2.5	0	
2835 23 00	2.5	0	
2835 24 00	2.5	0	
2835 25 00	2.5	0	
2835 26 00	2.5	0	
2835 29 00	2.5	0	
2835 31 00	2.5	0	
2835 39 90	2.5	0	

SCHEDULE 1: Chapter 28 – *continued*

Combined nomenclature code (1)	*Description of Goods* (2)	*Rates of duty* (3) *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2836 20 00		2.5	0						
2836 30 00		2.5	0						
2837 20 00		3	2.2	0					
2841 20 00		3.2	2.4	0					
2841 30 00		3	2.2	0					
2841 40 00		3	2.2	0					
2841 50 00		3	2.2	0					
2845 10 00		2.5	0						
2845 90 10		2.5	0						
2849 10 00		3.5	2.6	0					
2850 00 70		2.1	0						

SCHEDULE 1: Chapter 29 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2901 10 10		3	2.2	0					
2903 11 00		3	2.2	0					
2903 12 00		3	2.2	0					
2903 13 00		3	2.2	0					
2903 14 00		3	2.2	0					
2903 15 00		3	2.2	0					
2903 16 00		3	2.2	0					
2903 19 00		3	2.2	0					
2903 21 00		3	2.2	0					
2903 22 00		3	2.2	0					
2903 23 00		3	2.2	0					
2903 29 00		3	2.2	0					
2903 30 39		2.1	0						
2904 90 90		2.7	0						
2905 11 00		3.2	2.4	0					
2905 19 10		2.5	0						
2905 31 00		3.2	2.4	0					
2905 32 00		3.2	2.4	0					

SCHEDULE 1: Chapter 29 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2905 39 10		3.2	2.4	0					
2905 39 90		3.2	2.4	0					
2905 41 00		3.2	2.4	0					
2905 42 00		3.2	2.4	0					
2905 43 00		7.5	5.7	4.2	2.7	0			
2905 44 11		7.5	5.7	4.2	2.7	0			
2905 44 19		5.6	4.2	3.1	0				
2905 44 91		7.5	5.7	4.2	2.7	0			
2905 44 99		5.6	4.2	3.1	0				
2905 49 10		3.2	2.4	0					
2906 11 00		2.1	0						
2907 15 00		3.5	2.6	0					
2909 30 10		3	2.2	0					
2909 50 10		2.7	0						
2910 30 00		3	2.2	0					
2912 12 00		4.7	3.6	2.6	0				
2914 70 10		2.7	0						
2915 13 00		3.1	2.3	0					

2915 21 00	4.1	3.1	2.3	0
2915 22 00	3.7	2.8	2.1	0
2915 23 00	2.7	0		
2915 31 00	2.8	2.1	0	
2915 32 00	2.8	2.1	0	
2915 39 10	2.8	2.1	0	
2915 39 50	2.5	0		
2916 11 90	2.5	0		
2916 12 00	2.5	0		
2916 19 90	2.7	0		
2917 12 10	3.2	2.4	0	
2917 12 90	3.2	2.4	0	
2917 19 10	3.2	2.4	0	
2917 31 00	3.2	2.4	0	
2917 32 00	3.2	2.4	0	
2917 33 00	3.2	2.4	0	
2917 34 10	3.2	2.4	0	
2917 34 90	3.2	2.4	0	
2917 35 00	3.2	2.4	0	
2917 36 00	2.5	0		
2917 37 00	2.5	0		
2917 39 90	2.5	0		
2918 14 00	3.2	2.4	0	

SCHEDULE 1: Chapter 29 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
2918 16 00		2.1	0						
2918 22 00		3	2.2	0					
2918 23 10		4.3	3.3	2.4	0				
2921 11 10		3	2.2	0					
2921 11 90		3	2.2	0					
2921 41 00		3	2.2	0					
2921 42 10		3	2.2	0					
2921 51 90		2.5	0						
2921 59 00		2.5	0						
2922 21 00		2.5	0						
2922 29 00		2.5	0						
2922 42 00		3.7	2.8	2.1	0				
2924 29 10		3	2.2	0					
2926 10 00		3.2	2.4	0					
2926 20 00		3.2	2.4	0					
2926 90 10		3.2	2.4	0					
2926 90 90		3.2	2.4	0					
2929 10 00		3.2	2.4	0					

2929 90 00	3.2	2.4	0	
2932 29 10	3.5	2.6	0	
2933 11 10	2.5	0		
2933 11 90	4.2	3.2	2.3	0
2933 51 10	4.3	3.3	2.4	0
2933 51 30	3.7	2.8	2.1	0
2933 90 10	3.5	2.6	0	
2934 20 10	3.5	2.6	0	
2934 20 30	3.5	2.6	0	
2939 21 90	2.3	0		
2939 29 00	2.3	0		
2939 30 00	2.5	0		
2939 50 10	3.3	2.5	0	
2940 00 10	3.7	2.8	2.1	0
2940 00 90	5	3.8	2.8	0
2941 40 00	2.5	0		
2942 00 00	2.5	0		

SCHEDULE 1: Chapter 30 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3004 90 11		2.3	0						
3004 90 91		2.1	0						

SCHEDULE 1: Chapter 31 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3102 10 10		2.7	0						
3105 10 00		2.1	0						

SCHEDULE 1: Chapter 32 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3204 11 00		2.5	0						
3204 12 00		2.5	0						
3204 13 00		2.5	0						
3204 14 00		2.5	0						
3204 15 00		2.5	0						
3204 16 00		2.5	0						
3204 17 00		2.5	0						
3204 19 00		2.5	0						
3204 90 00		2.5	0						
3205 00 00		2.5	0						
3208 10 10		2.5	0						
3208 10 90		2.5	0						
3208 20 10		2.5	0						
3208 20 90		2.5	0						
3208 90 10		2.5	0						
3208 90 91		2.5	0						
3209 90 99		2.5	0						

3209 10 00	2.5	0
3209 90 00	2.5	0
3210 00 10	2.5	0
3210 00 90	2.5	0
3212 90 31	2.5	0
3212 90 39	2.5	0

SCHEDULE 1: Chapter 33 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3301 11 10		2.7	0						
3301 12 10		2.7	0						
3301 13 10		2.7	0						
3301 14 10		2.7	0						
3301 19 10		2.7	0						

SCHEDULE 1: Chapter 35 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3501 10 50		3.1	2.3	0					
3501 10 90		8.7	6.6	4.9	3.1	0			
3501 90 10		3.2	2.4	0					
3501 90 90		6.2	4.7	3.5	2.2	0			
3502 90 70		2.5	0						
3502 90 90		3	2.2	0					
3503 00 10		3	2.2	0					
3503 00 50		3	2.2	0					
3505 10 10		8.7	6.6	4.9	3.1	0			
3505 10 50		3	2.2	0					
3505 10 90		8.7	6.6	4.9	3.1	0			
3505 20 10		8.1	6.1	4.5	2.9	0			
3505 20 30		8.1	6.1	4.5	2.9	0			
3505 20 50		8.1	6.1	4.5	2.9	0			
3505 20 90		8.1	6.1	4.5	2.9	0			

SCHEDULE 1: Chapter 36 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3603 00 90		2.1	0						
3605 00 00		2.5	0						

SCHEDULE 1: Chapter 37 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3706 90 51		0.2 ECU/ 100 m	0.1 ECU/ 100 m	0.1 ECU/ 100 m	0				
3706 90 99		0.3 ECU/ 100 m	0.2 ECU/ 100 m	0.2 ECU/ 100 m	0.2 ECU/ 100 m	0.1 ECU/ 100 m	0		

SCHEDULE 1: Chapter 38 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3809 10 10		8.1	6.1	4.5	2.9	0			
3809 10 30		8.1	6.1	4.5	2.9	0			
3809 10 50		8.1	6.1	4.5	2.9	0			
3809 10 90		8.1	6.1	4.5	2.9	0			
3823 60 11		7.5	5.7	4.2	2.7	0			
3823 60 19		5.6	4.2	3.1	0				
3823 60 91		7.5	5.7	4.2	2.7	0			
3823 60 99		5.6	4.2	3.1	0				

SCHEDULE 1: Chapter 39 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3901 10 10		3.1	2.3	0					
3901 10 90		3.1	2.3	0					
3901 20 00		3.1	2.3	0					
3901 30 00		3.1	2.3	0					
3901 90 00		3.1	2.3	0					
3902 10 00		3.1	2.3	0					
3902 20 00		3.1	2.3	0					
3902 30 00		3.1	2.3	0					
3902 90 00		3.1	2.3	0					
3903 11 00		3.1	2.3	0					
3903 19 00		3.1	2.3	0					
3903 20 00		3.1	2.3	0					
3903 30 00		3.1	2.3	0					
3903 90 00		3.1	2.3	0					
3904 10 00		3.1	2.3	0					
3904 21 00		3.1	2.3	0					
3904 22 00		3.1	2.3	0					
3904 30 00		3.1	2.3	0					

SCHEDULE 1: Chapter 39 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3904 40 00		3.1	2.3	0					
3904 50 00		3.1	2.3	0					
3904 61 00		3.1	2.3	0					
3904 69 00		3.1	2.3	0					
3904 90 00		3.1	2.3	0					
3905 11 00		3	2.2	0					
3905 19 00		3	2.2	0					
3905 20 00		3.1	2.3	0					
3905 90 00		3.1	2.3	0					
3906 10 00		3.1	2.3	0					
3906 90 00		3.1	2.3	0					
3911 10 00		3	2.2	0					
3911 90 90		3.1	2.3	0					
3912 20 11		4	3	2.2	0				
3913 90 90		3	2.2	0					
3915 10 00		3.1	2.3	0					
3915 20 00		3.1	2.3	0					
3915 30 00		3.1	2.3	0					

3915 90 11	3.1	2.3	0
3915 90 13	3.1	2.3	0
3915 90 19	3	2.2	0
3916 10 00	3.1	2.3	0
3916 20 00	3.1	2.3	0
3916 90 51	3.1	2.3	0
3916 90 59	3	2.2	0
3917 21 10	3.1	2.3	0
3917 22 10	3.1	2.3	0
3917 23 10	3.1	2.3	0
3917 29 15	3	2.2	0
3917 32 31	3.1	2.3	0
3917 32 35	3.1	2.3	0
3917 32 39	3	2.2	0
3917 39 15	3	2.2	0
3919 10 31	3.2	2.4	0
3919 10 51	3.1	2.3	0
3919 10 59	3	2.2	0
3919 90 31	3.2	2.4	0
3919 90 50	3	2.2	0
3920 10 11	3.1	2.3	0
3920 10 19	3.1	2.3	0
3920 10 90	3.1	2.3	0

SCHEDULE 1: Chapter 39 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
3920 20 10		3.1	2.3	0					
3920 20 50		3.1	2.3	0					
3920 20 71		3.1	2.3	0					
3920 20 79		3.1	2.3	0					
3920 20 90		3.1	2.3	0					
3920 30 00		3.1	2.3	0					
3920 41 10		3.1	2.3	0					
3920 41 90		3.1	2.3	0					
3920 42 10		3.1	2.3	0					
3920 42 90		3.1	2.3	0					
3920 51 00		3.1	2.3	0					
3920 59 00		3.1	2.3	0					
3920 61 00		3.2	2.4	0					
3920 62 00		3.2	2.4	0					
3920 63 00		3.2	2.4	0					
3920 69 00		3.2	2.4	0					
3920 71 11		3.2	2.4	0					
3920 71 19		3.2	2.4	0					

3920 73 50	3.2	2.4	0
3920 91 00	3.1	2.3	0
3920 99 50	3	2.2	0
3921 11 00	3.1	2.3	0
3921 12 00	3.1	2.3	0
3921 90 11	3.2	2.4	0
3921 90 19	3.2	2.4	0
3921 90 60	3	2.2	0
3924 90 11	2.1	0	
3924 90 19	2.1	0	

SCHEDULE 1: Chapter 40 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
4010 10 00		2.5	0						
4010 91 00		2.5	0						
4010 99 00		2.5	0						

SCHEDULE 1: Chapter 42 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
4202 12 11		3	2.2	0					
4202 12 19		3	2.2	0					
4202 22 10		3	2.2	0					
4202 32 10		3	2.2	0					
4202 92 11		3	2.2	0					
4202 92 15		3	2.2	0					
4202 92 19		3	2.2	0					
4203 21 00		2.5	0						
4203 29 10		2.5	0						
4203 29 91		2.5	0						
4203 29 99		2.5	0						

SCHEDULE 1: Chapter 44 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
4410 10 10		2.5	0						
4410 10 30		2.5	0						
4410 10 50		2.5	0						
4410 10 90		2.5	0						
4410 90 10		2.5	0						
4410 90 90		2.5	0						
4411 11 00		2.5	0						
4411 19 00		2.5	0						
4411 21 00		2.5	0						
4411 29 00		2.5	0						
4411 31 00		2.5	0						
4411 39 00		2.5	0						
4411 91 00		2.5	0						
4411 99 00		2.5	0						
4412 11 00		2.5	0						
4412 12 00		2.5	0						
4412 19 00		2.5	0						
4412 21 00		2.5	0						

4412 29 10	2.5	0
4412 29 90	2.5	0
4412 91 00	2.5	0
4412 99 10	2.5	0
4412 99 90	2.5	0
4420 90 10	2.5	0

SCHEDULE 1: Chapter 45 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
4502 00 00		3.3	2.5	0					
4503 10 00		5	3.8	2.8	0				
4503 90 00		5	3.8	2.8	0				
4504 10 00		5	3.8	2.8	0				
4504 90 90		5	3.8	2.8	0				

SCHEDULE 1: Chapter 48 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
4801 00 90		2.2	0						
4802 20 10		2.2	0						
4802 20 90		2.2	0						
4802 30 00		2.2	0						
4802 40 10		2.2	0						
4802 40 90		2.2	0						
4802 51 90		2.2	0						
4802 52 00		2.2	0						
4802 53 11		2.2	0						
4802 53 19		2.2	0						
4802 53 90		2.2	0						
4802 60 10		2.2	0						
4802 60 90		2.2	0						
4803 00 10		2.2	0						
4803 00 31		2.2	0						
4803 00 39		2.2	0						
4803 00 90		2.2	0						
4804 11 91		2.2	0						

SCHEDULE 1: Chapter 48 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
4804 11 95		2.2	0						
4804 11 99		2.2	0						
4804 19 51		2.2	0						
4804 19 55		2.2	0						
4804 19 59		2.2	0						
4804 19 91		2.2	0						
4804 19 95		2.2	0						
4804 19 99		2.2	0						
4804 21 90		2.2	0						
4804 29 90		2.2	0						
4804 31 90		2.2	0						
4804 39 51		2.2	0						
4804 39 59		2.2	0						
4804 39 90		2.2	0						
4804 41 91		2.2	0						
4804 41 99		2.2	0						
4804 42 90		2.2	0						
4804 49 90		2.2	0						

4804 51 90	2.2	0
4804 52 90	2.2	0
4804 59 90	2.2	0
4805 10 00	2.2	0
4805 21 00	2.2	0
4805 22 10	2.2	0
4805 22 90	2.2	0
4805 23 00	2.2	0
4805 29 10	2.2	0
4805 29 90	2.2	0
4805 30 10	2.2	0
4805 30 90	2.2	0
4805 40 00	2.2	0
4805 50 00	2.2	0
4805 60 10	2.2	0
4805 60 30	2.2	0
4805 60 90	2.2	0
4805 70 11	2.2	0
4805 70 19	2.2	0
4805 70 90	2.2	0
4805 80 11	2.2	0
4805.80 19	2.2	0
4805 80 90	2.2	0

SCHEDULE 1: Chapter 48 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
4806 10 00		2.5	0						
4806 20 00		2.5	0						
4806 30 00		2.5	0						
4806 40 10		2.5	0						
4806 40 90		2.5	0						
4807 10 00		2.5	0						
4807 91 00		2.5	0						
4807 99 11		2.5	0						
4807 99 19		2.5	0						
4807 99 90		2.5	0						
4808 10 10		2.7	0						
4808 10 90		2.7	0						
4808 20 00		2.5	0						
4808 30 00		2.5	0						
4808 90 00		2.5	0						
4809 10 00		2.2	0						
4809 20 10		2.2	0						
4809 20 90		2.2	0						

4809 90 00	2.2	0
4810 11 10	2.2	0
4810 11 90	2.2	0
4810 12 00	2.2	0
4810 21 00	2.2	0
4810 29 10	2.2	0
4810 29 90	2.2	0
4810 31 00	2.2	0
4810 32 90	2.2	0
4810 39 00	2.2	0
4810 91 10	2.2	0
4810 91 30	2.2	0
4810 91 90	2.2	0
4811 10 00	2.2	0
4811 21 00	2.2	0
4811 29 00	2.2	0
4811 39 00	2.2	0
4811 40 00	2.2	0
4811 90 00	2.2	0
4812 00 00	2.5	0
4813 90 90	2.2	0
4815 00 00	2.7	0
4816 10 00	2.2	0

SCHEDULE 1: Chapter 48 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
4816 20 10		2.2	0						
4816 20 90		2.2	0						
4816 30 00		2.2	0						
4816 90 00		2.2	0						
4817 10 00		3	2.2	0					
4817 20 00		3	2.2	0					
4817 30 00		3	2.2	0					
4818 10 10		2.2	0						
4818 10 90		2.2	0						
4818 20 10		2.7	0						
4818 20 91		2.7	0						
4818 20 99		2.7	0						
4818 30 00		2.7	0						
4818 40 11		2.5	0						
4818 40 13		2.5	0						
4818 40 19		2.5	0						
4818 40 91		2.5	0						
4818 50 00		2.7	0						

4818 90 10	2.5	0	
4818 90 90	2.7	0	
4819 10 00	3	2.2	0
4819 20 10	3	2.2	0
4819 20 90	3	2.2	0
4819 30 00	2.7	0	
4819 40 00	2.7	0	
4819 50 00	2.7	0	
4819 60 00	2.7	0	
4820 10 10	3	2.2	0
4820 10 30	3	2.2	0
4820 10 50	3	2.2	0
4820 10 90	3	2.2	0
4820 20 00	3	2.2	0
4820 30 00	3	2.2	0
4820 40 10	3	2.2	0
4820 40 90	3	2.2	0
4820 50 00	3	2.2	0
4820 90 00	3	2.2	0
4821 10 10	2.5	0	
4821 10 90	2.5	0	
4821 90 10	2.5	0	
4821 90 90	2.5	0	

SCHEDULE 1: Chapter 48 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
4822 10 00		2.7	0						
4822 90 00		2.7	0						
4823 11 90		2.2	0						
4823 19 00		2.2	0						
4823 20 00		2.2	0						
4823 30 00		2.7	0						
4823 40 00		2.7	0						
4823 51 10		2.2	0						
4823 51 90		2.2	0						
4823 59 10		2.2	0						
4823 59 90		2.2	0						
4823 60 10		2.7	0						
4823 60 90		2.7	0						
4823 70 10		2.7	0						
4823 70 90		2.7	0						
4823 90 51		2.2	0						
4823 90 71		2.2	0						
4823 90 79		2.2	0						
4823 90 90		2.7	0						

SCHEDULE 1: Chapter 51 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5111 11 00		4.8	3.7	2.7	0				
5111 19 10		4.8	3.7	2.7	0				
5111 19 90		4.8	3.7	2.7	0				
5111 20 00		6.3	4.8	3.5	2.2	0			
5111 30 10		6.3	4.8	3.5	2.2	0			
5111 30 30		6.3	4.8	3.5	2.2	0			
5111 30 90		6.3	4.8	3.5	2.2	0			
5111 90 91		6.3	4.8	3.5	2.2	0			
5111 90 93		6.3	4.8	3.5	2.2	0			
5111 90 99		6.3	4.8	3.5	2.2	0			
5112 11 00		4.8	3.7	2.7	0				
5112 19 10		4.8	3.7	2.7	0				
5112 19 90		4.8	3.7	2.7	0				
5112 90 91		6.3	4.8	3.5	2.2	0			
5112 90 93		6.3	4.8	3.5	2.2	0			
5112 90 99		6.3	4.8	3.5	2.2	0			

SCHEDULE 1: Chapter 52 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5204 11 00		3.7	2.8	2.1	0				
5204 19 00		3.7	2.8	2.1	0				
5204 20 00		2.2	0						
5205 11 00		3.7	2.8	2.1	0				
5205 12 00		3.7	2.8	2.1	0				
5205 13 00		3.7	2.8	2.1	0				
5205 14 00		3.7	2.8	2.1	0				
5205 15 10		3.7	2.8	2.1	0				
5205 15 90		3.7	2.8	2.1	0				
5205 21 00		3.7	2.8	2.1	0				
5205 22 00		3.7	2.8	2.1	0				
5205 23 00		3.7	2.8	2.1	0				
5205 24 00		3.7	2.8	2.1	0				
5205 25 10		3.7	2.8	2.1	0				
5205 25 30		3.7	2.8	2.1	0				
5205 25 90		2.5	0						
5205 31 00		3.7	2.8	2.1	0				
5205 32 00		3.7	2.8	2.1	0				

SCHEDULE 1: Chapter 52 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5206 31 00		3.7	2.8	2.1	0				
5206 32 00		3.7	2.8	2.1	0				
5206 33 00		3.7	2.8	2.1	0				
5206 34 00		3.7	2.8	2.1	0				
5206 35 10		3.7	2.8	2.1	0				
5206 35 90		3.7	2.8	2.1	0				
5206 41 00		3.7	2.8	2.1	0				
5206 42 00		3.7	2.8	2.1	0				
5206 43 00		3.7	2.8	2.1	0				
5206 44 00		3.7	2.8	2.1	0				
5206 45 10		3.7	2.8	2.1	0				
5206 45 90		3.7	2.8	2.1	0				
5207 10 00		2.2	0						
5207 90 00		2.2	0						
5208 11 10		6.2	4.7	3.5	2.2	0			
5208 11 90		6.2	4.7	3.5	2.2	0			
5208 12 11		6.2	4.7	3.5	2.2	0			
5208 12 13		6.2	4.7	3.5	2.2	0			

5208 12 15	6.2	4.7	3.5	2.2	0
5208 12 19	6.2	4.7	3.5	2.2	0
5208 12 91	6.2	4.7	3.5	2.2	0
5208 12 93	6.2	4.7	3.5	2.2	0
5208 12 95	6.2	4.7	3.5	2.2	0
5208 12 99	6.2	4.7	3.5	2.2	0
5208 13 00	6.2	4.7	3.5	2.2	0
5208 19 00	6.2	4.7	3.5	2.2	0
5208 21 10	6.2	4.7	3.5	2.2	0
5208 21 90	6.2	4.7	3.5	2.2	0
5208 22 11	6.2	4.7	3.5	2.2	0
5208 22 13	6.2	4.7	3.5	2.2	0
5208 22 15	6.2	4.7	3.5	2.2	0
5208 22 19	6.2	4.7	3.5	2.2	0
5208 22 91	6.2	4.7	3.5	2.2	0
5208 22 93	6.2	4.7	3.5	2.2	0
5208 22 95	6.2	4.7	3.5	2.2	0
5208 22 99	6.2	4.7	3.5	2.2	0
5208 23 00	6.2	4.7	3.5	2.2	0
5208 29 00	6.2	4.7	3.5	2.2	0
5208 31 00	6.2	4.7	3.5	2.2	0
5208 32 11	6.2	4.7	3.5	2.2	0
5208 32 13	6.2	4.7	3.5	2.2	0

SCHEDULE 1: Chapter 52 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5208 32 15		6.2	4.7	3.5	2.2	0			
5208 32 19		6.2	4.7	3.5	2.2	0			
5208 32 91		6.2	4.7	3.5	2.2	0			
5208 32 93		6.2	4.7	3.5	2.2	0			
5208 32 95		6.2	4.7	3.5	2.2	0			
5208 32 99		6.2	4.7	3.5	2.2	0			
5208 33 00		6.2	4.7	3.5	2.2	0			
5208 39 00		6.2	4.7	3.5	2.2	0			
5208 41 00		6.2	4.7	3.5	2.2	0			
5208 42 00		6.2	4.7	3.5	2.2	0			
5208 43 00		6.2	4.7	3.5	2.2	0			
5208 49 00		6.2	4.7	3.5	2.2	0			
5208 51 00		6.2	4.7	3.5	2.2	0			
5208 52 10		6.2	4.7	3.5	2.2	0			
5208 52 90		6.2	4.7	3.5	2.2	0			
5208 53 00		6.2	4.7	3.5	2.2	0			
5208 59 00		6.2	4.7	3.5	2.2	0			
5209 11 00		6.2	4.7	3.5	2.2	0			

5209 12 00	6.2	4.7	3.5	2.2	0
5209 19 00	6.2	4.7	3.5	2.2	0
5209 21 00	6.2	4.7	3.5	2.2	0
5209 22 00	6.2	4.7	3.5	2.2	0
5209 29 00	6.2	4.7	3.5	2.2	0
5209 31 00	6.2	4.7	3.5	2.2	0
5209 32 00	6.2	4.7	3.5	2.2	0
5209 39 00	6.2	4.7	3.5	2.2	0
5209 41 00	6.2	4.7	3.5	2.2	0
5209 42 00	6.2	4.7	3.5	2.2	0
5209 43 00	6.2	4.7	3.5	2.2	0
5209 49 10	6.2	4.7	3.5	2.2	0
5209 49 90	6.2	4.7	3.5	2.2	0
5209 51 00	6.2	4.7	3.5	2.2	0
5209 52 00	6.2	4.7	3.5	2.2	0
5209 59 00	6.2	4.7	3.5	2.2	0
5210 11 10	6.2	4.7	3.5	2.2	0
5210 11 90	6.2	4.7	3.5	2.2	0
5210 12 00	6.2	4.7	3.5	2.2	0
5210 19 00	6.2	4.7	3.5	2.2	0
5210 21 10	6.2	4.7	3.5	2.2	0
5210 21 90	6.2	4.7	3.5	2.2	0
5210 22 00	6.2	4.7	3.5	2.2	0

SCHEDULE 1: Chapter 52 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5210 29 00		6.2	4.7	3.5	2.2	0			
5210 31 10		6.2	4.7	3.5	2.2	0			
5210 31 90		6.2	4.7	3.5	2.2	0			
5210 32 00		6.2	4.7	3.5	2.2	0			
5210 39 00		6.2	4.7	3.5	2.2	0			
5210 41 00		6.2	4.7	3.5	2.2	0			
5210 42 00		6.2	4.7	3.5	2.2	0			
5210 49 00		6.2	4.7	3.5	2.2	0			
5210 51 00		6.2	4.7	3.5	2.2	0			
5210 52 00		6.2	4.7	3.5	2.2	0			
5210 59 00		6.2	4.7	3.5	2.2	0			
5211 11 00		6.2	4.7	3.5	2.2	0			
5211 12 00		6.2	4.7	3.5	2.2	0			
5211 19 00		6.2	4.7	3.5	2.2	0			
5211 21 00		6.2	4.7	3.5	2.2	0			
5211 22 00		6.2	4.7	3.5	2.2	0			
5211 29 00		6.2	4.7	3.5	2.2	0			
5211 31 00		6.2	4.7	3.5	2.2	0			

5211 32 00	6.2	4.7	3.5	2.2	0
5211 39 00	6.2	4.7	3.5	2.2	0
5211 41 00	6.2	4.7	3.5	2.2	0
5211 42 00	6.2	4.7	3.5	2.2	0
5211 43 00	6.2	4.7	3.5	2.2	0
5211 49 11	6.2	4.7	3.5	2.2	0
5211 49 19	6.2	4.7	3.5	2.2	0
5211 49 90	6.2	4.7	3.5	2.2	0
5211 51 00	6.2	4.7	3.5	2.2	0
5211 52 00	6.2	4.7	3.5	2.2	0
5211 59 00	6.2	4.7	3.5	2.2	0
5212 11 10	6.2	4.7	3.5	2.2	0
5212 11 90	6.2	4.7	3.5	2.2	0
5212 12 10	6.2	4.7	3.5	2.2	0
5212 12 90	6.2	4.7	3.5	2.2	0
5212 13 10	6.2	4.7	3.5	2.2	0
5212 13 90	6.2	4.7	3.5	2.2	0
5212 14 10	6.2	4.7	3.5	2.2	0
5212 14 90	6.2	4.7	3.5	2.2	0
5212 15 10	6.2	4.7	3.5	2.2	0
5212 15 90	6.2	4.7	3.5	2.2	0
5212 21 10	6.2	4.7	3.5	2.2	0
5212 21 90	6.2	4.7	3.5	2.2	0

SCHEDULE 1: Chapter 52 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5212 22 10		6.2	4.7	3.5	2.2	0			
5212 22 90		6.2	4.7	3.5	2.2	0			
5212 23 10		6.2	4.7	3.5	2.2	0			
5212 23 90		6.2	4.7	3.5	2.2	0			
5212 24 10		6.2	4.7	3.5	2.2	0			
5212 24 90		6.2	4.7	3.5	2.2	0			
5212 25 10		6.2	4.7	3.5	2.2	0			
5212 25 90		6.2	4.7	3.5	2.2	0			

SCHEDULE 1: Chapter 53 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5309 11 11		3.5	2.6	0					
5309 11 19		3.5	2.6	0					
5309 11 90		3.5	2.6	0					
5309 19 10		3.5	2.6	0					
5309 19 90		3.5	2.6	0					
5309 21 10		3.5	2.6	0					
5309 21 90		3.5	2.6	0					
5309 29 10		3.5	2.6	0					
5309 29 90		3.5	2.6	0					
5310 10 90		2.3	0						
5311 00 10		3.5	2.6	0					

SCHEDULE 1: Chapter 54 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5401 10 11		2.2	0						
5401 10 19		2.2	0						
5401 20 10		2.3	0						
5402 10 10		2.2	0						
5402 10 90		2.2	0						
5402 20 00		2.2	0						
5402 31 10		2.2	0						
5402 31 30		2.2	0						
5402 31 90		2.2	0						
5402 32 00		2.2	0						
5402 33 10		2.2	0						
5402 33 90		2.2	0						
5402 39 10		2.2	0						
5402 39 90		2.2	0						
5402 41 10		2.2	0						
5402 41 30		2.2	0						
5402 41 90		2.2	0						
5402 42 00		2.2	0						

5402 43 10	2.2	0
5402 43 90	2.2	0
5402 49 10	2.2	0
5402 49 91	2.2	0
5402 49 99	2.2	0
5402 51 10	2.2	0
5402 51 30	2.2	0
5402 51 90	2.2	0
5402 52 10	2.2	0
5402 52 90	2.2	0
5402 59 10	2.2	0
5402 59 90	2.2	0
5402 61 10	2.2	0
5402 61 30	2.2	0
5402 61 90	2.2	0
5402 62 10	2.2	0
5402 62 90	2.2	0
5402 69 10	2.2	0
5402 69 90	2.2	0
5403 10 00	2.3	0
5403 20 10	2.3	0
5403 20 90	2.3	0
5403 31 00	2.3	0

SCHEDULE 1: Chapter 54 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5403 32 00		2.3	0						
5403 33 10		2.3	0						
5403 33 90		2.3	0						
5403 39 00		2.3	0						
5407 10 00		2.7	0						
5407 20 11		2.7	0						
5407 20 19		2.7	0						
5407 20 90		2.7	0						
5407 30 00		2.7	0						
5407 41 00		2.7	0						
5407 42 10		2.7	0						
5407 42 90		2.7	0						
5407 43 00		2.7	0						
5407 44 10		2.7	0						
5407 44 90		2.7	0						
5407 51 00		2.7	0						
5407 52 00		2.7	0						
5407 53 10		2.7	0						

5407 53 90	2.7	0
5407 54 00	2.7	0
5407 60 10	2.7	0
5407 60 30	2.7	0
5407 60 51	2.7	0
5407 60 59	2.7	0
5407 60 90	2.7	0
5407 71 00	2.7	0
5407 72 00	2.7	0
5407 73 10	2.7	0
5407 73 91	2.7	0
5407 73 99	2.7	0
5407 74 00	2.7	0
5407 81 00	2.7	0
5407 82 00	2.7	0
5407 83 10	2.7	0
5407 83 90	2.7	0
5407 84 00	2.7	0
5407 91 00	2.7	0
5407 92 00	2.7	0
5407 93 10	2.7	0
5407 93 90	2.7	0
5407 94 00	2.7	0

SCHEDULE 1: Chapter 54 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5408 10 00		2.7	0						
5408 21 00		2.7	0						
5408 22 10		2.7	0						
5408 22 90		2.7	0						
5408 23 10		2.7	0						
5408 23 90		2.7	0						
5408 24 00		2.7	0						
5408 31 00		2.7	0						
5408 32 00		2.7	0						
5408 33 00		2.7	0						
5408 34 00		2.7	0						

SCHEDULE 1: Chapter 55 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5504 10 00		3	2.2	0					
5504 90 00		3	2.2	0					
5507 00 00		2.5	0						
5508 10 11		5.6	4.2	3.1	0				
5508 10 19		5.6	4.2	3.1	0				
5508 10 90		2.2	0						
5508 20 10		5.6	4.2	3.1	0				
5508 20 90		2.2	0						
5509 11 00		5.6	4.2	3.1	0				
5509 12 00		5.6	4.2	3.1	0				
5509 21 10		5.6	4.2	3.1	0				
5509 21 90		5.6	4.2	3.1	0				
5509 22 10		5.6	4.2	3.1	0				
5509 22 90		5.6	4.2	3.1	0				
5509 31 10		5.6	4.2	3.1	0				
5509 31 90		5.6	4.2	3.1	0				
5509 32 10		5.6	4.2	3.1	0				

SCHEDULE 1: Chapter 55 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5509 32 90		5.6	4.2	3.1	0				
5509 41 10		5.6	4.2	3.1	0				
5509 41 90		5.6	4.2	3.1	0				
5509 42 10		5.6	4.2	3.1	0				
5509 42 90		5.6	4.2	3.1	0				
5509 51 00		5.6	4.2	3.1	0				
5509 52 10		5.6	4.2	3.1	0				
5509 52 90		5.6	4.2	3.1	0				
5509 53 00		5.6	4.2	3.1	0				
5509 59 00		5.6	4.2	3.1	0				
5509 61 10		5.6	4.2	3.1	0				
5509 61 90		5.6	4.2	3.1	0				
5509 62 00		5.6	4.2	3.1	0				
5509 69 00		5.6	4.2	3.1	0				
5509 91 10		5.6	4.2	3.1	0				
5509 91 90		5.6	4.2	3.1	0				
5509 92 00		5.6	4.2	3.1	0				

5509 99 00	5.6	4.2	3.1	0
5510 11 00	5.6	4.2	3.1	0
5510 12 00	5.6	4.2	3.1	0
5510 20 00	5.6	4.2	3.1	0
5510 30 00	5.6	4.2	3.1	0
5510 90 00	5.6	4.2	3.1	0
5511 10 00	2.2	0		
5511 20 00	2.2	0		
5511 30 00	2.2	0		
5512 11 00	2.7	0		
5512 19 10	2.7	0		
5512 19 90	2.7	0		
5512 21 00	2.7	0		
5512 29 10	2.7	0		
5512 29 90	2.7	0		
5512 91 00	2.7	0		
5512 99 10	2.7	0		
5512 99 90	2.7	0		
5513 11 10	2.7	0		
5513 11 30	2.7	0		
5513 11 90	2.7	0		
5513 12 00	2.7	0		
5513 13 00	2.7	0		

SCHEDULE 1: Chapter 55 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5513 19 00		2.7	0						
5513 21 10		2.7	0						
5513 21 30		2.7	0						
5513 21 90		2.7	0						
5513 22 00		2.7	0						
5513 23 00		2.7	0						
5513 29 00		2.7	0						
5513 31 00		2.7	0						
5513 32 00		2.7	0						
5513 33 00		2.7	0						
5513 39 00		2.7	0						
5513 41 00		2.7	0						
5513 42 00		2.7	0						
5513 43 00		2.7	0						
5513 49 00		2.7	0						
5514 11 00		2.7	0						
5514 12 00		2.7	0						

5514 13 00	2.7	0
5514 19 00	2.7	0
5514 21 00	2.7	0
5514 22 00	2.7	0
5514 23 00	2.7	0
5514 29 00	2.7	0
5514 31 00	2.7	0
5514 32 00	2.7	0
5514 33 00	2.7	0
5514 39 00	2.7	0
5514 41 00	2.7	0
5514 42 00	2.7	0
5514 43 00	2.7	0
5514 49 00	2.7	0
5515 11 10	2.7	0
5515 11 30	2.7	0
5515 11 90	2.7	0
5515 12 10	2.7	0
5515 12 30	2.7	0
5515 12 90	2.7	0
5515 13 11	2.7	0
5515 13 19	2.7	0
5515 13 91	2.7	0

SCHEDULE 1: Chapter 55 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5515 13 99		2.7	0						
5515 19 10		2.7	0						
5515 19 30		2.7	0						
5515 19 90		2.7	0						
5515 21 10		2.7	0						
5515 21 30		2.7	0						
5515 21 90		2.7	0						
5515 22 11		2.7	0						
5515 22 19		2.7	0						
5515 22 91		2.7	0						
5515 22 99		2.7	0						
5515 29 10		2.7	0						
5515 29 30		2.7	0						
5515 29 90		2.7	0						
5515 91 10		2.7	0						
5515 91 30		2.7	0						
5515 91 90		2.7	0						

5515 92 11	2.7	0
5515 92 19	2.7	0
5515 92 91	2.7	0
5515 92 99	2.7	0
5515 99 10	2.7	0
5515 99 30	2.7	0
5515 99 90	2.7	0
5516 11 00	2.7	0
5516 12 00	2.7	0
5516 13 00	2.7	0
5516 14 00	2.7	0
5516 21 00	2.7	0
5516 22 00	2.7	0
5516 23 10	2.7	0
5516 23 90	2.7	0
5516 24 00	2.7	0
5516 31 00	2.7	0
5516 32 00	2.7	0
5516 33 00	2.7	0
5516 34 00	2.7	0
5516 41 00	2.7	0
5516 42 00	2.7	0
5516 43 00	2.7	0

SCHEDULE 1: Chapter 55 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5516 44 00		2.7	0						
5516 91 00		2.7	0						
5516 92 00		2.7	0						
5516 93 00		2.7	0						
5516 94 00		2.7	0						

SCHEDULE 1: Chapter 56 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5606 00 10		3	2.2	0					
5607 10 00		3	2.2	0					
5607 21 00		3	2.2	0					
5607 29 10		3	2.2	0					
5607 29 90		3	2.2	0					
5607 30 00		3	2.2	0					
5607 41 00		3	2.2	0					
5607 49 11		3	2.2	0					
5607 49 19		3	2.2	0					
5607 49 90		3	2.2	0					
5607 50 11		3	2.2	0					
5607 50 19		3	2.2	0					
5607 50 30		3	2.2	0					
5607 50 90		3	2.2	0					
5607 90 00		3	2.2	0					
5608 11 11		2.7	0						
5608 11 19		2.7	0						

SCHEDULE 1: Chapter 56 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5608 11 91		2.7	0						
5608 11 99		2.7	0						
5608 19 11		2.1	0						
5608 19 31		2.1	0						

SCHEDULE 1: Chapter 57 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5701 10 10		2.1	0						
5701 10 91		2.3 subject to a maximum of 0.6 ECU per m^2	1.8 subject to a maximum of 0.5 ECU per m^2	1.3 subject to a maximum of 0.3 ECU per m^2	0.8 subject to a maximum of 0.2 ECU per m^2	0.3 subject to a maximum of 0.1 ECU per m^2	0		
5701 10 93		2.3 subject to a maximum of 0.6 ECU per m^2	1.8 subject to a maximum of 0.5 ECU per m^2	1.3 subject to a maximum of 0.3 ECU per m^2	0.8 subject to a maximum of 0.2 ECU per m^2	0.3 subject to a maximum of 0.1 ECU per m^2	0		
5701 10 99		2.3 subject to a maximum of 0.6 ECU per m^2	1.8 subject to a maximum of 0.5 ECU per m^2	1.3 subject to a maximum of 0.3 ECU per m^2	0.8 subject to a maximum of 0.2 ECU per m^2	0.3 subject to a maximum of 0.1 ECU per m^2	0		
5701 90 10		2.1	0						
5702 31 10		2.1	0						
5702 31 30		2.1	0						
5702 31 90		2.1	0						
5702 32 10		2.1	0						
5702 32 90		2.1	0						
5702 39 10		2.1	0						
5702 39 90		2.1	0						
5702 41 10		2.1	0						
5702 41 90		2.1	0						
5702 42 10		2.1	0						
5702 42 90		2.1	0						

SCHEDULE 1: Chapter 57 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5702 49 10		2.1	0						
5702 49 90		2.1	0						
5702 51 00		2.1	0						
5702 52 00		2.1	0						
5702 59 00		2.1	0						
5702 91 00		2.1	0						
5702 92 00		2.1	0						
5702 99 00		2.1	0						
5703 10 10		3.5	2.6	0					
5703 10 90		3.5	2.6	0					
5703 20 11		3.5	2.6	0					
5703 20 19		3.5	2.6	0					
5703 20 91		3.5	2.6	0					
5703 20 99		3.5	2.6	0					
5703 30 11		3.5	2.6	0					
5703 30 19		3.5	2.6	0					
5703 30 51		3.5	2.6	0					
5703 30 59		3.5	2.6	0					

5703 30 91	3.5	2.6	0
5703 30 99	3.5	2.6	0
5703 90 10	3.5	2.6	0
5703 90 90	3.5	2.6	0
5705 00 10	2.1	0	
5705 00 31	2.1	0	
5705 00 39	2.1	0	
5705 00 90	2.1	0	

SCHEDULE 1: Chapter 58 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
5801 10 00		9.3	7.1	5.2	3.3	0			
5801 21 00		6.2	4.7	3.5	2.2	0			
5801 22 00		9.3	7.1	5.2	3.3	0			
5801 23 00		9.3	7.1	5.2	3.3	0			
5801 24 00		9.3	7.1	5.2	3.3	0			
5801 25 00		9.3	7.1	5.2	3.3	0			
5801 26 00		9.3	7.1	5.2	3.3	0			
5801 31 00		2.7	0						
5801 32 00		9.3	7.1	5.2	3.3	0			
5801 33 00		9.3	7.1	5.2	3.3	0			
5801 34 00		9.3	7.1	5.2	3.3	0			
5801 35 00		9.3	7.1	5.2	3.3	0			
5801 36 00		9.3	7.1	5.2	3.3	0			
5801 90 10		9.3	7.1	5.2	3.3	0			
5801 90 90		9.3	7.1	5.2	3.3	0			
5802 11 00		2.5	0						
5802 19 00		2.5	0						
5802 20 00		9.3	7.1	5.2	3.3	0			

5803 90 30	2.5	0	
5803 90 50	2.7	0	
5803 90 90	3.5	2.6	0
5804 10 90	3.2	2.4	0
5804 21 10	2.8	2.1	0
5804 21 90	2.8	2.1	0
5804 29 10	2.8	2.1	0
5804 29 90	2.8	2.1	0
5804 30 00	3.2	2.4	0
5807 90 90	3	2.2	0
5810 10 90	3.2	2.4	0

SCHEDULE 1: Chapter 60 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6001 10 00		3	2.2	0					
6001 21 00		3	2.2	0					
6001 22 00		3	2.2	0					
6001 29 10		3	2.2	0					
6001 29 90		3	2.2	0					
6001 91 10		3	2.2	0					
6001 91 30		3	2.2	0					
6001 91 50		3	2.2	0					
6001 91 90		3	2.2	0					
6001 92 10		3	2.2	0					
6001 92 30		3	2.2	0					
6001 92 50		3	2.2	0					
6001 92 90		3	2.2	0					
6001 99 10		3	2.2	0					
6001 99 90		3	2.2	0					
6002 10 10		3	2.2	0					
6002 20 10		3	2.2	0					
6002 20 31		3	2.2	0					

SCHEDULE 1: Chapter 60 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6002 20 39		3	2.2	0					
6002 20 50		3	2.2	0					
6002 20 70		3	2.2	0					
6002 20 90		3	2.2	0					
6002 30 10		3	2.2	0					
6002 41 00		3	2.2	0					
6002 42 10		3	2.2	0					
6002 42 30		3	2.2	0					
6002 42 50		3	2.2	0					
6002 42 90		3	2.2	0					
6002 43 11		3	2.2	0					
6002 43 19		3	2.2	0					
6002 43 31		3	2.2	0					
6002 43 33		3	2.2	0					
6002 43 35		3	2.2	0					
6002 43 39		3	2.2	0					
6002 43 50		3	2.2	0					
6002 43 91		3	2.2	0					

6002 43 93	3	2.2	0
6002 43 95	3	2.2	0
6002 43 99	3	2.2	0
6002 49 00	3	2.2	0
6002 91 00	3	2.2	0
6002 92 10	3	2.2	0
6002 92 30	3	2.2	0
6002 92 50	3	2.2	0
6002 92 90	3	2.2	0
6002 93 10	3	2.2	0
6002 93 31	3	2.2	0
6002 93 33	3	2.2	0
6002 93 35	3	2.2	0
6002 93 39	3	2.2	0
6002 93 91	3	2.2	0
6002 93 99	3	2.2	0
6002 99 00	3	2.2	0

SCHEDULE 1: Chapter 61 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6101 10 10		3.5	2.6	0					
6101 10 90		3.5	2.6	0					
6101 20 10		3.5	2.6	0					
6101 20 90		3.5	2.6	0					
6101 30 10		3.5	2.6	0					
6101 30 90		3.5	2.6	0					
6101 90 10		3.5	2.6	0					
6101 90 90		3.5	2.6	0					
6102 10 10		3.5	2.6	0					
6102 10 90		3.5	2.6	0					
6102 20 10		3.5	2.6	0					
6102 20 90		3.5	2.6	0					
6102 30 10		3.5	2.6	0					
6102 30. 90		3.5	2.6	0					
6102 90 10		3.5	2.6	0					
6102 90 90		3.5	2.6	0					
6103 11 00		3.5	2.6	0					
6103 12 00		3.5	2.6	0					

6103 19 00	3.5	2.6	0
6103 21 00	3.5	2.6	0
6103 22 00	3.5	2.6	0
6103 23 00	3.5	2.6	0
6103 29 00	3.5	2.6	0
6103 31 00	3.5	2.6	0
6103 32 00	3.5	2.6	0
6103 33 00	3.5	2.6	0
6103 39 00	3.5	2.6	0
6103 41 10	3.5	2.6	0
6103 41 90	3.5	2.6	0
6103 42 10	3.5	2.6	0
6103 42 90	3.5	2.6	0
6103 43 10	3.5	2.6	0
6103 43 90	3.5	2.6	0
6103 49 10	3.5	2.6	0
6103 49 91	3.5	2.6	0
6103 49 99	3.5	2.6	0
6104 11 00	3.5	2.6	0
6104 12 00	3.5	2.6	0
6104 13 00	3.5	2.6	0
6104 19 00	3.5	2.6	0
6104 21 00	3.5	2.6	0

SCHEDULE 1: Chapter 61 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6104 22 00		3.5	2.6	0					
6104 23 00		3.5	2.6	0					
6104 29 00		3.5	2.6	0					
6104 31 00		3.5	2.6	0					
6104 32 00		3.5	2.6	0					
6104 33 00		3.5	2.6	0					
6104 39 00		3.5	2.6	0					
6104 41 00		3.5	2.6	0					
6104 42 00		3.5	2.6	0					
6104 43 00		3.5	2.6	0					
6104 44 00		3.5	2.6	0					
6104 49 00		3.5	2.6	0					
6104 51 00		3.5	2.6	0					
6104 52 00		3.5	2.6	0					
6104 53 00		3.5	2.6	0					
6104 59 00		3.5	2.6	0					
6104 61 10		3.5	2.6	0					
6104 61 90		3.5	2.6	0					

6104 62 10	3.5	2.6	0	
6104 62 90	3.5	2.6	0	
6104 63 10	3.5	2.6	0	
6104 63 90	3.5	2.6	0	
6104 69 10	3.5	2.6	0	
6104 69 91	3.5	2.6	0	
6104 69 99	3.5	2.6	0	
6105 10 00	4.8	3.7	2.7	0
6105 20 10	4.8	3.7	2.7	0
6105 20 90	4.8	3.7	2.7	0
6105 90 10	4.8	3.7	2.7	0
6105 90 90	4.8	3.7	2.7	0
6106 10 00	3.5	2.6	0	
6106 20 00	3.5	2.6	0	
6106 90 10	3.5	2.6	0	
6106 90 30	3.5	2.6	0	
6106 90 50	3.5	2.6	0	
6106 90 90	3.5	2.6	0	
6107 11 00	4.8	3.7	2.7	0
6107 12 00	4.8	3.7	2.7	0
6107 19 00	4.8	3.7	2.7	0
6107 21 00	4.8	3.7	2.7	0
6107 22 00	4.8	3.7	2.7	0

SCHEDULE 1: Chapter 61 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6107 29 00		4.8	3.7	2.7	0				
6107 91 00		3.5	2.6	0					
6107 92 00		3.5	2.6	0					
6107 99 00		3.5	2.6	0					
6108 11 10		4.8	3.7	2.7	0				
6108 11 90		4.8	3.7	2.7	0				
6108 19 10		4.8	3.7	2.7	0				
6108 19 90		4.8	3.7	2.7	0				
6108 21 00		4.8	3.7	2.7	0				
6108 22 00		4.8	3.7	2.7	0				
6108 29 00		4.8	3.7	2.7	0				
6108 31 10		4.8	3.7	2.7	0				
6108 31 90		4.8	3.7	2.7	0				
6108 32 11		4.8	3.7	2.7	0				
6108 32 19		4.8	3.7	2.7	0				
6108 32 90		4.8	3.7	2.7	0				
6108 39 00		4.8	3.7	2.7	0				
6108 91 00		3.5	2.6	0					

6108 92 00	3.5	2.6	0	
6108 99 10	3.5	2.6	0	
6108 99 90	3.5	2.6	0	
6109 10 00	4.8	3.7	2.7	0
6109 90 10	4.8	3.7	2.7	0
6109 90 30	4.8	3.7	2.7	0
6109 90 90	4.8	3.7	2.7	0
6110 10 10	2.6	0		
6110 10 31	3.5	2.6	0	
6110 10 39	3.5	2.6	0	
6110 10 91	3.5	2.6	0	
6110 10 99	3.5	2.6	0	
6110 20 10	4.8	3.7	2.7	0
6110 20 91	3.5	2.6	0	
6110 20 99	3.5	2.6	0	
6110 30 10	4.8	3.7	2.7	0
6110 30 91	3.5	2.6	0	
6110 30 99	3.5	2.6	0	
6110 90 10	3.5	2.6	0	
6110 90 90	3.5	2.6	0	
6111 10 10	2.1	0		
6111 10 90	3.3	2.5	0	
6111 20 10	2.1	0		

SCHEDULE 1: Chapter 61 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6111 20 90		3.3	2.5	0					
6111 30 10		2.1	0						
6111 30 90		3.3	2.5	0					
6111 90 00		2.1	0						
6112 11 00		3.5	2.6	0					
6112 12 00		3.5	2.6	0					
6112 19 00		3.5	2.6	0					
6112 20 00		3.5	2.6	0					
6112 31 90		3.5	2.6	0					
6112 39 90		3.5	2.6	0					
6112 41 90		3.5	2.6	0					
6112 49 90		3.5	2.6	0					
6113 00 90		3.5	2.6	0					
6114 10 00		3.5	2.6	0					
6114 20 00		3.5	2.6	0					
6114 30 00		3.5	2.6	0					
6114 90 00		3.5	2.6	0					
6115 11 00		4.8	3.7	2.7	0				

6115 12 00	4.8	3.7	2.7	0
6115 19 10	4.8	3.7	2.7	0
6115 19 90	4.8	3.7	2.7	0
6115 20 11	4.8	3.7	2.7	0
6115 20 19	4.8	3.7	2.7	0
6115 20 90	4.8	3.7	2.7	0
6115 91 00	4.8	3.7	2.7	0
6115 92 00	4.8	3.7	2.7	0
6115 93 30	4.8	3.7	2.7	0
6115 93 91	4.8	3.7	2.7	0
6115 93 99	4.8	3.7	2.7	0
6115 99 00	4.8	3.7	2.7	0
6116 10 10	2.1	0		
6116 91 00	2.1	0		
6116 92 00	2.1	0		
6116 93 00	2.1	0		
6116 99 00	2.1	0		
6117 10 00	3.5	2.6	0	
6117 20 00	3.5	2.6	0	
6117 80 90	3.5	2.6	0	

SCHEDULE 1: Chapter 62 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6201 11 00		3.5	2.6	0					
6201 12 10		3.5	2.6	0					
6201 12 90		3.5	2.6	0					
6201 13 10		3.5	2.6	0					
6201 13 90		3.5	2.6	0					
6201 19 00		3.5	2.6	0					
6201 91 00		3.5	2.6	0					
6201 92 00		3.5	2.6	0					
6201 93 00		3.5	2.6	0					
6201 99 00		3.5	2.6	0					
6202 11 00		3.5	2.6	0					
6202 12 10		3.5	2.6	0					
6202 12 90		3.5	2.6	0					
6202 13 10		3.5	2.6	0					
6202 13 90		3.5	2.6	0					
6202 19 00		3.5	2.6	0					
6202 91 00		3.5	2.6	0					
6202 92 00		3.5	2.6	0					

6202 93 00	3.5	2.6	0
6202 99 00	3.5	2.6	0
6203 11 00	3.5	2.6	0
6203 12 00	3.5	2.6	0
6203 19 10	3.5	2.6	0
6203 19 30	3.5	2.6	0
6203 19 90	3.5	2.6	0
6203 21 00	3.5	2.6	0
6203 22 10	3.5	2.6	0
6203 22 90	3.5	2.6	0
6203 23 10	3.5	2.6	0
6203 23 90	3.5	2.6	0
6203 29 11	3.5	2.6	0
6203 29 19	3.5	2.6	0
6203 29 90	3.5	2.6	0
6203 31 00	3.5	2.6	0
6203 32 10	3.5	2.6	0
6203 32 90	3.5	2.6	0
6203 33 10	3.5	2.6	0
6203 33 90	3.5	2.6	0
6203 39 11	3.5	2.6	0
6203 39 19	3.5	2.6	0
6203 39 90	3.5	2.6	0

SCHEDULE 1: Chapter 62 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6203 41 10		3.5	2.6	0					
6203 41 30		3.5	2.6	0					
6203 41 90		3.5	2.6	0					
6203 42 11		3.5	2.6	0					
6203 42 31		3.5	2.6	0					
6203 42 33		3.5	2.6	0					
6203 42 35		3.5	2.6	0					
6203 42 51		3.5	2.6	0					
6203 42 59		3.5	2.6	0					
6203 42 90		3.5	2.6	0					
6203 43 11		3.5	2.6	0					
6203 43 19		3.5	2.6	0					
6203 43 31		3.5	2.6	0					
6203 43 39		3.5	2.6	0					
6203 43 90		3.5	2.6	0					
6203 49 11		3.5	2.6	0					
6203 49 19		3.5	2.6	0					
6203 49 31		3.5	2.6	0					

6203 49 39	3.5	2.6	0
6203 49 50	3.5	2.6	0
6203 49 90	3.5	2.6	0
6204 11 00	3.5	2.6	0
6204 12 00	3.5	2.6	0
6204 13 00	3.5	2.6	0
6204 19 10	3.5	2.6	0
6204 19 90	3.5	2.6	0
6204 21 00	3.5	2.6	0
6204 22 10	3.5	2.6	0
6204 22 90	3.5	2.6	0
6204 23 10	3.5	2.6	0
6204 23 90	3.5	2.6	0
6204 29 11	3.5	2.6	0
6204 29 19	3.5	2.6	0
6204 29 90	3.5	2.6	0
6204 31 00	3.5	2.6	0
6204 32 10	3.5	2.6	0
6204 32 90	3.5	2.6	0
6204 33 10	3.5	2.6	0
6204 33 90	3.5	2.6	0
6204 39 11	3.5	2.6	0
6204 39 19	3.5	2.6	0

SCHEDULE 1: Chapter 62 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6204 39 90		3.5	2.6	0					
6204 41 00		3.5	2.6	0					
6204 42 00		3.5	2.6	0					
6204 43 00		3.5	2.6	0					
6204 44 00		3.5	2.6	0					
6204 49 10		3.5	2.6	0					
6204 49 90		3.5	2.6	0					
6204 51 00		3.5	2.6	0					
6204 52 00		3.5	2.6	0					
6204 53 00		3.5	2.6	0					
6204 59 10		3.5	2.6	0					
6204 59 90		3.5	2.6	0					
6204 61 10		3.5	2.6	0					
6204 61 80		3.5	2.6	0					
6204 61 90		3.5	2.6	0					
6204 62 11		3.5	2.6	0					
6204 62 31		3.5	2.6	0					
6204 62 33		3.5	2.6	0					

6204 62 35	3.5	2.6	0	
6204 62 51	3.5	2.6	0	
6204 62 59	3.5	2.6	0	
6204 62 90	3.5	2.6	0	
6204 63 11	3.5	2.6	0	
6204 63 19	3.5	2.6	0	
6204 63 31	3.5	2.6	0	
6204 63 39	3.5	2.6	0	
6204 63 90	3.5	2.6	0	
6204 69 11	3.5	2.6	0	
6204 69 19	3.5	2.6	0	
6204 69 31	3.5	2.6	0	
6204 69 39	3.5	2.6	0	
6204 69 50	3.5	2.6	0	
6204 69 90	3.5	2.6	0	
6205 10 00	4.8	3.7	2.7	0
6205 20 00	4.8	3.7	2.7	0
6205 30 00	4.8	3.7	2.7	0
6205 90 10	4.8	3.7	2.7	0
6205 90 90	4.8	3.7	2.7	0
6206 10 00	4.8	3.7	2.7	0
6206 20 00	3.5	2.6	0	
6206 30 00	3.5	2.6	0	

SCHEDULE 1: Chapter 62 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6206 40 00		3.5	2.6	0					
6206 90 10		3.5	2.6	0					
6206 90 90		3.5	2.6	0					
6207 11 00		4.8	3.7	2.7	0				
6207 19 00		4.8	3.7	2.7	0				
6207 21 00		4.8	3.7	2.7	0				
6207 22 00		4.8	3.7	2.7	0				
6207 29 00		4.8	3.7	2.7	0				
6207 91 00		3.5	2.6	0					
6207 92 00		3.5	2.6	0					
6207 99 00		3.5	2.6	0					
6208 11 00		3.2	2.4	0					
6208 19 10		3.2	2.4	0					
6208 19 90		3.2	2.4	0					
6208 21 00		3.2	2.4	0					
6208 22 00		3.2	2.4	0					
6208 29 00		3.2	2.4	0					
6208 91 10		3.5	2.6	0					

6208 91 90	3.2	2.4	0
6208 92 10	3.5	2.6	0
6208 92 90	3.2	2.4	0
6208 99 00	3.2	2.4	0
6210 10 10	3.2	2.4	0
6210 10 91	3.2	2.4	0
6210 10 99	3.2	2.4	0
6210 20 00	3.5	2.6	0
6210 30 00	3.5	2.6	0
6210 40 00	3.5	2.6	0
6210 50 00	3.5	2.6	0
6211 11 00	3.5	2.6	0
6211 12 00	3.5	2.6	0
6211 20 00	3.5	2.6	0
6211 31 00	3.5	2.6	0
6211 32 10	3.5	2.6	0
6211 32 90	3.5	2.6	0
6211 33 10	3.5	2.6	0
6211 33 90	3.5	2.6	0
6211 39 00	3.5	2.6	0
6211 41 00	3.5	2.6	0
6211 42 10	3.5	2.6	0
6211 42 90	3.5	2.6	0

SCHEDULE 1: Chapter 62 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6211 43 10		3.5	2.6	0					
6211 43 90		3.5	2.6	0					
6211 49 00		3.5	2.6	0					
6213 10 00		2.5	0						
6213 20 00		2.5	0						
6213 90 00		2.5	0						

SCHEDULE 1: Chapter 63 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6301 20 10		3	2.2	0					
6301 20 91		5.2	3.9	2.9	0				
6301 20 99		5.2	3.9	2.9	0				
6301 30 10		3	2.2	0					
6301 30 90		2.8	2.1	0					
6301 40 10		3	2.2	0					
6301 90 10		3	2.2	0					
6302 10 10		3	2.2	0					
6302 10 90		3	2.2	0					
6302 21 00		4.8	3.7	2.7	0				
6302 22 90		4.8	3.7	2.7	0				
6302 29 10		4.8	3.7	2.7	0				
6302 29 90		4.8	3.7	2.7	0				
6302 31 10		4.8	3.7	2.7	0				
6302 31 90		4.8	3.7	2.7	0				
6302 32 90		4.8	3.7	2.7	0				
6302 39 10		4.8	3.7	2.7	0				
6302 39 30		4.8	3.7	2.7	0				

SCHEDULE 1: Chapter 63 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6302 39 90		4.8	3.7	2.7	0				
6302 40 00		3	2.2	0					
6302 51 10		4.8	3.7	2.7	0				
6302 51 90		4.8	3.7	2.7	0				
6302 52 00		4.8	3.7	2.7	0				
6302 53 90		4.8	3.7	2.7	0				
6302 59 00		4.8	3.7	2.7	0				
6302 60 00		4.8	3.7	2.7	0				
6302 91 10		4.8	3.7	2.7	0				
6302 91 90		4.8	3.7	2.7	0				
6302 92 00		4.8	3.7	2.7	0				
6302 93 90		4.8	3.7	2.7	0				
6302 99 00		4.8	2.7	0					
6303 11 00		3	2.2	0					
6303 12 00		3	2.2	0					
6303 19 00		3	2.2	0					
6303 91 00		4.8	3.7	2.7	0				
6303 92 90		4.8	3.7	2.7	0				

6303 99 90	4.8	3.7	2.7	0
6304 11 00	3	2.2	0	
6304 19 10	4.8	3.7	2.7	0
6304 19 30	4.8	3.7	2.7	0
6304 91 00	3	2.2	0	
6305 10 90	2.1	0		
6305 31 10	3	2.2	0	
6306 11 00	3.5	2.6	0	
6306 12 00	3.5	2.6	0	
6306 19 00	3.5	2.6	0	
6306 21 00	3.5	2.6	0	
6306 22 00	3.5	2.6	0	
6306 29 00	3.5	2.6	0	
6306 31 00	3.5	2.6	0	
6306 39 00	3.5	2.6	0	
6306 41 00	3.5	2.6	0	
6306 91 00	3.5	2.6	0	
6307 10 10	3	2.2	0	
6307 90 10	3	2.2	0	

SCHEDULE 1: Chapter 64 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6401 10 10		5	3.8	2.8	0				
6401 10 90		5	3.8	2.8	0				
6401 91 10		5	3.8	2.8	0				
6401 91 90		5	3.8	2.8	0				
6401 92 10		5	3.8	2.8	0				
6401 92 90		5	3.8	2.8	0				
6401 99 10		5	3.8	2.8	0				
6401 99 90		5	3.8	2.8	0				
6402 11 00		5	3.8	2.8	0				
6402 19 00		5	3.8	2.8	0				
6402 20 00		5	3.8	2.8	0				
6402 30 10		5	3.8	2.8	0				
6402 30 90		5	3.8	2.8	0				
6402 91 10		5	3.8	2.8	0				
6402 91 90		5	3.8	2.8	0				
6402 99 10		5	3.8	2.8	0				
6402 99 31		5	3.8	2.8	0				
6402 99 39		5	3.8	2.8	0				

6402 99 50	5	3.8	2.8	0
6402 99 91	5	3.8	2.8	0
6402 99 95	5	3.8	2.8	0
6402 99 99	5	3.8	2.8	0
6403 11 00	3	2.2	0	
6403 19 00	3	2.2	0	
6403 20 00	3	2.2	0	
6403 30 00	3	2.2	0	
6403 40 00	3	2.2	0	
6403 51 11	3	2.2	0	
6403 51 15	3	2.2	0	
6403 51 19	3	2.2	0	
6403 51 91	3	2.2	0	
6403 51 95	3	2.2	0	
6403 51 99	3	2.2	0	
6403 59 11	3	2.2	0	
6403 59 31	3	2.2	0	
6403 59 35	3	2.2	0	
6403 59 39	3	2.2	0	
6403 59 50	3	2.2	0	
6403 59 91	3	2.2	0	
6403 59 95	3	2.2	0	
6403 59 99	3	2.2	0	
6403 91 11	3	2.2	0	

SCHEDULE 1: Chapter 64 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6403 91 15		3	2.2	0					
6403 91 19		3	2.2	0					
6403 91 91		3	2.2	0					
6403 91 95		3	2.2	0					
6403 91 99		3	2.2	0					
6403 99 11		3	2.2	0					
6403 99 31		3	2.2	0					
6403 99 35		3	2.2	0					
6403 99 39		3	2.2	0					
6403 99 50		3	2.2	0					
6403 99 91		3	2.2	0					
6403 99 95		3	2.2	0					
6403 99 99		3	2.2	0					
6404 11 00		7.5	5.7	4.2	2.7	0			
6404 19 10		7.5	5.7	4.2	2.7	0			
6404 19 90		7.5	5.7	4.2	2.7	0			
6404 20 10		7.5	5.7	4.2	2.7	0			
6404 20 90		7.5	5.7	4.2	2.7	0			
6405 90 10		7.5	5.7	4.2	2.7	0			

SCHEDULE 1: Chapter 69 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
6907 10 00		3	2.2	0					
6907 90 10		3	2.2	0					
6907 90 91		3	2.2	0					
6907 90 93		3	2.2	0					
6907 90 99		3	2.2	0					
6908 90 31		2.2	0						
6908 90 51		2.2	0						
6908 90 91		2.2	0						
6908 90 93		2.2	0						
6908 90 99		2.2	0						
6910 10 00		2.5	0						
6910 90 00		2.5	0						
6911 10 00		3.3	2.5	0					
6911 90 00		3.3	2.5	0					
6912 00 50		2.6	0						
6913 10 00		2.2	0						
6913 90 91		2.2	0						
6913 90 93		2.2	0						
6913 90 99		2.2	0						

SCHEDULE 1: Chapter 70 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7010 90 10		3	2.2	0					
7010 90 21		2.2	0						
7010 90 31		2.2	0						
7010 90 41		2.2	0						
7010 90 43		2.2	0						
7010 90 45		2.2	0						
7010 90 47		2.2	0						
7010 90 51		2.2	0						
7010 90 53		2.2	0						
7010 90 55		2.2	0						
7010 90 57		2.2	0						
7010 90 61		2.2	0						
7010 90 67		2.2	0						
7010 90 71		2.2	0						
7010 90 77		2.2	0						
7010 90 81		2.2	0						
7010 90 87		2.2	0						
7010 90 99		2.2	0						

7012 00 90	3.1	2.3	0
7013 10 00	3	2.2	0
7013 21 11	3	2.2	0
7013 21 19	3	2.2	0
7013 21 91	3	2.2	0
7013 21 99	3	2.2	0
7013 29 10	3	2.2	0
7013 29 51	3	2.2	0
7013 29 59	3	2.2	0
7013 29 91	3	2.2	0
7013 29 99	3	2.2	0
7013 31 10	3	2.2	0
7013 31 90	3	2.2	0
7013 32 00	3	2.2	0
7013 39 10	3	2.2	0
7013 39 91	3	2.2	0
7013 39 99	3	2.2	0
7013 91 10	3	2.2	0
7013 91 90	3	2.2	0
7013 99 10	3	2.2	0
7013 99 90	3	2.2	0
7016 10 00	2.5	0	
7018 10 19	2.5	0	

SCHEDULE 1: Chapter 70 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7018 90 90		2.5	0						
7019 10 10		2.3	0						
7019 10 51		2.3	0						
7019 10 59		2.3	0						
7019 10 99		2.3	0						
7019 20 11		2.3	0						
7019 20 31		2.3	0						
7019 20 35		2.3	0						
7019 20 90		2.3	0						
7019 31 00		2.3	0						
7019 90 10		2.3	0						
7019 90 30		2.3	0						
7019 90 91		2.3	0						
7019 90 99		2.3	0						

SCHEDULE 1: Chapter 71 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7117 19 10		2.1	0						
7117 19 91		2.1	0						
7117 19 99		2.1	0						

SCHEDULE 1: Chapter 72 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7201 20 00		2.5	0						
7202 11 10		2.5	0						
7202 11 90		2.5	0						
7202 99 11		2.5	0						
7207 19 11		3.7	2.8	2.1	0				
7207 19 15		2.7	0						
7207 19 31		2.7	0						
7207 20 51		3.7	2.8	2.1	0				
7207 20 55		2.7	0						
7207 20 57		2.7	0						
7207 20 71		2.7	0						
7208 11 00		2.3	0						
7208 12 10		2.3	0						
7208 12 91		2.3	0						
7208 12 99		2.3	0						
7208 13 10		2.3	0						
7208 13 91		2.3	0						
7208 13 99		2.3	0						

7208 14 10	2.3	0	
7208 14 90	2.3	0	
7208 21 10	2.3	0	
7208 21 90	2.3	0	
7208 22 10	2.3	0	
7208 22 91	2.3	0	
7208 22 99	2.3	0	
7208 23 10	2.3	0	
7208 23 91	2.3	0	
7208 23 99	2.3	0	
7208 24 10	2.3	0	
7208 24 90	2.3	0	
7208 31 00	2.7	0	
7208 32 10	3	2.2	0
7208 32 30	3	2.2	0
7208 32 51	3	2.2	0
7208 32 59	3	2.2	0
7208 32 91	3	2.2	0
7208 32 99	3	2.2	0
7208 33 10	3	2.2	0
7208 33 91	3	2.2	0
7208 33 99	3	2.2	0
7208 34 10	3	2.2	0

SCHEDULE 1: Chapter 72 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7208 34 90		3	2.2	0					
7208 35 10		3	2.2	0					
7208 35 91		2.7	0						
7208 35 93		2.7	0						
7208 35 99		2.7	0						
7208 41 00		2.7	0						
7208 42 10		3	2.2	0					
7208 42 30		3	2.2	0					
7208 42 51		3	2.2	0					
7208 42 59		3	2.2	0					
7208 42 91		3	2.2	0					
7208 42 99		3	2.2	0					
7208 43 10		3	2.2	0					
7208 43 91		3	2.2	0					
7208 43 99		3	2.2	0					
7208 44 10		3	2.2	0					
7208 44 90		3	2.2	0					
7208 45 10		3	2.2	0					

7208 45 91	2.7	0	
7208 45 93	2.7	0	
7208 45 99	2.7	0	
7208 90 10	3	2.2	0
7209 12 10	2.7	0	
7209 12 90	2.7	0	
7209 13 10	2.7	0	
7209 13 90	3.3	2.5	0
7209 14 10	2.7	0	
7209 14 90	3.3	2.5	0
7209 22 10	2.7	0	
7209 22 90	2.7	0	
7209 23 10	2.7	0	
7209 23 90	3.3	2.5	0
7209 24 10	2.7	0	
7209 24 91	3.3	2.5	0
7209 24 99	3.3	2.5	0
7209 32 10	2.7	0	
7209 32 90	2.7	0	
7209 33 10	2.7	0	
7209 33 90	3.3	2.5	0
7209 34 10	2.7	0	
7209 34 90	3.3	2.5	0

SCHEDULE 1: Chapter 72 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7209 42 10		2.7	0						
7209 42 90		2.7	0						
7209 43 10		2.7	0						
7209 43 90		3.3	2.5	0					
7209 44 10		2.7	0						
7209 44 90		3.3	2.5	0					
7209 90 10		3	2.2	0					
7210 11 10		3	2.2	0					
7210 12 11		3	2.2	0					
7210 12 19		3	2.2	0					
7210 20 10		3	2.2	0					
7210 31 10		3	2.2	0					
7210 39 10		3	2.2	0					
7210 41 10		3	2.2	0					
7210 49 10		3	2.2	0					
7210 50 10		3	2.2	0					
7210 60 11		3	2.2	0					
7210 60 19		3	2.2	0					

7210 70 11	3	2.2	0
7210 70 19	3	2.2	0
7210 90 31	3	2.2	0
7210 90 33	3	2.2	0
7210 90 35	3	2.2	0
7210 90 39	3	2.2	0
7211 11 00	2.7	0	
7211 12 10	2.3	0	
7211 12 90	3	2.2	0
7211 19 10	2.3	0	
7211 19 91	3	2.2	0
7211 19 99	3	2.2	0
7211 21 00	2.7	0	
7211 22 10	2.3	0	
7211 22 90	3	2.2	0
7211 29 10	2.3	0	
7211 29 91	3	2.2	0
7211 29 99	3	2.2	0
7211 30 10	3	2.2	0
7211 41 91	3.3	2.5	0
7211 90 11	3	2.2	0
7212 10 10	3	2.2	0
7212 10 91	3	2.2	0

SCHEDULE 1: Chapter 72 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7212 21 11		3	2.2	0					
7212 29 11		3	2.2	0					
7212 30 11		3	2.2	0					
7212 40 10		3	2.2	0					
7212 40 91		3	2.2	0					
7212 50 31		3	2.2	0					
7212 50 51		3	2.2	0					
7212 60 11		3	2.2	0					
7212 60 91		3	2.2	0					
7213 10 00		3	2.2	0					
7213 20 00		3	2.2	0					
7213 31 00		3	2.2	0					
7213 39 00		3	2.2	0					
7213 41 00		3	2.2	0					
7213 50 00		3	2.2	0					
7214 20 00		2.7	0						
7214 30 00		2.7	0						
7214 40 10		2.7	0						

7214 40 91	2.7	0		
7214 40 99	2.7	0		
7214 50 10	2.7	0		
7214 50 91	2.7	0		
7214 50 99	2.7	0		
7214 60 00	2.7	0		
7215 90 10	2.3	0		
7216 10 00	2.7	0		
7216 21 00	2.7	0		
7216 22 00	2.7	0		
7216 31 00	2.7	0		
7216 32 00	2.7	0		
7216 33 00	2.7	0		
7216 40 10	2.7	0		
7216 40 90	2.7	0		
7216 50 10	2.7	0		
7216 50 90	2.7	0		
7216 90 10	2.3	0		
7218 90 50	3.7	2.8	2.1	0
7219 11 10	3.7	2.8	2.1	0
7219 11 90	3.7	2.8	2.1	0
7219 12 10	3.7	2.8	2.1	0
7219 12 90	3.7	2.8	2.1	0

SCHEDULE 1: Chapter 72 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7219 13 10		3.7	2.8	2.1	0				
7219 13 90		3.7	2.8	2.1	0				
7219 14 10		3.7	2.8	2.1	0				
721914 90		3.7	2.8	2.1	0				
7219 21 10		3.7	2.8	2.1	0				
7219 21 90		3.7	2.8	2.1	0				
7219 22 10		3.7	2.8	2.1	0				
7219 22 90		3.7	2.8	2.1	0				
7219 23 10		3.7	2.8	2.1	0				
7219 23 90		3.7	2.8	2.1	0				
7219 24 10		3.7	2.8	2.1	0				
7219 24 90		3.7	2.8	2.1	0				
7219 33 10		3.7	2.8	2.1	0				
7219 33 90		3.7	2.8	2.1	0				
7219 34 10		3.7	2.8	2.1	0				
7219 34 90		3.7	2.8	2.1	0				
7219 35 10		3.7	2.8	2.1	0				
7219 35 90		3.7	2.8	2.1	0				

7219 90 11	3.7	2.8	2.1	0
7219 90 19	3.7	2.8	2.1	0
7220 11 00	3.7	2.8	2.1	0
7220 12 00	3.7	2.8	2.1	0
7220 90 11	3.7	2.8	2.1	0
7220 90 31	3.7	2.8	2.1	0
7221 00 10	3.7	2.8	2.1	0
7221 00 90	3.7	2.8	2.1	0
7222 10 11	3.7	2.8	2.1	0
7222 10 19	3.7	2.8	2.1	0
7222 10 91	3.7	2.8	2.1	0
7222 10 99	3.7	2.8	2.1	0
7222 30 10	3.1	2.3	0	
7222 40 11	3.7	2.8	2.1	0
7222 40 19	3.7	2.8	2.1	0
7222 40 30	3.1	2.3	0	
7224 90 30	3.7	2.8	2.1	0
7225 10 10	3.7	2.8	2.1	0
7225 10 91	3.7	2.8	2.1	0
7225 10 99	3.7	2.8	2.1	0
7225 20 11	3.7	2.8	2.1	0
7225 20 30	3.7	2.8	2.1	0
7225 30 00	3.7	2.8	2.1	0

SCHEDULE 1: Chapter 72 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7225 40 10		3.7	2.8	2.1	0				
7225 40 30		3.7	2.8	2.1	0				
7225 40 50		3.7	2.8	2.1	0				
7225 40 70		3.7	2.8	2.1	0				
7225 40 90		3.7	2.8	2.1	0				
7225 90 10		3.7	2.8	2.1	0				
7226 10 10		3.7	2.8	2.1	0				
7226 10 30		3.7	2.8	2.1	0				
7226 20 10		3.7	2.8	2.1	0				
7226 20 51		3.7	2.8	2.1	0				
7226 20 71		3.7	2.8	2.1	0				
7226 91 00		3.7	2.8	2.1	0				
7226 99 11		3.7	2.8	2.1	0				
7226 99 31		3.7	2.8	2.1	0				
7227 10 00		3.7	2.8	2.1	0				
7227 20 00		3.7	2.8	2.1	0				
7227 90 10		3.7	2.8	2.1	0				
7227 90 90		3.7	2.8	2.1	0				

7228 10 10	3.7	2.8	2.1	0
7228 10 30	3.1	2.3	0	
7228 20 11	3.7	2.8	2.1	0
7228 20 19	3.7	2.8	2.1	0
7228 20 30	3.1	2.3	0	
7228 30 10	3.7	2.8	2.1	0
7228 30 90	3.7	2.8	2.1	0
7228 60 10	3.1	2.3	0	
7228 70 10	3.7	2.8	2.1	0
7228 70 31	3.1	2.3	0	
7228 80 10	3.7	2.8	2.1	0
7228 80 90	2.3	0		

SCHEDULE 1: Chapter 73 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7301 10 00		2.7	0						
7302 10 31		2.7	0						
7302 10 39		2.7	0						
7302 20 00		2.3	0						
7302 40 10		2.3	0						
7302 90 10		2.3	0						
7304 10 10		2.5	0						
7304 10 30		2.5	0						
7304 10 90		2.5	0						
7304 20 91		2.5	0						
7304 20 99		2.5	0						
7304 31 91		2.5	0						
7304 31 99		2.5	0						
7304 39 10		2.2	0						
7304 39 30		2.2	0						
7304 39 51		2.5	0						
7304 39 59		2.5	0						
7304 39 91		2.5	0						

7304 39 93	2.5	0
7304 39 99	2.5	0
7304 41 90	2.5	0
7304 49 10	2.2	0
7304 49 91	2.5	0
7304 49 99	2.5	0
7304 51 11	2.2	0
7304 51 19	2.5	0
7304 51 91	2.5	0
7304 51 99	2.5	0
7304 59 10	2.2	0
7304 59 31	2.2	0
7304 59 39	2.5	0
7304 59 91	2.5	0
7304 59 93	2.5	0
7304 59 99	2.5	0
7304 90 90	2.5	0
7305 11 00	2.5	0
7305 12 00	2.5	0
7305 19 00	2.5	0
7305 20 10	2.5	0
7305 20 90	2.5	0
7305 31 00	2.5	0

SCHEDULE 1: Chapter 73 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7305 39 00		2.5	0						
7305 90 00		2.5	0						
7306 10 11		2.5	0						
7306 10 19		2.5	0						
7306 10 90		2.5	0						
7306 20 00		2.5	0						
7306 30 21		2.5	0						
7306 30 29		2.5	0						
7306 30 30		2.5	0						
7306 30 51		2.5	0						
7306 30 59		2.5	0						
7306 30 71		2.5	0						
7306 30 79		2.5	0						
7306 30 90		2.5	0						
7306 40 91		2.5	0						
7306 40 99		2.5	0						
7306 50 91		2.5	0						
7306 50 99		2.5	0						

7306 60 31	2.5	0
7306 60 39	2.5	0
7306 60 90	2.5	0
7306 90 00	2.5	0
7313 00 00	2.2	0

SCHEDULE 1: Chapter 76 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
7604 10 10		2.5	0						
7604 10 90		2.5	0						
7604 21 00		2.5	0						
7604 29 10		2.5	0						
7604 29 90		2.5	0						
7605 11 00		2.5	0						
7605 19 10		2.5	0						
7605 19 90		2.5	0						
7605 21 00		2.5	0						
7605 29 10		2.5	0						
7605 29 90		2.5	0						
7606 12 10		2.5	0						
7606 91 00		2.5	0						
7606 92 00		2.5	0						
7607 11 10		2.5	0						
7607 11 90		2.5	0						
7607 19 10		2.5	0						
7607 19 90		2.5	0						

7607 20 10	2.5	0
7607 20 90	2.5	0
7608 10 91	2.5	0
7608 10 99	2.5	0
7608 20 30	2.5	0
7608 20 91	2.5	0
7608 20 99	2.5	0

SCHEDULE 1: Chapter 81 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
8101 99 00		2.5	0						
8102 99 00		2.5	0						
8109 90 00		2.2	0						
8112 99 30		2.2	0						

SCHEDULE 1: Chapter 82 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
8211 10 00		4.2	3.2	2.3	0				
8211 91 90		4.2	3.2	2.3	0				
8211 92 90		4.2	3.2	2.3	0				
8211 93 90		4.2	3.2	2.3	0				
8211 94 00		3	2.2	0					
8215 10 10		4.2	3.2	2.3	0				
8215 20 10		4.2	3.2	2.3	0				
8215 99 10		4.2	3.2	2.3	0				

SCHEDULE 1: Chapter 84 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
8407 21 11		2.5	0						
8407 21 19		2.5	0						
8452 10 19		3	2.2	0					
8470 21 00		3	2.2	0					
8482 10 10		2.2	0						
8482 10 90		2.2	0						
8482 20 00		2.2	0						
8482 30 00		2.2	0						
8482 40 00		2.2	0						
8482 50 00		2.2	0						
8482 80 00		2.2	0						
8482 91 10		2.2	0						
8482 91 90		2.2	0						
8482 99 00		2.2	0						

SCHEDULE 1: Chapter 85 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
8501 10 10		2.1	0						
8506 11 10		2.1	0						
8506 11 90		2.1	0						
8506 12 00		2.1	0						
8506 13 00		2.1	0						
8506 19 10		2.1	0						
8506 19 90		2.1	0						
8506 20 00		2.1	0						
8506 90 00		2.1	0						
8519 10 00		2.3	0						
8519 21 00		2.3	0						
8519 29 00		2.3	0						
8519 31 00		2.3	0						
8519 39 00		2.3	0						
8519 40 00		2.3	0						
8519 91 91		2.3	0						
8519 91 99		2.3	0						
8519 99 10		2.3	0						

SCHEDULE 1: Chapter 85 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
8527 21 10		3.5	2.6	0					
8527 21 90		3.5	2.6	0					
8527 29 00		3.5	2.6	0					
8527 31 10		3.5	2.6	0					
8527 31 91		3.5	2.6	0					
8527 31 99		3.5	2.6	0					
8527 39 10		3.5	2.6	0					
8527 39 91		3.5	2.6	0					
8527 39 99		3.5	2.6	0					
8527 90 91		3	2.2	0					
8527 90 99		3.5	2.6	0					
8528 10 40		3.5	2.6	0					
8528 10 50		3.5	2.6	0					
8528 10 60		3.5	2.6	0					
8528 10 71		3.5	2.6	0					
8528 10 73		3.5	2.6	0					
8528 10 79		3.5	2.6	0					
8528 10 91		3.5	2.6	0					

8528 10 99	3.5	2.6	0	
8528 20 10	3.5	2.6	0	
8528 20 71	3.5	2.6	0	
8528 20 73	3.5	2.6	0	
8528 20 79	3.5	2.6	0	
8528 20 90	3.5	2.6	0	
8540 11 10	3.7	2.8	2.1	0
8540 11 30	3.7	2.8	2.1	0
8540 11 90	3.7	2.8	2.1	0
8540 12 10	3.7	2.8	2.1	0
8540 12 30	3.7	2.8	2.1	0
8540 12 90	3.7	2.8	2.1	0
8541 10 10	2.2	0		
8541 10 91	3.5	2.6	0	
8541 10 99	3.5	2.6	0	
8541 21 10	2.2	0		
8541 21 90	3.5	2.6	0	
8541 29 10	2.2	0		
8541 29 90	3.5	2.6	0	
8541 30 10	2.2	0		
8541 30 90	3.5	2.6	0	
8541 40 10	3.5	2.6	0	
8541 50 10	2.2	0		
8541 50 90	3.5	2.6	0	

SCHEDULE 1: Chapter 85 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
8542 11 10		2.2	0						
8542 11 30		3.5	2.6	0					
8542 11 71		3.5	2.6	0					
8542 11 75		3.5	2.6	0					
8542 11 91		3.5	2.6	0					
8542 11 99		3.5	2.6	0					
8542 19 10		2.2	0						
8542 19 20		3.5	2.6	0					
8542 19 30		3.5	2.6	0					
8542 19 50		3.5	2.6	0					
8542 19 70		3.5	2.6	0					
8542 19 90		3.5	2.6	0					
8542 20 00		3.5	2.6	0					
8542 80 00		3.5	2.6	0					
8546 20 10		2.5	0						
8546 20 91		2.5	0						
8546 20 99		2.5	0						
8547 10 10		2.5	0						
8547 10 90		2.5	0						

SCHEDULE 1: Chapter 87 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
8701 20 10		5	3.8	2.8	0				
8701 20 90		5	3.8	2.8	0				
8701 30 00		2.7	0						
8701 90 11		2.1	0						
8701 90 15		2.1	0						
8701 90 21		2.1	0						
8701 90 25		2.1	0						
8701 90 31		2.1	0						
8701 90 35		2.1	0						
8701 90 39		2.1	0						
8701 90 50		2.1	0						
8701 90 90		2.7	0						
8702 10 11		5	3.8	2.8	0				
8702 10 19		5	3.8	2.8	0				
8702 10 91		2.7	0						
8702 10 99		2.7	0						
8702 90 11		5	3.8	2.8	0				
8702 90 19		5	3.8	2.8	0				

SCHEDULE 1: Chapter 87 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
8702 90 31		2.7	0						
8702 90 39		2.7	0						
8702 90 90		3.1	2.3	0					
8703 10 10		2.5	0						
8703 10 90		3.1	2.3	0					
8703 21 10		2.5	0						
8703 21 90		2.5	0						
8703 22 10		2.5	0						
8703 22 90		2.5	0						
8703 23 10		2.5	0						
8703 23 90		2.5	0						
8703 24 10		2.5	0						
8703 24 90		2.5	0						
8703 31 10		2.5	0						
8703 31 90		2.5	0						
8703 32 10		2.5	0						
8703 32 90		2.5	0						
8703 33 10		2.5	0						

8703 33 90	2.5	0		
8703 90 10	3.1	2.3	0	
8703 90 90	2.5	0		
8704 10 11	4.2	3.2	2.3	0
8704 10 90	2.5	0		
8704 21 31	5.5	4.1	3	0
8704 21 39	5.5	4.1	3	0
8704 21 91	2.7	0		
8704 21 99	2.7	0		
8704 22 91	2.7	0		
8704 22 99	2.7	0		
8704 23 91	5.5	4.1	3	0
8704 23 99	5.5	4.1	3	0
8704 31 31	5.5	4.1	3	0
8704 31 39	5.5	4.1	3	0
8704 31 91	2.7	0		
8704 31 99	2.7	0		
8704 32 91	2.7	0		
8704 32 99	2.7	0		
8704 90 00	2.5	0		
8706 00 11	5	3.8	2.8	0
8706 00 19	2.3	0		
8706 00 99	2.7	0		

SCHEDULE 1: Chapter 87 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
8707 10 90		2.1	0						
8707 90 90		2.1	0						
8711 10 00		2.2	0						
8711 20 10		2.2	0						
8711 20 91		2.2	0						
8711 20 99		2.2	0						
8711 30 00		2.2	0						
8711 40 00		2.2	0						
8711 50 00		2.2	0						
8711 90 00		2.2	0						
8712 00 10		2.6	0						
8712 00 90		2.6	0						

SCHEDULE 1: Chapter 88 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
8801 90 91		2.2	0						
8802 11 90		3.7	2.8	2.1	0				
8802 20 90		3	2.2	0					

SCHEDULE 1: Chapter 90 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
9002 11 00		2.5	0						
9002 19 00		2.5	0						
9002 20 10		2.5	0						
9002 20 90		2.5	0						
9002 90 91		2.5	0						
9002 90 99		2.5	0						
9011 10 00		2.5	0						
9011 20 00		2.5	0						
9011 80 00		2.5	0						
9011 90 00		2.5	0						
9030 20 90		2.7	0						
9030 39 30		2.7	0						
9030 89 91		2.7	0						

SCHEDULE 1: Chapter 91 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
9113 20 00		2.1	0						

SCHEDULE 1: Chapter 94 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
9405 91 11		2.5	0						
9405 91 19		2.2	0						

SCHEDULE 1: Chapter 95 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)*							
		as from 10.8.88	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
9501 00 10		2.6	0						
9501 00 90		2.6	0						
9503 30 10		2.1	0						
9503 49 10		2.1	0						
9503 60 10		2.1	0						

SCHEDULE 1: Chapter 96 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
9607 11 00		2.8	2.1	0					
9607 19 00		3.5	2.6	0					
9607 20 11		2.8	2.1	0					
9607 20 19		2.8	2.1	0					
9607 20 91		3.5	2.6	0					
9607 20 99		3.5	2.6	0					
9617 00 11		3.2	2.4	0					
9617 00 19		3.2	2.4	0					
9617 00 90		3.2	2.4	0					

SCHEDULE 2

Article 3 and 4

CUSTOMS DUTIES—BEEF AND VEAL MARKET ORGANISATION PRODUCTS

Combined Nomenclature Code: (1)	*Rates of Duty for Marketing Years (2)*				
	88/89	*89/90*	*90/91*	*91/92*	*92/93*
0102.90.10	10	8	6	4	2
0102.90.31	10	8	6	4	2
0102.90.33	10	8	6	4	2
0102.90.35	10	8	6	4	2
0102.90.37	10	8	6	4	2
0201.10.10	12.5	10	7.5	5	2.5
0201.10.90	12.5	10	7.5	5	2.5
0201.20.11	12.5	10	7.5	5	2.5
0201.20.19	12.5	10	7.5	5	2.5
0201.20.31	12.5	10	7.5	5	2.5
0201.20.39	12.5	10	7.5	5	2.5
0201.20.51	12.5	10	7.5	5	2.5
0201.20.59	12.5	10	7.5	5	2.5
0201.20.90	12.5	10	7.5	5	2.5
0201.30.00	12.5	10	7.5	5	2.5
0202.10.00	12.5	10	7.5	5	2.5
0202.20.10	12.5	10	7.5	5	2.5
0202.20.30	12.5	10	7.5	5	2.5
0202.20.50	12.5	10	7.5	5	2.5
0202.20.90	12.5	10	7.5	5	2.5
0202.30.10	12.5	10	7.5	5	2.5
0202.30.50	12.5	10	7.5	5	2.5
0202.30.90	12.5	10	7.5	5	2.5
0206.10.91	4.3	3.5	2.6	1.7	0.8
0206.22.90	4.3	3.5	2.6	1.7	0.8
0206.10.99	2.5	2	1.5	1	0.5
0206.21.00	2.5	2	1.5	1	0.5
0206.29.99	2.5	2	1.5	1	0.5
0206.10.95	12.5	10	7.5	5	2.5
0206.29.91	12.5	10	7.5	5	2.5
0210.20.10	15	12	9	6	3
0210.20.90	15	12	9	6	3
0210.90.41	15	12	9	6	3
0210.90.49	12.5	10	7.5	5	2.5
0210.90.90	12.5	10	7.5	5	2.5
1502.00.91	3.1	2.5	1.8	1.2	0.6
1602.50.10	12.5	10	7.5	5	2.5
1602.90.61	12.5	10	7.5	5	2.5
1602.50.90	16.2	13	9.7	6.5	3.2
1602.90.69	16.2	13	9.7	6.5	3.2
1602.90.99	16.2	13	9.7	6.5	3.2
1902.20.30	16.2	13	9.7	6.5	3.2

SCHEDULE 3

Article 5

TOTAL EXEMPTIONS FROM CUSTOMS DUTIES

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 0302.70.00 and ex 0303.80.00	Hard fish roes, fresh, chilled or frozen
ex 0303.79.99	Red snapper (Lutjanus purpureus)
ex 0303.79.99	Sturgeons, fresh, chilled or frozen, whole, headless or in pieces, intended for processing (1)(2)
ex 0303.80.00	Soft roes, frozen, intended for the manufacture of deoxyribonucleic acid (DNA)(1)
ex 0305.20.00	Hard fish roes, salted or in brine
ex 0306.19.90 and ex 0306.29.90	Krill for processing (1)
ex 0711.90.50	Mushrooms, excluding cultivated mushrooms within the meaning of subheading 0709.51.10, in salted or sulphur water, or to which other substances ensuring their temporary preservation have been added, but not specially for immediate consumption
ex 0712.30.00	Mushrooms, excluding cultivated mushrooms within the meaning of subheading 0709.51.10, dried, dehydrated or evaporated, whole or in identifiable slices or pieces, intended for treatment other than simple repacking for retail sale (1)(3)
ex 0713.33.90	Beans, white, dried, of the species Phaseolus vulgaris, of which not more than 2% by weight are retained by a screen with apertures of 8mm in diameter
ex 0804.10.00	Dates, fresh or dried, intended for the processing industry, other than for the production of alcohol (1)
ex 0804.10.00	Dates, fresh or dried, for packing for retail sale into immediate packings of a net capacity not exceeding 11 kg (1)
ex 0810.40.50	Large American cranberries, fresh (Vaccinium macrocarpum)
ex 0810.90.90	Rose hips, fresh
ex 0811.90.50, ex 0811.90.70 and ex 0811.90.90	Fruit of the genus Vaccinium, whether or not cooked, in frozen state, not containing added sugar
ex 0811.90.90	Rose hips, whether or not cooked, in frozen state not containing added sugar
ex 0811.90.90	Dates, frozen, in immediate packings of a net capacity of 5 kg or more, not intended for the production of alcohol (1)
ex 1302.14.00	Extract of dewaxed pyrethrum
ex 1604.11.00 and ex 1604.20.10	Salmon for the processing industry for manufacture into pastes or spreads (1)
ex 1604.30.90	Hard fish roes, washed, cleaned of adherent organs and simply salted or in brine
ex 1605.10.00	Crabs of the species 'King' (Paralithodes camchaticus), 'Hanasaki' (Paralithodes brevipes), 'Kegani' (Erimacrus isenbecki), 'Queen' and 'Snow' (Chionoecetes spp.), 'Red' (Geryon quinquedens), 'Rough stone' (Neolithides asperrimus), Lithodes antarctica, 'Mud' (Scylla serrata), 'Blue' (Portunus spp.), simply boiled in water and shelled, whether or not frozen, in immediate packings of a net capacity of 2 kg or more
ex 2309.90.10	Fish or marine mammal solubles

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 2710.00.59	Mixture of hydrocarbons, consisting of 85% or more of linear paraffins by weight, with chain lengths of eight to 16 carbon atoms, and of not more than 13% of alkylbenzenes by weight, with linear chains of 10 to 12 carbon atoms
ex 2712.20.00	Synthetic paraffin wax having a molecular weight of not less than 460 and not more than 1,560
ex 2712.90.90	I-Alkenes containing C 18 to C 30 carbon chains
ex 2805.30.10	Alloys of cerium and other rare earth metals containing not less than 47% by weight of cerium
ex 2819.90.00	Chromium dioxide
ex 2835.26.00	Pentacalcium hydroxide tris(orthophosphate) for use in non-ferrous metallurgy (1)
ex 2845.10.00 and ex 2845.90.10	Deuterium, deuterium oxide (heavy water) and other compounds of deuterium; hydrogen and compounds thereof enriched in deuterium, mixtures and solutions containing these products (Euratom)
ex 2903.30.39	Dibromomethane
ex 2905.19.10	Potassium-*tert*-butoxide
ex 2905.39.90	Butane-1,3-diol
ex 2905.39.90	2,4,7,9-Tetramethyldec-5-yne-4,7-diol
ex 2905.39.90	Hexane-1,6-diol
ex 2906.11.00	Menthol
ex 2916.19.90	Methacryloyl chloride
ex 2916.19.90	Butyl perchlorocrotonate
ex 2917.39.90	Tetrabromophtalic anhydride
ex 2917.39.90	Benzene-1,2,4-tricarboxylic acid
ex 2917.39.90	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride
ex 2917.39.90	Benzene-1,2,4-tricarbonyl trichloride
ex 2917.39.90	4-Methylphtalic anhydride
ex 2921.59.00	*m*-Phenylenebis(methylamine)
ex 2922.29.00	Dobutamine (INN) and its salts
ex 2926.90.90	(−)-*N*-(*alpha*-Cyano-4-hydroxy-3-methoxy-*alpha*-methylphenethyl)-acetamide
ex 2926.90.90	2-(3-Phenoxyphenyl)propiononitrile
ex 2929.10.00	Methylenedicyclohexyl di-isocyanate, mixed isomers
ex 2929.10.00	*p*-Phenylene diisocyanate
ex 2929.10.00	*trans*-(Cyclohex-1,4-ylene diisocyanate), for the production of thermoplastic polyurethane elastomers (1)
ex 2929.10.00	3-3′-Dimethylbiphenyl-4-4′-diyldiisocyanate
ex 2929.90.00	*0,0*-Bis(4-*tert*-butylphenyl)-*N*-cyclohexylphosphoramidothioate
ex 2939.30.00	Caffeine and its salts
ex 2940.00.90	Ribose
ex 2940.00.90	Sucrose benzoate, having a saponification equivalent of not more than 175

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 3208.90.10 and ex 3909.50.00	Polyurethane of 2,2'-(*tert*-butylimino)diethanol and 4,4'-methylenedicyclohexyl di-isocyanate dissolved in *N,N*-dimethylacetamide, with a polymer content of not less than 48% by weight
ex 3208.90.10 ex 3911.90.90	Copolymer of *p*-cresol and divinylbenzene, dissolved in *N,N*-dimethylacetamide, with a polymer content of not less than 48% by weight
ex 3505.10.50	*O*-(2-hydroxyethyl)amylopectin hydrolysate
ex 3901.20.00	Polyethylene containing not less than 35% and not more than 45% by weight of mica.
ex 3901.20.00	Polyethylene, in one of the forms mentioned in note 6 (b) to Chapter 39, having a density of not less than 0,958 g/cm³ at 23°C and containing by weight not more than: —50 ppm aluminium — 2 ppm calcium — 2 ppm chromium — 2 ppm of iron — 2 ppm of nickel — 2 ppm of titanium — 8 ppm vanadium for the manufacture of chlorosulphonated polyethylene (a)
ex 3901.20.00	Polyethylene, in one of the forms mentioned in note 6 (b) to Chapter 39, having a density of not less than 0,945 and not more than 0,985 g/cm³ for the manufacture of typewriter ribbon or similar ribbon (a)
ex 3901.90.00	Ionomer resin consisting of a salt of a copolymer of ethylene and methacrylic acid
ex 3901.90.00	Ionomer resin consisting of a salt of a terpolymer of ethylene, isobutyl acrylate and methacrylic acid
ex 3901.90.00	Copolymers of ethylene with acrylic acid, or with methacrylic acid, containing not less than 16% and not more than 30% of acrylic acid or methacrylic acid or methacrylic acid by weight, in one of the forms mentioned in note 3 (b) to Chapter 39
ex 3901.90.00 and ex 3902.90.00	An A-B-A block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing not more than 35% by weight of styrene, in one of the forms mentioned in note 3 (b) to Chapter 39
ex 3902.90.00	Poly(1-ethylethylene) (polybutene-1) in one of the forms mentioned in note 3 (b) to Chapter 39
ex 3903.90.00	Brominated polystyrene containing not less than 58% and not more than 71% by weight of bromine, in one of the forms mentioned in note 3 (b) to Chapter 39
ex 3903.90.00	Copolymer, entirely of maleic anhydride and styrene, whether or not containing a styrene-butadiene block copolymer in one of the forms mentioned in note 3 (b) to Chapter 39
ex 3903.90.00 and ex 3921.11.00	Copolymers, solely of allyl alcohol with styrene, which have an acetyl value of not less than 175
ex 3904.40.00	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight not less than 87% and not more than 92% of vinyl chloride, not less than 2% and not more than 9% of vinyl acetate and not less than 1% and not more than 8% of vinyl alcohol, in one of the forms mentioned in note 6 (a) and (b) to Chapter 39
ex 3904.50.00	Copolymers of vinylidene chloride and acrylonitrile, in the form of expandable beads of a diameter not less than four and not more than 20 μm

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 3904.50.00	Copolymers of vinylidene chloride with vinyl chloride, containing not less than 79.5% by weight of vinylidene chloride, in one of the forms mentioned in note 3 (a) and (b) to Chapter 39, for the manufacture of fibres, monofil or strip (1)
ex 3904.69.00	Copolymer of ethylene with chlorotrifluoroethylene, in one of the forms mentioned in note 3 (b) to Chapter 39
ex 3904.69.00	Terpolymer of ethylene with chlorotrifluoroethylene and hexafluoro(2-methylpropene) in one of the forms mentioned in note 3 (b) to Chapter 39
ex 3904.69.00	Copolymer of tetrafluoroethylene and hexafluoropropene compounded with not less than 1% and not more than 51% by weight of one of the following barium sulphate, dibismuth trioxide, dibismuth carbonate dioxide, or tungsten in one of the forms mentioned in note 3 (b) to Chapter 39
ex 3904.69.00	Polyvinyl fluoride in one of the forms mentioned in note 3 (b) to Chapter 39
ex 3905.90.00	Polyvinyl formal, in one of the forms mentioned in note 3 (b) to Chapter 39, having a molecular weight not less than 10,000 and not more than 40,000 and containing, by weight: —not less than 9,5% and not more than 13% of the acetyl groups, expressed as vinyl acetate, —not less than 5% and not more than 6,5% of the hydroxy groups, expressed as vinyl alcohol
ex 3906.90.00	Polymerization products of acrylic acid with small quantities of a polyunsaturated monomer for use as a thickener in textile pigment printing pastes or in the manufacture of products falling within heading No. 3003 (a)
ex 3906.90.00	Terpolymer of ethylene, methyl acrylate and a monomer containing a non-terminal carboxy group as a substituent, whether or not compounded with silica
ex 3906.90.00	Copolymer of acrylic acid and 2-ethylhexyl acrylate, containing not less than 10% and not more than 11% by weight of 2-ethylhexyl acrylate
ex 3906.90.00	Poly[*N*-(3-hydroxyimino-1,1-dimethylbutyl)acrylamide]
ex 3906.90.00	Copolymers of 2-di-isopropylaminoethyl methacrylate and decyl methacrylate dissolved in *N,N*-dimethylacetamide, with a copolymer content of not less than 55% by weight
ex 3906.90.00	Polymerization products of acrylic acid, with alkyl, with methacrylate and small quantities of other monomers for use as thickeners in the manufactures of textile printing pastes (1)
ex 3906.90.00	Copolymer of acrylonitrile and methylacrylate modified with polybutadieneacrylonitrile (NBR)
ex 3911.90.90	Alternating copolymer of ethylene and maleic anhydride, for use as a thickener in textile pigment printing pastes (1)
ex 3911.90.90	Polymerization products of (polybutadiene)polyol and two lactams *N,N'*-linked by the bivalent acyl radical of a dicarboxylic acid
ex 3919.90.31, ex 3920.62.00 and ex 3921.90.19	Reflecting laminated sheeting, metallized, consisting of one sheet of polyester and at least another sheet of polyester or other plastic material and coated on one side with an adhesive, whether or not protected by a release sheet
ex 3919.90.31, ex 3920.62.00, ex 3920.63.00, ex 3920.69.00 and ex 3921.90.19	Reflecting polyester sheeting in which microspheres are embedded

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 3919.90.50	Polyvinyl chloride sheeting, of a thickness of less than 1mm, coated with an adhesive in which are embedded hollow glass balls having a diameter of not more than 100 micrometres
ex 3919.90.50, ex 3920.59.00 and ex 3921.90.60	Laminated reflecting film of acrylic polymers and isocyanate cross-linking agents, containing embedded glass microspheres metallized with aluminium, which reflect light back to the source of incident light (retro-reflecting), coated on one side with an adhesive
ex 3919.90.50, ex 3920.59.00 and ex 3921.90.60	Reflecting sheeting of an acrylic polymer modified by melamine-formaldehyde, containing glass microspheres
ex 3919.90.50, ex 3920.59.00 and ex 3921.90.60	Reflecting polyacrylic sheeting in which microspheres are embedded
ex 3919.90.50, ex 3920.59.00 and ex 3921.90.60	Laminated reflecting film of acrylic polymer, one layer of which is embossed with a prismatic pattern which reflects light back to the source of incident light (retro-reflecting), coated on one side with an adhesive
ex 3920.10.11	Polyethylene film of a thickness of not less than 20 and not more than 40 micrometres, for the production of photo-resist film used in the manufacture of semiconductors (a)
ex 3920.10.11	Laminated plastic sheet or strip, either: —having a width of not less than 190 mm, and consisting of one layer of biaxially orientated polyamide film coated on one side with polyvinylidene chloride and on the other side with a layer of polyethylene film or —having a width of not more than 15 mm, and consisting of one layer of biaxially orientated polyamide film and two layers of polyethylene film
ex 3920.10.11 and ex 3920.10.19	Film of a copolymer of ethylene with methyl acrylate, having a thickness of not more than 0,05 mm, for the manufacture of disposable medical gloves (a)
ex 3920.10.19, ex 3920.10.90 and ex 3920.99.50	Film of a thickness of not more than 1 mm of a copolymerization product of vinyl alcohol with ethylene containing no other polymerization products or copolymerization products, with an extension at break (longitudinal or transversal) of not less than 65%
ex 3920.10.90	Copolymer of ethylene with propylene in the form of strip of a width of no less than 18 mm and not more than 27 mm or not less than 58 and not more than 90 cm and of a thickness not exceeding 1 mm, which, after being extended at 23°C to twice the original length, returns to its original length, with a tolerance of not more than +15%, within a period of two minutes
ex 3920.10.90	Synthetic paper pulp, in the form of moist sheets made from unconnected finely branched, polyethylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent
ex 3920.10.90	Synthetic paper pulp, in the form of moist sheets made from unconnected finely branched fibrils of a mixture of polyethylene and a polyethylene copolymer, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 3920.20.90	Synthetic paper pulp, in the form of moist sheets made from unconnected finely branched fibrils of polypropylene modified by an organic acid, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent
ex 3920.42.10	Reflecting polyvinyl chloride sheeting, wholly embossed on one side in a regular pyramidal pattern
ex 3920.59.00	Copolymerization products of acrylic and methacrylic esters, in the form of film with a thickness not exceeding 150 μm
ex 3920.62.00, ex 3920.63.00 and ex 3920.69.00	Reflecting polyester sheeting embossed in a regular pyramidal pattern
ex 3920.62.00 and ex 3921.90.19	Polyester film, dyed in the mass, of a thickness of not more than 25 μm and metallized on one side
ex 3920.62.00, ex 3920.63.00, ex 3920.69.00 and ex 3921.90.19	Transparent film consisting of polyester coated with a layer of indium and silver
ex 3920.62.00	Polyester film, having a thickness of not less than 74 μm and not more than 76 μm, for use in the manufacture of flexible magnetic discs (floppy disks) (1)
ex 3920.62.00, ex 3920.63.00 and ex 3921.90.19	Polyester film having a thickness of not more than 70 μm, coated on one side with a substance which becomes coloured when heated to not more than 100°C in the presence of salicyclic acid
ex 3920.62.00, ex 3920.63.00 and ex 3921.90.19	Polyester film having a thickness of not more than 10 μm, coated on one side with salicyclic acid
ex 3920.69.00	Iridescent film of polyester and poly(methyl methacrylate)
ex 3920.69.00	Polycondensation products of terephthalic acid with a mixture cyclohex-1,4-ylenedimethanol and ethane-1,2-diol in the form of a film
ex 3920.91.00	Polyvinyl butyral film having a graduated coloured band
ex 3920.99.50	Polyvinyl fluoride sheet
ex 3920.99.50 and ex 3921.90.60	Ion-exchange membranes in fluorinated plastic material, for use in chlor-alkali electrolytic cells (1)
ex 3920.99.50	Poly(1-chlorotrifluoroethylene) film
ex 3920.20.90	Synthetic paper pulp, in the form of moist sheets made from unconnected finely branched polypropylene fibrils, whether or not blended with cellulose fibres in a quantity not exceeding 15%, containing polyvinyl alcohol dissolved in water as the moistening agent
ex 3920.99.50 and ex 3921.90.60	Sheet of a thickness of not less than 1 mm and not more than 3 mm, consisting of a copolymer of ethylene with chlorotrifluoroethylene, whether or not backed with a woven glass fibre fabric
ex 3920.99.50	Films and sheets of a copolymer of ethylene with chlorotrifluoroethylene, with a thickness of not less than 12 and not more than 400 μm
ex 3920.99.50	Microporous polytetrafluoroethylene film, coated on one side with a polymer permeable to water vapour, not less than 30 cm in width and weighing not more than 50 g/m^2
ex 3920.99.50	Microporous polytetrafluoroethylene film of a width of not more than 30 cm and weighing not more than 22,4 g/m^2

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 3920.99.50	Films of a thickness of not more than 1 mm, entirely of polyvinyl alcohol, containing not more than 2% by weight of unhydrolyzed acetate groups expressed as vinyl acetate and not less than 5% and not more than 15% by weight of glycerol as a plasticizer, not soluble in water at temperatures below 85°C
ex 3920.99.50	Polyvinyl alcohol film coated on both sides having a total thickness of less than 1 mm and with an extension at break (longitudinal or transversal) of not less than 65%
ex 3920.99.50	Polyvinyl alcohol film containing not less than 99% by weight of polyvinyl alcohol, uncoated, with a thickness of not more than 1 mm
ex 3920.99.50	Film of a mixture of polyvinylidene fluoride and of an acrylic polymer having a thickness not less than 40 micrometres and not more than 60 micrometres
ex 4010.91.00	Conveyor belts of synthetic rubber having a width of not less than 31,0 and not more than 31,5 cm and a total length of not less than 96,0 and not more than 100 cm, for use in photocopiers (1)
ex 4502.00.00	Natural cork, debacked or roughly squared, or in rectangular (including square) blocks, plates, sheets or strip (including sharp-edged blanks for corks or stoppers)
ex 4823.90.90	Strips of paper glued to one another to form a honeycomb with a maximum height of 13 cm, impregnated with a copper-based preservative
ex 5402.49.99 and ex 5402.69.90	Yarn of polytetrafluorethylene
ex 5402.49.99, ex 5402.59.90 and ex 5402.69.90	Yarn of polyvinyl alcohol, soluble in water at a temperature of 50°C, for use in the manufacture of weftless 'felts' for papermaking machines (1)
ex 5402.49.99	Yarn of a copolymer of glycollic acid and lactic acid for the manufacture of surgical sutures (1)
ex 5402.69.90	Yarn wholly of polyglycollic acid
ex 5402.49.99	Yarn of poly(1,4-dioxanone)
ex 5402.49.99, ex 5402.59.90 and ex 5402.69.90	Non-textured filament yarn of poly(vinyl alcohol), for the manufacture of sleeves for printing rollers (1)
ex 5402.41.30 and ex 5402.41.90	Yarn of synthetic textile fibres exclusively of aromatic polyamides obtained by the polycondensation of *m*-phenylenediamine and isophthalic acid
ex 5402.41.10	Polyamide yarn, not textured, untwisted or with not more than 22 turns per metre, of crimpable bicomponent filaments consisting of poly(hexamethylene adipamide) and a copolyamide for the manufacture of knee-length stockings falling within subheadings 6115.20.11 and 6115.93.30, women's stockings falling within subheadings 6115.93.10 and 6115.93.91 or panty hose (tights) falling within subheading 6115.11 (1)
ex 5402.39.10	Texturized yarn of polypropylene, impregnated with silicone-based water-repellant
ex 5407.71.00	Woven fabrics of polyvinyl alcohol fibres, for machine embroidery
ex 5407.71.00 and ex 5903.90.99	Woven poly(tetrafluoroethylene) fibre fabric coated or covered on one side with a copolymer of tetrafluoroethylene and trifluoroethylene having perfluorinated alkoxy side chains ending in carboxylic acid or sulphonic acid groups in the potassium or sodium salt form, whether or not coated on the same side with a metallic inorganic compound

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 5504.10.00	Fibres entirely of modal (ISO)
ex 7019.90.10	Non-textile glass fibres having a diameter of less than four μm
ex 7019.31.00	Webs, felts, thin sheets and similar products of non-textile glass fibres, of a weight per square metre of not more than 120 g and a fibre diameter, excluding any coating, of not more than 7 μm, for the manufacture of filtration products (1)
ex 7019.10.59	Yarns of 33 tex ± 7,5%, or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 2,5 μm and not more than 5,1 μm, other than those treated so as to improve their adhesion to elastomers
ex 7019.10.59	Yarns obtained from continuous spun glass filaments having a diameter of not less than 12,5 μm and not more than 13,5 μm treated with resorcino-formaldehyde, of not less than 340 tex and not more than 680 tex
ex 7019.10.59	Yarns of 22 tex spun from continuous glass filaments having a diameter of not less than 4,7 and not more than 5,5 μm
ex 7019.10.59	Yarns of 33, 34 or 51 tex ± 7,5%, or a multiple thereof, spun from continuous glass filaments having a diameter of not less than 5,8 μm and not more than 7,1 μm
ex 8506.19.10	Unit consisting of not more than 2 lithium batteries embedded in a socket for integrated circuits (battery-buffered socket), with not more than 28 connecting pins and incorporating a control circuit
ex 8506.19.10	Lithium iodine single cell battery with dimensions of 45 × 9 × 23 mm and a voltage not exceeding 2,8 V
ex 8506.19.90	Dry zinc/carbon batteries of a voltage of not less than 5,5 and not more than 6,5 and of a size not exceeding 110 × 90 × 5 mm, for incorporation in film cassettes for instant pictures (1)
ex 8540.11	Cathode-ray tubes (colour) equipped with a perforated mask (so-called 'dot mask') with electron guns placed in a triangle ('delta' technique) or placed side by side ('in-line' technique) with convergence errors of not more than 0,8 mm in the corners, having a diagonal angle of deflection not exceeding 90° and with maximum colour dot spacing of less than 0,4 mm
ex 8541.10.91	Silicon power rectifier diodes of planar technology, with a recovery time of less than 100 nanoseconds, a maximum recurring reverse voltage of 200 V, and average conducting-state, current of 2,5 A, contained in a housing the exterior dimensions of which do not exceed 11 × 17 mm
ex 8541.10.99	Germanium-gold diodes with forward voltage not exceeding 1 V at 5 mA
ex 8541.29.90	Transistor with a power of not less than 150 W at a voltage of not less than 160 V and with a cut-off frequency of not less than 20 MHz, contained in a housing the exterior dimensions of which do not exceed 37 × 22 mm, with not more than 3 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: 2 SA 1170 — 2 SC 2774 2 SA 1215 — 2 SC 2921 2 SA 1494 — 2 SC 3858 or —other identification markings relating to power transistors complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8541.40.10	Light emitting diode (LED) made from a gallium-based semiconductor compound, mounted in a rectangular housing the exterior dimensions of which do not exceed 4 × 20 × 21 mm, with two connecting pins, and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: LT 9305 SLF 209 LT 9306 SLF 909 or —other identification markings relating to LEDs, complying with the abovementioned description, for use in the manufacture of radio broadcast receivers and sound recorders or reproducers (a)
ex 8541.40.10	Assembly consisting of not more than 10 light-emitting diodes (LEDs) made from a gallium-based semiconductor compound, mounted in a rectangular housing the exterior dimensions of which do not exceed 68 × 25 × 4 mm, with not more than 20 connecting pins, and bearing: —an identification marking consisting of or including the following combination of figures and letters: LT 9355 or —other identification markings relating to assemblies complying with the abovementioned description, for use in the manufacture of radio broadcast receivers and sound recorders or reproducers (a)
ex 8541.40.10	Laser diode with one photodiode, emitting light of a nominal wavelength of 780 nm, contained in a housing having a diameter of not more than 10 mm and a height of not more than 7 mm, with 3 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: LT 022 or —other identification markings relating to devices complying with the abovementioned description
ex 8541.40.10 ex 8542.20.00	Digital displays, consisting of a printed circuit board of a size not exceeding 35 × 90 mm with a single line of characters, not less than three in number, comprising light-emitting diodes made from gallium-based semiconductor compounds mounted thereon. Each character is composed of up to eight segments with or without a decimal point and the line of characters has a protective cover of plastic
ex 8542.11.30	Electrically erasable, programmable read-only memories (so-called E^2PROMs), in the form of an unmounted monolithic integrated circuit (chip) with a storage capacity of 16 Kbits, used in the manufacture of microwave systems for the identification of persons and objects (a)
ex 8542.11.71	Static random access memories of C-MOS technology (C-MOS S-RAMs) in the form of a monolithic integrated circuit with a storage capacity of 16 × 4 bits, an access time not exceeding 35 ns, contained in a housing the exterior dimensions of which do not exceed 9 × 21 mm, with not more than 16 connecting pins and bearing: —an identification marking consisting of or including one of the following combination of figures and letters:

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	CY7C189 CY7C190 CY74S189 CY54S189 CY27S03 CY27S07 or —other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 8542.11.71	Static random access memories of C-MOS technology (C-MOS S-RAMs) in the form of a monolithic integrated circuit with a storage capacity of 256×4 bits and an access time not exceeding 60 ns, contained in a housing the exterior dimensions of which do not exceed 12×29 mm, with not more than 22 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: CY7C122 CY93422 CY93L422 or —other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 8542.11.71	Static, random-access memory of C-MOS technology (C-MOS S-RAM) with a storage capacity of 2 K×8 bits and with a nominal standby power of 0,005 milliwatts at 25°C in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×33 mm with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters TC5516APL-2 TC5517CPL-15 TC5517BPL-20 TC5516AFL-2 TC5517CPL-20 TC5517BPL-25 TC5516APL TC5517CFL-15 TC5517BFL-20 TC65516AFL TC5517CFL-20 TC65517BFL-25 or —other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 8542.11.71	Non-volatile memory in the form of a monolithic integrated circuit, consisting of a C-MOS S-RAM, with a capacity of 16 K bits and internal power supply, contained in a housing the exterior dimensions of which do not exceed 19×36 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: DS 1220 Y MK 48 Z 02 (B) or —other identification markings relating to non-volatile memories complying with the abovementioned description
ex 8542.11.71	Static, random access memory of C-MOS technology (C-MOS S-RAM) with a storage capacity of 32 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 18×39 mm, with not more than 28 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including the following combinations of figures and letters: TC 5532 or —other identifying markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 8542.11.71	Static, random-access memories of C-MOS technology (C-MOS S-RAMs), with a storage capacity of 8 K×8 bits with an access time of not less than 80 nanoseconds, in the form of a monolithic integrated circuit, contained in a plastic housing the exterior dimensions of which do not exceed 18×39 mm, with not more than 32 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combination of figures and letters: TC5564PL-15, TC5564PL-20, TC5565PL-12, TC5565PL-15, TC5565FL-12, TC5565FL-15, TC5565PL-12L, TC5565PL-15L, TC5565FL-12L, TC5565FL-15L, HM6264P-10, HM6264P-12, HM6264P-15, HM6264LP-10, HM6264LP-12, HM6264LP-15, MB8464A-10, MB8464A-10L, MB8464A-10LL, MB8464A-15, MB8464A-15L, MB8464A-15LL, MB8464A-12, MB8464-12L, MB8464-12LL, MB8464-15, MB8464-15L, MB8464-15LL, PD4464C-15, PD4464C-20, PD4464G-15, PD4464G-20 or —other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 8542.11.71	Non-volatile memory consisting of a static read/write random access memory of C-MOS technology (C-MOS S-RAM), with a storage capacity of 64 Kbits and an internal energy source, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 20×42 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: DS 1225 Y or —an identification markings relating to non-volatile memories complying with the abovementioned description:
ex 8542.11.71	Static random access memories (S-RAMs) of C-MOS technology, with a storage capacity of 256 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 39×17 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: HM 62256, PD 43256 C, TC 55257 P or —other identification markings relating to S-RAMs complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.71	Non-volatile memory in the form of a monolithic integrated circuit, consisting of a static C-MOS random access memory, with a storage capacity of 256 K bits and built-in energy source, contained in a housing the exterior dimensions of which do not exceed 17 × 33 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: DS 1230 or —other identification markings relating to non-volatile memories complying with the abovementioned description
ex 8542.11.71	Static random-access memories of N-MOS (including H-MOS) technology (N-MOS S-RAMs) with a storage capacity of 256 × 4 bits with access time not exceeding 25 nano/seconds in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures or figures and letters: 9122-25 91 L 22-25 or —other identification markings relating to C-MOS S-RAMs complying with the abovementioned description
ex 8542.11.71	Static random-access memories of N-MOS (including H-MOS) technology (N-MOS S-RAMs) with a storage capacity of 8 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures or figures and letters: 4008 8112 4118 8114 4801 8185 8104 PD 421 8108 or —other identification markings relating to N-MOS S-RAMs complying with the abovementioned description
ex 8542.11.71	Static read/write random-access memories N-MOS (including H-MOS) technology (N/H-MOS RAMs, static), with a storage capacity of 72 K bits, in the form of a monolithic integrated circuit, contained in a housing whose dimensions do not exceed 10 × 39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: TMM 2089 or —other identification markings relating to static, read/write memories complying with the abovementioned description

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.71	Static random-access memories of bipolar technology (bipolar S-RAMs) in the form of a monolithic integrated circuit and with a storage capacity of 64 × 9 bits, contained in a housing the exterior dimensions of which do not exceed 16 × 40 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: 82 S 09 MBM 93419 or —other identification markings relating to bipolar S-RAMs complying with the abovementioned description
ex 8542.11.71	Static random access memories of bipolar technology (bipolar S-RAMs) in the form of a monolithic integrated circuit, consisting of a substrate layer on which are mounted either 1 or 2 chips each having a storage capacity of 1 K bit, contained in a housing the exterior dimensions of which do not exceed 13 × 13 mm, with not more than 23 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures: 770639 770823 5120360 7379769 or —other identification markings relating to bipolar S-RAMs complying with the abovementioned description
ex 8542.11.71	Static memories consisting of two stacked substrate layers with one or two static random access memories of bipolar technology (bipolar S-RAMs), in the form of monolithic integrated circuits, each with a storage capacity of 1 K bit and with a maximum storage capacity of 4 K bits, contained in a housing the exterior dimensions of which do not exceed 13 × 13 mm, with not more than 23 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures: 770965 4599497 7379442 or —other identification markings relating to static memories complying with the abovementioned description
ex 8542.11.71	Static, random-access memories of TTL technology (TTL S-RAMs) with a storage capacity of 1 K bit and an access time not exceeding 45 ns, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16 × 30 mm, with not more than 22 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures: 93422 93425 or —other identification markings relating to TTL S-RAMs complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.71	Dynamic random access memories of C-MOS technology (C-MOS D-RAMs) with a storage capacity of 256 K bits in the form of a monolithic integrated circuit, contained in a housing whose external dimensions do not exceed 17 × 34 mm, with not more than 18 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: P 51 C 256 P 51 C 259 or —other identification markings relating to C-MOS D-RAMs complying with the abovementioned description
ex 8542.11.71	Dual port dynamic random access memory (D-RAM) of N-MOS (including H-MOS) technology, with data registers and a serial read output control, with a storage capacity of 256 K bits in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 13 × 39 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: MB 81461 PD 41264 or —other identification markings relating to D-RAMs complying with the abovementioned description
ex 8542.11.71	Random access memories of ECL technology (ECL-RAMs) with a storage capacity of 256 × 4 bits, and access time not exceeding 8 ns in the form of a monolithic integrated circuit, contained in a housing the dimensions of which do not exceed 11 × 32 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures: 10422 or —other identification markings relating to ECL-RAMs complying with the abovementioned description
ex 8542.11.71	Random access memories of ECL technology (ECL-RAMs) with a storage capacity of 4 K bits and an access time not exceeding 50 ns in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 11 × 32 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures: 10470 10474 or —other identification markings relating to ECL-RAMs complying with the abovementioned description
ex 8542.11.71	Random access memories of ECL technology (ECL-RAMs) with a storage capacity of 16 K bits and an access time not exceeding 15 ns in the form of a monolithic integrated circuit, contained in a housing the dimensions of which do not exceed 18 × 37 mm, with not more than 28 connecting pins or contact areas and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including one of the following combinations of figures: 10480 10484 100484 or —other identification markings relating to ECL-RAMs complying with the abovementioned description
ex 8542.11.71	Dynamic read/write random access memories manufactured in N-MOS (including H-MOS) technology (D-RAMs), in the form of a monolithic integrated circuit, consisting of a substrate layer with not less than two and not more than eight chips having a storage capacity of 128,192 or 256 K bits and a storage capacity of not less than 256 K bits and not more than two megabits, contained in a housing whose dimensions do not exceed 30×30 mm, with not more than 57 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures: 6025841 6031587 6870392 7379172 6025843 6031591 6870393 7379174 6025856 6870395 7379176 6025858 7379181 or —other identification markings relating to dynamic read/write memories of the type described above
ex 8542.11.71	Read-only memories (ROMs), in the form of a monolithic integrated circuit, with a storage capacity of 16 K×8 bits, with read-register and serial output control, contained in a housing the exterior dimensions of which do not exceed 50×16 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of one of the following combinations of figures or including one of those combinations: from 62000 to 62999 or —other identification markings relating to ROMs complying with the abovementioned description
ex 8542.11.71	Programmable, non-erasable, read-only memories (PROMs) of Schottky TTL technology, with a storage of 2 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 24 connecting pins or contact areas, and bearing: —an identification marking consisting of or including one of the following combinations of figures or figures and letters:

Combined Nomenclature Code: (1)	*Description of Goods* (2)

27 S 12	5305	6305	76 LS 03
27 S 13	5306	6306	7620
	5308	6308	7621
28 L 22	5309	6309	
28 LA 22	53 S 240	63 S 240	82 S 114
28 L 2 XMFC	53 S 241	63 S 241	82 S 130
		6335	82 S 131
29613	54 S 570	6336	
29770	54 S 571		93436
29771		7053	93446
	5604	7058	
38510	5624		MB 7115
		74 S 570	MB 7116
		74 S 571	MB 7117
			MB 7118

or

—other identification markings relating to PROMs complying with the abovementioned description

ex 8542.11.71

Programmable non-erasable MOS technology read-only memories (PROMs) with a storage capacity of 16 K bits, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 39 × 17 mm, with not more than 32 connecting pins or contact areas and bearing:

—an identification marking consisting of or including one of the following combinations of figures and letters:

7 C 245
7 C 291
7 C 292
HM 6616

or

—other identification markings relating to PROMs complying with the abovementioned description

ex 8542.11.71

Programmable non-erasable read-only memories (PROMs) of bipolar technology with a storage capacity of 16 K bits and a standby current equal to, or of more than, 50 m A and less than, or equal to, 80 m A in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 33 × 14 mm, with not more than 24 connecting pins or contact areas and bearing:

—an identification marking consisting of or including the following combination of figures and letters:

27 PS 191 A

or

—other identification markings relating to PROMs complying with the abovementioned description

ex 8542.11.71

Programmable non-erasable read-only memories (PROMs) with a storage of 32 K bits, in the form of a monolithic integrated circuit, whose external dimensions do not exceed 17 × 39 mm, with not more than 32 connecting pins or contact areas and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including one of the following combinations of figures and letters: 63 S 3281 AM 27 S 43 MB 7141 MB 7142 or —other identification markings relating to PROMs complying with the abovementioned description
ex 8542.11.71	Programmable non-erasable read-only memory (PROM) in the form of a monolithic integrated circuit having a storage capacity of 64 K bits and an access time of not more than 65 nonoseconds, contained in a housing whose external dimensions do not exceed 17 × 39 mm, with a maximum of 32 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: CY 7C 261 CY 7C 263 CY 7C 264 CY 7C 268 CY 7C 269 or —other identification markings relating to PROMs complying with the abovementioned description
ex 8542.11.71	UV-erasable, programmable, read-only memories (EPROMs) with a storage capacity of 2 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with a quartz window on the upper surface and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: 82140 PP AMI 702 ADC or —other identification markings relating to EPROMs complying with the abovementioned description
ex 8542.11.71	UV-erasable, programmable, read-only memory (EPROM) equipped with a programmable input/output system, with a storage capacity of 2 K × 8 bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 52 mm, with a quartz window on the upper face and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: D 8755 A TMP 8755 AC or —other identification markings relating to memories complying with the abovementioned description
ex 8542.11.71	UV-erasable programmable read-only memory (EPROM) in the form of a monolithic integrated circuit having a storage capacity of 16 K bits and an access time of not more than 65 ns, contained in a housing the external dimensions of which do not exceed 17 × 39 mm, equipped with a quartz window on its upper surface, and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification code consisting of or including one of the following combinations of figures and letters: CY 245 W CY 7C 291 W or —other identifying codes relating to memories complying with the abovementioned description
ex 8542.11.71	UV-erasable programmable read-only memory (EPROM) in the form of a monolithic integrated circuit having a storage capacity of 64 K bits and an access time of not more than 65 ns, contained in a housing the external dimensions of which do not exceed 17 × 39 mm, equipped with a quartz window on its upper surface, and bearing: —an identification code consisting of or including one of the following combinations of figures and letters: CY 7C 261 W CY 7C 263 W CY 7C 268 W CY 7C 269 W or —other identifying codes relating to memories complying with the abovementioned description
ex 8542.11.71	Electrically erasable, programmable, read-only memories (E^2PROMs) with a storage capacity of 4 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 33 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: 28 C 04 X 2404 X 24 C 04 X 2804 A or —other identification markings relating to E^2PROMs complying with the abovementioned description
ex 8542.11.71	Electrically erasable, programmable, read-only memories (E^2PROMs) with a storage capacity of 16 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 32 connecting pins or contact areas bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: 28 C 16 28 C 17 52 B 13 52 B 13 H AM 2817 A X 24 C 16 X 2816 A or —other identification markings relating to E^2PROMs complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.71	Electrically erasable, programmable, read-only memories (E^2PROMs) with a storage capacity of 64 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 32 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: 28 C 64 52 B 33 52 B 33 H MBM 28 C 65 MCM 2864 X 2864 A or —other identification markings relating to E^2PROMs complying with the abovementioned description
ex 8542.11.71	Electrically erasable, programmable, read-only memories (E^2PROMs) with a storage capacity of 128 K bits, in the form of a monolithic circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 32 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures and letters: X 28128 A or —other identification markings relating to E^2PROMs complying with the abovementioned description
ex 8542.11.71	Electrically erasable, programmable, read-only memories (E^2PROMs) with a storage capacity of 256 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 32 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: 28256 28 C 256 48 C 256 or —other identification markings relating to E^2PROMs complying with the abovementioned description
ex 8542.11.71	Monolithic integrated circuit consisting of a static, random-access memory (S-RAM) with a storage capacity of 256 bits superimposed bit-for-bit on a programmable, electrically erasable, read-only-memory (E^2PROM), contained in a housing the exterior dimensions of which do not exceed 8 × 24 mm, with not more than 18 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: X 2210 X 2443 X 2444 or —other identification markings relating to S-RAMs superimposed of E^2PROMs complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.71	Monolithic integrated circuit consisting of a static random-access memory (S-RAM) with a storage capacity of 1 K bit, superimposed bit-for-bit on an electrically erasable, programmable, read-only memory (E^2PROM), contained in a housing the exterior dimensions of which do not exceed 17 × 33 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: X 2001 X 2201 A X 2212 or —other identifications markings relating to S-RAMs stacked on E^2PROMs complying with the abovementioned description
ex 8542.11.71	Monolithic integrated circuit consisting of a static, random-access memory (S-RAM) with a storage capacity of 2 K bits, superimposed bit-for-bit on an electrically erasable, programmable, read-only memory (E^2PROM), contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of the following combination of figures and letters: X 2002 or —other identification markings relating to S-RAMs stacked on E^2PROMs complying with the abovementioned description
ex 8542.11.71	Monolithic integrated circuit consisting of a static, random-access memory (S-RAM) with a storage capacity of 4 K bits, superimposed bit-for-bit on an electrically erasable, programmable, read-only-memory (E^2PROM), contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of the following combination of figures and letters: X 2004 or —other identification markings relating to S-RAMs stacked on E^2PROMs complying with the abovementioned description
ex 8542.11.75	8-bit-single-chip microcomputer of C-MOS technology consisting of a random access memory with a capacity of 2 K bits, a programmable read-only memory with a capacity of 64 K bits and a multi-protocol serial communication port, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 52 × 52 mm, with not more than 68 connecting pins or contact areas and bearing: —an identification marking consisting of or containing the following combination of figures and letters: 80 C 152 or —other identification markings relating to circuits complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.75	Single-chip microcomputer of C-MOS technology, in the form of a monolithic integrated circuit, consisting of an arithmetical logic unit (ALU) with an organization of 4 bits, a read-only memory (ROM) with a storage capacity of 2 K × 8 bits, a dual-tone, multi-frequency (DTMF) generator, a random access memory (RAM) with a storage capacity of 1 K bit, whether or not with another random access memory (RAM) with a storage capacity of 512 bits, contained in a housing whose dimensions do not exceed 16 × 54 mm, with not more than 42 connecting pins and bearing: —an identification marking consisting of one of the following combinations of figures and letters: T 6978 TCM 8301 TCM 8302 or —other identification markings relating to single-chip microcomputers complying with the abovementioned description
ex 8542.11.75	Single-chip microcomputer in C-MOS-technology, in the form of a monolithic integrated circuit consisting of an ALU with a capacity of 32 bits, a ROM with a capacity of 24 K bits and a RAM with a capacity of 2 K bits, contained in a housing the exterior dimensions of which are not less than 30 × 30 mm, with not less than 84 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures and letters: MB 8764 or —other identification markings relating to single-chip microcomputers complying with the abovementioned description
ex 8542.11.75	Single-chip microcomputers, in the form of a monolithic integrated circuit, consisting of an arithmetical unit with a capacity of four bits plus a read-only memory (ROM) with a capacity of not less than 18 K bits and not more than 104 K bits and a random-access memory (RAM) with a capacity of not less than 512 bits and not more than 4 K bits, contained in a housing the exterior dimensions of which do not exceed 20 × 60 mm, with not more than 80 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: CD 3200-3299 TMC 0270-0279 TMC 0500-0599 TMC 0980-0989 TMC 1500-1599 TMC 1980-1999 TP 0310-03299 TP 0450-04599 TP 0480-04899 TP 0500-05999 T 7767 BS HD 38800 HD 38820 HD 44796 HD 44800 HD 44801 HD 44820 HD 44840 HD 44860 HD 614042 HD 404 189 HD 614 080 or —other identification markings relating to single-chip microcomputers complying with the abovementioned description

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.75	Single-chip microcomputer, in the form of a monolithic integrated circuit, consisting of an arithmetic-logic unit with a capacity of 8 bits plus an electronic, programmable, read-only memory (EPROM) UV-erasable with a capacity of 32 K bits and a random access memory (RAM) with a capacity of 1 K bit, contained in a housing the exterior dimensions of which do not exceed 16 × 53 mm, with a quartz window and not more than 40 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures: 7742 8751 or —other identification markings relating to single-chip microcomputers complying with the abovementioned description
ex 8542.11.75	Single-chip 8-bit microcomputer of MOS technology, having universal peripheral interface functions, consisting of a central processing unit, a random access read-write memory (RAM) with a storage capacity of 1 K bit, UV-erasable, programmable read-only memory (EPROM) with a storage capacity of 2 K bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 15 × 52 mm, having a quartz window on the upper face, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: D 8742 or —other identification markings relating to circuits complying with the abovementioned description
ex 8542.11.75	8-bit microprocessor of C-MOS technology, consisting of a central processing unit (CPU), a memory controller, a two-channel DMA controller, two-channel programmable 16-bit counter/timer, a wait-state generator, a two-channel asynchronous serial communication interface (ASCI) and a bus controller, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 62 × 26 mm, with not more than 68 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: Z 64180 or —other identification markings relating to microprocessors complying with the abovementioned description
ex 8542.11.75	16-bit microprocessor of C-MOS technology, consisting of a central processing unit (CPU), a memory controller, a 2 K bit cache memory, three programmable 16-bit counter/timers, a full duplex universal asynchronous receiver/transmitter (UART) and four DMA channels, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 26 × 26 mm, with not more than 68 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures and letters: Z 280 or —other identification markings relating to microprocessors complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.75	16-bit microprocessor of C-MOS technology, consisting of a central processing unit (CPU) and a 8-bit or 16-bit external data bus, contained in a housing the exterior dimensions of which do not exceed 54 × 16 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: Z 70108 Z 70116 or —other identification markings relating to microprocessors complying with the abovementioned description
ex 8542.11.75	32-bit microprocessor (MPU) of C-MOS technology in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 38 × 38 mm, with not more than 132 connecting pins and bearing: —an identification marking either consisting of or including one of the following combinations of figures and letters: 80386 MC 68020 MC 68030 MC 68032 or —other identification markings relating to circuits complying with the abovementioned description
ex 8542.11.75	8-bit microprocessor of N-MOS (including H-MOS) technology, for the encoding/decoding of data (data ciphering processor), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 53 × 15 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: Z 8068 Z 9518 or —other identification markings relating to microprocessors complying with the abovementioned description
ex 8542.11.75	16-bit microprocessor in N-MOS (including H-MOS) technology, in the form of a monolithic integrated circuit, consisting of a central processing unit (CPU), a timing generator, two independent DMA channels, a programmable interrupt controller, three programmable 16 bit timers, programmable memory and external chip selection logic, a programmable wait state generator with bus control unit, contained in a housing the exterior dimensions of which do not exceed 30 × 30 mm, with not more than 68 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures: 80186 or —other identification markings relating to microprocessors complying with the abovementioned description
ex 8542.11.75	16-bit microprocessor of bipolar technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 25 × 82 mm, with not more than 68 connecting pins or contact areas and bearing:

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including one of the following combinations of figures and letters: AM 29116 SBP 9989 or —other identification markings relating to microprocessors complying with the abovementioned description
ex 8542.11.75	Floating-point arithmetic co-processor of C-MOS technology, in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 30 × 30 mm, with not more than 80 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters or figures: 80387 MC 68881 MC 68882 or —other identification markings relating to circuits complying with the abovementioned description
ex 8542.11.75	Text co-processor, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 25 × 25 mm, with not more than 68 connecting pins, and bearing: —an identification marking consisting of or including the following combination of figures and letters: C 82730 or —other identification markings relating to text co-processors complying with the abovementioned description
ex 8542.11.75	Numeric processor extension unit of N-MOS (including H-MOS) technology (N-MOS NPX) containing not more than 14 registers, in the form of a monolithic intergrated circuit, contained in a package the exterior dimensions of which do not exceed 16 × 53 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: 80287 8087 NS 32081 TX 32081 W or —other identification markings relating to N-MOS NPXs complying with the abovementioned description
ex 8542.11.75	Central processing unit of N-MOS (including H-MOS) technology (N-MOS CPU), in the form of a monolithic integrated circuit consisting of a 16 × 16 bit service memory, a 16 × 20 bit service memory, a 32 × 32 bit service memory, an 8 × 8 bit service memory, a 16 bit register, two 20 bit registers, an 8 bit register, one 12 bit register, a 5 bit counter and timing network, contained in a housing the exterior dimensions of which do not exceed 25 × 25 mm, with not more than 68 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including the following combination of figures and letters: LSI-604041855 or —other identification markings relating to N-MOS central processing units complying with the abovementioned description
ex 8542.11.91	Arithmetic-logic of N-MOS (including H-MOS) technology, in the form of a monolithic integrated circuit, consisting of one 32 bit register, one 24 bit register, one 4 bit register, twelve 1 bit registers, two 16 × 24 bit service memories, one logic network performing arithmetic and logic operations, decodifying logic, and error detection and management logic, one 8 bit counter and a timing network, contained in a housing the exterior dimensions of which do not exceed 23 × 82 mm, with not more than 64 connecting pins and bearing: —the identification marking: ALU 0486 or —other identification markings relating to arithmetic-logic units complying with the abovementioned description
ex 8542.11.91	Logic circuit of N-MOS (including H-MOS) technology (N-MOS LC) serving as a clock generator for central process unit, main memory and input/output interfaces, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 25 × 25 mm, with not more than 68 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: H 108982 (MCC) or —other identification markings relating to N-MOS logic circuits (N-MOS LC's) complying with the abovementioned description
ex 8542.11.91	Clock generator and controller for microprocessors, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 24 × 8 mm, with not more than 18 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letter: Z 8581 or —other identification markings relating to clock generators and controllers complying with the abovementioned description
ex 8542.11.91	Logic circuit of bipolar technology, with not more than six logic functions, a supply voltage of not less than 11 V and not more than 18 V, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 8 × 23 mm, with not more than 18 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: FZH 101 A FZH 111 A FZH 191 FZH 201 FZJ 121 FZK 101

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	or —other identification markings relating to logic circuits complying with the abovementioned description
ex 8542.11.91	Logic control circuits of N-MOS (including H-MOS) technology, in the form of a monolithic integrated circuit, consisting of one 7 bit register, three timers, one multiplexer sequential and combining networks intended to perform control operations, decodifying logic, error detection and management logic and a timing network, contained in a housing the exterior dimensions of which do not exceed 23 × 82 mm, with not more than 64 connecting pins and bearing: —the identification marking: MIC 0482 or —other identification markings relating to logic control circuits complying with the abovementioned description
ex 8542.11.91	Field programmable array logics (PALs) of C-MOS-technology, in the form of a monolithic integrated circuit, with fusible links, a programmable AND array, fixed OR array, not more than 32 inputs and not more than 10 outputs, whether or not with registers, contained in a housing the exterior dimensions of which do not exceed 19 × 39 mm, with not more than 24 connecting pins and bearing: —an identification marking either consisting of or including one of the following combinations of figures and letters: 16 P 8 16 RP 4 C 16 L 8 C 16 R 4 C 16 R 6 C 16 R 8 C 20 G 10 C 22 V 10 or —other identification markings relating to PALs complying with the abovementioned description
ex 8542.11.91	Programmable, non-erasable, logic circuits (field programmable logic array) of TTL Schottky technology, with not more than 48 AND functions, not more than eight OR functions, and not more than 16 inputs, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures or figures and letters: FP 54 AS 839 — FP 74 AS 839 — 82 S 100 FP 54 AS 840 — FP 74 AS 840 — 82 S 101 SN 54 LS 333 — SN 74 LS 333 SN 54 LS 334 — SN 74 LS 334 — 93458 SN 54 LS 335 — SN 74 LS 335 — 93459 SN 54 LS 336 — SN 74 LS 336 or —other identification markings relating to field programmable logic arrays complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.91	Non-erasable user-programmable logic sequencer of bipolar technology, having not more than 48 AND functions, a 6-bit state register, an 8-bit output register, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: 82 S 105 or —other identification markings relating to circuits complying with the abovementioned description
ex 8542.11.91	UV-erasable programmable logic device (EPLD) of C-MOS technology containing not less than 600 logic gates, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 29 × 124 mm, with a quartz window on the upper surface, with not more than 24 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combination of figures and letters: EP 600 16 L 8-W 16 R 4-W 16 R 6-W 16 R 8-W 22 V 10-W or —other identification markings relating to devices complying with the abovementioned description
ex 8542.11.91	Error detection and correction circuit of N-MOS (including H-MOS) technology capable of detecting and correcting single bit errors and detecting all double bit errors, in the form of monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 30 × 30 mm, with not more than 68 contact areas and bearing: —an identification marking consisting of or including the following combination of figures: 8206 or —other identification markings relating to N-MOS error detection and correction circuits complying with the abovementioned description
ex 8542.11.91	Burst error processor (BEP) of N-MOS (including H-MOS) technology for detecting and correcting multiple errors derived from a line of magnetic discs, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16 × 54 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: Z 8065 AM 9520 AM 9521 or —any other identification markings relating to N-MOS burst error processor complying with the abovementioned description

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.91	Error correction and detection unit (ECDU) of bipolar technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16 × 62 mm, with not more than 48 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures or figures and letters: 2960 74 F 630 74 F 631 74 LS 630 74 LS 631 DP 8400 or —other identification markings relating to error correction and detection units (ECDUs) complying with the abovementioned description
ex 8542.11.91	Control and interface circuit for central processor (CPU-controller) of C-MOS technology in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 31 × 31 mm, with not more than 84 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of letters and figures. 82 C 201 82 C 206 FE 2000 FE 2010 FE 3000 FE 3010 L 1 A 0392 or —other identification markings relating to control and interfacing circuits complying with the abovementioned discription
ex 8542.11.91	Hard-disc controller of N-MOS (including H-MOS) technology (N-MOS-HDCs), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 18 × 53 mm, with not more than 44 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: HDC 9224 PD 7261 WD 1010 WD 2010 WD 5010 WD 5011 or —other identification markings relating to N-MOS HDCs complying with the abovementioned description
ex 8542.11.91	4-channel read/write monolithic integrated circuit of bipolar technology for controlling magnetic heads in hard disk units, contained in a housing whose exterior dimensions do not exceed 12 × 19 mm, with not more than 28 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including the following combination of figures and letters: SSI 510 or —other identification markings relating to integrated circuits complying with the abovementioned description
ex 8542.11.91	Buffer manager and controller of N-MOS (including H-MOS) technology in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 54 × 17 mm with not more than 40 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: WD 1015 or —other identification markings relating to buffer management control processors complying with the abovementioned description
ex 8542.11.91	Buffer manager and controller of C-MOS technology in the form of a monolithic integrated circuit contained in a house whose exterior dimensions do not exceed 31 × 31 mm with not more than 84 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: WD 11 C 00-22 WD 83 C 580 WD 83 C 583 or —other identification markings relating to devices complying with the abovementioned description
ex 8542.11.91	Control circuit for static memory control (S-RAM) with address multiplexing and pulse generation facility, in the form of a monolithic integrated circuit of MOS technology contained in a housing whose dimensions do not exceed 28 × 54 mm, with not more than 68 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: AIC 300 OMTI 506 or —other identification markings relating to electronic control circuits complying with the abovementioned description
ex 8542.11.91	Control circuit of bipolar technology in the form of a monolithic integrated circuit for the control of dynamic random-access memories (D-RAMs), capable of multiplexing addresses and generating timing, contained in a housing the exterior dimensions of which do not exceed 17 × 62 mm, with not more than 48 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: DP 8408 DP 8409 MB 1422 SN 74 S 409 or —other identification markings relating to electronic control circuits complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.91	Dynamic random access memory controller of N-MOS (including H-MOS) technology (N-MOS D-RAM controller) capable of multiplexing addresses and generating timing, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 17×62 mm, with not more than 48 connecting pins or 52 contact areas, and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: C 8208 THCT 4502 or —other identification markings relating to N-MOS D-RAM controllers complying with the abovementioned description
ex 8542.11.91	Memory controller of C-MOS technology, in the form of a monolithic integrated circuit, contained in a housing whose dimensions do not exceed 36×36 mm, with not more than 132 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: MC 68851 or —other identification markings relating to controllers complying with the abovementioned description
ex 8542.11.91	Memory management unit of N-MOS (including H-MOS) technology (N-MOS MMU) with a maximum addressing capacity of 4 G bytes, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 36×82 mm, with not more than 125 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures or figures and letters: 68451, TX 32082 W NS 32082 NS 32382 or —other identification markings relating to N-MOS MMUs complying with the abovementioned description
ex 8542.11.91	Sequence control circuit of N-MOS (including H-MOS) technology, in the form of a monolithic integrated circuit, consisting of one 32 bit register, three 16 bit registers, one 16×16 bit service memory, one 7×17 bit last-in-first-out (LIFO) memory, one adder circuit, decodifying logic, priority logic, error detection and management logic, one 16 bit multiplexer, one 8 bit counter and a timing network, contained in a housing the exterior dimensions of which do not exceed 23×82 mm, with not more than 64 connecting pins and bearing: —the identification marking: CSS 0484 or —other identification markings relating to sequence control circuits complying with the abovementioned description
ex 8542.11.91	Input-output circuit of N-MOS (including H-MOS) technology for data control equipped with a timing control with a static random access memory (S-RAM) with a capacity of 128×8 bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×54 mm, with not more than 40 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including one of the following combinations of figures or letters and figures: 6532 CO 10750 or —other identification markings relating to input-output control circuits complying with the abovementioned description
ex 8542.11.91	Sequential data control circuit of MOS technology for interface between a hard disc memory unit and the memory control unit in the form of a monolithic integrated circuit of MOS technology contained in a housing whose exterior dimensions do not exceed 28 × 54 mm, with not more than 68 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: AIC 010 AIC 100 OMTI 505 or —other identification markings relating to sequential circuits complying with the abovementioned description
ex 8542.11.91	Control circuit of C-MOS technology for the control of S/RAMs, capable of multiplexing addresses and generating pulses, and for the sequential control of data for the peripheral magnetic unit/rigid disk interface, and memory control, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 30 × 30 mm, with not more than 84 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of letters and figures: OMTI 5055 (20513) or —other identification markings relating to control circuits complying with the abovementioned description
ex 8542.11.91	Status and shift control unit of bipolar technology in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16 × 57 mm with not more than 42 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: AM 2904 or —other identification markings relating to status and shift control units complying with the abovementioned description
ex 8542.11.91	Circuit of advanced low power Schottky (ALPS) technology for the asynchronous control of signal lines (bus) and the conversion of a local bus into a multiplexed bus (BAM) in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 37 × 13 mm, with not more than 28 connecting pins and bearing: —an identification marking: 68452 or —other identification markings relating to ALPS BAMs complying with the abovementioned description

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.91	Contention resolving a local area network (LAN) controller, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 63 × 63 mm, with not more than 84 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures or figures and letters: 8001 MCM 68590 8003 WD 2840 82586 WD 80 C 24 82588 WD 83 C 503 AM 7990 WD 83 C 510 COM 9026 WD 83 C 603 DP 8390 WD 83 C 690 or —other identification markings relating to contention resolving local area network controllers complying with the abovementioned description
ex 8542.11.91	Enhanced programmable communications interface (EPCI), in the form of monolithic integrated circuit, contained in a housing the external dimensions of which do not exceed 17 × 39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures: 2661 or —other identification markings relating to EPCIs complying with the abovementioned description
ex 8542.11.91	Serial communication controllers of C-MOS technology, with two independent duplex channels with a capacity of 2 Mbits/sec, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 53 × 18 mm, with not more than 44 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: Z 80 C 30 Z 85 C 30 Z 85 C 35 —other identification markings relating to controllers complying with the abovementioned description
ex 8542.11.91	Display controller and character generator (DCCG) for liquid crystal dot matrix display system in the form of a monolithic integrated circuit of C-MOS technology, contained in a housing the exterior dimensions of which do not exceed 20 × 26 mm, with not more than 60 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: HD 61830 or —other identification markings relating to C-MOS Display Controller and character generators complying with the abovementioned description
ex 8542.11.91	Interpolation pulse generator of C-MOS technology for controlling geometrical functions, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 28 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including the following combination of figures and letters: KM 3701 or —other identification markings relating to interpolation modules complying with the abovementioned description
ex 8542.11.91	Video control circuit for graphics and memory (video controller), in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 15 × 52 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: 38301-A L IA 2099 PVC-2 or —other identification markings relating to devices complying with the abovementioned description
ex 8542.11.91	Monochrome display controller (MDC) of C-MOS technology, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 25 × 25 mm, with not more than 68 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: 01-01.00 551 A or —other identification markings relating to circuits complying with the abovementioned description
ex 8542.11.91	Cathode-ray tube controller (CRTC) of C-MOS technology in the form of a monolithic integrated circuit, contained in a housing whose dimensions do not exceed 32 × 62 mm, with not more than 84 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures and letters: 82 C 434 or —other identification markings relating to controllers complying with the abovementioned description
ex 8542.11.91	Control circuit for cathode-ray tubes or liquid crystal displays (CRT and LCD controller) of C.MOS technology, in the form of a monolithic integrated circuit, contained in a housing the external dimensions of which do not exceed 30 × 30 mm, with not more than 84 connecting pins or contact areas, and bearing: —an identification marking consisting of or including the following combination of letters and figures: V 6355-DJ or —other identification markings relating to electronic control circuits complying with the abovementioned description
ex 8542.11.91	Cathode-ray tube controller (CRTC) of bipolar technology in the form of a monolithic integrated circuit contained in a housing whose exterior dimensions do not exceed 15 × 55 mm with not more than 40 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including the following combination of figures and letters: SCB 2675 or —other identification markings relating to CRTCs complying with the abovementioned description
ex 8542.11.91	Graphics controller of C-MOS technology in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 31 × 31 mm, with not more than 84 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: PEGA 82 C 431 or —other identification markings relating to graphics controllers complying with the abovementioned description
ex 8542.11.91	Graphic display controller (GDC), of N-MOS technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 52 × 18 mm, with not more than 44 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: Z 7220 A or —other identification markings relating to GDCs complying with the abovementioned description
ex 8542.11.91	Colour selection controller of C-MOS technology, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 19 × 52 mm, with not more than 44 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures and letters: 82 C 433 or —other identification markings relating to controllers complying with the abovementioned description
ex 8542.11.91	Analogue-digital monolithic circuit, capable of controlling spindle motors and keeping their speed constant, contained in a housing whose exterior dimensions do not exceed 9 × 25 mm, with not more than 20 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: MGA 3015 A UC 1633 UC 1634 UC 3633 UC 3634 or —other identification markings relating to analogue-digital integrated circuits complying with the abovementioned description

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.91	Analogue-digital monolithic integrated circuit of bipolar technology, for damping the oscillations of stepping motors during the positioning phase, contained in a housing whose exterior dimensions do not exceed 18 × 39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including the following combination of letters: STEDA or —other identification markings relating to integrated circuits complying with the abovementioned description
ex 8542.11.91	Controller for servo-devices of C-MOS technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 54 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: KM 3702 or —other identification markings relating to controllers complying with abovementioned description
ex 8542.11.91	Eight-Channel control circuit for maintaining a constant electromagnetic traction force with incorporated diodes and a storage capacity of eight bits, in the form of a monolithic integrated circuit, of C-MOS technology contained in a housing the exterior dimensions of which do not exceed 9 × 28 mm, with not more than 22 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: UCN 5801 or —other identification markings relating to control circuits complying with the abovementioned description
ex 8542.11.91	Four-Channel control circuit for maintaining a constant electromagnetic traction force with incorporated diodes and a storage capacity of four bits, in the form of a monolithic integrated circuit of C-MOS technology, contained in a housing the exterior dimensions of which do not exceed 7 × 22 mm, with not more than 16 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: UCN 5813 or other identification markings relating to control circuits complying with the abovementioned description
ex 8542.11.91	Control circuit of TTL technology in the form of a monolithic integrated circuit for the firing of magnetic print hammers, contained in a housing the exterior dimensions of which do not exceed 8 × 23 mm, with not more than 18 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures: 801379-002 810751-001

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	or —other identification markings relating to integrated circuits complying with the abovementioned description
ex 8542.11.91	8-bit-(octal) dynamic memory bipolar driver in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16 × 33 mm, with not more than 20 connecting pins and bearing. —an identification marking consisting of or including one of the following combinations of figures and letters: AM 2965 AM 2966 or —other identification markings relating to dynamic memory bipolar drivers complying with the abovementioned description
ex 8542.11.91	Parallel communications interface of C-MOS technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 64 × 64 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including the following combination of figure and letters: PPC-1 or —other identification markings relating to electronic control circuits complying with the abovementioned description
ex 8542.11.91	Subscriber line interface circuit (SLIC) with a high voltage rating of not less than 200 V, with direct internal relay drive, in the form of a monolothic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 18 × 39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: HC 5504 or —other identification markings relating to SLICS complying with the abovementioned description
ex 8542.11.91	Control circuit for data block transfer between dynamic memory and peripherals (DMA Transfer Controller or „DTC"), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 63 × 16 mm, with not more than 48 connecting pins, and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: Z 8516 Z 9516 or —other identification markings relating to DTCs complying with the abovementioned description
ex 8542.11.91	Serial interface, capable of implementing the data stream encoding, decoding and associated control functions for a local area network, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16 × 33 mm, with not more than 24 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including one of the following combinations of figures or figures and letters: 8002 8023 82501 AM 7991 COM 9032 or —other identification markings relating to serial interface devices complying with the abovementioned description
ex 8542.11.91	Station digital interface circuit for parallel/serial or serial/parallel conversion of digital signals in telephone sets, of C-MOS technology (C-MOS STID), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 28 connecting pins, and bearing: —an identification marking consisting of or including the following combination of figures and letters: WCC 295 G or —other identification markings relating to station interface digital circuits complying with the abovementioned description
ex 8542.11.91	Bus interface circuit of bipolar technology with 8, 9 or 10-bit registers, in the form of monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 9 × 34 mm, with not more than 24 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: AM 29821 AM 29822 AM 29823 AM 29824 AM 29825 AM 29826 AM 29843 AM 29844 or —other identification markings relating to bus interface circuits complying with the abovementioned description
ex 8542.11.91	Multiple bus interface circuit (Multiple Bus Buffer) of low power Schottky technology for interfacing the error correction and detection unit system data bus and dynamic random access memory (D-RAM), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 8 × 33 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: AM 2961 or —other identification markings relating to error correction multiple bus buffers complying with the abovementioned description
ex 8542.11.91	Bus interface circuit of ALPS technology, in the form of a monolithic integrated circuit, for the management of address signals, contained in a housing the external dimensions of which do not exceed 25 × 25 mm, with not more than 68 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including the following combination of figures and letters: 82 A 203 or —other identification markings relating to bus interface circuits complying with the abovementioned description
ex 8542.11.91	Bus interface circuit of ALPS technology, in the form of a monolithic integrated circuit, for the management of data flow in the signal lines of the CPU, contained in a housing the external dimensions of which do not exceed 25 × 25 mm, with not more than 68 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: 82 A 205 or —other identification markings relating to bus interface circuits complying with the abovementioned description
ex 8542.11.91	Bus interface circuit in C-MOS technology, in the form of a monolithic integrated circuit, for the control of communication lines comprising a numerical bus, two independent receivers and a transmitter consisting of a first-in first-out (FIFO) memory, contained in a housing whose exterior dimensions do not exceed 20 × 52 mm, with not more than 44 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures and letters: HS 3282 or —other identification markings relating to bus interface circuits complying with the abovementioned description
ex 8542.11.91	Bus interface circuit of C-MOS technology, in the form of a monolithic integrated circuit, for the management of address signals, comprising a circuit with 4 × 2-input AND gates, 2 buffer circuits, 2 latch circuits, 4 independent transceivers, a 256 × 4 bit PROM, contained in a housing the external dimensions of which do not exceed 31 × 31 mm, with not more than 84 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: FE 3020 or —other identification markings relating to bus interface circuits complying with the abovementioned description
ex 8542.11.91	Bus interface circuit C-MOS technology, in the form of a monolithic integrated circuit, for the management of I/0 data flow in signal lines, with 4 independent transceivers, a circuit with 4 × 2-input NAND gates, a circuit with 4 × 2-input AND gates, a separator circuit, a flip-flop circuit, contained in a housing the external dimensions of which do not exceed 31 × 31 mm, with not more than 84 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: FE 3030 or —other identification markings relating to bus interface circuits complying with the abovementioned description

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.91	Interface circuit for the synchronization of data flow from a hard disc drive, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 16 × 35 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: DP 8462 or —other identification markings relating to interfaces complying with the abovementioned description
ex 8542.11.91	Analogue-digital monolithic integrated circuit of bipolar technology for interface signals between the peripheral hard-disc, memory unit and the central unit, contained in a housing the external dimensions of which do not exceed 15 × 50 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: AD 581 C or —other identification markings relating to integrated circuits complying with the abovementioned description
ex 8542.11.91	Interface circuit of C-MOS technology for signals between peripheral hard disc memory units and central units, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 28 × 53 mm, with not more than 80 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: OMTI 5080 (OMTI 20508) OMTI 5090 (OMTI 20509) WD 11 C 00 or —other identification markings relating to bus interface circuits complying with the abovementioned description
ex 8542.11.91	Encoder/decoder serial interface circuit for hard disc drives, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 17 × 37 mm, with not more than 28 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: AIC 250 AIC 270 OMTI 5027 OMTI 507 or —other identification markings relating to interface complying with the abovementioned description
ex 8542.11.99	Computing unit for the multiplication or processing of fixed and floating point numbers, of C-MOS technology, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 42 × 42 mm, with not more than 144 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification consisting of or including one of the following combinations of figures and letters: ADSP 3210, ADSP 3220 or —other identification markings relating to computing units complying with the abovementioned description
ex 8542.11.99	8 × 8 bit multiplier accumulator (MAC) of C-MOS technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 62 × 16 mm, with not more than 48 connecting pins and bearing: —an identification marking consisting of or including the following combination of numbers and letters: ADSP-1008 A or —other identification markings relating to MACs complying with the abovementioned description
ex 8542.11.99	Floppy-disc data separator (FDDS), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 27 × 8 mm, with not more than 20 connecting pins and bearing: —an identification marking consisting of or including the following combinations of figures and letters: FDC 9216 FDC 9216-B FDC 9229 T FDC 9229 BT WD 9216-00 WD 92 C 32 or —other identification markings relating to FDDS, complying with the abovementioned description
ex 8542.11.99	Hard Disc Data Separator (HDDS) in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 16 × 37 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and lettes: DP 8460-2 DP 8460-3 DP 8460-4 DP 8465 HDC 9226 WD 10 C 20 WD 10 C 21 or —other identification markings relating to devices complying with the abovementioned description
ex 8542.11.99	Six- or eight-channel monolithic integrated circuit for the generation of read/write signals for hard disc drivers, contained in a housing the exterior dimensions of which do not exceed 13 × 13 mm, with not more than 40 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including one of the following combinations of figures and letters: SSI 117 SSI 501 or —other identification markings relating to integrated circuits complying with the abovementioned description
ex 8542.11.99	Dual universal asynchronous receiver/transmitter (DUART) of MOS-technology, in the form of a monolithic integrated circuit, contained in a housing whose exterior dimensions do not exceed 16 × 53 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: MC 2681 SCN 2681 or —other identification markings relating to circuits complying with the abovementioned description
ex 8542.11.99	Programmable asynchronous communication element circuit N-MOS technology, for the asynchronous transmission and reception of data, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 18 × 54 mm, with not more than 44 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: INS 8250 INS 82 C 50 NS 16450 NS 16550 NS 16 C 450 WD 8250 or —other identification markings relating to ACE circuits complying with the abovementioned description
ex 8542.11.99	Monolithic integrated circuit in N-MOS technology (including H-MOS) for the display of graphic symbols on a cathode-ray-tube operating in stroke mode, contained in a housing whose exterior dimensions do not exceed 28 × 61 mm, with not more than 68 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures or figures and letters: FCD 96 114 898 FCD 96 114 899 FCD 96 149 135 FCD 28 042 277 or —other identification markings relating to circuits complying with the abovementioned description
ex 8542.11.99	Sequential control and generating circuit of CMOS technology for the memory display, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 19 × 52 mm, with not more than 44 connecting pins or contact surfaces and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including the following combination of figures and letters: 82 C 432 or —other identification markings relating to integrated circuits complying with the abovementioned description
ex 8542.11.99	Demodulator/tone decoder of bipolar technology for frequency decoding, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 10×21 mm, with not more than 14 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: XR 2211 or —other identification markings relating to demodulator tone decoders complying with the abovementioned description
ex 8542.11.99	Encoder/decoder circuit using Manchester code (MED) for the transmission of data in continuous flux with a repeater mode in C-MOS technology, having an output voltage of 4,5 volts, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16×33 mm, with not more than 20 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: HD 6409 or —other identification markings relating to circuits complying with the abovementioned description
ex 8542.11.99	Analogue-digital signal converter, containing amplifiers, D/A and A/D converters with a supply voltage of 12 V ± 10% and a digital serial interface with asynchronous receiver/transmitter, in the form of a monolithic integrated circuit, contained in a housing whose external dimensions do not exceed 18×18 mm, with not more than 44 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures and letters: AD 75002 or —other identification markings relating to programmable amplifiers with asynchronous receiver/transmitter complying with the abovementioned description
ex 8542.11.99	Analogue to digital converter for the calculation of the average value of variable wave-forms, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 18×10 mm, with not more than 14 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: AD 536 A or —other identification markings relating to integrated circuits complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.99	12-bit-analogue to digital converter, in the form of a monolithic integrated circuit incorporating a voltage reference and clock, contained in a housing the external dimensions of which do not exceed 36 × 15 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: AD 574 A or —other identification markings relating to devices complying with the abovementioned description
ex 8542.11.99	C-MOS clock circuit, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 16 × 54 mm, with not more than 16 connecting pins, and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: HI 2060 HI 2065 MSM 5537 T 3605 or —other identification markings relating to clock circuits complying with the abovementioned description for the production of automatic time-switches, instrument panel clock and clocks of a similar type for motor vehicles (a)
ex 8542.11.99	C-MOS clock circuit, operating from a single 1,5 V power supply, with a liquid crystal display (LCD) driver, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 15 × 21 mm, with not more than 56 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: TC 8219 AF or —other identification markings relating to C-MOS clock circuits complying with abovementioned description
ex 8542.11.99	C-MOS clock/calendar circuit, incorporating a quartz crystal oscillator, independent timer recorders and a timer, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 7 × 20 mm, with not more than 16 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures or figures and letters: MM 581 74 A 58274 or —other identification markings relating to clock/calendar circuits complying with the abovementioned description
ex 8542.11.99	C-MOS clock circuit with audio and hour-count output, in the form of a monolithic integrated circuit, contained in a housing whose dimensions do not exceed 17 × 33 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures or figures and letters:

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	SVM 5530 7910 or —other identification markings relating to clock/calendar circuits complying with the abovementioned description
ex 8542.11.99	MOS programmable interval timer (MOS PIT), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 28 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of figures: 8253 8254 82 C 54 or —other identification markings relating to MOS PITs complying with the abovementioned description
ex 8542.11.99	Function generator of bipolar technology for the generation of variable waveforms, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 10 × 21 mm, with not more than 16 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: XR 2206 XR 8038 or —other identification markings relating to function generators complying with the abovementioned description
ex 8542.11.99	Digital signal synthesizer of C-MOS technology with one frequency generator producing one signal and able to output one sound, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 8 × 25 mm, with not more than 18 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: UMC 3511 A or —other identification markings relating to digital signal synthesizers (DSS) complying with the abovementioned description
ex 8542.11.99	Programmable digital signal synthesizer of C-MOS technology with 13 frequency generators each producing up to five sounds and an output capacity of up to 65 sounds, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 15 × 50 mm, with not more than 40 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: DPS 6401 or —other identification markings relating to digital signal synthesizers complying with the abovementioned description

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.11.99	Programmable digital signal synthesizer of C-MOS technology with 32 frequency generators to generate eight notes each and a simultaneous output of up to 160 notes, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 25 × 25 mm, with not more than 68 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of letters: MEG or —other identification markings relating to digital synthesizers (DSS) complying with the abovementioned description
ex 8542.11.99	C-MOS-phoneme speech synthesizer, with a supply current of less than 10 mA, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: CD 54121 N2L, CM 54104, SC 01 CD 54122 N2L, CM 54145 N2L, SSI 263 CD 54123 N2L, CM 54146 N2L CD 54147 N2L, CM 54166 N2L or —other identification markings relating to phoneme speech synthesizers complying with the abovementioned description
ex 8542.11.99	Amplifier, of bipolar technology for the amplification of either read or write signals of floppy discs, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 11 × 29 mm, with not more than 22 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: XR 2247 XR 3470 or —other identification markings relating to amplifiers complying with the abovementioned description
ex 8542.11.99	Six-Channel monolithic integrated circuit (Read/Write data processor circuit) for the amplification and conversion of read signals and conversion of write signals for hard disc drives, contained in a housing the exterior dimensions of which do not exceed 19 × 38 mm, with not more than 28 connecting pins or contact areas and bearing: —an identification marking consisting of or including one of the following combinations of letters and figures: SSI 540 SSI 541 or —other identification markings relating to integrated circuits complying with the abovementioned description
ex 8542.11.99	Repeater circuit, of bipolar technology for the regeneration of pulse code-modulated signals, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 10 × 21 mm, with not more than 16 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including the following combination of figures and letters: XR C 240 or —other identification markings relating to repeater circuits complying with the abovementioned description
ex 8542.11.99	Smoke detector operating in a temperature range between at least −20°C to 50°C, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 23×9 mm, with not more than 18 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: CS 235 V 24216 or —other identification markings relating to smoke detectors complying with the abovementioned description
ex 8542.19.20	Amplifier, in the form of a monolithic integrated analog circuit the exterior dimensions of which do not exceed 3×3 mm for use in the manufacture of products falling within subheading 9021 40 00 (a)
ex 8542.19.30	Amplifier, in the form of a monolithic integrated analog circuit, contained in a housing the exterior dimensions of which do not exceed 2×4×4 mm, with not more than 10 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: C 05 V 35 or —other identification markings relating to amplifiers complying with the abovementioned description for the manufacture of products falling within subheading 9021 40 00 (a)
ex 8542.19.30	Electronically adjustable differential amplifiers for at least the full range of signals from 0 to not less than 400 MHz, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 11×11 mm, with not more than 16 connecting pins, and bearing: —an identification marking consisting of or including the following combination of figures: 0078-10 or —other identification markings relating to amplifiers complying with the abovementioned description
ex 8542.19.30	Amplifier for a full range of signals from 0 to 60 KHz, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 6×13×26 mm, with not more than 18 connecting pins and a leakage of not more than 0.3 μA and bearing: —an identification marking consisting of or including the following combination of figures and letters: ISO 100 or —other identification markings relating to amplifiers complying with the abovementioned description, for use in the manufacture of telephone exchanges (a)

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

SCHEDULE 3 – *continued*

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.19.30	Read/write amplifier for thin film magnetic heads, in the form of a monolithic integrated analogue circuit, contained in a housing the exterior dimensions of which do not exceed 8 × 11 mm, with not more than 24 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures and letters: VM 114 or —other identification markings relating to amplifiers complying with the abovementioned description
ex 8542.19.30	Winchester disc drive amplifier for magnetic heads, in the form of a monolithic integrated analogue circuit, contained in a housing the exterior dimensions of which do not exceed 7 × 7 mm, with not more than 10 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: A 2480 FC or —other identification markings relating to devices complying with the abovementioned description
ex 8542.19.30	Amplifier with a programmable gain factor in the form of a monolithic integrated analogue circuit, contained in a housing the exterior dimensions of which do not exceed 30 × 45 mm, with not more than 32 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: 3606 G or —other identification markings relating to amplifiers complying with the abovementioned description
ex 8542.19.30	Thermocouple amplifier for instrumentation control at temperatures from 0° to 50°C, incorporating an alarm system, in the form of a monolithic integrated circuit, contained in a housing the external dimensions of which do not exceed 20 × 8 mm, with not more than 14 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: AD594 AD595 or —other identification markings relating to thermocouple amplifiers complying with the abovementioned description
ex 8542.19.90	Monolithic integrated analogue circuit of bipolar technology for the overload protection of telephone exchanges, contained in a housing the exterior dimensions of which do not exceed 11 × 10 mm, with not more than 3 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures: 1515 or —other identification markings relating to monolithic integrated circuits complying with the abovementioned description

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.19.90	Frequency generator in the form of an analogue monolithic integrated circuit of bipolar technology, with an operating voltage of not less than 40 and not more than 130 V AC, which generate signals oscillating between 512 Hz (±22%) and 640 Hz (±22%) at a 10 Hz rate, contained in a housing the external dimensions of which do not exceed 9×11 mm, with not more than 8 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: QMV 155 or —other identification markings relating to integrated circuits complying with the abovementioned description
ex 8542.19.90	Monolithic integrated analogue circuit for the reduction of audio noise by 14 dB, contained in a housing the exterior dimensions of which do not exceed 26×7 mm, with not more than 18 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: HA 12043 or —other identification markings relating to analogue circuits complying with the abovementioned description
ex 8542.19.90	Premagnetization control circuit for audio frequency magnetic tapes, of bipolar technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 26×8 mm, with not more than 18 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: PC 1297 CA or —other identification markings relating to monolithic integrated circuits complying with the abovementioned description
ex 8542.19.90	Temperature transducer in the form of a monolithic analogue integrated circuit, contained in a housing the exterior dimensions of which do not exceed 6×4 mm, with not more than three connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: AD 590 or —other identification markings relating to transducers complying with the abovementioned description
ex 8542.19.90	Monolithic integrated analogue circuit of C-MOS technology for controlling the speed of linear or rotary motors and the positioning of magnetic heads, contained in a housing the exterior dimensions of which do not exceed 14×38 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: A 2460 A 2461 or

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—other identification markings relating to integrated analog circuits complying with the abovementioned description
ex 8542.19.90	Monolithic integrated analogue circuit of bipolar technology for driving linear motors or motors with rotating arms, working at 20 V/2,5 A maximum, contained in a housing the exterior dimensions of which do not exceed 17 × 33 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: EL 2007 EL 2017 or —other identification markings relating to integrated analogue circuits complying with the abovementioned description
ex 8542.19.90	Phase-locked loop (PLL) frequency synthesizer of N-MOS (including H-MOS) technology for the AM and FM frequency ranges, in the form of a monolithic integrated analogue circuit, contained in a housing the exterior dimensions of which do not exceed 25 × 7 mm, with not more than 20 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: LM 7000 or —other identification markings relating to circuits complying with the abovementioned description
ex 8542.20.00	32-bit microprocessor in C-MOS technology, in the form of a hybrid integrated circuit, consisting of a single substrate layer on which are mounted two chips, comprising a central processing unit (CPU) and a memory unit, the exterior dimensions of which do not exceed 33 × 76 mm, with not more than 60 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures: 57-00000, 57-19400 or —other identification markings relating to devices complying with the abovementioned description
ex 8542.20.00	Video digital to analogue converter (VDAC) with a maximum conversion time of 10 nanoseconds, in the form of a hybrid integrated circuit, contained in a housing the exterior dimensions of which do not exceed 20 × 35 mm, with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: VDAC 0405 H VDAC 0605 H VDAC 0805 H or —other identification markings relating to VDACs complying with the abovementioned description
ex 8542.20.00	Four-channel digital-to-analogue converter, each channel having a capacity of 12 bits, in the form of a hybrid integrated circuit, contained in a housing the external dimensions of which do not exceed 41 × 21 mm, with not more than 28 connecting pins and bearing:

Combined Nomenclature Code: (1)	*Description of Goods* (2)
	—an identification marking consisting of or including the following combination of figures and letters: AD 390 or —other identification markings relating to converters complying with the abovementioned description
ex 8542.20.00	Amplifier in the form of a hybrid integrated circuit for the frequency range 20 Hz to 20 000 Hz, contained in a housing the exterior dimensions of which do not exceed 45 × 80 mm, with not more than 30 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: STK 4041 STK 4151 STK 4201 or —other identification markings relating to hybrid circuits complying with the abovementioned description
ex 8542.20.00	Subscriber-connection units (crosspoint switch) with not less than four and not more than 12 switches and an operating voltage of at least 150 V, in the form of a hydrid integrated circuit, contained in a housing whose dimensions do not exceed 92 × 41 mm, with not more than 94 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures: 904 719 or —other identification markings relating to a crosspoint switch complying with the abovementioned description
ex 8542.20.00	Infrared receiver with a carrier frequency of not less than 36 kHz and not more than 40 kHz, in the form of a hybrid integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 15 mm, with not more than 5 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters BX 1317 BX 1323 BX 1387 BX 1407 or —other identification markings relating to devices complying with the abovementioned description
ex 8542.20.00	Filters operating in the frequency ranges between 5 and 11 kHz or 2,2 and 2,5 mHz, in the form of a hybrid integrated circuit, contained in a housing the exterior dimensions of which do not exceed 33 × 17 mm, with not more than 4 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: SLC 2570 or —other identification markings relating to filters complying with the abovementioned description

Combined Nomenclature Code: (1)	*Description of Goods* (2)
ex 8542.20.00	Opto-electronic receiving device (PINFET receiver) with a wavelength range 1 300—1 600 nanometres, and a speed of not less than 678 megabits per second, in the form of a hybrid integrated circuit, contained in a housing the exterior dimensions of which do not exceed 25 × 13 × 13 mm, with not more than 16 connecting pins, with an attached optical fibre lead (pig-tail), and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: 416/7/970 30 QDFI-XXXX-001 or —other identification markings relating to devices complying with the abovementioned description
9002.11.00	Adjustable lens unit, having a focal length of between 115 mm and 140 mm, a diameter of not less than 120 mm and not more than 130 mm, and comprising a combination of between four and eight glass or methacrylic lenses, each lens coated on at least one side with a magnesium fluoride layer, for use in the manufacture of video projectors (1) ....

SCHEDULE 4

Article 6

PARTIAL EXEMPTIONS FROM CUSTOMS DUTIES

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
ex 0302.65.10 and ex 0303.75.10	Piked dogfish (Squalus acanthias), fresh, chilled or frozen, whole, headless or in pieces.	3.7	3	2.2	0				
ex 0306.13.90	Shrimps of the species 'Royal Red' (Haliporoides sibogae or Hymenopenaeus sibogae) peeled and deep-frozen, intended for the processing industry for the manufacture of products falling within heading No 1605 (1)	5.6	4.5	3.3	2.2	0			
ex 0904.20.10	Sweet red or green peppers, in pieces, with a moisture content not exceeding 9.5%	6.2	5	3.7	2.5	0			
ex 1507.90.10	Purified soya-bean oil in glass bottles. Each bottle holds 10 litres of purified soya bean oil containing by weight: —a minimum of 8.5% and a maximum of 12% of palmitic acid esters, —a minimum of 2.5% and a maximum of 4.7% of stearic acid esters, —a minimum of 22.4% and a maximum of 29% of oleic acid esters, —a minimum of 46.6% and a maximum of 53.7% of linoleic acid esters, —a minimum of 7.4 % and a maximum of 11% of linolenic acid esters, and containing: —not more than 5 millimoles of free fatty acid per kilogram of oil,								

SCHEDULE 4: Article 6 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
	—phosphalipids corresponding to a nitrogen content not exceeding 0.04 mg per gram of oil. The soya-bean oil covered by this description is destined for the preparation of emulsions for injections (1)	8 with a maximum duty of 125 ECU per 100 kg	8 with a maximum duty of 125 ECU per 100 kg	8 with a maximum duty of 125 ECU per 100 kg	6.6 with a maximum duty of 104.1 ECU per 100 kg	5.3 with a maximum duty of 83.2 ECU per 100 kg	3.9 with a maximum duty of 62.3 ECU per 100 kg	2.6 with a maximum duty of 41.5 ECU per 100 kg	1.3 with a maximum duty of 20.6 ECU per 100 kg
ex 1605.20.00	Shrimps and prawns of the species Pandalus borealis boiled in water and shelled, whether or not frozen or dried, intended for the industrial processing of products falling within heading No 1605 (1)	5.4	4.2	3.1	2.1	0			
ex 1605.30.00	Lobster flesh, cooked, to be used by the processing industry for the manufacture of butters based on lobster, pastes, pâtés, soups or sauces (1) (2)	3.1	2.5	0					
ex 2926.90.90	Isophthalonitrile	2.2	0						
ex 2933.51.10	Phenobarbital (INN) and its salts	2.7	0						
ex 3906.90.00	Polymerization products of acrylic acid with small quantities of a polyunsaturated monomer, for use as a stabilizer in emulsions or dispersions with a pH of more than 13 (a)	2.2	0						
ex 8541.40.10 and ex 8542.20.00	Digital display of a size not exceeding 25×35 mm, consisting of a printed circuit board on which are mounted, under a plastic cover, up to 22 light-emitting diodes manufactured from gal-								

	lium-based semiconductor compounds. Each display consists of a single character with or without a plus or minus sign and/or one or two dots	2.6	0
ex 8542.11.71	Static, random-access memory of C-MOS technology (C-MOS S-RAM) with a storage capacity of 2 K × 8 bits and with a nominal standby power of 0,005 milliwatts at 25°C in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 33 mm with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters TC5516APL-2 TC5517CPL-15 TC5516AFL-2 TC5517CPL-20 TC5516APL TC5517CFL-15 TC65516AFL TC5517CFL-20 TC5517BPL-20 TC5517BPL-25 TC5517BFL-20 TC65517BFL-25 or —other identification markings relating to C-MOS S-RAMs complying with the abovementioned description	2.6	0
ex 8542.11.71	Non-volatile memory in the form of a monolithic integrated circuit, consisting of a C-MOS S-RAM, with a capacity of 16 Kbits and internal power supply, contained in a housing the exterior dimensions of which do not exceed 19 × 36 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters:		

SCHEDULE 4: Article 6 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
	DS 1220 Y MK 48 Z 02 (B) or —other identification markings relating to non-volatile memories complying with the abovementioned description	2.6	0						
ex 8542.11.71	Static, random-access memory of C-MOS technology (C-MOS S-RAM) with a storage capacity of 2 K × 8 bits and with a nominal standby power of 0,005 milliwatts at 25°C in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 33 mm with not more than 24 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: TC5516APL-2 TC5517CPL-15 TC5516AFL-2 TC5517CPL-20 TC5516APL TC5517CFL-15 TC65516AFL TC5517CFL-20 TC5517BPL-20 TC5517BPL-25 TC5517BFL-20 TC65517BFL-25 or —other identification markings relating to C-MOS S-RAMs complying with the abovementioned description	2.6	0						

ex 8542.11.71	Dynamic, random-access read/write memory of N-MOS (including H-MOS) technology, (N-MOS D-RAMs) with a storage capacity of 64 K×4 bits, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×34 mm, with not more than 20 connecting pins arranged in two parallel lines (dual-in-line package) and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: HM 50464 PD 41464 MSM 4464 TMM 41464 MB 81464 TMS 4464 PD 41254 or —other identification markings relating to N-MOS D-RAMs complying with the abovementioned description	3.7	2.8	2.1	0
ex 8542.11.71	Dynamic random-access memories (D-RAMs), of N-MOS (including H-MOS) technology with a storage capacity of 256 K bits and access times not exceeding 150 ns, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of a which do not exceed 12×22 mm, with not more than 20 connecting pins with zig-zag in-line package and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: HM 50256 ZP MB 81256 P PD 41256 V or —other identification markings relating				

SCHEDULE 4: Article 6 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
	to components complying with the abovementioned description	3.7	2.8	2.1	0				
ex 8542.11.71	Read-only memory in C-MOS technology (C-MOS ROM) with a storage capacity of 256 K bits and a standby current of not more than 0,03 mA, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 17×50 mm, with not more than 54 connecting pins and bearing: —an indentification marking consisting of or including one of the following combinations of figures and letters: HN 61256 HN 613256 MB 83256 or —other identification markings relating to C-MOS ROMs complying with the abovementioned description	2.6	0						
ex 8542.11.71	Read-only memory of C-MOS technology (C-MOS ROM) with a storage capacity of one megabit in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing:								

	—an identification marking consisting of or including one of the following combinations of figures and letters: HN 62301 P MB 83 1000 MB 831124 TC 53 1000 P or —other identification markings relating to C-MOS ROMs complying with the abovementioned description	2.6	0		
ex 8542.11.75	Single-chip 8-bit microcomputer of N-MOS (including H-MOS) technology, in the form of a monolithic integrated circuit incorporating 16-bit arithmetic/logic unit (ALU), 4 K bits ROM, 2 K bits RAM, contained in a housing the external dimensions of which do not exceed 42×17 mm with not more than 64 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: PD 7811 G or —other identification markings relating to microcomputers complying with the abovementioned description	3.7	2.8	2.1	0
ex 8542.11.75	8-bit microprocessor of N-MOS (including H-MOS) technology with 16 bit internal architecture, in the form of a monolithic integrated circuit consisting of a central processing unit (CPU), a timing generator, two independent DMA channels, a programmable interrupt controller, three programmable 16 bit timers, programmable memory and peripheral chip select, a programmable				

SCHEDULE 4: Article 6 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
	wait state generator and a local bus controller, contained in a housing the dimensions of which do not exceed 30 × 30 mm with not more than 68 connecting pins or contact areas, and bearing: —an identification marking consisting of or including the following combination of figures: 80188 or —other identification markings relating to microprocessors complying with the abovementioned description	2.6	0						
ex 8542.11.75	16-bit microprocessor of N-MOS technology (including H-MOS) in the form of a monolithic integrated circuit, consisting of a central processing unit (CPU), a memory management and protection unit (MMU) and a real address and virtual address operating mode system (OSO), contained in a housing whose exterior dimensions do not exceed 30 × 30 mm, with not more than 68 connecting pins or contact areas and bearing: —and identification marking consisting of or including the following combination of figures: 80286								

	or —other identification markings relating to microprocessors complying with the abovementioned description	3.7	2.8	2.1	0
ex 8542.11.75	Graphics co-processor of C-MOS technology comprising an advanced DRAM controller for graphics memory, shift registers and DMA channel, up to 256 simultaneous colours, multi-tasking support, integral sequential DRAM/access DRAMs, contained in a housing the exterior dimensions of which do not exceed 37 × 37 mm, with not more than 88 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures: 82786 or —other identification markings relating to graphics co-processors complying with the abovementioned description	2.6	0		
ex 8542.11.91	Semi-custom logic array (gate array) of C-MOS technology with metal gates, in the form of a monolithic integrated circuit with an operating voltage of 12 volts, with not less than 637 two-input functions, having within the array a digital code produced by an electron beam, contained in a housing whose exterior dimensions do not exceed 29 × 11 mm, with not more than 22 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: FB 215				

SCHEDULE 4: Article 6 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
	or —other identification markings relating to gate arrays complying with the abovementioned description	2.6	0						
ex 8542.11.91	Gate arrays of C-MOS technology in the form of a monolithic integrated circuit containing not less than 100 K transistors and not more than 500,000 transistors, contained in a housing the exterior dimensions of which do not exceed 50×50 mm, with not more than 299 connecting pins and bearing: —an identification consisting of or including one of the following combinations of figures and letters: LCA 10026 LCA 10075 LCA 10038 LCA 10100 LCA 10051 LCA 10129 or —other identification markings relating to microprocessors complying with the abovementioned description	2.6	0						
ex 8542.11.91	Floppy disc controller of C-MOS technology, in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 16×62 mm, with not more than 48 connecting pins and bearing: —an identification marking consisting								

	of or including one of the following combinations of letters and figures: FE 2100 G 70360-33 L 1 A 0519 MB 89311 WD 16 C 92 WD 37 C 65 or —other identification markings relating to adaptor circuits complying with the abovementioned description	2.6	0
ex 8542.11.91	Cathode-ray tube controller (CRTC) of N-MOS (including H-MOS) technology in the form of a monolithic integrated circuit contained in a housing the exterior dimensions of which do not exceed 62 × 25 mm, with not more than 68 connecting pins and bearing: —an identification marking either consisting of or including one of the following combinations of figures and letters: AM 8052 D 8275 H HD 6845 HD 68 A 45 P 8275 H or —other identification markings relating to CRTCs complying with the abovementioned description	2.6	0
ex 8542.11.91	Programmable advanced video display controller (AVDGs) of N-MOS (including H-MOS) technology in the form of a monolithic integrated circuit, contained in a housing whose external dimensions do not exceed 15 × 55 mm, with not		

SCHEDULE 4: Article 6 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
	more than 40 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: SCN 2674 or —other identification markings relating to controllers complying with the abovementioned description	2.6	0						
ex 8542.11.91	Programmable communication interface of N-MOS (including H-MOS) technology (N-MOS PCIs), in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17 × 39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: 8251 A or —other identification markings relating to N-MOS PCIs complying with the abovementioned description	2.6	0						
ex 8542.11.91	Monolithic integrated circuit with at least 16 analogue switching elements, of C-MOS technology, for controlling low								

		frequency signals in the range of 20 Hz to 20,000 Hz, capable of dealing with signals up to 3 V with a distortion of not more than 0.05% over the whole frequency range at a voltage of 1 V, contained in a housing the exterior dimensions of which do not exceed 16×40 mm, with not more than 42 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters: TC 9164 N TC 9177 P TC 9184 P or —other identification markings relating to monolithic integrated circuits complying with the abovementioned description	2.6	0
	ex 8542.11.99	Universal synchronous/asynchronous receiver/transmitter (USART) of C-MOS technology, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 32 connecting pins or contact areas and bearing: —an identification marking consisting of or including the following combination of figures and letters: MSM 82 C 51 or —other identification markings relating to universal synchronous/asynchronous receiver/transmitters complying with the abovementioned description	2.6	0
	ex 8542.11.99	Pulse code modulation (PCM) codec of		

SCHEDULE 4: Article 6 – *continued*

Combined nomenclature code (1)	*Description of Goods (2)*	*Rates of duty (3)* *as from 10.8.88*	*as from 1.1.89*	*as from 1.1.90*	*as from 1.1.91*	*as from 1.1.92*	*as from 1.1.93*	*as from 1.1.94*	*as from 1.1.95*
	N-MOS (including H-MOS) technology, in the form of a monolithic integrated circuit, consisting of a sample and hold circuit digital-to-analogue converter, comparator, successive approximation register and logic function to interface to a fall duplex PCM link, contained in a housing whose exterior dimensions do not exceed 11×29 mm, with not more than 22 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: 2911 A-1 or —other identification markings relating to PCM codecs complying with the abovementioned description	2.6	0						
ex 8542.11.99	Subscriber line audio-processing circuit (SLAC) with two digital signal processors, an anlogue-digital converter and a digital-analogue converter, in the form of a monolithic integrated circuit, contained in a housing the exterior dimensions of which do not exceed 17×39 mm, with not more than 28 connecting pins and bearing: —an identification marking consisting of or including one of the following combinations of figures and letters:								

	AM 7901 AM 7905 or —other identification markings relating to SLACs complying with the abovementioned description	2.6	0
ex 8542.11.99	Pulse code modulation (PCM) transmit/receive filter of N-MOS (including H-MOS) technology, in the form of a monolithic integrated circuit, consisting of two filters of a PCM line or trunk termination, contained in a housing whose exterior dimensions do not exceed 10×21 mm, with not more than 16 connecting pins and bearing: —an identification marking consisting of or including the following combination of figures and letters: D 2912 A or —other identification markings relating to PCM filters complying with the abovementioned description	2.6	0

EXPLANATORY NOTE

(This note is not part of the Order)

This Order implements obligations of the United Kingdom concerning Spain under the Treaty of Accession of Spain and Portugal to the European Communities from 10th August 1988 up to and including 31st December 1995. It provides for the reductions in the customs duties charged on the importation of goods into the United Kingdom from Spain which are to be made under the Act annexed to the Treaty from 10th August 1988 and from the beginning of each subsequent calendar year during the remainder of the transitional period, (see European Communities No. 27 and 28 (1985) Cmnd 9634 and 9635). Article 6 of the Customs Duties (Spain and Portugal) Order 1987 (S.I. 1987/2183) would be effective to implement the reduction in customs duties determined by Council Regulation (EEC) No. 839/88 (OJ No. L87, 31.3.1988, p. 1) from 1st July 1988 to the end of 1988 but as from 10th August 1988 this Order replaces as far as Spain is concerned the Customs Duties (Spain and Portugal) Order, (which is revoked by the Customs Duties (Spain and Portugal) (Revocation) Order 1988 (S.I. 1988/1259) in order to make known the actual rates of duty, which are shown in the Schedules to this Order.

Council Regulation (EEC) No. 839/88 totally suspends from 1st July 1988 certain customs duties applicable to imports from Spain.

Certain duties are charged by reference to a number of ECUs. The present rate of conversion for 1988 is 1 ECU equals £0.693890 (see Commission Notice of 1.10.1987, (OJ No. C262, 1.10.1987, p. 1)).

This Order also charges duties on products covered by the European Economic Community's common organisation of the market in beef and veal which are listed in Schedule 2 from 10th August 1988 until the end of the beef and veal marketing year which begins in 1992. The rate of duty chargeable is determined by reference to the beef and veal marketing year in force at the date of importation rather than the calendar year. The beef and veal marketing year is determined in accordance with article 4 of Council Regulation EEC No. 805/68, which provides that the marketing year shall begin on the first Monday in April of each year and end on the day preceding that day in the following year except where the Council decides otherwise. Thus the beef and veal marketing year for 1988/9 runs from 4th April 1988, until 2nd April 1989, unless the Council decides otherwise.

Goods in Schedule 3 are subject to a total exemption from customs duty and goods in Schedule 4 are subject to a partial exemption from customs duty instead of any higher rate which would otherwise apply under Schedule 1.

£12.00 net

ISBN 0 11 087261 4

Printed in the United Kingdom for Her Majesty's Stationery Office

WO1209 C20 8/88 452/3 4235 PS 8901376 881695D