II

(Acts whose publication is not obligatory)

COMMISSION

COMMISSION DECISION

of 27 June 1988

authorizing the Member States to institute intra-Community surveillance of the importation for home use of certain iron and steel products originating in certain third countries and covered by the Treaty establishing the European Coal and Steel Community and in free circulation in the Community

(88/450/ECSC)

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Coal and Steel Community, and in particular the third paragraph of Article 71 thereof,

Having regard to the requests made by the Member States,

Whereas under the provisions of the ECSC Treaty the principle of freedom of movement necessarily applies to products originating in third countries which are in free circulation in the Community;

Whereas these provisions preclude, in the case of intra-Community trade, any requirement, even of a purely formal nature, to submit import licences or any similar procedure;

Whereas the Commission, in response to the crisis in the iron and steel sector, has adopted measures with both internal and external effects; whereas, in this context, measures have been adopted in respect of imports of certain products originating in certain third countries with a view to ensuring adherence to traditional trade flows between the Community and these countries, including at regional level;

Whereas the combined effect of these measures is not, however, such as to eliminate the risk of deflections of trade in the case of the products in question;

Whereas under these circumstances it is important to ensure that full information is available on prospective imports of products originating in third countries in free circulation in certain Member States and the terms under which the products concerned are imported; whereas the Member States ought accordingly to be authorized to institute prior surveillance of these imports by making them subject to the issue of an import document;

Whereas this import document must be issued automatically, within a fixed time limit and for all the quantities applied for;

Whereas application of these surveillance measures must be of strictly limited duration;

Whereas, so that checking the origin of imports does not act as barrier to intra-Community trade, the Member States ought as a general rule to be obliged, as part of the formalities for the importation of a product from another Member State, to confine themselves to asking the importer for a simple declaration on the origin of the product, on the basis of what he may reasonably be expected to know of it;

Whereas it is important that the Member States should keep the Commission regularly informed of the results of the surveillance,

HAS ADOPTED THIS DECISION :

Article 1

1. Each of the Member States mentioned in the Annex is hereby authorized to make imports for home use (hereinafter referred to as 'imports') of the iron and steel products covered by the Treaty establishing the European Coal and Steel Community listed in the Annex, originating in the third countries mentioned in the Annex and in free circulation in the other Member States, subject to presentation to the relevant authorities of an import document.

2. The import document shall be issued or countersigned by the Member States, without charge and for all the quantities applied for, upon receipt of the relevant application and at the very latest within 10 working days of the date on which application was lodged, without prejudice to such protection measures as may have been authorized under Article 71, third indent, of the Treaty.

3. The period of validity of the import document shall be three months.

4. Import documents which have been completely used up shall be returned immediately to the department which issued them. Unused or partly used documents shall be returned to the department which issued them within five working days following expiry of their period of validity.

Article 2

1. The importer's application shall provide the following particulars :

(a) the country of origin and the Member State from which the goods are being imported ;

(b) a description of the goods and the relevant Combined Nomenclature code ;

(c) the quantity of the goods in tonnes ;

(d) the name, address, telephone number and telex number of the applicant ;

(e) documentary evidence of release for free circulation ; falling such evidence, the import document's validity shall be limited to one month from the date of its issue ;

(f) the characteristics of any seconds or substandard products ;

(g) the reference data of any previous application for an import document in respect of the same products.

The Member States may not request any additional particulars.

2. The importer must attest to the accuracy of his application and submit as supporting evidence two duplicate copies either of the related sales contract or contracts or of the seller's confirmation of the order or orders.

Article 3

1. As part of the formalities for the importation of products of a kind covered by intra-Community surveillance measures, the relevant authorities of the importing Member State may request the importer to indicate the origin of the goods on the customs declaration or on the application for an import document.

2. Supporting documentation may not be requested except in cases where serious, justified doubts exist rendering such documentation indispensable in order to establish the true origin of the goods in question. Nevertheless, the request for such documentation may not, of itself, constitute an impediment to the importation of the goods.

Article 4

1. The Member States shall notify the Commission during the first 10 days of each month of :

(a) the tonnages in respect of which import documents were issued during the preceding month ;

(b) the tonnages in respect of which import documents expired during the preceding month without having been used totally or partially by the importers ;

(c) the tonnages in respect of which import documents issued previously were totally or partially renewed during the preceding month.

2. The Member States' notifications shall include :

(a) a breakdown by product, itemized by the Combined Nomenclature code ;

(b) a breakdown by Member State of consignment and by country of origin.

Article 5

This Decision is addressed to the Member States.

It shall apply until 31 December 1988.

Done at Brussels, 27 June 1988.

For the Commission

Willy DE CLERCQ

Member of the Commission

ANNEX

LIST OF PRODUCTS FOR WHICH AN IMPORT DOCUMENT MUST BE ISSUED

Member State	Third country of origin
GERMANY	Bulgaria Hungary Poland Romania Czechoslovakia USSR People's Republic of Korea

CN-code	
7201 10 19	
ex 7201 20 00	— containing by weight more than 1 % of silicon
ex 7208 11 00	— containing by weight less than 0,6 % of carbon
ex 12 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 13 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 14 10	— containing by weight less than 0,6 % of carbon and of a thickness of 1,5 mm or more
ex 90	— containing by weight less than 0,6 % of carbon and of a thickness of 1,5 mm or more
ex 21 10	— containing by weight less than 0,6 % of carbon
ex 90	— containing by weight less than 0,6 % of carbon
ex 22 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 23 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 24 10	— containing by weight less than 0,6 % of carbon and of a thickness of 1,5 mm or more
ex 90	— containing by weight less than 0,6 % of carbon and of a thickness of 1,5 mm or more
ex 32 10	— containing by weight less than 0,6 % of carbon
ex 30	— containing by weight less than 0,6 % of carbon
ex 51	— containing by weight less than 0,6 % of carbon
ex 59	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 33 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 34 10	— containing by weight less than 0,6 % of carbon
ex 90	— containing by weight less than 0,6 % of carbon
ex 42 10	— containing by weight less than 0,6 % of carbon
ex 30	— containing by weight less than 0,6 % of carbon
ex 51	— containing by weight less than 0,6 % of carbon
ex 59	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 43 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 44 10	— containing by weight less than 0,6 % of carbon
ex 90	— containing by weight less than 0,6 % of carbon

CN-code	
ex 7209 12 90	— containing by weight less than 0,6 % of carbon
ex 13 90	— containing by weight less than 0,6 % of carbon
ex 22 90	— containing by weight less than 0,6 % of carbon
ex 23 90	— containing by weight less than 0,6 % of carbon
ex 32 90	— containing by weight less than 0,6 % of carbon
ex 33 90	— containing by weight less than 0,6 % of carbon
ex 42 90	— containing by weight less than 0,6 % of carbon
ex 43 90	— containing by weight less than 0,6 % of carbon
ex 7211 12 10	— containing by weight less than 0,6 % of carbon
ex 90	— containing by weight less than 0,6 % of carbon and of a thickness of 6 mm or less
ex 19 10	— containing by weight less than 0,6 % of carbon, of a thickness of 1,5 mm or more and in coils
	— containing by weight less than 0,6 % of carbon, of a thickness of 3 mm or more and not in coils
ex 19 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 22 10	— containing by weight less than 0,6 % of carbon
ex 90	— containing by weight less than 0,6 % of carbon and of a thickness of 6 mm or less
ex 29 10	— containing by weight less than 0,6 % of carbon, of a thickness of 1,5 mm or more and in coils
	— containing by weight less than 0,6 % of carbon and of a thickness of 3 mm or more and not in coils
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 30 10	— containing by weight less than 0,6 % of carbon and of a thickness of 0,5 mm or more but less than 3 mm
ex 41 10	— of a thickness of 0,5 mm or more but less than 3 mm
ex 49 10	— containing by weight less than 0,6 % of carbon and of a thickness of 0,5 mm or more but less than 3 mm
ex 7214 20 00	— containing by weight less than 0,6 % of carbon
40 10	
91	
99	
50 10	
91	
99	
ex 7216 21 00	— containing by weight less than 0,6 % of carbon
ex 22 00	— containing by weight less than 0,6 % of carbon
ex 31 00	— containing by weight less than 0,6 % of carbon and other than with parallel flanges
ex 32 00	— containing by weight less than 0,6 % of carbon and other than with parallel flanges
ex 40 10	— containing by weight less than 0,6 % of carbon
ex 90	— containing by weight less than 0,6 % of carbon
ex 50 10	— containing by weight less than 0,6 % of carbon
ex 90	— containing by weight less than 0,6 % of carbon

Member State	Third country of origin
BENELUX	Bulgaria Hungary Poland Romania Czechoslovakia German Democratic Republic USSR

Coils

CN-Code	
7208 11 00	
12 10	
91	
99	
13 10	
91	
99	
ex 14 10	— of a thickness of 1,5 mm or more
ex 90	— of a thickness of 1,5 mm or more
21 10	
90	
22 10	
91	
99	
23 10	
91	
99	
ex 24 10	— of a thickness of 1,5 mm or more
90	— of a thickness of 1,5 mm or more
ex 7211 12 10	— in coils
ex 19 10	— of a thickness of 1,5 mm or more, in coils
ex 22 10	— in coils
ex 29 10	— of a thickness of 1,5 mm or more, in coils
7219 11 10	
90	
12 10	
90	
13 10	
90	
ex 14 10	— of a thickness of 1,5 mm or more
ex 90	— of a thickness of 1,5 mm or more
ex 7220 11 00	— in coils, of a width exceeding 500 mm
ex 12 00	— of a thickness of 1,5 mm or more, in coils, of a width exceeding 500 mm
ex 7225 10 10	— of a thickness of 1,5 mm or more, in coils
ex 20 11	— of a thickness of 1,5 mm or more, in coils
ex 30 00	— of a thickness of 1,5 mm or more
ex 7226 10 10	— of a thickness of 1,5 mm or more, in coils, of a width exceeding 500 mm
ex 20 10	— of a thickness of 1,5 mm or more, in coils, of a width exceeding 500 mm
ex 91 00	— of a thickness of 1,5 mm or more, in coils, of a width exceeding 500 mm

Other iron and steel products

CN-Code	
7201 10 11	
19	
30	
90	
20 00	
30 10	
90	
40 00	
7202 11 10	
90	
99 11	

CN-Code	
ex 7203 90 00	— other than in blocks, lumps and similar forms
ex 7207 19 11	— obtained by continuous casting
ex 15	— obtained by continuous casting
31	—
ex 20 51	— obtained by continuous casting
ex 55	— obtained by continuous casting
ex 57	— obtained by continuous casting
71	—
ex 7208 14 10	— containing by weight less than 0,6 % of carbon, of a thickness of less than 1,5 mm
ex 90	— of a thickness of less than 1,5 mm, containing by weight less than 0,6 % of carbon
ex 24 10	— of a thickness of less than 1,5 mm, containing by weight less than 0,6 % of carbon
ex 90	— of a thickness of less than 1,5 mm, containing by weight less than 0,6 % of carbon
ex 32 10	— containing by weight less than 0,6 % of carbon
ex 30	— containing by weight less than 0,6 % of carbon
ex 51	— containing by weight less than 0,6 % of carbon
ex 59	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 33 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 34 10	— containing by weight less than 0,6 % of carbon
ex 90	— containing by weight less than 0,6 % of carbon
ex 35 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 93	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 42 10	— containing by weight less than 0,6 % of carbon
ex 30	— containing by weight less than 0,6 % of carbon
ex 51	— containing by weight less than 0,6 % of carbon
ex 59	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 43 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 44 10	— containing by weight less than 0,6 % of carbon
ex 90	— containing by weight less than 0,6 % of carbon
ex 45 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 93	— containing by weight less than 0,6 % of carbon
ex 99	— containing by weight less than 0,6 % of carbon
ex 90 10	— simply cut into shapes other than rectangular (including square)
7209 12 10	
90	
13 10	
90	
14 10	
90	
22 10	
90	
23 10	
90	
24 10	
91	
99	

CN-Code	
32 10	
90	
33 10	
90	
34 10	
90	
42 10	
90	
43 10	
90	
44 10	
90	
ex 90 10	— simply cut into shapes other than rectangular (including square)
ex 7210 11 10	— not further worked than surface-treated and containing by weight less than 0,6 % of carbon — simply cut into shapes other than rectangular (including square)
ex 12 11	— not further worked than surface-treated and containing by weight less than 0,6 % of carbon — simply cut into shapes other than rectangular (including square)
ex 19	— not further worked than surface-treated and containing by weight less than 0,6 % of carbon — simply cut into shapes other than rectangular (including square)
ex 20 10	— simply cut into shapes other than rectangular (including square)
ex 31 10	— not further worked than surface-treated and containing by weight less than 0,6 % of carbon — simply cut into shapes other than rectangular (including square)
ex 39 10	— not further worked than surface-treated and containing by weight less than 0,6 % of carbon — simply cut into shapes other than rectangular (including square)
ex 41 10	— not further worked than surface-treated and containing by weight less than 0,6 % of carbon — simply cut into shapes other than rectangular (including square)
ex 49 10	— not further worked than surface-treated and containing by weight less than 0,6 % of carbon — simply cut into shapes other than rectangular (including square)
ex 50 10	— simply cut into shapes other than rectangular (including square)
ex 60 11	— simply cut into shapes other than rectangular (including square)
ex 19	— simply cut into shapes other than rectangular (including square)
ex 70 11	— not further worked than surface-treated and containing by weight less than 0,6 % of carbon — simply cut into shapes other than rectangular (including square)
ex 19	— simply cut into shapes other than rectangular (including square)
ex 90 31	— simply cut into shapes other than rectangular (including square)
ex 33	— simply cut into shapes other than rectangular (including square)
ex 35	— simply cut into shapes other than rectangular (including square)
ex 39	— simply cut into shapes other than rectangular (including square)
ex 7211 12 10	— Not in coils and containing by weight less than 0,6 % of carbon
ex 90	— of a thickness of 6 mm or less
ex 19 10	— Not in coils, containing by weight less than 0,6 % of carbon and of a thickness of 1,5 mm or more — containing by weight less than 0,6 % of carbon and of a thickness of less than 1,5 mm
91	
99	
ex 22 10	— Not in coils, and containing by weight less than 0,6 % of carbon
ex 90	— of a thickness of 6 mm or less
ex 29 10	— Not in coils, containing by weight less than 0,6 % of carbon and of a thickness of 1,5 mm or more — containing by weight less than 0,6 % of carbon and of a thickness of less than 1,5 mm
91	
99	
ex 30 10	— of a thickness of less than 3 mm — 'Electrical'

CN-Code	
ex 41 10	— of a thickness of less than 3 mm
	— 'Electrical'
ex 91	— of a thickness of less than 6 mm
ex 49 10	— of a thickness of less than 6 mm
	— 'Electrical'
ex 7212 10 10	— containing by weight less than 0,6 % of carbon
ex 91	— containing by weight less than 0,6 % of carbon
ex 21 11	— containing by weight less than 0,6 % of carbon
ex 29 11	— containing by weight less than 0,6 % of carbon
ex 30 11	— containing by weight less than 0,6 % of carbon
ex 40 10	— containing by weight less than 0,6 % of carbon
ex 60 91	— of a thickness of 6 mm or less and containing by weight less than 0,6 % of carbon
7213 10 00	
20 00	
31 00	
39 00	
41 00	
49 00	
50 00	
7214 20 00	
30 00	
40 10	
91	
99	
50 10	
91	
99	
60 00	
7216 10 00	
21 00	
22 00	
31 00	
32 00	
33 00	
40 10	
90	
50 10	
90	
ex 90 10	— containing by weight less than 0,6 % of carbon
7218 90 50	
ex 7219 14 10	— of a thickness of less than 1,5 mm
ex 90	— of a thickness of less than 1,5 mm
ex 21 10	— other than rolled on four faces or in a closed box pass
ex 90	— other than rolled on four faces or in a closed box pass
ex 22 10	— other than rolled on four faces or in a closed box pass
ex 90	— other than rolled on four faces or in a closed box pass
23 10	
90	
24 10	
90	
33 10	
90	
34 10	
90	

CN-Code	
35 10	
90	
ex 90 11	— simply cut into shapes other than rectangular (including square)
ex 19	— simply cut into shapes other than rectangular (including square)
ex 7220 11 00	— other than rolled on four faces or in a closed box pass, other than in coils, and of a width exceeding 500 mm
ex 12 00	— other than in coils, of a thickness of 1,5 mm or more and of a width exceeding 500 mm
ex 20 10	— of a thickness of less than 3 mm
7221 00 10	
90	
7222 10 11	
19	
91	
99	
40 11	
19	
7224 90 30	
ex 7225 10 10	— not in coils and of a thickness of 1,5 mm or more
	— of a thickness of less than 1,5 mm
91	
99	
ex 20 11	— other than rolled on four faces or in a closed box pass, other than in coils and of a thickness of 1,5 mm or more
ex 19	— of a thickness of less than 3 mm
ex 30	— simply cut into shapes other than rectangular (including square)
ex 30 00	— of a thickness of less than 1,5 mm
ex 40 10	— other than rolled on four faces or in a closed box pass
ex 30	— other than rolled on four faces or in a closed box pass
ex 50	— other than rolled on four faces or in a closed box pass
70	
90	
ex 50 00	— of a thickness of less than 3 mm
ex 90 10	— simply cut into shapes other than rectangular (including square)
ex 7226 10 10	— other than in coils, of a thickness of 1,5 mm or more and of a width exceeding 500 mm
30	
ex 20 10	— other than rolled on four faces or in a closed box pass, other than in coils, of a thickness of 1,5 mm or more and of a width exceeding 500 mm
ex 31	— of a thickness of less than 3 mm
ex 91 00	— other than rolled on four faces or in a closed box pass, other than in coils, of a thickness of 1,5 mm or more and of a width exceeding 500 mm
ex 92 10	— of a thickness of less than 3 mm
7227 10 00	
20 00	
90 10	
90	
7228 10 10	
20 11	
19	
30 10	
90	
70 10	
80 10	
ex 90	— containing by weight less than 0,6 % of carbon
7301 10 00	

Member State	Third country of origin
ITALY	Bulgaria Hungary Poland Romania Czechoslovakia German Democratic Republic USSR People's Republic of Korea

Same products as for Benelux, plus :

CN-code	
7209 11 00	
21 00	
31 00	
41 00	
ex 7215 90 10	— of free-cutting steel
7219 31 10	
90	
32 10	
90	
7222 30 10	
10 30	
7223 10 30	
20 30	
70 31	

Member State	Third country of origin
UNITED KINGDOM	Bulgaria Hungary Poland Romania Czechoslovakia German Democratic Republic USSR People's Republic of Korea

CN code			
7201 10 11	7204 50 10	20 15	13 10
10 19	50 90	20 17	13 91
10 30		20 31	13 99
10 90	7206 10 00	20 33	14 10
20 00	90 00	20 51	14 90
30 10	7207 11 11	20 55	21 10
30 90	11 19	20 57	21 90
40 00	12 11	20 71	22 10
	12 19		22 91
7202 11 10	19 11	7208 11 00	22 99
11 90	19 15	12 10	23 10
	19 31	12 91	23 91
7203 90 00	20 11	12 99	23 99
			24 10

CN code

24 90
31 00
32 10
32 30
32 51
32 59
32 91
32 99
33 10
33 91
33 99
34 10
34 90
35 10
35 91
35 93
35 99
41 00
42 10
42 30
42 51
42 59
42 91
42 99
43 10
43 91
43 99
44 10
44 90
45 10
45 91
45 93
45 99
90 10

7209 11 00
12 10
12 90
13 10
13 90
14 10
14 90
21 00
22 10
22 90
23 10
23 90
24 10
24 91
24 99
31 00
32 10
32 90
33 10
33 90
34 10
34 90
41 00
42 10
42 90
43 10
43 90
44 10
44 90
90 10

7210 11 10
12 11
12 19
20 10
31 10
39 10
41 10
49 10
50 10
60 11
60 19
70 11
70 19
90 31
90 33
90 35
90 39

7211 11 00
12 10
12 90
19 10
19 91
19 99
21 00
22 10
22 90
29 10
29 91
29 99
30 10
41 10
41 91
49 10
90 11

7212 10 10
10 91
21 11
29 11
30 11
40 10
40 91
50 31
50 51
60 11
60 91

7213 10 00
20 00
31 00
39 00
41 00
49 00
50 00

7214 20 00
30 00
40 10
40 91
40 99
50 10
50 91
50 99
60 00

7215 90 10

7216 10 00
21 00
22 00
31 00
32 00
33 00
40 10
40 90
50 10
50 90
90 10

7218 10 00
90 11
90 13
90 15
90 19
90 50

7219 11 10
11 90
12 10
12 90
13 10
13 90
14 10
14 90
21 10
21 90
22 10
22 90
23 10
23 90
24 10
24 90
31 10
31 90
32 10
32 90
33 10
33 90
34 10
34 90
35 10
35 90
90 11
90 19

7220 11 00
12 00
20 10
90 11
90 31

7221 00 10
00 90

7222 10 11
10 19
10 91
10 99
30 10
40 11
40 19
40 30

7224 10 00
90 11
90 30

7225 10 10
10 91
10 99
20 11
20 19
20 30
30 00
40 10
40 30
40 50
40 70
40 90
50 00
90 10

7226 10 10
10 30
20 10
20 31
20 51
20 71
91 00
92 10
99 11
99 31

7227 10 00
20 00
90 10
90 90

7228 10 10
10 30
20 11
20 19
20 30
30 10
30 90
60 10
70 10
70 31
80 10
80 90

7301 10 00

Member State	Third country of origin
DENMARK	Bulgaria Hungary Poland Romania Czechoslovakia German Democratic Republic USSR

CN code
7201 10 11
10 19
10 30
10 90
20 00
30 10
30 90
40 00

Member State	Third country of origin
IRELAND	Bulgaria Hungary Polan Romania Czechoslovakia German Democratic Republic USSR People's Republic of Korea

CN code
7202 11 10
11 90
7203 90 00
7204 50 90
7206 10 00
90 00
7207 11 19
12 11
12 19
20 15
20 31
20 33
7208 12 10
13 10
14 10
22 10
23 10
24 10
7211 12 10
19 10
22 10
29 10

Member States	Third country of origin
FRANCE SPAIN PORTUGAL	Bulgaria Hungary Poland Romania Czechoslovakia German Democratic Republic USSR Brazil People's Republic of Korea Japan Argentina Mexico Venezuela Yugoslavia

CN code

7201 10 11	22 10	13 10	7211 11 00
10 19	22 91	13 90	12 10
10 30	22 99	14 10	12 90
10 90	23 10	14 90	19 10
20 00	23 91	21 00	19 91
30 10	23 99	22 10	19 99
30 90	24 10	22 90	21 00
40 00	24 90	23 10	22 10
	31 00	23 90	22 90
7202 11 10	32 10	24 10	29 10
11 90	32 30	24 91	29 91
99 11	32 51	24 99	29 99
	32 59	31 00	30 10
7203 90 00	32 91	32 10	41 10
	32 99	32 90	41 91
7204 50 10	33 10	33 10	49 10
50 90	33 91	33 90	90 11
	33 99	34 10	
7206 10 00	34 10	34 90	7212 10 10
90 00	34 90	41 00	10 91
	35 10	42 10	21 11
7207 11 19	35 91	42 90	29 11
12 11	35 93	43 10	30 11
12 19	35 99	43 90	40 10
19 11	41 00	44 10	40 91
19 15	42 10	44 90	50 31
19 31	42 30	90 10	50 51
20 15	42 51		60 11
20 31	42 59	7210 11 10	60 91
20 33	42 91	12 11	
20 51	42 99	12 19	7213 10 00
20 55	43 10	20 10	20 00
20 57	43 91	31 10	31 00
20 71	43 99	39 10	39 00
	44 10	41 10	41 00
7208 11 00	44 90	49 10	49 00
12 10	45 10	50 10	
12 91	45 91	60 11	7214 20 00
12 99	45 93	60 19	30 00
13 10	45 99	70 11	40 10
13 91	90 10	70 19	40 91
13 99		90 31	40 99
14 10	7209 11 00	90 33	50 10
14 90	12 10	90 35	50 91
21 10	12 90	90 39	50 99
21 90			60 00

CN code			
7215 90 10	14 10	7221 00 10	7226 10 10
	14 90	00 90	10 30
7216 10 00	21 10		20 10
21 00	21 90	7222 10 11	20 31
22 00	22 10	10 19	20 51
31 00	22 90	10 91	20 71
32 00	23 10	10 99	91 00
33 00	23 90	30 10	92 10
40 10	24 10	40 11	99 11
40 90	24 90	40 19	99 31
50 10	31 10	40 30	
50 90	31 90		7227 20 00
90 10	32 10	7224 10 00	90 10
	32 90	90 30	90 90
7218 10 00	33 10		
90 11	33 90	7225 10 10	7228 10 30
90 13	34 10	10 91	20 11
90 15	34 90	10 99	20 19
90 19	35 10	20 11	20 30
90 50	35 90	20 19	30 10
	90 11	20 30	30 90
7219 11 10	90 19	30 00	60 10
11 90		40 10	70 10
12 10	7220 11 00	40 30	70 31
12 90	12 00	40 50	80 10
13 10	20 10	50 00	80 90
13 90	90 11	90 10	
	90 31		7301 10 00