Corrigendum to Commission Decision 2002/732/EC of 30 May 2002 concerning the technical specification for interoperability relating to the infrastructure subsystem of the trans-European high-speed rail system referred to in Article 6(1) of Council Directive 96/48/EC

(Official Journal of the European Communities L 245 of 12 September 2002)

On page 146, in the Annex, after the title 'TECHNICAL SPECIFICATION FOR INTEROPERABILITY RELATING TO THE INFRASTRUCTURE SUBSYSTEM' insert the following table of contents:

'CONTENTS

		Page
1.	**INTRODUCTION**	146
1.1.	TECHNICAL SCOPE	146
1.2.	GEOGRAPHICAL SCOPE	146
1.3.	CONTENT OF THIS TSI	146
2.	**DEFINITION OF THE INFRASTRUCTURE SUBSYSTEM/SCOPE OF APPLICATION**	147
3.	**ESSENTIAL REQUIREMENTS**	149
4.	**DESCRIPTION OF THE INFRASTRUCTURE SUBSYSTEM**	157
4.1.	BASIC PARAMETERS OF THE INFRASTRUCTURE SUBSYSTEM	157
4.1.1.	Minimum infrastructure gauge (Parameter 1)	157
4.1.2.	Minimum radius of curvature (Parameter 2)	158
4.1.3.	Track gauge (Parameter 3)	158
4.1.4.	Maximum track stressing (Parameter 4)	158
4.1.5.	Minimum platform length (Parameter 5)	159
4.1.6.	Platform height (Parameter 6)	160
4.1.7.	Boundary characteristics linked to outside noise (Parameter 17)	160
4.1.8.	Boundary characteristics linked to outside vibrations (Parameter 18)	160
4.1.9.	Characteristics linked to the access of disabled persons (Parameter 22)	160
4.1.10.	Maximum pressure variations in tunnels (Parameter 23)	161
4.1.11.	Maximum falling and rising gradients (Parameter 24)	161
4.1.12.	Minimum distance between track centres (Parameter 25)	161
4.2.	INFRASTRUCTURE SUBSYSTEM INTERFACES	161
4.3.	SPECIFIED PERFORMANCE	167
4.3.1.	Lines specially built for high speed	167
4.3.2.	Lines specially upgraded for high speed	168
4.3.3.	Specifications applicable to the elements to achieve the intended performance levels	169

5.	**INTEROPERABILITY CONSTITUENTS**	187
5.1.	DEFINITION OF INTEROPERABILITY CONSTITUENTS	187
5.2.	DESCRIPTION OF THE INTEROPERABILITY CONSTITUENTS OF THE INFRASTRUCTURE SUBSYSTEM	187
5.2.1.	The rail	187
5.2.2.	The rail fastening systems	188
5.2.3.	Track sleepers and bearers	188
5.2.4.	Switches and crossings	189
6.	**ASSESSMENT OF CONFORMITY AND/OR SUITABILITY FOR USE**	190
6.1.	INTEROPERABILITY CONSTITUENTS	190
6.1.1.	Conformity and suitability for use assessment procedures (Modules)	190
6.1.2.	Application of modules	190
6.2.	INFRASTRUCTURE SUBSYSTEM	191
6.2.1.	Assessment procedure (modules)	191
6.2.2.	Application of modules	192
6.3.	EC VERIFICATION AND PUTTING INTO SERVICE THE INFRASTRUCTURE SUBSYSTEM	192
6.3.1.	Verification of track conformity	192
7.	**IMPLEMENTING THE INFRASTRUCTURE TSI**	193
7.1.	APPLICATION OF THIS TSI TO HIGH-SPEED LINE TO PUT INTO SERVICE	193
7.2.	APPLICATION OF THIS TSI TO HIGH-SPEED LINES ALREADY IN SERVICE	193
7.2.1.	Typology of work	193
7.2.2.	Parameters and specifications concerning civil engineering	194
7.2.3.	Parameters and characteristics concerning superstructure	194
7.2.4.	Parameters and characteristics concerning various equipment	194
7.2.5.	Speed as migration criterion	194
7.2.6.	Case of hot-box detectors	194
7.3.	SPECIFIC CASES	195
7.3.1.	Particular features on the German network (P case)	195
7.3.2.	Particular features on the Austrian network	195
7.3.3.	Particular features on the Danish network	195
7.3.4.	Particular features on the Spanish network	195
7.3.5.	Particular features on the Finnish network (P cases)	196
7.3.6.	Particular features on the British network (P cases)	196
7.3.7.	Particular features on the network of Greece	197
7.3.8.	Particular features on the Ireland and Northern Ireland network (P cases)	197
7.3.9.	Particular features on the Netherlands network	197
7.3.10.	Particular features on the Portuguese network	198
7.3.11.	Particular features on the Swedish network (P cases)	198

7.4.	CASES SPECIFIC TO THE TARGET SUBSYSTEM	198
7.5.	RECOMMENDATIONS	198
7.5.1.	Characteristics linked to the carriage of diasabled persons (BP 22)	198
ANNEX A	**INTEROPERABILITY CONSTITUENTS OF THE INFRASTRUCTURE SUBSYSTEM**	199
ANNEX B	**ASSESSMENT OF THE INFRASTRUCTURE SUBSYSTEM**	201
ANNEX C	**ASSESSMENT PROCEDURES (MODULES)**	207
ANNEX D	**DEFINITION OF PHASES FOR THE ASSESSMENT OF THE INFRASTRUCTURE SUBSYSTEM**	229
ANNEX E	**CHARACTERISTICS REQUIRED TO APPEAR IN THE INFRASTRUCTURE REGISTER**	236
ANNEX G	**GA, GB AND GC KINEMATIC GAUGES**	238
ANNEX H	**REGULATIONS RELATING TO THE LAY-OUT OF S-CURVES**	242
ANNEX I	**UNIVERSAL DYNAMIC TRAIN**	243
ANNEX K1	**FLAT BOTTOM SYMMETRICAL RAILWAY RAILS 46 KG/M AND ABOVE — STEEL GRADES**	244
ANNEX K2	**FLAT BOTTOM SYMMETRICAL RAILWAY RAILS 46 KG/M AND ABOVE — RAIL PROFILES**	247
ANNEX L1	**SWITCH AND CROSSING RAILS USED IN CONJUNCTION WITH FLAT BOTTOM RAILWAYS RAILS 46 KG/M AND ABOVE — STEEL GRADES**	254
ANNEX L2	**CHECK RAILS USED IN CONJUNCTION WITH FLAT BOTTOM RAILWAY RAILS 46 KG/M AND ABOVE — RAIL PROFILES**	257
ANNEX M	**UK1 GAUGE**	276
ANNEX N	**FIN 1 GAUGE**	277
ANNEX O	**IRL 1 GAUGE**	278’