I

*(Acts whose publication is obligatory)*

# REGULATION (EEC) No 1115/73 OF THE COMMISSION

## of 30 March 1973

## fixing minimum prices for exports to third countries of certain flowering corms, bulbs and tubers for the 1973/74 marketing year

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community;

Having regard to Council Regulation (EEC) No 234/68 (1) of 27 February 1968 on the establishment of a common organization of the market in live trees and other plants, bulbs, roots and the like, cut flowers and ornamental foliage, and in particular Article 7 (1) thereof;

Whereas Commission Regulation (EEC) No 1767/68 (2) of 6 November 1968 on the system of minimum prices for exports to third countries of flowering corms, bulbs and tubers, as last amended by Regulation (EEC) No 688/72 (3) of 28 March 1972, lays down that minimum export prices for the species in question must be fixed each year and are applicable to products harvested in the year following that in which they were fixed; whereas for the export year 1 June 1973 to 31 May 1974 these prices should be varied according to country of destination, marketing conditions and size;

Whereas the measures provided by the present Regulation are in conformity with the advice of the Management Committee for live trees and other plants, bulbs, roots and the like, cut flowers and ornamental foliage;

HAS ADOPTED THIS REGULATION:

*Article 1*

The minimum prices applicable for the export year 1 June 1973 to 31 May 1974 are hereby fixed, for each product, at the levels shown in Annex I.

*Article 2*

This Regulation shall enter into force on the third day following its publication in the *Official Journal of the European Communities.*

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 30 March 1973.

*For the Commission*

*The President*

François-Xavier ORTOLI

(1) OJ No L 55, 2. 3. 1968, p. 1.
(2) OJ No L 271, 7. 11. 1968, p. 7.
(3) OJ No L 82, 6. 4. 1972, p. 12.

*ANNEX I*

## TABLE A

### 1973—1974 — Minimum export prices

(United States and Canada)

*(u.a./1 000 p.)*

| Product | Size | A (1) | B (1) | C (1) |
|---|---|---|---|---|
| Anémone coronaria | 8+ | 11·74 | 10·57 | 9·39 |
| | 7—8 | 8·98 | 8·08 | 7·18 |
| | 6—7 | 6·22 | 5·60 | 4·98 |
| | 5—6 | 3·45 | 3·11 | 2·76 |
| | 4—5 | 2·76 | 2·48 | 2·21 |
| | 3—4 | 1·38 | 1·24 | 1·10 |
| | 2—3 | 0·55 | 0·50 | 0·44 |
| Crocus | 10+ | 12·43 | 11·19 | 9·94 |
| | 9—10 | 11·05 | 9·95 | 8·84 |
| | 8—9 | 8·29 | 7·46 | 6·63 |
| | 7—8 | 6·91 | 6·22 | 5·53 |
| Hyacinthus orientalis | 19+ | 144·17 | 129·75 | 115·34 |
| | 18—19 | 135·34 | 121·81 | 108·27 |
| | 17—18 | 126·78 | 114·10 | 101·42 |
| | 16—17 | 104·96 | 94·46 | 83·97 |
| | 15—16 | 85·62 | 77·06 | 68·50 |
| | 14—15 | 78·72 | 70·85 | 62·98 |
| ('Rosalie' only) | 13—14 | 69·88 | 62·89 | 55·90 |
| Iris Wedgewood and Prof. Blaauw | 10+ | 22·10 | 19·89 | 17·68 |
| | 9—10 | 13·12 | 11·81 | 10·50 |
| | 8—9 | 7·60 | 6·84 | 6·08 |
| Bronze Queen, Le Mogol, Yellow Queen | 7+ | 13·81 | 12·43 | 11·05 |
| | 6—7 | 9·67 | 8·70 | 7·74 |
| | 5—6 | 5·53 | 4·98 | 4·42 |
| Not listed elsewhere | 8+ | 13·81 | 12·43 | 11·05 |
| | 7—8 | 9·67 | 8·70 | 7·74 |
| | 6—7 | 5·53 | 4·98 | 4·42 |
| Lilium henryi | 24+ | 124·31 | 111·88 | 99·45 |
| | 22—24 | 110·50 | 99·45 | 88·40 |
| | 20—22 | 96·69 | 87·02 | 77·35 |
| | 18—20 | 74·59 | 67·13 | 59·67 |
| | 16—18 | 55·25 | 49·73 | 44·20 |
| Lilium formosanum (Syn. L. philipinense var. formosanum) | 8+ | 41·44 | 37·30 | 33·15 |
| Lilium regale | 24+ | 103·59 | 93·23 | 82·87 |
| | 22—24 | 89·78 | 80·80 | 71·82 |
| | 20—22 | 69·06 | 62·15 | 55·25 |
| | 18—20 | 48·34 | 43·51 | 38·67 |
| | 16—18 | 34·53 | 31·08 | 27·62 |

(u.a./1 000 p.)

| Product | Size | A (1) | B (1) | C (1) |
|---|---|---|---|---|
| Lilium speciosum and varieties thereof | 24+ | 193·37 | 174·03 | 154·70 |
| | 22—24 | 151·94 | 136·75 | 121·55 |
| | 20—22 | 124·31 | 111·88 | 99·45 |
| | 18—20 | 96·69 | 87·02 | 77·35 |
| | 17—18 | 69·06 | 62·15 | 55·25 |
| Lilium pumilum (Syn. L. tenuifolium) | 10+ | 33·15 | 29·84 | 26·52 |
| | 8—10 | 22·10 | 19·89 | 17·68 |
| | 7—8 | 13·81 | 12·43 | 11·05 |
| Lilium tigrinum | 18+ | 69·06 | 62·15 | 55·25 |
| | 16—18 | 49·72 | 44·75 | 39·78 |
| | 14—16 | 35·91 | 32·32 | 28·73 |
| | 12—14 | 24·86 | 22·37 | 19·89 |
| | 10—12 | 16·58 | 14·92 | 13·26 |
| Lilium croceum ov. umbellatum | 20+ | 124·31 | 111·88 | 99·45 |
| | 18—20 | 110·50 | 99·45 | 88·40 |
| | 16—18 | 82·87 | 74·58 | 66·30 |
| | 14—16 | 48·34 | 43·51 | 38·67 |
| Lilium davidii var. willmottiae (Syn. L. willmottiae) | 16+ | 71·82 | 64·64 | 57·46 |
| | 14—16 | 49·72 | 44·75 | 39·78 |
| | 12—14 | 27·62 | 24·86 | 22·10 |
| Muscari armeniacum 'Early Giant' | 9+ | 9·67 | 8·70 | 7·74 |
| | 8—9 | 8·29 | 7·46 | 6·63 |
| | 7—8 | 6·22 | 5·60 | 4·98 |
| | 6—7 | 4·14 | 3·73 | 3·31 |
| — Other | 5+ | 6·91 | 6·22 | 5·53 |
| Narcissus — Daffodils (large) | DN I | 104·96 | 94·46 | 83·97 |
| | DN II | 83·14 | 74·83 | 66·51 |
| | DN III | 61·32 | 55·19 | 49·06 |
| | Round I | 61·32 | 55·19 | 49·06 |
| | not graded (u.a./1 000 kg) | 593·55 | 534·20 | 474,84 |
| — Rockery: the varieties (cultivars) Silver Chimes Thalia, Tresambe, Trevithian | DN I | 83·14 | 74·83 | 66·51 |
| | DN II | 65·46 | 58·91 | 52·37 |
| | DN III | 48·06 | 43·25 | 38·45 |
| | Round I | 48·06 | 43·25 | 38·45 |
| | not graded (u.a./1 000 kg) | 515·11 | 463·60 | 412·09 |
| — Rockery (not listed elsewhere) | | 19·33 | 17·40 | 15·46 |
| — Other | DN I | 83·44 | 74·83 | 66·51 |
| | DN II | 65·46 | 58·91 | 52·37 |
| | DN III | 48·06 | 43·25 | 38·45 |
| | Round I | 48·06 | 43·25 | 38·45 |
| | not graded (u.a./1 000 kg) | 515·11 | 463·60 | 412·09 |
| Mixtures of Narcissi — Mixtures of all varieties | DN I | 74·30 | 66·87 | 59·44 |
| | DN II | 56·90 | 51·21 | 45·52 |
| | DN III | 43·64 | 39·28 | 34·91 |
| | Round I | 43·64 | 39·28 | 34·91 |
| | not graded (u.a./1 000 kg) | 497·71 | 447·94 | 398·17 |

*(u.a./1 000 p.)*

| Product | Size | A (1) | B (1) | C (1) |
|---|---|---|---|---|
| Scilla sibirica | 8+ | 15·19 | 13·67 | 12·15 |
| | 7—8 | 11·05 | 9·95 | 8·84 |
| | 6—7 | 6·91 | 6·22 | 5·53 |
| — atrocaerulea (Spring Beauty) | 10+ | 20·72 | 18·65 | 16·58 |
| | 9—10 | 17·95 | 16·16 | 14·36 |
| | 8—9 | 15·19 | 13·67 | 12·15 |
| | 7—8 | 11·05 | 9·95 | 8·84 |
| Early double tulips | 12+ | 64·63 | 58·17 | 51·70 |
| | 11—12 | 59·38 | 53·44 | 47·50 |
| | 10—11 | 52·48 | 47·23 | 41·98 |
| Early single tulips excluding the variety Charles | 12+ | 55·24 | 49·72 | 44·19 |
| | 11—12 | 49·99 | 44·99 | 39·99 |
| | 10—11 | 39·50 | 35·55 | 31·60 |
| The variety Charles mixtures of early double tulips and/or early single tulips | 12+ | 48·89 | 44·00 | 39·11 |
| | 11—12 | 45·57 | 41·01 | 36·46 |
| | 10—11 | 39·50 | 35·55 | 31·60 |
| Botanical tulips — all tulips and their hybrids Kaufmanniana, Fosteriana, Greigii, Eichleri | 12+ | 50·82 | 45·74 | 40·66 |
| | 11—12 | 47·23 | 42·51 | 37·78 |
| | 10—11 | 36·73 | 33·06 | 29·38 |
| — Other | | 20·99 | 18·89 | 16·79 |
| Late double tulips | 12+ | 61·32 | 55·19 | 49·06 |
| | 11—12 | 56·07 | 50·46 | 44·86 |
| | 10—11 | 48·89 | 44·00 | 39·11 |
| — Mixtures | 12+ | 48·89 | 44·00 | 39·11 |
| | 11—12 | 41·98 | 37·78 | 35·58 |
| | 10—11 | 35·08 | 31·57 | 28·06 |
| Late single tulips — Merry Widow, Olaf, Paul Richter | 12+ | 43·64 | 39·28 | 34·91 |
| | 11—12 | 38·69 | 34·82 | 30·95 |
| | 10—11 | 30·66 | 27·59 | 24·53 |
| — Albury, Attila, Bingham, Blizzard, Carl M. Bellman, Denbola, Don Quichotte, Dreaming Maid, Garden Party, Golden Melody, Invasion, Kees Nelis, Makassar, Peerless Pink, Maureen, Palestrina, Snowstar, Trance, Yellow Present — 'Lily-flowered' tulips excluding Marietta and Red Shine — 'Parrot' tulips | 12+ | 61·32 | 55·19 | 49·06 |
| | 11—12 | 56·07 | 50·46 | 44·86 |
| | 10—11 | 48·89 | 44·00 | 39·11 |
| — Darwin hybrids all red varieties | 12+ | 39·50 | 35·55 | 31·60 |
| | 11—12 | 35·08 | 31·57 | 28·06 |
| | 10—11 | 26·24 | 23·62 | 20·99 |
| — Other | 12+ | 48·89 | 44·00 | 39·11 |
| | 11—12 | 41·98 | 37·78 | 35·58 |
| | 10—11 | 30·66 | 27·59 | 24·53 |

*(u.a./1 000 p.)*

| Product | Size | A (1) | B (1) | C (1) |
|---|---|---|---|---|
| — 'Lily-flowered' tulips Mariette, Red Shine and mixtures | 12+ | 48·89 | 44·00 | 39·11 |
| | 11—12 | 41·98 | 37·78 | 35·58 |
| | 10—11 | 30·66 | 27·59 | 24·53 |
| — Mixtures of 'parrot' tulips | 12+ | 48·89 | 44·00 | 39·11 |
| | 11—12 | 41·98 | 37·78 | 35·58 |
| | 10—11 | 35·08 | 31·57 | 28·06 |
| — Other mixtures | 12+ | 39·50 | 35·55 | 31·60 |
| | 11—12 | 35·08 | 31·57 | 28·06 |
| | 10—11 | 26·24 | 23·62 | 20·99 |

(1) Applicable to persons established in the United States and Canada who, between 1 June 1971 to 31 May 1972, purchased within the Community products subject to the minimum export price system to a value of:

— less than 5 000 u.a. (Column A),

— between 5 000 and 10 000 u.a. (Column B),

— 10 000 u.a. or more (Column C).

## TABLE B

### 1973—1974 — Minimum export prices

(all third countries other than the United States and Canada)

*(u.a./1 000 p.)*

| Product | Size | A (1) | B (1) | C (1) |
|---|---|---|---|---|
| Anémone coronaria | 8+ | 11·74 | 10·57 | 9·98 |
| | 7—8 | 8·98 | 8·08 | 7·63 |
| | 6—7 | 6·22 | 5·60 | 5·29 |
| | 5—6 | 3·45 | 3·11 | 2·93 |
| | 4—5 | 2·76 | 2·48 | 2·35 |
| | 3—4 | 1·38 | 1·24 | 1·17 |
| | 2—3 | 0·55 | 0·50 | 0·47 |
| Crocus | 10+ | 12·43 | 11·19 | 10·57 |
| | 9—10 | 11·05 | 9·95 | 9·39 |
| | 8—9 | 8·29 | 7·46 | 7·05 |
| | 7—8 | 6·91 | 6·22 | 5·87 |
| Hyacinthus orientalis | 19+ | 109·10 | 98·19 | 92·74 |
| | 18—19 | 99·43 | 89·49 | 84·52 |
| | 17—18 | 91·15 | 82·04 | 77·48 |
| | 16—17 | 80·10 | 72·09 | 68·09 |
| | 15—16 | 66·29 | 59·66 | 56·35 |
| | 14—15 | 53·86 | 48·47 | 45·78 |
| ('Rosalie' only) | 13—14 | 48·34 | 43·51 | 41·09 |
| Iris Wedgewood and Prof. Blaauw | 10+ | 22·10 | 19·89 | 18·79 |
| | 9—10 | 13·12 | 11·81 | 11·15 |
| | 8—9 | 7·60 | 6·84 | 6·46 |
| Wedgewood intended for the Southern Hemisphere | 7—8 | 7·60 | 6·84 | 6·46 |
| Bronze Queen, Le Mogol, Yellow Queen | 7+ | 13·81 | 12·43 | 11·74 |
| | 6—7 | 9·67 | 8·70 | 8·22 |
| | 5—6 | 5·53 | 4·98 | 4·70 |
| Not listed elsewhere | 8+ | 13·81 | 12·43 | 11·74 |
| | 7—8 | 9·67 | 8·70 | 8·22 |
| | 6—7 | 5·53 | 4·98 | 4·70 |
| Lilium henryi | 24+ | 124·31 | 111·88 | 105·66 |
| | 22—24 | 110·50 | 99·45 | 93·93 |
| | 20—22 | 96·69 | 87·02 | 82·19 |
| | 18—20 | 74·59 | 67·13 | 63·40 |
| | 16—18 | 55·25 | 49·73 | 46·96 |
| Lilium formosanum (Syn. L. philipinense var. formosanum) | 8+ | 41·44 | 37·30 | 35·22 |
| Lilium regale | 24+ | 103·59 | 93·23 | 88·05 |
| | 22—24 | 89·78 | 80·80 | 76·31 |
| | 20—22 | 69·06 | 62·15 | 58·70 |
| | 18—20 | 48·34 | 43·51 | 41·09 |
| | 16—18 | 34·53 | 31·08 | 29·35 |

*(u.a./1 000 p.)*

| Product | Size | A (1) | B (1) | C (1) |
|---|---|---|---|---|
| Lilium speciosum and varieties | 24+ | 193·37 | 174·03 | 164·36 |
| | 22—24 | 151·94 | 136·75 | 129·15 |
| | 20—22 | 124·31 | 111·88 | 105·66 |
| | 18—20 | 96·69 | 87·02 | 82·19 |
| | 16—18 | 69·06 | 62·15 | 58·70 |
| Lilium pumilum (Syn. L. tenuifolium) | 10+ | 33·15 | 29·84 | 28·18 |
| | 8—10 | 22·10 | 19·89 | 18·79 |
| | 7—8 | 13·81 | 12·43 | 11·74 |
| Lilium tigrinum | 18+ | 69·06 | 62·15 | 58·70 |
| | 16—18 | 49·72 | 44·75 | 42·26 |
| | 14—16 | 35·91 | 32·32 | 30·52 |
| | 12—14 | 24·86 | 22·37 | 21·13 |
| | 10—12 | 16·58 | 14·92 | 14·09 |
| Lilium croceum, cv. umbellatum | 20+ | 124·31 | 111·88 | 105·66 |
| | 18—20 | 110·50 | 99·45 | 93·93 |
| | 16—18 | 82·87 | 74·58 | 70·44 |
| | 14—16 | 48·34 | 43·51 | 41·09 |
| Lilium davidii var. willmottiae (Syn. L. willmottiae) | 16+ | 71·82 | 64·64 | 61·05 |
| | 14—16 | 49·72 | 44·75 | 42·26 |
| | 12—14 | 27·62 | 24·86 | 23·48 |
| Muscari armeniacum 'Early Giant' | 9+ | 9·67 | 8·70 | 8·22 |
| | 8—9 | 8·29 | 7·46 | 7·05 |
| | 7—8 | 6·22 | 5·60 | 5·29 |
| | 6—7 | 4·14 | 3·73 | 3·52 |
| — Other | 5+ | 6·91 | 6·22 | 5·87 |
| Narcissus | | | | |
| — Daffodils with a large corona, with a double flower (except Cheerfulness and all varieties of the Poëtaz species with double flower) | DN I | 51·66 | 46·49 | 43·91 |
| | DN II | 37·98 | 34·18 | 32·28 |
| | DN III | 27·35 | 24·62 | 23·25 |
| | Round I | 27·35 | 24·62 | 23·25 |
| | not graded (u.a./1 000 kg) | 303·87 | 273·48 | 258·29 |
| — Other (except rockery narcissi) | DN I | 28·87 | 25·98 | 24·54 |
| | DN II | 22·79 | 20·51 | 19·37 |
| | DN III | 16·71 | 15·04 | 14·20 |
| | Round I | 16·71 | 15·04 | 14·20 |
| | not graded (u.a./1 000 kg) | 364·64 | 328·18 | 309·94 |
| — rockery | | 17·96 | 16·16 | 15·27 |
| Scilla sibirica | 8+ | 15·19 | 13·67 | 12·95 |
| | 7—8 | 11·05 | 9·95 | 9·39 |
| | 6—7 | 6·91 | 6·22 | 5·87 |
| — Atrocaerulea (Spring Beauty) | 10+ | 20·72 | 18·65 | 17·61 |
| | 9—10 | 17·95 | 16·16 | 15·28 |
| | 8—9 | 15·19 | 13·67 | 12·91 |
| | 7—8 | 11·05 | 9·95 | 9·39 |

*(u.a./1 000 p.)*

| Product | Size | A (1) | B (1) | C (1) |
|---|---|---|---|---|
| Early tulips (including tulipa fosteriana and its varieties cultivars) | 12+ | 33·43 | 30·09 | 28·41 |
| | 11—12 | 27·35 | 24·62 | 23·25 |
| | 10—11 | 21·27 | 19·14 | 18·08 |
| — Other tulips (excluding botanical tulips) | 12+ | 28·11 | 25·30 | 23·89 |
| | 11—12 | 22·79 | 20·51 | 19·37 |
| | 10—11 | 18·23 | 16·41 | 15·50 |
| Botanical tulips | | 19·89 | 17·90 | 16·91 |

(1) Applicable to persons established in third countries other than the United States and Canada who, between 1 June 1971 to 31 May 1972, purchased within the Community products subject to the minimum export price system to a value of:

— less than 10 000 u.a. (Column A),

— between 10 000 and 25 000 u.a. (Column B),

— 25 000 u.a. or more (Column C).