# REGULATION (EEC) No 674/75 OF THE COUNCIL

## of 4 March 1975

## fixing the derived intervention prices and the reference qualities for baled tobacco from the 1975 harvest

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community;

Having regard to Council Regulation (EEC) No 727/70 [1] of 21 April 1970 on the common organization of the market in raw tobacco, as last amended by the Act of Accession [2], and in particular Article 6 (8) thereof;

Having regard to the proposal from the Commission;

Having regard to the Opinion of the European Parliament;

Having regard to the Opinion of the Economic and Social Committee;

Whereas so far as baled tobacco which has been obtained from Community-grown leaf tobacco and which has undergone first processing and market preparation is concerned, derived intervention prices may be fixed each year for the harvest of the following calendar year;

Whereas it is desirable to fix, in respect of the 1975 harvest, derived intervention prices both for the varieties which before the common organization of the market came into force were subject to a price guarantee at the baled tobacco stage, and for the varieties which are principally grown in Germany, in order to take account of marketing practices in that country;

Whereas the derived intervention price must be fixed for each Community-produced variety and for a reference quality corresponding to the average quality of baled tobacco obtained by the first processing and market preparation of leaf tobacco of the reference quality for which the norm price of the same variety is fixed;

Whereas, to this end, it is necessary to define the reference qualities so that as objective an assessment as possible can be made of the quality of the baled tobacco; whereas the corresponding reference qualities of leaf tobacco set out in Council Regulation (EEC) No 673/75 [3] of 4 March 1975 fixing the norm price, the intervention price and the reference qualities for leaf tobacco from the 1975 harvest, should be retained, with such adjustments as necessary to take account of the characteristics peculiar to baled tobacco; whereas the baled tobacco corresponding to the reference qualities thus determined can be considered as representative of the average quality of baled tobacco obtained by the first processing and market preparation of leaf tobacco of the corresponding reference quality;

Whereas Article 6 (2) of Regulation (EEC) No 727/70 provides that, for a stated variety, the derived intervention price shall be equal to the intervention price fixed in accordance with the provisions of Article 2 of the said Regulation for leaf tobacco of the same variety, plus the cost of first processing and market preparation of Community leaf tobacco as baled tobacco; whereas the flat-rate assessment of this cost, made when derived intervention prices were last fixed should be adjusted for certain varieties to take account of increased costs on the one hand, and of increased productivity on the other,

HAS ADOPTED THIS REGULATION:

*Article 1*

For the 1975 harvest, the reference qualities referred to in Article 6 (3) (c) of Regulation (EEC) No 727/70 for each Community-produced variety of baled tobacco for which a derived intervention price is fixed are set out in Annex I.

*Article 2*

For the 1975 harvest the derived intervention prices for baled tobacco referred to in Article 6 of Regulation (EEC) No 727/70 are set out in Annex II.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 4 March 1975.

*For the Council*
*The President*
M. A. CLINTON

(1) OJ No L 94, 28. 4. 1970, p. 1.
(2) OJ No L 73, 27. 3. 1972, p. 14.
(3) See page 25 of this Official Journal.

*ANNEX I*

**Baled tobacco: varieties and their reference qualities**

| Serial No | Varieties | Reference qualities |
|---|---|---|
| 1 | a) Badischer Geudertheimer<br>b) Forchheimer Havanna II c) | Class 1 Hauptgut (top quality leaf)<br>Class 1: leaf ripe, sound, without blemish, dark brown to mottled brown, of uniform length, fermented normally<br>Packaging: in bales or cases of approx. 75 to 175 kg or in barrels of approx. 225 to 450 kg<br>Moisture: 16 % |
| 2 | Badischer Burley E | Class 1 Hauptgut (top quality leaf)<br>Class 1: leaf ripe, sound, without blemish, fleshy light brown to reddish or dark brown, of uniform length, fermented normally<br>Packaging: in bales or cases of approx. 75 to 175 kg or in barrels of approx. 225 to 450 kg<br>Moisture: 15 % |
| 3 | Virgin SCR | Class 1 leaf<br>Class 1: leaf ripe, sound, without blemish, yellow to reddish or brownish yellow, fermented normally<br>Packaging: in bales or cases of approx. 75 to 175 kg or in barrels of approx. 225 to 450 kg<br>Moisture: 13 % |
| 10 | Bright | Leaf in Category A<br>Category A: leaf sufficiently ripe, without curing defects, open texture, with stems (midribs) and veins not too prominent, sound, of various shades of yellow<br>Packaging: in barrels of approx. 330 to 350 kg<br>Moisture: 13 % |

| Serial No | Varieties | Reference qualities |
|---|---|---|
| 11 a) | Burley I | Leaf in Category A<br>Category A: leaf sufficiently ripe, without curing defects, of open possibly firm texture, stems (midribs) and veins not too prominent, sound, of a more or less lively nut-brown colour<br>Packaging: in barrels of approx. 330 to 350 kg<br>Moisture: 13 % |
| 11 b) | Maryland | Leaf in category A<br>Category A: leaf sufficiently ripe, with slight curing defects and only slightly mottled, of average texture, with stems (midribs) and veins not too prominent, sound, of a rather lively reddish brown colour<br>Packaging: in barrels of approx. 330 to 350 kg<br>Moisture: 13 % |
| 12 | a) Kentucky and hybrids thereof<br>b) Moro di Cori<br>c) Salento | Leaf in Category B<br>Category B: leaf fully ripe, of firm texture, without curing defects and in good condition brown in colour, with some damage<br>Packaging: in barrels of approx. 350 kg<br>Moisture: 16 % |
| 13 | a) Nostrano del Brenta<br>b) Resistente 142<br>c) Gojano | Leaf in Category B<br>Category B: leaf of firm or light texture, sound, well cured, or properly fermented according to the traditional method, brown or dark brown in colour, with minor damage<br>Packaging: in bales of approx. 170 to 180 kg<br>Moisture: 18 % |
| 14 | Beneventano | Leaf in Category B<br>Category B: leaf sufficiently ripe, firm texture or possibly coarse or thin, with minor defects as regards curing and fermentation and damage<br>Packaging: in bales of approx. 120 kg or barrels of approx. 330 kg<br>Moisture: 16 % |

| Serial No | Varieties | Reference qualities |
|---|---|---|
| 15 | Xanti-Yakà | Leaf in Category B |
| 16 | Perustitza | Category B: leaf reasonably sound and ripe, with some slight curing defects, mainly of light texture, from yellow to brown in colour, with marked damage but in good condition, may also include lugs |
| 17 | Erzegovina and hybrids thereof | Packaging: small bales of approx. 18 to 21 kg |
| | | Moisture: 13 % |
| 18 | a) Round Tip<br>b) Scafati<br>c) Sumatra I | Leaf in Category B |
| | | Category B: lower middle leaf, sorted by length in the following proportions: |
| | | 1st length (38 cm and over) 60 % |
| | | 2nd length (from 32 to under 38 cm) 35 % |
| | | 3rd length (from 25 to under 32 cm) 5 % |
| | | leaf of convenient size, fully ripe and of uniform colour, sound, without damage, fine texture, tensile and elastic, stems and veins not prominent, well fermented and in good condition, good combustibility, of typical flavour and aroma, suitable for wrapping cigars, including about 25 % broken leaf |
| | | Packaging: in bales approx. 80 to 90 kg |
| | | Moisture: 16 % |

*ANNEX II*

**Derived intervention prices for baled tobacco**

| Serial No | Varieties | Derived intervention price (u.a./kg) |
|---|---|---|
| 1 | a) Badischer Geudertheimer<br>b) Forchheimer Havanna II c) | 3·030 |
| 2 | Badischer Burley E | 3·386 |
| 3 | Virgin SCR | 2·864 |
| 10 | Bright | 2·626 |
| 11 a) | Burley I | 2·166 |
| 11 b) | Maryland | 2·392 |
| 12 | a) Kentucky and hybrids thereof<br>b) Moro di Cori<br>c) Salento | 2·131 |
| 13 | a) Nostrano del Brenta<br>b) Resistente 142<br>c) Gojano | 2·200 |
| 14 | Beneventano | 1·670 |
| 15 | Xanti-Yakà | 3·365 |
| 16 | Perustitza | 2·947 |
| 17 | Erzegovina and hybrids thereof | 2·682 |
| 18 | a) Round Tip<br>b) Scafati<br>c) Sumatra I | 14·474 |