I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EEC) No 1290/76

of 1 June 1976

temporarily suspending the autonomous Common Customs Tariff duties on certain industrial products

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 28 thereof,

Having regard to the draft Regulation submitted by the Commission,

Whereas production of the products referred to in the present Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community ;

Whereas it is in the Community's interest to suspend the autonomous Common Customs Tariff duties only partially in certain cases, particularly because of the existence of Community production, and in other cases to suspend duties completely ;

Whereas, for spirits of turpentine falling within subheading 38.07 A, the Association Council established within the framework of the association between the Community and Greece agreed to a suspension, for the period in question, of the Common Customs Tariff duty applicable to this product ;

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic situation in the sectors concerned in the near future, these suspension measures should be taken only temporarily, fixing their term of validity to coincide with the interests of Community production,

HAS ADOPTED THIS REGULATION :

Article 1

The autonomous Common Customs Tariff duties for the products listed in the tables annexed to this Regulation shall be suspended at the level indicated in respect of each of them.

These suspensions shall be valid :

— from 1 July to 31 December 1976 for the products listed in Table I ;

— from 1 July to 30 June 1977 for the products listed in Table II.

Article 2

This Regulation shall enter into force on 1 July 1976.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 1 June 1976.

For the Council

The President

G. THORN

ANNEX

TABLE I

CCT heading No	Description	Rate of autonomous duty (%)
ex 28.18 C	Magnesium oxide, dead-burned but not fused, of a purity not less than 95 %, which contains : (a) not more than 0·05 % by weight of boron compounds evaluated as B_2O_3 (b) not more than 3·5 % by weight of calcium compounds evaluated as CaO (c) not more than 1·1 % by weight of silicon compounds evaluated as SiO_2 (d) a total of not more than 0·7 % by weight of aluminium compounds and iron compounds evaluated as Al_2O_3 and Fe_2O_3	0
ex 29.02 A III	1,2-Dibromoethane	0
ex 29.03 B II	1-Nitropropane	8
ex 29.03 B II	2-Nitropropane	8
ex 29.08 A III c)	Sodium 4-(2-methylallyloxy)benzenesulphonate	0
ex 29.34 B	Dimethyltin dichloride	0
ex 29.42 C VII	Alkaloïds of ergot of rye and their salts, ethers, esters and other derivatives, other than lysergic acid	6
ex 29.44 A	Epicillin (INN)	0
ex 29.44 C	Cefazolin (INN) and its salts	0
ex 38.19 G	Catalysts consisting of copper chloride supported on aluminium oxide for the preparation of dichloroethane from ethylene, hydrochloric acid and oxygen (a)	0
ex 39.01 A	Colestipol (INN) hydrochloride	0
ex 39.02 C XII	Copolymerization products of acrylic and methacrylic esters in the form of film of a thickness not less than 50 and not more than 150 micrometres	0
62.03 A I	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 57.03	4
ex 85.21 D II	Digital displays consisting of a printed circuit board of a size not exceeding 30 mm by 90 mm with a single line of digits, not less than three in number comprising light-emitting diodes manufactured from gallium-based semi-conductor compounds mounted thereon ; the line of digits having a protective cover of translucent plastic	0
ex 88.05 B	Visual display system generating images by computer intended for equipping flight simulators for civil aircraft (a)	0

(a) The application of this suspension will be subject to the conditions determined by the competent authorities.

TABLE II

CCT heading No	Description	Rate of autonomous duty (%)
ex 28.04 C III	Tellurium powder	0
ex 28.21	Dichromium trioxide for production of chromium metal or chromium carbide (a)	12·4
28.51 A	Heavy hydrogen (deuterium) and compounds thereof (including heavy water); mixtures and solutions containing deuterium in which the ratio of the deuterium atoms to the normal hydrogen atoms exceeds 1 : 5 000 in number (Euratom)	0
ex 28.55 A	Iron phosphides (ferro-phosphorus) containing 15 % or more by weight of phosphorus, for use exclusively in the manufacture of refined phosphoric iron or steel (a)	0
ex 28.57 B	Manganese nitride containing not more than 8 % of nitrogen by weight	0
ex 29.01 D VI	Vinyltoluenes	0
ex 29.01 D VI	1,2,4,5-Tetramethylbenzene	0
ex 29.02 A II b)	1,2,3-Trichloropropenes	0
ex 29.02 A III	Vinyl bromide	0
ex 29.02 B	Dodecachloropentacyclodecanes	0
ex 29.02 B	Hexachlorocyclopentadiene	0
ex 29.03 A	Benzene-1,3-disulphonic acid	0
ex 29.03 B II	Nitromethane	0
ex 29.04 C I	Butane-1,3-diol	0
ex 29.06 A IV	2-*tert*-Butyl-4-ethylphenol	0
ex 29.06 A IV	2-Isopropylphenol	6
ex 29.06 B V	1,1,3-Tris(5-*tert*-butyl-4-hydroxy-2-methylphenyl)butane	0
ex 29.08 D	Bis*(alpha,alpha*-dimethylbenzyl) peroxide	0
ex 29.09	1,2-Epoxybutane	7
ex 29.11 A IV	2,3-Dimethylvaleraldehyde	0
ex 29.13 A I	5-Methylhexan-2-one	0
ex 29.13 B I b)	Refined natural camphor	0
ex 29.13 D I	3-*beta*-Hydroxy-16-*alpha*-methylpregn-5-en-20-one	6
ex 29.13 F	1,4-Naphthoquinone	0
ex 29.13 G II	Dichlone (ISO)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.13 G II	Chlordecone (ISO)	0
ex 29.14 A II c) 4	16-*alpha*,17-*alpha*-Epoxy-20-oxopregn-5-en-3-*beta*-yl acetate	6
ex 29.14 A II c) 4	11-*alpha*,17-*alpha*,21-Trihydroxy-16-*alpha*-methyl-5-*alpha*-pregnane-3,20-dione 21-acetate 11-(toluene-4-sulphonate)	9
ex 29.14 A XI	2,2'-Ethylenedioxydiethyl bis(2-ethylbutyrate)	0
ex 29.14 B IV b)	2,2-Bis(acryloyloxymethyl)butyl acrylate	0
ex 29.14 B IV b)	Butyl perchlorocrotonate	0
ex 29.15 A IV a)	Azelaic acid	0
ex 29.15 A IV a)	Sebacic acid	0
ex 29.15 C III	Dibenzyl phenylmalonate	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride	0
ex 29.15 C III	Tetrachlorophthalic anhydride	0
ex 29.16 A II	*L*-Malic acid and its salts and esters	0
29.16 A III a)	Crude calcium tartrate	3·5
ex 29.16 B VI	Dioctadecyl (3-*tert*-butyl-4-hydroxy-5-methylbenzyl)malonate	0
ex 29.16 B VI	Pentaerythritol tetra-3-(3,5-di*tert*-butyl-4-hydroxyphenyl)propionate	0
ex 29.16 B VI	Octadecyl 3-(3,5-di*tert*-butyl-4-hydroxyphenyl)propionate	0
ex 29.16 C III	*DL*-2-(3-Benzoylphenyl)propionic acid	12
ex 29.16 D	Prostaglandin E_1	0
ex 29.16 D	Dinoprostone (INN)	0
ex 29.22 E II	1,8-Naphthylenediamine	0
ex 29.22 E II	*m*-Phenylenebis(methylamine)	0
ex 29.23 A II	Dinoprost (INN), trometamol salt (INN)	0
ex 29.23 A II	Bis(2-dimethylaminoethyl) ether	0
ex 29.23 A II	(+)-4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol	0
ex 29.23 A II	*N*-(2-[4-(1,2-Diphenylvinyl)phenoxy]ethyl)diethylammonium chloride	0
ex 29.23 C	Ketamine (INN) hydrochloride	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.23 D V	Tranexamic acid (INN)	0
ex 29.23 E	*N*-Benzyl-*N*-(3-hydroxybenzoylmethyl)methylammonium chloride	0
ex 29.23 E	Methyldopa (INN)	0
ex 29.25 A II	*N*-Acetyl-*DL*-valine	0
29.25 B II a)	5-Ethyl-5-phenylbarbituric acid (phenobarbital) and its salts	11
ex 29.26 A I	ortho-Benzoicsulphimide (saccharin) and its sodium salt	8
ex 29.27	4-Bromophenylacetonitrile	0
ex 29.27	2-(3-Phenoxyphenyl)propiononitrile	0
ex 29.27	(-)-*N*-(*alpha*-Cyano-4-hydroxy-3-methoxy-*alpha*-methylphenethyl)acetamide	0
ex 29.29	20-Hydroxyiminopregna-5,16-dien-3-yl acetate	0
ex 29.29	(-)-2-(3,4-Dihydroxybenzyl)-2-hydrazinopropionic acid	0
ex 29.29	1,3-Bis(4-chlorobenzylideneamino)guanidinium chloride	0
ex 29.29	Mitopodozide (INN)	6
ex 29.31 B	Octadecyl (4-hydroxy-3,5-dimethylbenzylthio)acetate	0
ex 29.31 B	4-(Methylthio)phenol	0
ex 29.31 B	5-Fluoro-2-methyl-1-(4-methylthiobenzylidene)inden-3-ylacetic acid	0
ex 29.31 B	Tolnaftate (INN)	0
ex 29.34 B	Phenylphosphonothioic dichloride	0
ex 29.34 B	*O*-Ethyl phenylphosphonochloridothioate	0
ex 29.35 Q	(25*R*)-Spirost-5-en-3-*beta*-ol (diosgenin) and its esters	0
ex 29.35 Q	2-Acetyl-1,4-butyrolactone	0
ex 29.35 Q	1,4-Diazabicyclo[2.2.2]octane (triethylenediamine)	0
ex 29.35 Q	2,4-Di*tert*-butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0
ex 29.35 Q	2-Benzotriazol-2-yl-*p*-cresol	0
ex 29.35 Q	Indometacin (INN)	0
ex 29.35 Q	2-Benzotriazol-2-yl-4-(1,1,3,3-tetramethylbutyl)phenol	0
ex 29.35 Q	2-Methylpyridine	0
ex 29.35 Q	Methyl 3-amino-5,6-dichloropyrazine-2-carboxylate	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.35 Q	(-)-1-*tert*-Butylamino-3-(4-morpholino-1,2,5-thiadiazol-3-yloxy)propan-2-ol	0
ex 29.35 Q	Amprolium (INN) hydrochloride	0
ex 29.35 Q	Tiabendazole (INN) for the production of medicaments for human or animal use (a)	0
ex 29.35 Q	Orazamide (INN)	0
ex 29.35 Q	Hexan-6-olide (*epsilon*-caprolactone)	8·4
ex 29.35 Q	5-Ethyl-2-methylpyridine	0
ex 29.35 Q	7-Oxabicyclo[2.2.1]heptane-2,3-dicarboxylic acid (3,6-endoxyohexahydrophthalic) and its sodium salts	10
ex 29.35 Q	4-Nitrobenzyl 7-amino-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate and its salts	0
ex 29.36	Sulfaguanidine (INN)	0
ex 29.36	Quinethazone (INN)	0
ex 29.36	Sulfathiazole (INN)	0
ex 29.38 B II	Panthenol (INN)	0
ex 29.38 B II	Calcium pantothenate (INN)	4·7
ex 29.38 B III	Folic acid (INN)	0
ex 29.39 C I	Serum gonadotrophin (INN)	0
ex 29.39 D II	Methylprednisolone (INN)	8
ex 29.39 D II	21-Chloro-9-fluoro-11-*beta*-hydroxy-16-*alpha*, 17-isopropylidenedioxypregn-4-ene-3,20-dione	0
ex 29.39 D II	Fluorometholone (INN)	0
ex 29.39 D II	Betamethasone (INN) 21-acetate	0
ex 29.39 D II	Betamethasone (INN) 17,21-dipropionate	0
ex 29.39 D II	Triamcinolone (INN)	8
ex 29.39 D II	Triamcinolone hexacetonide (INN)	8
ex 29.39 D II	Triamcinolone (INN) acetonide	8
ex 29.39 D II	Triamcinolone (INN) 16-*alpha*,21-diacetate	8
ex 29.39 E	Calusterone (INN)	0
ex 29.39 E	Prasterone (INN)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.39 E	Calcitonin (INN), porcine	0
ex 29.39 E	Calcitonin (INN), salmon-type, and its salts	0
ex 29.40	Bromelains (INN)	0
ex 29.40	Mixture of streptokinase (INN) and streptodornase (INN)	0
ex 29.40	Peroxidase	0
ex 29.41 A	Digitalis glycosides, other than digoxin	0
ex 29.41 D	Purified glycoside of squills	0
ex 29.41 D	Calcium salts of sennoside A and B	0
ex 29.41 D	Podophyllotoxin, benzylidene-*beta*-D-glucoside	0
ex 29.42 C VII	Pilocarpine nitrate	0
ex 29.42 C VII	Pilocarpine hydrochloride	0
ex 29.44 A	Azidocillin (INN) and its salts	0
ex 29.44 C	Tombramycin (INN) and its salts	0
ex 29.44 C	Gentamicin (INN) and its salts	0
ex 29.44 C	Cefradine (INN)	0
ex 29.44 C	Amphotericin B (INN)	0
ex 29.44 C	Salts of cefaloridine (INN)	7
ex 29.44 C	Salts of cefalotin (INN)	7
ex 29.44 C	Salts of cefalexin (INN)	7
ex 29.44 C	Minocycline (INN) *mono*-hydrochloride dihydrate	0
ex 29.44 C	Lincomycin (INN) and its salts and esters	0
ex 29.44 C	Clindamycin (INN) and its salts and esters	0
ex 29.44 C	Spectinomycin (INN) dihydrochloride pentalhydrate	0
ex 29.44 C	Spectinomycin (INN) sulphate	0
ex 29.44 C and ex 30.03 A II b)	Bleomycin (INN) sulphate	0
ex 29.44 C	Tylosin (INN) and its salts	0
ex 29.44 C	Sisomicin (INN) sulphate	0
ex 29.44 C	Monensin (INN) and its salts	0
ex 29.44 C and ex 30.03 A II b)	Amikacin (INN) and its salts	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 30.01 A I	Bovine livers for organotherapeutic purposes, dried and powdered	5
ex 30.01 B, ex 30.03 A II b) and B II b)	Human albumin 20 %	0
ex 30.01 B, ex 30.03 A II b) and B II b)	Human fibrinogen	0
ex 30.01 B, ex 30.03 A II b) and B II b)	Preserved serum prepared on a basis of human blood	0
ex 30.01 B	The following substances derived from human blood : antihaemophilic globulin, anti-Rh_o(D)-globulin and plasmaprotein solution	0
ex 30.01 B	Extracts of suprarenal glands	0
ex 30.01 B	Intrinsic factor (purified extracts of mucous membrane of swine, dried)	5
ex 30.01 B	Extract of liver of bovine animals	5
ex 30.01 B	Lyophilised gamma globulin derived from human blood	0
ex 30.01 B	Anti-D immunoplasma	0
ex 30.02 A	Tetanus immunoglobulin	0
ex 30.02 A	Anti-tetanus immunoplasma	0
ex 30.03 A II b) and B II b)	Anti-haemophilic globulin and anti-Rh_o(D)-globulin derived from human blood	0
32.01 A	Tanning extracts of wattle (Mimosa)	0
ex 32.01 D	Tanning extracts of eucalyptus	4
ex 32.01 D	Tanning extracts derived from gambier and myrobalan fruits	0
ex 32.04 A IV	Dyeing extracts of logwood, yellow woods or red woods	0
ex 32.07 B	Polycarbonate with a carbon black content of not less than 22 % and not more than 28 % by weight	0
ex 38.03 B	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplanar spacing (d values) of 0·44, 0·40, 0·33 and 0·25nm, the line corresponding to 0·40 nm being the most intense	0
38.07 A	Spirits of turpentine	3
38.07 B	Sulphate turpentine ; crude dipentene	3
38.07 C	Wood turpentine ; terpenic solvents produced by the distillation or other treatment of coniferous woods ; sulphite turpentine ; pine oil	3
ex 38.08 C	Rosin, hydrogenated, polymerized, dimerized or oxidized	4
ex 38.08 C	Hydeoabietyl alcohol	0
ex 38.19 G	Catalysts consisting of bis(2-dimethylaminoethyl) ether dissolved in 1,1'-oxydipropan-2-ol	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.19 G	Catalysts consisting essentially of diphosphorus pentaoxide on an inert support	0
ex 38.19 K	Sintered magnesite mixed with small quantities of mineral oils	0
ex 38.19 U	Mixtures of aldehydes from lignin	0
ex 38.19 U	Calcined bauxite (refractory grade)	0
ex 38.19 U	Mixtures of tertiary thiols	9
ex 38.19 U	Crude guanine (paste of fish scales and other waste of fish, containing mineral oil, of a kind used for the manufacture of pearl essence)	0
ex 38.19 U	Diogesnin, crude	0
ex 38.19 U	White mortar, non-refractory, consisting of marble powder and withe cement, excluding coating materials used in painting and those of a type used for masonry	0
ex 38.19 U	White granules and powders consisting of a mixture of melted, recrystallized mineral substances (mainly sand, limestone and dolomite)	12
ex 38.19 U	Intermediate products from the manufacture of monensin salts	0
ex 39.01 C III	Film base, in rolls, of polyethylene terephthalate, for cinematography or photography (including radiography)	8
ex 39.01 C III	Waste and scrap of polyester sheets coated with tungsten compounds	0
ex 39.01 C III	Polyester made from naphthalene-2,6-dicarboxylic acid and ethylene glycol in the form of film, whether or not in rolls	0
ex 39.01 C III	Reflecting polyester sheeting, whether or not in rolls	0
ex 39.01 C III	Polyhexanolide	12·8
ex 39.01 C IV	Polyamide 6 in one of the forms mentioned in Note 3 (b) to Chapter 39 for the manufacture of textile threads and fibres (a)	15
ex 39.01 C VII	Polyethylene oxide having a molecular weight of not less than 4 000 000	8
ex 39.01 C VII	Polyimide film, whether or not in rolls	0
ex 39.02 C III	Polysulphohaloethylenes in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	4
ex 39.02 C VI a) and b)	Copolymers solely of allyl alcohol with styrene, which have an acetyl value of not less than 175	0
ex 39.02 C VII b)	Polyvinyl chloride sheeting, whether or not in rolls, of a thickness less than 1 mm and coated on one side with pressure sensitive adhesive in which are embedded small hollow glass balls having a diameter of not less than 50 and not more than 100 micrometres	0
ex 39.02 C VIII	Copolymers of vinylidene chloride with vinyl chloride, containing not less than 80 % by weight of vinylidene chloride, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39, for the manufacture of fibres, monofil or strip (a)	4

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.02 C XII	Reflecting polyacrylic sheeting, whether or not in rolls	0
ex 39.02 C XIV a)	Copolymers of ethyl acrylate with chloroethylvinyl ether, in one of the forms mentioned in Note 3 (b) to Chapter 39	12
ex 39.02 C XIV a)	Alternating copolymers of ethylene and maleic anhydride whose 0·5 % dispersion in aqueous ammonia (pH 8·5) at approximately 20 °C has a viscosity between 15 000 and 60 000 cP	0
ex 39.02 C XIV a)	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol containing by weight not less than 90 % and not more than 92 % of vinyl chloride, not less than 2 % and not more than 4 % of vinyl acetate and not less than 4 % and not more than 8 % of vinyl alcohol, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	0
ex 39.02 C XIV b)	Polyvinyl fluoride film, whether or not in rolls	0
ex 39.03 B II b) 2, B III b) 4 aa) and B IV b) 4 aa)	Waste and scrap of photographic (including cinematographic) and X-ray film	0
39.03 B V a) 1	Ethylcellulose, not plasticized	4
ex 39.03 B V a) 2	Ethylhydroxyethylcellulose, insoluble in water	4
ex 39.05 B	Rubber hydrochloride film of a thickness not exceeding 0·02 mm, whether or not in rolls	0
ex 41.02 B	Bovine skins, chrome tanned in the moist state (wet blue)	0
ex 41.02 B	Leather of East India kip, whole, whether or not the heads and legs have been removed, each weighing more than 4·5 kg net and not more than 8 kg, not further prepared than vegetable tanned, whether or not having undergone further preservative treatment with oil, but obviously unsuitable for immediate use in the manufacture of leather articles	0
41.03 B I	Sheep and lambskin leather, except leather falling within heading No 41.06, 41.07 or 41.08, other, not further prepared than tanned	0
41.04 B I	Goat and kid skin leather, except leather falling within heading No 41.06, 41.07 or 41.08, other, not further prepared than tanned	0
41.05 B I	Other kinds of leather, except leather falling within heading No 41.06, 41.07 or 41.08, not further prepared than tanned	0
ex 44.22	Used casks and barrels of oak, whether assembled or not ; their staves and heads	0
ex 44.28 C	Shingles for roofs and walls, of coniferous wood	0
45.02	Natural cork in block, plates, sheets or strips (including cubes or square slabs, cut to size for corks or stoppers)	4
ex 48.01 E	Japanese tissue (special long-fibre paper) for the manufacture of artificial sausage casings or for wrapping man-made textile fibres (continuous) in the course of industrial processing (a)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 49.11 B	Microcopies on an opaque base intended for databanks and libraries (a)	0
ex 49.11 B	Artists' screen prints (commonly described as serigraphs), signed by the artist and numbered from 1 to 200	0
ex 51.01 A	Single yarn of polytetrafluoroethylene	0
ex 51.01 A	Yarn wholly of polyglycollic acid	0
51.01 B I	Hollow-filament yarn of regenerated textile fibres	0
ex 51.02 A I	Monofil wholly of fluorocarbon polymer	0
ex 51.04 A	Woven fabrics of polyvinyl alcohol fibres for machine embroidery	0
ex 54.03 B I a)	Unbleached linen yarn (excluding yarn of flax tow), measuring per kg 30 000 m or less, for the manufacture of multiple or cabled yarns for the footwear industry or for whipping cables (a)	0
ex 56.01 A	Synthetic textile fibres of aromatic polyamides obtained by polycondensation of *m*-phenylenediamine and *iso*phthalic acid	0
ex 58.01 B	Carpets, carpeting and rugs of silk or of waste silk other than noil, of which the pile contains not less than 85 % by weight of silk or of waste silk other than noil	20 % with a max. of 4 u.a. per m^2
ex 58.07 A	Braid wholly of polyglycollic acid yarn	0
ex 59.03	Bonded fibre fabrics and similar bonded yarn fabrics of aromatic polyamide man-made fibres produced by polycondensation of *m*-phenylenediamine and isophthalic acid	0
ex 59.04	Coir yarn for the manufacture of carpets, carpeting and rugs, mats and the like (a)	0
ex 59.17 D	Yarn of polytetrafluoroethylene, impregnated, whether or not oiled	0
ex 68.02 B	Artificially coloured granules and chippings	0
ex 69.09 B	Catalyst supports, consisting of porous cordierite ceramic pieces of roughly circular or oval cross-section with parallel sides, having an overall volume of not less than 240 ml and not more than 11 100 ml, and having a minimum dimension of not less than 70 mm and a maximum dimension of not more than 480 mm, having not less than 28 continuous channels per 100 mm^2 running parallel to the main axis of symmetry, the total channel cross-section area being not less than 60 % and not more than 80 % of the whole cross-section area	0
ex 70.19 A IV b)	Glass beads of a diameter of less than 0·1 mm and with a refractive index of 2·26	0
ex 76.03	Aluminium alloy strip in coils, containing not less than 18 % by weight and not more than 23 % by weight of tin and not less than 0·7 % by weight and not more than 1·5 % by weight of copper as the major alloying elements and having a width of not less than 75 mm and not more than 230 mm and a thickness of not less than 3 mm and not more than 6·5 mm	0
ex 81.02 B	Molybdenum alloy sheets of less than 0·20 mm thick, containing not less than 98 % by weight of molybdenum, not less than 0·40 % by weight and not more than 1 % by weight of titanium and not less than 0·06 % by weight and not more than 0·20 % by weight of zirconium, as the major alloying element	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 81.04 D I	Chromium, in the form of cathode chips or pellets, which contains not more than 0·10 % by weight of total oxygen, not more than 0·015 % of total aluminium, and not more than 0·001 % by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and evaluated as aluminium, intended for the production of alloy for the manufacture of the following parts of gas turbines and jet engines (a): — blades, fixed or movable, including their rings, — vanses, — nozzles	0
ex 81.04 G I	Electrolytic manganese of a purity of at least 99·5 % and intended for the chemical industry (a)	0
ex 81.04 K I	Waste and scrap of titanium	0
ex 81.04 K I	Titanium sponge	0
ex 81.04 M	Waste and scrap of uranium depleted in U 235	0
ex 84.51 A	Typewriters with Braille characters	0
ex 84.59 B	Integrally forged, rough-turned components with unit weights of more than 150 metric tons or outer diameters of more than 6 000 mm, for reactor pressure vessels	0
ex 84.63	Forged and roughly shaped generator and turbine shafts of a weight exceeding 150 metric tons	0
ex 85.13 B	Sonic convertors consisting of a box approximately 28 cm long, approximately 13 cm broad and approximately 10 cm high, the top being shaped in the form of a cradle to receive a telephone handset, incorporating a lamp to indicate the state of call. This modem (MODulator/DEModulator) converts tele-printer keyboard signals for transmission by telephone line or radio for reconversion to keyboard signals on a distant teleprinter	0
ex 90.01 B	Material consisting of a polarizing film, supported on one or both sides by transparent material	0
ex 90.19 B II	Reading appliances for the blind, in which a miniature camera using photo-transistors transmits letters into a scanning board with piezo-electric pencils, and its parts and accessories	0

(a) The application of this suspension will be subject to the conditions determined by the competent authorities.