I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EEC) No 1345/77

of 21 June 1977

temporarily suspending the autonomous Common Customs Tariff duties on certain industrial products

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 28 thereof,

Having regard to the draft Regulation submitted by the Commission,

Whereas production of the products referred to in this Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community;

Whereas it is in the Community's interest to suspend the autonomous Common Customs Tariff duties only partially in certain cases, particularly because of the existence of Community production, and in other cases to suspend duties completely;

Whereas, for spirits of turpentine falling within subheading 38.07 A, the Association Council established under the Association between the European Economic Community and Greece has agreed to a suspension, for the period envisaged, of the Common Customs Tariff duty applicable to this product;

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic situation in the sectors concerned in the near future, these suspension measures should be taken only temporarily, fixing their term of validity to coincide with the interests of Community production,

HAS ADOPTED THIS REGULATION:

Article 1

The autonomous Common Customs Tariff duties for the products listed in the tables annexed to this Regulation shall be suspended at the level indicated in respect of each of them.

These suspensions shall be valid:

— from 1 July 1977 to 30 September 1977 for the product listed in Table I;

— from 1 July 1977 to 31 December 1977 for the products listed in Table II;

— from 1 July 1977 to 30 June 1978 for the products listed in Table III.

Article 2

This Regulation shall enter into force on 1 July 1977.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Luxembourg, 21 June 1977.

For the Council

The President

D. OWEN

ANNEX

TABLE I

CCT heading No	Description of goods	Rate of autonomous duties
ex 29.07 A	2,2',6,6'-Tetrabromo-4,4'-isopropylidenediphenol (tetrabromobisphenol A)	0 %

TABLE II

CCT heading No	Description of goods	Rate of autonomous duties
ex 28.18 C	Magnesium oxide, dead-burned but not fused, of a purity not less than 95 %, which may not contain : (a) more than 0·05 % by weight of boron compounds evaluated as B_2O_3 (b) more than 3·5 % by weight of calcium compounds evaluated as CaO (c) more than 1·1 % by weight of silicon compounds evaluated as SiO_2 (d) a total of more than 0·7 % by weight of aluminium compounds and iron compounds evaluated as Al_2O_3 and Fe_2O_3	0 %
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.1^{6,9}.0^{2,13}.0^{5,10}] octadeca-7,15-diene	0 %
ex 29.15 A IV a)	Sebacic acid	0 %
ex 29.15 C III	Benzyl 3-hydroxy-2,2,4-trimethylpentylphthalate	0 %
ex 29.16 B VI	3,5-Di-iodosalicylic acid	0 %
ex 29.23 B II	3-Chloro-4-(4-chlorophenoxy)aniline	0 %
ex 29.31 B	Cyclohexanethiol	0 %
ex 29.35 Q	Cambendazole (INN)	0 %
ex 29.35 Q	Dexchlorpheniramine(INN)hydrogen maleate	0 %
ex 29.35 Q	Ronidazole (INN)	0 %
ex 29.38 B II	Calcium pantothenate (INN)	3 %
ex 30.01 B	Mixture of oestrogens of equine origin	0 %
ex 32.08 D	Ground glass fibres with a length varying between 0·1 and 3 mm and a diameter of not less than two and not more than four micrometres	0 %
ex 38.19 G	Catalysts consisting of copper chloride supported on aluminium oxide for the preparation of dichloroethane from ethylene, hydrochloric acid and oxygen (a)	0 %

(a) The application of this suspension will be subject to the conditions to be determined by the competent authorities.

CCT heading No	Description of goods	Rate of autonomous duties
ex 38.19 U	Mixture of x-butyl-4,4'-isopropylidenediphenol and x,x'-dibutyl-4,4'-isopropylidenediphenol	0 %
ex 38.19 U	Mixture of 4-octyldiphenylamine and 4,4'-dioctyldiphenylamine intended for the production of polybutadiene-acrylonitrile (a)	0 %
ex 39.02 C VII b)	Polyvinylchloride sheeting less than 1 mm thick of a width not less than 23 and not more than 28 cm, containing not less than 30 % and not more than 40 % by weight of a plasticizer, in rolls	10 %
ex 39.06 B	*O*-(2-Hydroxyethyl)amylopectin hydrolysate	0 %
ex 48.01 E	Japanese tissue (special long-fibre paper) for the manufacture of artificial sausage casings or for wrapping man-made textile fibres (continuous) in the course of industrial processing (a)	0 %
ex 51.02 A II	Polyimide strip, whether or not in rolls	0 %
ex 81.04 G I	Electrolytic manganese of a purity of at least 99·7 % intended for the chemical industry (a)	0 %
ex 81.04 K I	Titanium sponge	0 %
ex 84.63	Forged and roughly shaped generator and turbine shafts of a weight exceeding 150 tonnes	0 %
ex 85.21 D II	Digital displays consisting of a printed circuit board of a size not exceeding 35 mm by 90 mm with a single line of digits, not less than three in number comprising light-emitting diodes manufactured from gallium-based semi-conductor compounds mounted thereon. Each digit is comprised of seven segments plus a decimal point and the line of digits has a protective cover of translucent plastic	0 %
ex 88.05 B	Visual display system generating images by computer intended for equipping flight simulators for civil aircraft (a)	0 %

(a) The application of this suspension will be subject to the conditions to be determined by the competent authorities.

TABLE III

CCT heading No	Description of goods	Rate of autonomous duties
ex 28.04 C III	Tellurium powder	0 %
ex 28.38 C	Potassium hydrogenperoxomonosulphate	0 %
28.51 A	Deuterium, heavy water and other compounds of deuterium ; hydrogen and compounds thereof, enriched in deuterium ; mixtures and solutions containing these products (Euratom)	0 %
ex 28.55 A	Iron phosphides (ferro-phosphorus) containing 15 % or more by weight of phosphorus, for use exclusively in the manufacture of refined phosphoric iron or steel (a)	0 %
ex 28.57 B	Manganese nitride containing not more than 8 % of nitrogen by weight	0 %
ex 29.01 C I	*beta*-Pinene	0 %
ex 29.01 D VI	Vinyltoluenes	0 %
ex 29.02 A II b)	1,2,3-Trichloropropenes	0 %
ex 29.02 A III	Vinyl bromide	0 %
ex 29.02 A III	1,2-Dibromoethane	4 %
ex 29.02 B	Hexachlorocyclopentadiene	0 %
ex 29.03 B II	Nitromethane	6 %
ex 29.03 B II	1-Nitropropane	8 %
ex 29.04 C I	Butane-1,3-diol	0 %
ex 29.04 C V	2,2-Bis(bromomethyl)propanediol	0 %
ex 29.06 A IV	2-*tert*-Butyl-4-ethylphenol	0 %
ex 29.06 A IV	2-Isopropylphenol	6 %
ex 29.06 B V	1,1,3-Tris(5-*tert*-butyl-4-hydroxy-2-methylphenyl)butane	0 %
ex 29.08 A III c)	Sodium 4-(2-methylallyloxy)benzenesulphonate	0 %
ex 29.08 D	Bis(*alpha,alpha*-dimethylbenzyl) peroxide	0 %
ex 29.09	1,2-Epoxybutane	7 %
ex 29.13 A I	5-Methylhexan-2-one	0 %
ex 29.13 B I b)	Refined natural camphor	0 %
ex 29.13 D I	3-*beta*-Hydroxy-16-*alpha*-methylpregn-5-en-20-one	6 %
ex 29.13 D I	11-*beta*,17,21-Trihydroxy-16-*beta*-methylpregna-1,4-diene-3,20-dione	0 %

(a) The application of this suspension will be subject to the conditions to be determined by the competent authorities.

CCT heading No	Description of goods	Rate of autonomous duties
ex 29.13 F	1,4-Naphthoquinone	0 %
ex 29.13 G II	Chlordecone (ISO)	0 %
ex 29.13 G II	Dichlone (ISO)	0 %
ex 29.14 A II c) 4	16-*alpha*,17-*alpha*-Epoxy-20-oxopregn-5-en-3-*beta*-yl acetate	6 %
ex 29.14 A II c) 4	11-*alpha*,17-*alpha*,21-Trihydroxy-16-*alpha*-methyl-5-*alpha*-pregnane-3,20-dione 21-acetate 11-(toluene-4-sulphonate)	9 %
ex 29.14 A XI	2,2'-Ethylenedioxydiethyl bis(2-ethylbutyrate)	0 %
ex 29.14 B IV b)	Butyl perchlorocrotonate	0 %
ex 29.15 A IV a)	Azelaic acid	0 %
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid	0 %
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride	0 %
ex 29.15 C III	Tetrachlorophthalic anhydride	0 %
ex 29.15 C III	Benzyl phenylmalonates	0 %
ex 29.16 A II	L-Malic acid and its salts and esters	0 %
29.16 A III a)	Crude calcium tartrate	3·5 %
ex 29.16 B VI	Octadecyl 3-(3,5-di*tert*-butyl-4-hydroxyphenyl)propionate	0 %
ex 29.16 B VI	Sodium 5-(2,4-difluorophenyl)salicylate	0 %
ex 29.16 B VI	Pentaerythritol tetra-3-(3,5-di*tert*-butyl-4-hydroxyphenyl)propionate	0 %
ex 29.16 D	Dinoprostone (INN)	0 %
ex 29.22 E II	1,8-Naphthylenediamine	0 %
ex 29.22 E II	*m*-Phenylenebis(methylamine)	0 %
ex 29.23 A II	(+)-4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol	0 %
ex 29.23 A II	Bis(2-dimethylaminoethyl) ether	0 %
ex 29.23 C	Ketamine (INN) hydrochloride	0 %
ex 29.23 D V	Tranexamic acid (INN)	0 %
ex 29.23 D V	Sodium 2-cyclohexa-1,4-dienyl-*N*-(2-methoxycarbonyl-1-methylvinyl)glycinate	0 %
ex 29.23 E	*N*-Benzyl-*N*-(3-hydroxybenzoylmethyl)methylammonium chloride	0 %
ex 29.23 E	Methyldopa (INN)	0 %

CCT heading No	Description of goods	Rate of autonomous duties
ex 29.25 A II	*N*-Acetyl-*DL*-valine	0 %
29.25 B II a)	5-Ethyl-5-phenylbarbituric acid (phenobarbital) and its salts	11 %
ex 29.26 A I	ortho-Benzoicsulphimide (saccharin) and its sodium salt	8 %
ex 29.27	4-Bromophenylacetonitrile	0 %
ex 29.27	(-)-*N*-(*alpha*-Cyano-4-hydroxy-3-methoxy-*alpha*-methylphenethyl)acetamide	0%
ex 29.27	2-(3-Phenoxyphenyl)propiononitrile	0 %
ex 29.29	20-Hydroxyiminopregna-5,16-dien-3-yl acetate	0 %
ex 29.29	(-)-2-(3,4-Dihydroxybenzyl)-2-hydrazinopropionic acid	0 %
ex 29.29	1,3-Bis(4-chlorobenzylideneamino)guanidinium chloride	0 %
ex 29.31 B	5-Fluoro-2-methyl-1-(4-methylthiobenzylidene)inden-3-ylacetic acid	0 %
ex 29.31 B	*N,N*-Diethyl-2-mercaptoethylammonium chloride	0 %
ex 29.31 B	Octadecyl (4-hydroxy-3,5-dimethylbenzylthio)acetate	0 %
ex 29.31 B	4-(Methylthio)phenol	0 %
ex 29.31 B	Thiophenol	0 %
ex 29.31 B	Tolnaftate (INN)	0 %
ex 29.34 B	*O*-Ethyl phenylphosphonochloridothioate	0 %
ex 29.34 B	Dimethyltin dichloride	0 %
ex 29.34 B	Trichloronat (ISO)	0 %
ex 29.35 Q	2-Acetyl-1,4-butyrolactone	0 %
ex 29.35 Q	Methyl 3-amino-5,6-dichloropyrazine-2-carboxylate	0 %
ex 29.35 Q	4-Nitrobenzyl 7-amino-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate and its salts	0 %
ex 29.35 Q	2-Benzotriazol-2-yl-*p*-cresol	0 %
ex 29.35 Q	2-Benzotriazol-2-yl-4-(1,1,3,3-tetramethylbutyl)phenol	0 %
ex 29.35 Q	(-)-1-*tert*-Butylamino-3-(4-morpholino-1,2,5-thiadiazol-3-yloxy)propan-2-ol	0 %
ex 29.35 Q	Amprolium (INN) hydrochloride	0 %
ex 29.35 Q	1,4-Diazabicyclo[2.2.2]octane (triethylenediamine)	0 %
ex 29.35 Q	2,4-Di*tert*-butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0 %

CCT heading No	Description of goods	Rate of autonomous duties
ex 29.35 Q	1-Ethyl-1,4-dihydro-4-oxo[1,3]dioxolo[4,5-g]cinnoline-3-carbonitrile	0 %
ex 29.35 Q	Indometacin (INN)	0 %
ex 29.35 Q	Diphemanil metilsulphate (INN)	0 %
ex 29.35 Q	Minoxidil (INN)	0 %
ex 29.35 Q	Orazamide (INN)	0 %
ex 29.35 Q	(25*R*)-Spirost-5-en-3-*beta*-ol (diosgenin) and its esters	0 %
ex 29.35 Q	Tiabendazole (INN) for the production of medicaments for human or animal use (a)	0 %
ex 29.35 Q	Triazolam (INN)	0 %
ex 29.36	Quinethazone (INN)	0 %
ex 29.36	Sulfaguanidine (INN)	0 %
ex 29.36	Sulfathiazole (INN)	0 %
ex 29.38 B II	Panthenol (INN)	0 %
ex 29.38 B III	Folic acid (INN)	0 %
ex 29.39 C I	Serum gonadotrophin (INN)	0 %
ex 29.39 D II	Betamethasone (INN) 21-acetate	0 %
ex 29.39 D II	Triamcinolone (INN) acetonide	8 %
ex 29.39 D II	Halcinonide (INN)	0 %
ex 29.39 D II	Betamethasone (INN) 17,21-dipropionate	0 %
ex 29.39 D II	Triamcinolone (INN) 16-*alpha*,21-diacetate	8 %
ex 29.39 D II	Fluorometholone (INN)	0 %
ex 29.39 D II	Triamcinolone hexacetonide (INN)	8 %
ex 29.39 D II	Methylprednisolone (INN)	8 %
ex 29.39 D II	Triamcinolone (INN)	8 %
ex 29.39 E	Calcitonin (INN), porcine	0 %
ex 29.39 E	Calcitonin (INN), salmon-type, and its salts	0 %
ex 29.39 E	Calusterone (INN)	0 %
ex 29.39 E	Prasterone (INN)	0 %

(a) The application of this suspension will be subject to the conditions to be determined by the competent authorities.

CCT heading No	Description of goods	Rate of autonomous duties
ex 29.40	Bromelains (INN)	0 %
ex 29.40	Mixture of streptokinase (INN) and streptodornase (INN)	0 %
ex 29.40	Peroxidase	0 %
ex 29.42 C VII	Pilocarpine hydrochloride	0 %
ex 29.42 C VII	Pilocarpine nitrate	0 %
ex 29.44 A	Epicillin (INN)	0%
ex 29.44 C and ex 30.03 A II b)	Amikacin (INN) and its salts	0 %
ex 29.44 C	Amphotericin B (INN)	0 %
ex 29.44 C	Sodium (7S)-3-carbamoyloxymethyl-7-methoxy-8-oxo-7-[2-(2-thienyl)acetamido]-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate	0 %
ex 29.44 C	Cefradine (INN)	0 %
ex 29.44 C	Cefazolin (INN) and its salts	0 %
ex 29.44 C	Minocycline (INN) *mono*-hydrochloride dihydrate	0 %
ex 29.44 C	Clindamycin (INN) and its salts and esters	0 %
ex 29.44 C	Spectinomycin (INN) dihydrochloride pentahydrate	0 %
ex 29.44 C	Gentamicin (INN) and its salts	0 %
ex 29.44 C	11-Hydroxy-6,7,10,12-tetramethyl-1-oxo-10-vinylperhydro-3a,7-pentanoinden-8-yl glycolate (pleuromutilin)	0 %
ex 29.44 C	Lincomycin (INN) and its salts and esters	0 %
ex 29.44 C	Monensin (INN) and its salts	0 %
ex 29.44 C	Nystatin (INN)	0 %
ex 29.44 C and ex 30.03 A II b)	Bleomycin (INN) sulphate	0 %
ex 29.44 C	Sisomicin (INN) sulphate	0 %
ex 29.44 C	Spectinomycin (INN) sulphate	0 %
ex 29.44 C	Tobramycin (INN) and its salts	0 %
ex 29.44 C	Tylosin (INN) and its salts	0 %
ex 30.01 A I	Bovine livers for organotherapeutic purposes, dried and powdered	5 %
ex 30.01 B	Lyophilized human albumin	0 %
ex 30.01 B	Extract of liver of bovine animals	5 %

CCT heading No	Description of goods	Rate of autonomous duties
ex 30.01 B	Extracts of suprarenal glands	0 %
ex 30.01 B	Lyophilized gamma globulin derived from human blood	0 %
ex 30.01 B	The following substances derived from human blood: antihaemophilic globulin, anti-Rh_0(D)-globulin and plasmaproteins solution	0 %
ex 30.01 B	Anti-D immunoplasma	0 %
ex 30.01 B	Albumin in crude paste from derived from human blood	0 %
ex 30.01 B	Human plasma	0 %
ex 30.01 B, ex 30.03 A II b) and B II b)	Human albumin 20 %	0 %
ex 30.01 B, ex 30.03 A II b) and B II b)	Human fibrinogen	0 %
ex 30.01 B, ex 30.03 A II b) and B II b)	Preserved serum derived from human blood	0 %
ex 30.02 A	Tetanus immunoglobulin	0 %
ex 30.02 A	Anti-tetanus immunoplasma	0 %
ex 30.03 A II b) and B II b)	Anti-haemophilic globulin and anti-Rh_0(D)-globulin derived from human blood	0 %
32.01 A	Tanning extracts of wattle (Mimosa)	0 %
ex 32.01 D	Tanning extracts of eucalyptus	4 %
ex 32.01 D	Tanning extracts derived from gambier and myrobalans	0 %
ex 38.03 B	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplanar spacing (d values) of 0·44, 0·40, 0·33 and 0·25 nm, the line corresponding to 0·40 nm being the most intense	0 %
38.07 A	Gum spirits of turpentine	3 %
38.07 B	Spirits of sulphate turpentine; crude dipentene	3 %
38.07 C	Spirits of wood turpentine; terpenic solvents produced by the distillation or other treatment of coniferous woods; sulphite turpentine; pine oil (excluding 'pine oils' not rich in terpineol)	3 %
ex 38.08 C	Hydroabietyl alcohol	0 %
ex 38.08 C	Rosin, hydrogenated, polymerized, dimerized or oxidized	4 %
ex 38.19 G	Catalysts consisting of bis (2-dimethylaminoethyl) ether dissolved in 1,1'-oxydipropan-2-ol	0 %
ex 38.19 G	Catalysts consisting essentially of diphosphorus pentaoxide on an inert support	0 %
ex 38.19 K	Sintered magnesite mixed with small quantities of mineral oils	0 %

CCT heading No	Description of goods	Rate of autonomous duties
ex 38.19 U	Calcined bauxite (refractory grade)	0 %
ex 38.19 U	Diosgenin, crude	0 %
ex 38.19 U	Mixtures of aldehydes from lignin	0 %
ex 38.19 U	Mixture of nitromethane and 1,2-epoxybutane	7 %
ex 38.19 U	Intermediate products from the manufacture of monensin salts	0 %
ex 38.19 U	Mixtures of tertiary thiols	9 %
ex 39.01 A	Colestipol (INN) hydrochloride	0 %
ex 39.01 C III	Reflection polyester sheeting, whether or not in rolls	0 %
ex 39.01 C III	Waste and scrap of polyester sheets coated with tungsten compounds	0 %
ex 39.01 C III	Film base, in rolls, of polyethylene terephthalate, for cinematography or photography (including radiography)	8 %
ex 39.01 C V	Polyurethane pre-polymers in the forms mentioned in Note 3 (a) to Chapter 39, based on 4,4'-methylene di-(cyclohexyl isocyanate) or methyl-*m*-phenylene di-isocyanate and containing ether groups	0 %
ex 39.01 C VII	Polyimide sheet and strip, whether or not in rolls	0 %
ex 39.01 C VII	*alpha*-4-Hydroxybutyl-*omega*-hydroxypoly(oxytetramethylene)	0 %
ex 39.01 C VII	Polyethylene oxide having a molecular weight of not less than 4 000 000	8 %
ex 39.02 C III	Polysulphohaloethylenes in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	4 %
ex 39.02 C VI a) and b)	Copolymers solely of allyl alcohol with styrene, which have an acetyl value of not less than 175	0 %
ex 39.02 C VII b)	Polyvinyl chloride sheeting, whether or not in rolls, of a thickness less than 1 mm and coared on one side with pressure sensitive adhesive in which are embedded small hollow glass balls having a diameter of not less than 50 and not more than 100 micrometres	0 %
ex 39.02 C XI	Polyvinyl butyral sheet of a width exceeding 200 cm, in rolls	0 %
ex 39.02 C XII	Polyacrylic acid for use as a thickener in textile pigment printing pastes (a)	0 %
ex 39.02 C XII	Copolymerization products of acrylic and methacrylic esters in the form of film of a thickness not less than 50 and not more than 150 micrometres, whether or not in rolls	0 %

(a) The application of this suspension will be subject to the conditions to be determined by the competent authorities.

CCT heading No	Description of goods	Rate of autonomous duties
ex 39.02 C XII	Reflecting polyacrylic sheeting, whether or not in rolls	0 %
ex 39.02 C XIV a)	Copolymer of ethyl acrylate with chloroethylviny ether, in one of the forms mentioned in Note 3 (b) to Chapter 39	12 %
ex 39.02 C XIV a)	Alternating copolymers of ethylene and maleic anhydride for use as a thickener in textile pigment printing pastes (a)	0 %
ex 39.02 C XIV a)	Copolymer of vinylidene chloride and acrylonitrile in the form of expandable beads of a diameter not less than 4 and not more than 20 micrometres	0 %
ex 39.02 C XIV a)	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol containing by weight not less than 89 % and not more than 92 % of vinyl chloride, not less than 2 % and not more than 6 % of vinyl acetate and not less than 4 % and not more than 8 % of vinyl alcohol, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	0 %
ex 39.02 C XIV b)	Polyvinyl fluoride sheet, whether or not in rolls	0 %
ex 39.03 B II b) 2, B III b) 4 aa) and B IV b) 4 aa)	Waste and scrap of photographic (including cinematographic) and X-ray film	0 %
39.03 B V a) 1	Ethylcellulose, not plasticized	4 %
ex 39.03 B V a) 2	Ethylhydroxyethylcellulose, insoluble in water	4 %
ex 39.03 B V a) 2	Hydroxypropylcellulose	0 %
ex 41.02 B	Bovine skins, chrome tanned in the moist state (wet blue)	0 %
ex 41.02 B	Leather of East India kip, whole, whether or not the heads and legs have been removed, each weighing more than 4·5 kg net and not more than 8 kg, not further prepared than vegetable tanned, whether or not having undergone further preservative treatment with oil, but obviously unsuitable for immediate use in the manufacture of leather articles	0 %
41.03 B I	Sheep- and lamb-skin leather, except leather falling within heading No 41.06, 41.07 or 41.08, other, not further prepared than tanned	0 %
41.04 B I	Goat and kid skin leather, except leather falling within heading No 41.06, 41.07 or 41.08, other, not further prepared than tanned	0 %
41.05 B I	Other kinds of leather, except leather falling within heading No 41.06, 41.07 or 41.08, not further prepared than tanned	0 %
ex 44.22	Used casks and barrels of oak, whether assembled or not; their staves and heads	0 %
ex 44.28 C	Shingles for roofs and walls, of coniferous wood	0 %
45.01	Natural cork, unworked, crushed, granulated or ground; waste cork	0 %

(a) The application of this suspension will be subject to the conditions to be determined by the competent authorities.

CCT heading No	Description of goods	Rate of autonomous duties
45.02	Natural cork in blocks, plates, sheets or strips (including cubes or square slabs, cut to size for cork or stoppers)	4 %
ex 49.11 B	Microcopies on an opaque base intended for databanks and libraries (a)	0 %
ex 49.11 B	Artists' screen prints (commonly described as serigraphs), signed by the artist and numbered from 1 to 200	0 %
ex 51.01 A	Yarn wholly of polyglycollic acid	0 %
ex 51.01 A	Yarn of polytetrafluoroethylene	0 %
ex 51.04 A	Woven fabrics of polyvinyl alcohol fibres for machine embroidery	0 %
ex 54.03 B I a)	Unbleached linen yarn (excluding yarn of flax-tow), measuring per kg 30 000 m or less, for the manufacture of multiple or cabled yarns for the footwear industry or for whipping cables (a)	0 %
ex 56.01 A	Synthetic textile fibres of aromatic polyamides obtained by polycondensation of *m*-phenylenediamine and isophthalic acid	0 %
ex 58.01 B	Carpets, carpeting and rugs of silk or of waste silk other than noil, of which the pile contains not less than 85 % by weight of silk or of waste silk other than noil	20 % with a maximum of 4 u.a. per m^2
ex 58.07 A	Braid wholly of polyglycollic acid yarn	0 %
ex 59.03	Bonded fibre fabrics and similar bonded yarn fabrics of aromatic polyamide man-made fibres produced by polycondensation of *m*-phenylenediamine and isophthalic acid	0 %
ex 59.04	Coir yarn for the manufacture of carpets, carpeting and rugs, mats and the like (a)	0 %
ex 59.17 D	Yarn of polytetrafluoroethylene, impregnated, whether or not oiled	0 %
62.03 A I	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 57.03	2 %
ex 68.02 B	Artificially coloured granules and chippings	0 %
ex 69.09 B	Catalysts supports, consisting of porous cordierite ceramic pieces of roughly circular or oval cross-section with parallel sides, having an overall volume of not less than 240 and not more than 11 100 ml, and having a minimum dimension of not less than 70 mm and a maximum dimension of not more than 480 mm, having not less than 28 continuous channels per 100 mm^2 running parallel to the main axis of symmetry, the total channel cross-section area being not less than 50 % and not more than 80 % of the whole cross-section area	0 %
ex 70.19 A IV b)	Glass beads of a diameter of less than 0·1 mm and with a refractive index of 2·26	0 %
ex 70.20 A	Mats of non-textile glass fibres with a diameter of not less than 3 and not more than 7 micrometres	0 %

(a) The application of this suspension will be subject to the conditions to be determined by the competent authorities.

CCT heading No	Description of goods	Rate of autonomous duties
ex 76.03	Aluminium alloy strip in coils containing not less than 18 % by weight and not more than 23 % by weight of tin and not less than 0·7 % by weight and not more than 1·5 % by weight of copper as the major alloying elements and having a width of not less than 75 and not more than 230 mm and a thickness of not less than 3 and not more than 6·5 mm	0 %
ex 81.02 B	Molybdenum alloy sheets of less than 0·20 mm thick, containing not less than 98 % by weight of molybdenum, not less than 0·40 % by weight and not more than 1 % by weight of titanium and not less than 0·06 % by weight and not more than 0·20 % by weight of zirconium, as the major alloying elements	0 %
ex 81.04 D I	Chromium, in the form of cathode chips or pellets which contains not more than 0·10 % by weight of total oxygen, not more than 0·015 % by weight of total aluminium, and not more than 0·001 % by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and evaluated as aluminium, intended for the production of alloy for the manufacture of the following parts of gas turbines and jet engines (a): — Blades, fixed or movable including their rings — Vanes — Nozzles	0 %
ex 81.04 K I	Waste and scrap of titanium	0 %
ex 81.04 M	Waste and scrap of uranium depleted in U 235	0 %
ex 84.17 C	Straight-tube heat exchanger over 400 tonnes in weight and over 20 m long for nuclear reactors	0 %
ex 84.51 A	Typewriters with Braille characters	0 %
ex 84.59 B	Control-rod drives with spindle roller nut drive mechanism for nuclear reactors including the necessary special tools	0 %
ex 84.59 B	Reactor pressure vessel consisting of the vessel shell, pentetrated by primary coolant nozzles and core flooding nozzles, and of the vessel head	0 %
ex 84.59 B	Integrally forged, rough-turned components with unit weights of more than 150 tonnes or outer diameters of more than 6 000 mm, for reactor pressure vessels	0 %
ex 85.13 B	Sonic convertors consisting of a box approximately 28 cm long, approximately 13 cm broad and approximately 10 cm high, the top being shaped in the form of a cradle to receive a telephone handset, incorporating a lamp to indicate the state of call. This modem (MODulator/DEModulator) converts tele-printer keyboard signals for transmission by telephone line or radio for reconversion to keyboard signals on a distant teleprinter	0 %
ex 90.01 B	Material consisting of a polarizing film, supported on one or both sides by transparent material	0 %
ex 90.19 B II	Reading appliances for the blind, in which a miniature camera using photo-transistors transmits letters onto a scanning board with piezo-electric pencils, and its parts and accessories	0 %

(a) The application of this suspension will be subject to the conditions to be determined by the competent authorities.