COUNCIL REGULATION (EEC) No 1077/78

of 23 May 1978

temporarily suspending the autonomous Common Customs Tariff duties on certain industrial products

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 28 thereof,

Having regard to the draft Regulation submitted by the Commission,

Whereas production of the products referred to in this Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community ;

Whereas it is in the Community's interest to suspend the autonomous Common Customs Tariff duties only partially in certain cases, due particularly to the existence of Community production, and to suspend them completely in other cases ;

Whereas, for spirits of turpentine falling within subheading 38.07 A, the Association Council established under the association between the European Economic Community and Greece has agreed to a suspension, for the period envisaged, of the Common Customs Tariff duty applicable to this product ;

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic situation in the sectors concerned in the near future, these suspension measures should be taken only temporarily, with their term of validity fixed to coincide with the interests of Community production,

HAS ADOPTED THIS REGULATION :

Article 1

The autonomous Common Customs Tariff duties for the products listed in the tables annexed to this Regulation shall be suspended at the level indicated in respect of each of them.

These suspensions shall be valid :

— from 1 July to 31 December 1978 for the products listed in Table I,

— from 1 July 1978 to 30 June 1979 for the products listed in Table II.

Article 2

This Regulation shall enter into force on 1 July 1978.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 23 May 1978.

For the Council

The President

K. HEINESEN

ANNEX

TABLE I

CCT heading No	Description	Rate of autonomous duty (%)
ex 13.03 A V	Extract of dewaxed pyrethrum	0
ex 25.19 A	Magnesium oxide, dead-burned but not fused, of a purity not less than 98 %, which may not contain : (a) more than 0·05 % by weight of boron compounds evaluated as B_2O_3 ; (b) more than 1·25 % by weight of calcium compounds evaluated as CaO ; (c) more than 0·5 % by weight of silicon compounds evaluated as SiO_2 ; (d) a total of more than 0·5 % by weight of aluminium compounds and iron compounds evaluated as Al_2O_3 and Fe_2O_3	0
28.42 A VI	Lithium carbonates	3
ex 29.02 A V	Bromochloromethane	0
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.1.^{6,9}.0^{2,13}.0^{5,10}] Octadeca-7,15-diene, intended for use in the manufacture of polyamide 6,6 (a)	0
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo [12.2.1.1.^{6,9}.0^{2,13}.0^{5,10}] Octadeca-7,15-diene, intended for other uses	7
ex 29.06 B V	1,1,3-Tris (5-*tert*-butyl-4-hydroxy-2-methylphenyl) butane, whether or not containing toluene of crystallization	0
ex 29.15 C III	Benzyl phenylmalonates	0
ex 29.16 A II	*L*-Malic acid and its salts and esters	0
ex 29.16 B III	2-Ethylhexyl 4-hydroxybenzoate	0
ex 29.16 B VI	3,5-Di-iodosalicylic acid	6
ex 29.19 C	2,2-Bis(chloromethyl) trimethylene tetrakis(2-chloroethyl) di(phosphate)	0
ex 29.22 D I	3,5-Dichloroaniline	0
ex 29.23 D V	*beta*-Alanine	0
ex 29.30	Methyl isocyanate	5
ex 29.31 B	Cyclohexanethiol	0
ex 29.35 Q	Amprolium (INN) hydrochloride	0
ex 29.44 C	Cefazolin (INN) and its salts	0
ex 29.44 C	Lincomycin (INN) and its salts and esters	0

(a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.44 C	Monensin (INN) and its salts	0
ex 30.01 B	Mixture of oestrogens of equine origin	0
ex 38.19 G	Catalysts, in the form of granules or rings having a diameter of not less than 3 mm and not more than 10 mm, consisting of silver supported on aluminium oxide, the silver content being not less than 10 % and not more than 20 % by weight	0
ex 38.19 U	Flame-retardant reaction products of acetaldehyde, ethylene oxide and phosphorus trichloride	0
ex 38.19 U	Intermediate products from the manufacture of monensin salts	0
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 70 % and not more than 78 % dialuminium trioxide and not less than 19 % and not more than 26 % zirconium dioxide	7·6
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 54 % and not more than 62 % dialuminium trioxide and not less than 36 % and not more than 44 % zirconium dioxide	7·6
ex 39.01 C V	Polyurethane pre-polymers in the forms mentioned in Note 3 (a) to Chapter 39, based on 4,4'-methylenedi(cyclohexyl) di-isocyanate or methyl-*m*-phenylene di-isocyanate and containing ether groups	10
ex 39.02 C I b)	Polyethylene having a molecular weight of not less than 4 000 000, in the form of sheets	0
ex 39.02 C VII b)	Polyvinylchloride sheeting less than 1 mm thick of a width not less than 23 cm and not more than 28 cm, containing not less than 30 % and not more than 40 % by weight of a plasticizer, in rolls	10
ex 39.02 C VIII	Copolymers of vinylidene chloride with vinyl chloride, containing not less than 80 % by weight of vinylidene chloride, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39, for the manufacture of fibres, monofil or strip (a)	0
ex 39.02 C XII	Copolymers of acrylic and methacrylic esters in the form of film of a thickness not less than 50 micrometres and not more than 150 micrometres, whether or not in rolls	0
ex 49.11 B	Sheets (not being trade advertising material) folded, merely with illustrations or pictures not bearing a text or caption for editions of books or periodicals which are published in different countries in one or more languages (a)	0
ex 51.02 A II	Strip of polytetrafluoroethylene, whether or not in rolls, with an extension at break not exceeding 25 %	0
ex 70.20 A	Mats of non-textile glass fibres with a diameter of not less than three micrometres and not more than seven micrometres	0
ex 81.04 K I	Titanium sponge	0
ex 84.17 C	Straight-tube heat exchanger over 400 tonnes in weight and over 20 m long for nuclear reactors	0

(a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 84.59 B	Control-rod drives with spindle roller nut drive mechanism for nuclear reactors including the necessary special tools	0
ex 84.59 B	Reactor pressure vessel consisting of the vessel shell, penetrated by primary coolant nozzles and core flooding nozzles, and of the vessel head	0
ex 85.21 A V	Digital displays consisting of a glass tube mounted on a board up to 220 mm long and 45 mm wide excluding leads. The tube contains a straight line of digits not less than four in number, each digit consisting of a number of segments containing an inert gas, with a metallic base coated with phosphorus salts which give off light when bombarded with electrons	0
ex 85.21 D II	Digital displays consisting of a printed circuit board of a size not exceeding 35 mm by 90 mm with a single line of digits, not less than three in number comprising light-emitting diodes manufactured from gallium-based semi-conductor compounds mounted thereon. Each digit is comprised of seven segments plus a decimal point and the line of digits has a protective cover of translucent plastic	0
ex 88.05 B	Visual display system generating images by computer intended for equipping flight simulators for civil aircraft (a)	0
ex 90.19 A III	Vascular prostheses	0

(a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

TABLE II

CCT heading No	Description	Rate of autonomous duty (%)
ex 28.04 C III	Tellurium in powder or ingots	0
ex 28.38 C	Potassium hydrogenperoxomonosulphate	0
28.46 A I b)	Sodium borates, anhydrous	0
ex 28.48 B III	Dialuminium hexamagnesium carbonate decahydroxide tetrahydrate	0
28.51 A	Deuterium, heavy water and other compounds of deuterium; hydrogen and compounds thereof, enriched in deuterium; mixtures and solutions containing these products *(EURATOM)*	0
ex 28.55 A	Iron phosphides (ferro-phosphorus) containing 15 % or more by weight of phosphorus, for use exclusively in the manufacture of refined phosphoric iron or steel (a)	0
ex 28.57 B	Manganese nitride containing not more than 8 % of nitrogen by weight	0
ex 29.01 C I	*beta*-Pinene	0
ex 29.01 D VI	Vinyltoluenes	0
ex 29.02 A II b)	1,2,3-Trichloropropenes	0
ex 29.02 A III	Vinyl bromide	0
ex 29.02 A HI	1,2-Dibromoethane	4
ex 29.02 B	Hexachlorocyclopentadiene	0
ex 29.03 B II	Nitromethane	0
ex 29.03 B II	1-Nitropropane	8
ex 29.03 B II	2-Nitropropane	8
ex 29.04 C I	Butane-1,3-diol	0
ex 29.04 C V	2,2-Bis(bromomethyl) propanediol	0
ex 29.05 A III	Inositols	0
ex 29.06 A IV	2-*tert*-Butyl-4-ethylphenol	0
ex 29.06 A IV	2-Isopropylphenol	6
ex 29.06 B V	4,4-(2,3-Dimethyltetramethylene)dipyrocatechol, not less than 98 % pure	0
ex 29.08 A III c)	Bis(phenoxyphenoxy)benzene, mixed isomers	0
ex 29.08 A III c)	Sodium 4-(2-methylallyloxy)benzenesulphonate	0

(a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.08 D	Bis(*alpha,alpha*-dimethylbenzyl) peroxide	0
ex 29.08 D	*tert*-Butyl hydroperoxide, aqueous solution	0
ex 29.09	1,2-Epoxybutane	7
ex 29.13 A I	5-Methylhexan-2-one	0
ex 29.13 B I b)	Refined natural camphor	0
ex 29.13 D I	3-*beta*-Hydroxy-16-*alpha*-methylpregn-5-en-20-one	6
ex 29.13 D I	11-*alpha*, 17,21-Trihydroxy-16-*beta*-methylpregna-1,4-diene-3,20-dione	0
ex 29.13 F	1,4-Naphthoquinone	0
ex 29.13 G II	Chlordecone (ISO)	0
ex 29.14 A II c) 4	16-*alpha*,17-*alpha*-Epoxy-20-oxopregn-5-en-3-*beta*-yl acetate	6
ex 29.14 A II c) 4	11-*alpha*, 17-*alpha*, 21-Trihydroxy-16-*alpha*-methyl-5-*alpha*-pregnane-3,20-dione 21-acetate 11-(toluene-4-sulphonate)	9
ex 29.14 A II c) 4	11-*beta*, 17,20,21-Tetrahydroxy-6-methylpregna-1,4-dien-3-one 21-acetate	0
ex 29.14 A XI	2,2'-Ethylenedioxydiethyl bis (2-ethylbutyrate)	0
ex 29.14 B IV b)	Butyl perchlorocrotonate	0
ex 29.15 A IV a)	Azelaic acid	0
ex 29.15 A IV a)	Sebacic acid	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid 1,2-anhydride	0
ex 29.15 C III	Tetrachlorophthalic anhydride	0
ex 29.15 C III	Benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropyl phthalate	0
29.16 A III a)	Crude calcium tartrate	3·5
ex 29.16 B VI	Octadecyl 3-(3,5-di-*tert*-butyl-4-hydroxyphenyl)propionate	0
ex 29.16 B VI	Sodium 5-(2,4-difluorophenyl)salicylate	0
ex 29.16 B VI	Pentaerythritol tetrakis [3-(3,5-di-*tert*-butyl-4-hydroxyphenyl)propionate]	0
ex 29.16 D	Dinoprostone (INN)	0
ex 29.22 B II	*N,N,N',N'*-Tetrabutylhexamethylenediamine	0
ex 29.22 E II	1,8-Naphthylenediamine	0
ex 29.22 E II	*m*-Phenylenebis(methylamine)	0
ex 29.23 A II	(+)-4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol	0
ex 29.23 A II	Bis(2-dimethylaminoethyl) ether	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.23 A II	Dinoprost (INN), Trometamol salt (INN)	0
ex 29.23 B II	3-Chloro-4-(4-chlorophenoxy)aniline	6
ex 29.23 C	Ketamine (INN) hydrochloride	0
ex 29.23 D V	Tranexamic acid (INN)	0
ex 29.23 D V	Sodium 2-cyclohexa-1,4-dienyl-*N*-(2-methoxycarbonyl-1-methylvinyl)glycinate	0
ex 29.23 D V	3,5-Diaminobenzoic acid	0
ex 29.23 E	4-(2-Hydroxy-3-isopropylaminopropoxy)-2,3,6-trimethylphenyl acetate	0
ex 29.23 E	*N*-Benzyl-*N*-(3-hydroxybenzoylmethyl)methylammonium chloride	0
ex 29.23 E	Methyldopa (INN)	0
ex 29.25 A II	*N*-Acetyl-*DL*-valine	0
29.25 B II a)	5-Ethyl-5-phenylbarbituric acid (phenobarbital) and its salts	11
ex 29.25 B III b)	2'-Benzoyl-4'-chloro-*N*-(2-hydroxypropyl)glycinanilide	0
ex 29.26 A I	*O*-Benzoicsulphimide (saccharin) and its sodium salt	8
ex 29.27	4-Bromophenylacetonitrile	0
ex 29.27	(-)-*N*-(*alpha*-Cyano-4-hydroxy-3-methoxy-*alpha*-methylphenethyl)acetamide	0
ex 29.27	2-(3-Phenoxyphenyl)propiononitrile	0
ex 29.29	20-Hydroxyiminopregna-5,16-dien-3-yl acetate	0
ex 29.29	(-)-2-(3,4-Dihydroxybenzyl)-2-hydrazinopropionic acid	0
ex 29.29	1,3-Bis(4-chlorobenzylideneamino)guanidinium chloride	0
ex 29.30	*O,O*-Bis(4-*tert*-butylphenyl) *N*-cyclohexylphosphoramidothioate	0
ex 29.31 B	5-Fluoro-2-methyl-1-(4-methylthiobenzylidene)inden-3-ylacetic acid	0
ex 29.31 B	*N,N*-Diethyl-2-mercaptoethylammonium chloride	0
ex 29.31 B	Octadecyl (4-hydroxy-3,5-dimethylbenzylthio)acetate	0
ex 29.31 B	2-Methyl-2-(methylthio)propionaldehyde oxime	0
ex 29.31 B	4-(Methylthio)phenol	0
ex 29.31 B	Thiophenol	0
ex 29.31 B	Tolnaftate (INN)	0
ex 29.34 C	*O*-Ethyl phenylphosphonochloridothioate	0
ex 29.34 C	Dimethyltin dichloride	0
ex 29.34 C	Trichloronat (ISO)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.35 Q	2-Acetyl-1,4-butyrolactone	0
ex 29.35 Q	Methyl 3-amino-5,6-dichloropyrazine-2-carboxylate	0
ex 29.35 Q	6-Methoxybenzothiazol-2-ylamine	0
ex 29.35 Q	4-Nitrobenzyl 7-amino-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate and its salts	0
ex 29.35 Q	2-Benzotriazol-2-yl-4-(1,1,3,3-tetramethylbutyl)phenol	0
ex 29.35 Q	2-Benzotriazol-2-yl-*p*-cresol	0
ex 29.35 Q	2,6-Di-*tert*-butyl-4- [4,6-bis(octylthio)-1,3,5-triazin-2-ylamino] phenol	0
ex 29.35 Q and ex 30.03 A II b)	Butorphanol (INN) and its salts	0
ex 29.35 Q	(-)-1-*tert*-Butylamino-3-(4-morpholino-1,2,5-thiadiazol-3-yloxy)propan-2-ol	0
ex 29.35 Q	Clotiazepam (INN)	0
ex 29.35 Q	1,4-Diazabicyclo [2.2.2] octane (triethylenediamine)	0
ex 29.35 Q	2,4-Di-*tert*-butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0
ex 29.35 Q	Carpipramine (INN) dihydrochloride	0
ex 29.35 Q	2,3-Dihydro-2,2-dimethylbenzofuran-7-ol	0
ex 29.35 Q	1-Ethyl-1,4-dihydro-4-oxo [1,3] dioxolo [4,5-g] cinnoline-3-carbonitrile	0
ex 29.35 Q	Indometacin (INN)	0
ex 29.35 Q	Diphemanil metilsulphate (INN)	0
ex 29.35 Q	Minoxidil (INN)	0
ex 29.35 Q	Orazamide (INN)	0
ex 29.35 Q	(25*R*)-Spirost-5-en-3-*beta*-ol (diosgenin) and its esters	0
ex 29.35 Q	1,3,5-Triacryloylperhydro-1,3,5-triazine	0
ex 29.35 Q	Triazolam (INN)	0
ex 29.35 Q	*L*-Tryptophan	0
ex 29.36	Quinethazone (INN)	0
ex 29.36	Sulfaguanidine (INN)	0
ex 29.36	Sulfathiazole (INN)	0
ex 29.38 B II	Panthenol (INN)	0
ex 29.38 B III	Folic acid (INN)	0
ex 29.39 C I	Serum gonadotrophin (INN)	0
ex 29.39 D II	Betamethasone (INN) 21-acetate	0
ex 29.39 D II	Triamcinolone (INN) acetonide	8

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.39 D II	Betamethasone (INN) 17,21-dipropionate	0
ex 29.39 D II	Triamcinolone (INN) 16-*alpha*,21-diacetate	8
ex 29.39 D II	Fluorometholone (INN)	0
ex 29.39 D II	Halcinonide (INN)	0
ex 29.39 D II	Triamcinolone hexacetonide (INN)	8
ex 29.39 D II	Methylprednisolone (INN)	8
ex 29.39 D II	Triamcinolone (INN)	8
ex 29.39 E	Calcitonin (INN), porcine	0
ex 29.39 E	Calcitonin (INN), salmon-type, and its salts	0
ex 29.39 E	Calusterone (INN)	0
ex 29.39 E	Prasterone (INN)	0
ex 29.42 C VII	Pilocarpine hydrochloride	0
ex 29.42 C VII	Pilocarpine nitrate	0
ex 29.44 A	Epicillin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Amikacin (INN) and its salts	0
ex 29.44 C	Amphotericin B (INN)	0
ex 29.44 C	Sodium (7*S*)-3-carbamoyloxymethyl-7-methoxy-8-oxo-7-[2-(2-thienyl)acetamido]-5-thia-1-azabicyclo [4.2.0] oct-2-ene-2-carboxylate	0
ex 29.44 C	Cefaclor (INN) and its hydrates, salts and esters	0
ex 29.44 C	Cefradine (INN)	0
ex 29.44 C	Minocycline (INN) *mono*-hydrochloride dihydrate	0
ex 29.44 C	Clindamycin (INN) and its salts and esters	0
ex 29.44 C	Spectinomycin (INN) dihydrochloride pentahydrate	0
ex 29.44 C	Gentamicin (INN) and its salts	0
ex 29.44 C	Nystatin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Bleomycin (INN) sulphate	0
ex 29.44 C	Sisomicin (INN) sulphate	0
ex 29.44 C	Spectinomycin (INN) sulphate	0
ex 29.44 C	Tobramycin (INN) and its salts	0
ex 29.45	Potassium *tert*-butoxide	0
ex 30.01 A I	Bovine livers for organotherapeutic purposes, dried and powdered	5

CCT heading No	Description	Rate of autonomous duty (%)
ex 30.01 B	Human glands or other human organs	0
ex 30.01 B	Extracts of liver of bovine animals	5
ex 30.01 B	Extracts of suprarenal glands	0
ex 30.01 B	Lyophilized *gamma*-globulin derived from human blood	0
ex 30.01 B	The following substances derived from human blood : antihaemophilic globulin, anti-Rh_0(D)-globulin and plasmaprotein solution	0
ex 30.01 B	Anti-D immunoplasma	0
ex 30.01 B	Albumin in crude paste form derived from human blood	0
ex 30.01 B	*gamma*-globulin, crude paste	0
ex 30.01 B	Human plasma	0
ex 30.01 B	Human serum	0
ex 30.01 B, ex 30.03 A II b) and B II b)	Human albumin, whether or not in solution	0
ex 30.01 B ex 30.03 A II b) and B II b)	Human fibrinogen	0
ex 30.02 A	Tetanus immunoglobulin	0
ex 30.02 A	Anti-tetanus immunoplasma	0
ex 30.03 A II b) and B II b)	Preserved serum prepared on a basis of human blood	0
ex 30.03 A II b) and B II b)	Anti-haemophilic globulin and anti-Rh_0(D)-globulin derived from human blood	0
32.01 A I	Tanning extracts of wattle (mimosa)	0
ex 32.01 A IV	Tanning extracts of eucalyptus	4
ex 32.01 A IV	Tanning extracts derived from gambier and myrobolan fruits	0
ex 32.08 D	Glass in the form of flakes of a length not less than 0·1 and not more than 3·5 mm and of a thickness not less than two and not more than five micrometers	0
ex 34.02	(Alkyl, C_{12}-C_{16}) benzylbis (2-hydroxypropyl)ammonium chloride	0
ex 35.07	Bromelains (INN)	0
ex 35.07	Mixture of streptokinase (INN) and streptodornase (INN)	0
ex 35.07	Peroxidase	0
ex 37.02 B	Colour negative film of a width not less than 7.5 mm and not more than 10.5 mm and of a length of 100 m or more, suitable for use in the manufacture of 'instant picture' film packs (a)	0

(a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.03 B	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplanar spacing (d values) of 0·44, 0·40, 0·33 and 0·25 nm, the line corresponding to 0·40 nm being the most intense	0
38.07 A	Gum spirits of turpentine	3
38.07 B	Spirits of sulphate turpentine ; crude dipentene	3
38.07 C	Spirits of wood turpentine ; terpenic solvents produced by the distillation or other treatment of coniferous woods ; sulphite turpentine ; pine oil (excluding 'pine oils' not rich in terpineol)	3
ex 38.08 C	Hydroabietyl alcohol	0
ex 38.08 C	Rosin, hydrogenated, polymerized, dimerized or oxidized	4
ex 38.19 G	Catalysts consisting of copper chloride supported on aluminium oxide for the preparation of dichloroethane from ethylene, hydrochloric acid and oxygen (a)	0
ex 38.19 G	Catalysts consisting of bis(2-dimethylaminoethyl) ether dissolved in 1,1'-oxydipropan-2-ol	0
ex 38.19 G	Catalysts consisting essentially of diphosphorus pentaoxide on an inert support	0
ex 38.19 K	Sintered magnesite mixed with small quantities of mineral oils	0
ex 38.19 U	Calcined bauxite (refractory grade)	0
ex 38.19 U	Diosgenin crude	0
ex 38.19 U	4-(6-Fluoro-2-methylinden-3-ylmethyl)phenyl methyl sulphide, dissolved in toluene	0
ex 38.19 U	Tetramethylammonium hydroxide dissolved in methanol	0
ex 38.19 U	Mixture of x-butyl-4,4'-isopropylidenediphenol and x,x'-dibutyl-4,4'-isopropylidenediphenol	0
ex 38.19 U	Mixture of nitromethane and 1,2-epoxybutane	4
ex 38.19 U	Mixture of 4-octyldiphenylamine and 4,4'-dioctyldiphenylamine	0
ex 38.19 U	Reaction products containing not less than 55 % by weight of 2-(2-*p*-chlorophenylbenzoxazol-5-yl)propiononitrile	0
ex 38.19 U	Mixtures of tertiary thiols	9
ex 39.01 A	Colestipol (INN) hydrochloride	0
ex 39.01 C III, ex 39.03 B II b) 2, B III b) 4 aa) and B IV b) 4 aa)	Waste and scrap of photographic (including cinematographic) and X-ray film	0
ex 39.01 C III	Reflecting polyester sheeting, whether or not in rolls	0
ex 39.01 C III	Waste and scrap of polyester sheets coated with tungsten compounds	0

(a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.01 C III	Film base, in rolls, of polyethylene terephthalate, for cinematography or photography (including radiography)	8
ex 39.01 C VII	Polyimide sheet and strip, whether or not in rolls	0
ex 39.01 C VII	*alpha*-4-hydroxybutyl-*omega*-hydroxypoly(oxytetramethylene)	0
ex 39.01 C VII	Polyethylene oxide having a molecular weight of not less than 4 000 000	8
ex 39.02 C III	Polysulphohaloethylenes in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	4
ex 39.02 C VI a) and b)	Copolymers solely of allyl alcohol with styrene, which have an acetyl value of not less than 175	0
ex 39.02 C VII b)	Polyvinyl chloride sheeting, whether or not in rolls, of a thickness less than 1 mm and coated with an adhesive in which are embedded hollow glass balls having a diameter of not less than 50 micrometres and not more than 100 micrometres	0
ex 39.02 C XI	Polyvinyl butyral sheet of a width exceeding 200 cm, in rolls	0
ex 39.02 C XII	Polyacrylic acid for use as a thickener in textile pigment printing pastes (a)	0
ex 39.02 C XII	Reflecting polyacrylic sheeting, whether or not in rolls	0
ex 39.02 C XIV a)	Copolymers of ethyl acrylate with chloroethylvinyl ether, in one of the forms mentioned in Note 3 (b) to Chapter 39	12
ex 39.02 C XIV a)	Alternating copolymers of ethylene and maleic anhydride for use as a thickener in textile pigment printing pastes (a)	0
ex 39.02 C XIV a)	Copolymers of vinylidene chloride and acrylonitrile in the form of expandable beads of a diameter not less than 4 micrometres and not more than 20 micrometres	0
ex 39.02 C XIV a)	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol containing by weight not less than 89 % and not more than 92 % of vinyl chloride, not less than 2 % and not more than 6 % of vinyl acetate and not less than 4 % and not more than 8 % of vinyl alcohol, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	0
ex 39.02 C XIV a)	Fluorinated ethylene propylene copolymers, intended for the manufacture of flat (ribbon) cable, containing not less than 60 cores (a)	0
ex 39.02 C XIV b)	Polyvinyl fluoride sheet, whether or not in rolls	0
39.03 B V a) 1	Ethylcellulose, not plasticized	4
ex 39.03 B V a) 2	Ethylhydroxyethylcellulose, insoluble in water	4
ex 39.03 B V a) 2	Hydroxypropylcellulose	0
ex 39.06 B	2-(2-hydroxyethyl)amylopectin hydrolysate	0

(a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 41.02 B	Bovine skins, chrome tanned in the moist state (wet blue)	0
ex 41.02 B	Leather of East India kip, whole, whether or not the heads and legs have been removed, each weighing more than 4·5 kg net and not more than 8 kg, not further prepared than vegetable tanned, whether or not having undergone further preservative treatment with oil, but obviously unsuitable for immediate use in the manufacture of leather articles	0
41.03 B I	Sheep and lambskin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
41.04 B I	Goat and kid skin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
41.05 B I	Other kinds of leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
ex 44.22 B	Used casks and barrels of oak, whether assembled or not ; their staves and heads	0
ex 44.28 D II	Shingles for roofs and walls, of coniferous wood	0
45.01	Natural cork, unworked, crushed, granulated or ground ; waste cork	0
45.02	Natural cork in blocks, plates, sheets or strips (including cubes or square slabs, cut to size for corks or stoppers)	4
ex 49.11 B	Microcopies on an opaque base intended for data banks and libraries (a)	0
ex 49.11 B	Artists' screen prints (commonly described as serigraphs), signed by the artist and numbered from 1 to 200	0
ex 51.01 A	Yarn wholly of polyglycollic acid	0
ex 51.01 A	Yarn of polytetrafluoroethylene	0
ex 51.02 A II	Polyimide strip, whether or not in rolls	0
ex 51.04 A	Woven fabrics of polyvinyl alcohol fibres for machine embroidery	0
ex 54.03 B I a)	Unbleached linen yarn (excluding yarn of flax tow), measuring per kg 30 000 m or less, for the manufacture of multiple or cabled yarns for the footwear industry or for whipping cables (a)	0
ex 56.01 A	Synthetic textile fibres of aromatic polyamides obtained by polycondensation of *m*-phenylenediamine and isophthalic acid	0
ex 58.01 B	Carpets, carpeting and rugs of silk or of waste silk other than noil, of which the pile contains not less than 85 % by weight of silk or waste silk other than noil	20 with a maximum duty of 4 u.a. per m^2
ex 58.07 A	Braid wholly of polyglycollic acid yarn	0

(a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 59.03	Bonded fibre fabrics and similar bonded yarn fabrics of aromatic polyamide man-made fibres produced by polycondensation of *m*-phenylene-diamine and isophthalic acid	0
ex 59.04	Coir yarn for the manufacture of carpets, carpeting and rugs, mats and the like (a)	0
ex 59.12	Cotton fabric coated with adhesive in which are embedded hollow glass balls the diameters of which range from 45 to 75 micrometres, weighing not less than 300 and not more than 550 g per m^2	0
ex 59.17 D	Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited	0
62.03 A I	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 57.03	0
ex 68.02 B	Artificially coloured granules and chippings	0
ex 69.09 B	Catalyst supports, consisting of porous cordierite ceramic pieces of roughly circular or oval cross-section with parallel sides, having an overall volume of not less than 240 ml and not more than 11 100 ml, and having a minimum dimension of not less than 70 mm and a maximum dimension of not more than 480 mm, having not less than 28 continuous channels per 100 mm^2 running parallel to the main axis of symmetry, the total channel cross-section area being not less than 50 % and not more than 80 % of the whole cross-section area	0
ex 70.19 A IV b)	Glass beads of a diameter of less than 0·1 mm and with a refractive index of 2·26	0
ex 76.03	Aluminium alloy strip in coils, containing not less than 18 % by weight and not more than 23 % by weight of tin and not less than 0·7 % by weight and not more than 1·5 % by weight of copper as the major alloying elements and having a width of not less than 75 mm and not more than 230 mm and a thickness of not less than 3 mm and not more than 6·5 mm	0
ex 81.04 D I b)	Chromium, in the form of cathode chips, pellets or briquettes, which contains not more than 0·10 % by weight of total oxygen, not more than 0·015 % by weight of total aluminium and not more than 0·001 % by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and evaluated as aluminium, intended for the production of alloy for the manufacture of the following parts of gas turbines and jet engines (a): — blades, fixed or movable, including their rings, — vanes, — nozzles	0
ex 81.04 G I	Electrolytic manganese of a purity of at least 99·7 %, intended for the chemical industry (a)	0
ex 81.04 K I	Waste and scrap of titanium	0
ex 81.04 M	Waste and scrap of uranium depleted in U 235	0
ex 84.51 A	Typewriters with Braille characters	0

(a) Control of the use for this special purpose shall be effected pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 84.59 B	Integrally forged, rough-turned components with unit weights of more than 150 tonnes or outer diameters of more than 6 000 mm for reactor pressure vessels	0
ex 84.63	Forged and roughly shaped generator and turbine shafts of a weight exceeding 150 tonnes	0
ex 85.13 B	Sonic convertors consisting of a box approximately 28 cm long, approximately 13 cm broad and approximately 10 cm high, the top being shaped in the form of a cradle to receive a telephone handset, incorporating a lamp to indicate the state of call. This modem (MODulator/DEModulator) converts tele-printer keyboard signals for transmission by telephone line or radio for reconversion to keyboard signals on a distant tele-printer	0
ex 90.01 B	Material consisting of a polarizing film, supported on one or both sides by transparent material	0
ex 90.19 B II	Reading applicances for the blind, in which a miniature camera using photo-transistors transmits letters on to a scanning board with piezo-electric pencils, and its parts and accessories	0