I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EEC) No 1481/80

of 9 June 1980

temporarily suspending the autonomous Common Customs Tariff duties on certain industrial products

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 28 thereof,

Having regard to the draft Regulation submitted by the Commission,

Whereas production of the products referred to in this Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community ;

Whereas it is in the Community's interest to suspend the autonomous Common Customs Tariff duties only partially in certain cases, due particularly to the existence of Community production, and to suspend them completely in other cases ;

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic situation in the sectors concerned in the near future, these suspension measures should be taken only temporarily with their term of validity fixed to coincide with the interests of Community production,

HAS ADOPTED THIS REGULATION :

Article 1

The autonomous Common Customs Tariff duties for the products listed in the tables annexed to this Regulation shall be suspended at the level indicated in respect of each of them.

These suspensions shall be valid :

— from 1 July to 31 October 1980 for the product listed in Table I,

— from 1 July to 31 December 1980 for the products listed in Table II,

— from 1 July 1980 to 30 June 1981 for the products listed in Table III.

Article 2

This Regulation shall enter into force on 1 July 1980.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Luxembourg, 9 June 1980.

For the Council

The President

F. PANDOLFI

ANNEX

TABLE I

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.19 G	Catalyst consisting of a mixture of oxides on a silicon dioxide support and containing by weight : (a) Not less than 25 % and not more than 40 % of antimony (b) Not less than 5 % and not more than 10 % of iron (c) Not less than 0·2 % and not more than 1·5 % of molybdenum (d) Not less than 0·8 % and not more than 4·0 % of tellurium	0

TABLE II

CCT heading No	Description	Rate of autonomous duty (%)
ex 28.21	Chromium dioxide	0
ex 28.24	Cobalt oxides and hydoxides	0
ex 28.40 B II	PentaCalcium hydroxide tris(orthophosphate) for use in non-ferrous metallurgy (a)	0
ex 28.47 F	Calcium wolframate, for the manufacture of ferro-alloys or hexa-ammonium heptawolframate (a)	0
ex 29.02 B	1, 6, 7, 8, 9, 14, 15, 16, 17, 17, 18, 18-Dodecachloropentacyclo (12.2.1.1^{6,9}.0^{2,13}.0^{5,10}) octadeca-7, 15-diene, for use in the manufacture of polypropylene (a)	0
ex 29.03 B II	1-Nitropropane	0
ex 29.03 B II	2-Nitropropane	0
ex 29.03 B II	Nitroethane	0
ex 29.13 A I	3.3-Dimethylbutanone	0
ex 29.15 C III	Tetrabromophthalic anhydride	0
ex 29.19 C	2.2-bis (chloromethyl) trimethylene tetrakis (2-chloroethyl) (phosphate)	0
ex 29.19 C ex 28.19 U	Tetrakis (2-chloroethyl) ethylene bis (phosphate)	0
ex 29.23 A II	(+)-4-Dimethylamino-3-methyl-1,2-diphenylbutan-2-ol	0
ex 29.23 D V	Iminodi (acetic acid)	7·4
ex 29.25 A II	Acrylamido-2-methylpropanesulphonic acid	0
ex 29.25 B III b)	Bendiocarb (ISO)	0
ex 29.26 A I	1.2-Benzisothiazol-3-one 1.1-dioxide (o-benzoicsulphimide, saccharin) and its sodium salt	8
ex 29.34 C	Trichloronat (ISO)	0
ex 29.34 C	2-Chloroethylphosphonic acid	10
ex 29.35 Q	2-Chlorodibenz /*b,f*/ [1.4] oxazepin-11(10*H*)-one	0
ex 29.35 Q	2,3,5,6-Tetrachloropyridine	0
ex 29.43 B	Ribose	0
ex 29.43 B	Sucralfate (INN)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 32.01 A IV	Tanning extracts of eucalyptus	3·2
ex 32.09 A II ex 39.01 C V	Polyurethane of 2.2'-(*tert*-butylamine) diethanol and 4.4'-methylenedi (cyclohexal isocyanate), dissolved in *N,N*-dimethylacetamide, with a copolymer content of not less than 48 % by weight	0
ex 32.09 A II ex 39.02 C XIV a)	Copolymer of *p*-cresol and divinylbenzene, dissolved in *N,N*-dimethylacetamide, with a copolymer content of not less than 48 % by weight	0
ex 38.03 B	Acid activated montmorillonite which, when examined by X-ray powder diffraction, shows four principal lines corresponding to crystal interplaner spacing (d values) of 0·44, 0·40, 0·33 and 0·25 nm, the line corresponding to 0·40 nm being the most intense	0
38.07 A	Gum spirits of turpentine	3
ex 38.08 C	Rosin hydrogenated, polymerized, dimerized or oxidized	4
ex 38.19 G	Catalysts in the form of spherical grains with a diameter of not less than 1·4 mm and not more than 1·8 mm consisting of boron trifluoride on an aluminium oxide support	0
ex 38.19 G	Catalysts in the form of rodlets having a length of not more than 5·0 mm and a diameter of not more than 3·6 mm, consisting of copper oxide and dichromium trioxide	0
ex 38.19 G	Catalysts, in the form of granules or rings having a diameter of not less than 3 mm and not more than 10 mm, consisting of silver supported on aluminium oxide, the silver content being not less than 10 % and not more than 20 % by weight	0
ex 38.19 G	Catalysts consisting of copper chloride supported on aluminium oxide for the preparation of dichloroethane from ethylene, hydrochloric acid and oxygen, with a surface area of less than 90 m^2/g (a)	0
ex 38.19 U	Cholic acid and 3-*alpha*, 12-*alpha*-dihydroxy-5-*beta*-cholan-24-oic acid (deoxycholic acid), crude	0
ex 38.19 U	Crude bile acids	0
ex 38.19 U	Flame retardant reaction products of acetaldehyde, ethylene oxide and phosphorous trichloride	0
ex 38.19 U	Mixtures of tertiary thiols	8
ex 39.01 C III	Reflecting polyester sheeting whether or not in rolls	0
ex 39.01 C III b)	Polyester of a mixture of isophthalic acid and terephtalic acid with 4·4'-isopropylidenediphenol	0
ex 39.01 C V	Polyurethane polymers in one of the forms mentioned in Note 3 (a) to Chapter 39, based on a mixture of 2-methyl and 4-methyl-*m*-phenylene di-isocyanates and branched chain triols with an average molecular weight of not less than 6 000, and containing terminal epoxy groups	12
ex 39.01 C V	Polyurethane reflecting sheeting whether or not in rolls	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.01 C VII	Poly [oxy (2.6-dibromo-1.4-phenylene)] for use in the manufacture of polypropylene (a)	0
ex 39.02 C VI a)	Copolymer of maleic anhydride and styrene, whether or not containing a styrene-butadiene block copolymer in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C VI a)	An A-B-A block copolymer of polystyrene ethylene-butylene copolymer and polystyrene containing not more than 35 % by weight of styrene, in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C VII b)	Reflecting polyvinyl chloride sheeting wholly embossed on one side in a regular pyramidal pattern, whether or not in rolls	0
ex 39.02 C XII	Reflecting polyacrylic sheeting, whether or not in rolls	0
ex 39.02 C XII	Copolymerization products of acrylic and methacrylic esters in the form of film of a thickness not less than 50 and not more than 150 micrometers, whether or not in rolls	0
ex 39.02 C XII	Copolymer of acrylic acid and 2-ethylhexyl acrylate containing not less than 10 % and not more than 11 % by weight of 2-ethylhexyl acrylate	0
ex 39.02 C XIV b)	Reflecting sheeting of an acrylic polymer modified by melamine-formaldehyde, whether or not in rolls	0
ex 41.02 B	Bovine skins, chrome tanned in the moist state (Wet Blue)	0
ex 48.05 B	Crêped household and toilet paper, two ply, not containing mechanical wood-pulp, with a weight per ply of not less than 15 g/m² and not more than 19 g/m² in rolls with a width of not less than 19 cm	8
ex 48.05 B	Crêped household and toilet paper, two ply, not containing mechanical wood-pulp, with a weight per ply of not less than 15 g/m² and not more than 25 g/m² in rolls with a width of not less than 150 cm	8
ex 48.05 B	Crêped household and toilet paper, two ply, containing not more than 50 % mechanical wood-pulp, with a weight per ply of not less than 16 g/m² and not more than 20 g/m² in rolls with a width of not less than 150 cm	8
ex 48.07 D	Kraft paper with latex addition to the stock, coated on one side with polybutadiene-styrene weighing not less than 104 g and not more than 130 g/m² for the manufacture of disposable nappy inserts (a)	6
ex 51.01 A	Yarn, multiple, of polyamide, coated, impregnated or covered with a phenolic resin	0
ex 51.01 A	Yarn of poly(*p*-phenyleneterephthalamide), intended for the manufacture of dryer screens for papermaking machines (a)	0
ex 51.01 A	Yarn of synthetic textile fibres of aromatic polyamides obtained by polycondensation of m-phenylenediamine and isophthalic acid	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 56.01 A	Synthetic textile fibres of aromatic polyamides obtained by polycondensation of m-phenylenediamine and isophthalic acid	0
ex 59.03	Bondes-fibre fabrics, with a thickness of not more than 300 micrometres, of spun-bonded polyethylene fibres, with a weight not exceeding 115 g/m², whether or not in rolls	0
ex 59.08	Knitted or woven fabric coated or covered on one side with artificial plastic material in which are embedded glass microspheres	0
ex 59.12	Cotton fabric coated with adhesive in which are embedded glass balls the diameters of which range from 45 to 75 micrometres, weighing not less than 300 g/m² and not more than 550 g/m²	0
62.03 A I	Sacks and bags, of a kind used for the packing of goods, used, of jute or of other textile bast fibres of heading No 57.03	0
ex 70.20 B	Yarns of 34 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 5·2 and not more than 6·2 micrometres, other than those treated so as to improve their adhesion to elastomers	6·3
ex 70.20 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 5·8 and not more than 6·4 micrometres, other than those treated so as to improve their adhesion to elastomers	6·3
ex 81.04 M	Waste and scrap of uranium depleted in U 235	0
ex 84.31 A	Suction roll shells, not drilled, being alloy steel tubes with a length of not less than 5 207 mm and an outside diameter of not less than 754 mm for use in machinery for making paper or paperboard (a)	0
ex 84.51 A	Electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0
ex 85.55 C	Parts and accessories of electronic pocket communicators for handicapped persons which, by means of push buttons and printing thermic head, print and issue text on tape	0
ex 85.03	Lithium oidine, batteries, with a nominal value of not less than 40 EUA, for cardiac stimulators (a)	0
ex 85.21 A V	Digital displays consisting of a glass tube mounted on a board up to 220 mm long and 45 mm wide excluding leads. The tube contains a straight line of digits not less than four in number, each digit consisting of a number of segments containing an inert gas with a metallic base coated with phosphorus salts which give off light when bombarded with electrons	0
ex 85.21 D II	Digital displays consisting of a printed circuit board of a size not exceeding 35 × 90 mm with a single line of digits, not less than three in number comprising light-emitting diodes manufactured from gallium-based semi-conductor compounds mounted thereon. Each digit is composed of seven segments plus a decimal point and the line of digits has a protective cover of translucent plastic	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 85.21 D II	Electronic programmable read only memories (EPROMS), UV erasable, with a storage capacity of 32 K bits or 64 K bits, in the form of a monolithic integrated circuit contained in a housing bearing a capacity marking of '32' or '64', whose exterior dimensions do not exceed 15·6 × 33·3 mm, with a quartz window on the upper surface	0
ex 85.21 D II	Electronic programmable read only memories (EPROMS), UV erasable, with a storage capacity of 16 K bits, in the form of a monolithic integrated circuit contained in a housing bearing a capacity marking of '16', whose exterior dimensions do not exceed 15·6 × 33·3 mm, with a quartz window on the upper surface	8
ex 85.21 D II	Random access memories (RAMS), with a storage capacity of 64 K bits, in the form of a monolithic integrated circuit contained in a housing bearing a capacity marking of '64', whose exterior dimensions do not exceed 7·7 × 20·6 mm, with eight connecting pins along each of the longer sides	0

TABLE III

CCT heading No	Description	Rate of autonomous duty (%)
ex 13.03 A V	Extract of dewaxed pyrethrum	0
ex 27.13 B II	Synthetic paraffin wax having a molecular weight of not less than 460 and not more than 1 560	0
ex 28.04 B	Helium	0
ex 28.04 C III	Tellurium in powder or ingots	0
ex 28.13 IJ	Tellurium dioxide	0
ex 28.31 C	Lithium hypochlorite	0
ex 28.38 C	Potassium hydrogenperoxomonosulphate	0
ex 28.42 A VI	Lithium carbonates not corresponding to the following specifications : — In the form of white powder — Containing 98·5 % or more of Li_2CO_3 and : — Less than 2 ppm of arsenic — Less than 200 ppm of calcium — Less than 200 ppm of chlorides — Less than 20 ppm of iron — Less than 150 ppm of magnesium — Less than 20 ppm of heavy metals — Less than 300 ppm of potassium — Less than 300 ppm of sodium — Less than 200 ppm of sulphates	0
28.46 A I b)	Sodium borates, anhydrous	0
ex 28.48 B III	Hydrotalcite (INN)	0
28.51 A	Deuterium, deuterium oxide (heavy water) and other compounds of deuterium ; hydrogen and compounds thereof, enriched in deuterium ; mixtures and solutions containing these products (Euratom)	0
ex 28.57 A	Silane (silicon hydride)	0
ex 28.57 B	Manganese nitride containing not more than 8 % of nitrogen by weight	0
ex 29.01 C I	*beta*-Pinene	0
ex 29.01 D VII	Vinyltoluenes	0
ex 29.02 A I	Carbon tetrafluoride (tetrafluoromethane)	0
ex 29.02 A II b)	1,2,3-Trichloropropenes	0
ex 29.02 A III	Vinyl bromide	0
ex 29.02 A III	1,2-Dibromoethane	4
ex 29.02 A V	Bromochloromethane	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.02 B	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo (12.2.1.1^{6,9}.0^{2,13}.0^{5,10}) octadeca-7, 15-diene, for use in the manufacture of polyamide (a)	0
ex 29.03 B II	Nitromethane	0
ex 29.03 C I	Methanesulphonyl chloride	0
ex 29.04 C I	Butane-1.3-diol	0
ex 29.04 C V	2,2-Bis(bromomethyl)propanediol	0
ex 29.06 A IV	2-*tert*-Butyl-4-ethylphenol	0
ex 29.06 A IV	2-Isopropylphenol	6
ex 29.06 B V	4,4'-(2.3-Dimethyltetramethylene)dipyrocatechol, not less than 98 % pure	0
ex 29.06 B V	6,6',6"-Tri-*tert*-butyl-4,4',4"-(1-methylpropan-1-yl-3-ylidene)tri-*m*-cresol, whether or not containing toluene of crystallization	0
ex 29.06 B V	2,5-Di(*tert*-phenyl)hydroquinone	0
ex 29.08 A III c)	Bis(phenoxyphenoxy)benzene, mixed isomers	0
ex 29.08 A III c)	Sodium 4-(2-methylallyloxy)benzenesulphonate	0
ex 29.08 D	*tert*-Butyl hydroperoxide, aqueous solution	0
ex 29.09 B	1,2-Epoxybutane	7
ex 29.13 A I	5-Methylhexan-2-one	0
ex 29.13 B I b)	Refined natural bornan-2-one (camphor)	0
ex 29.13 D I b)	3-*beta*-Hydroxy-16-*alpha*-methylpregn-5-en-20-one	6
ex 29.13 D I b)	11-*alpha*,17,21-Trihydroxy-16-*beta*-methylpregna-1,4-diene-3,20-dione	0
ex 29.13 E	4-Methoxy-4-methylpentan-2-one	0
ex 29.13 F	1,4-Naphthoquinone	0
ex 29.13 G II	1-Chloro-3,3-dimethylbutanone	0
ex 29.14 A II c) 4	16-*alpha*,17-*alpha*-Epoxy-20-oxopregn-5-en-3-*beta*-yl acetate	6
ex 29.14 A II c) 4	11-*alpha*,17-*alpha*,21-Trihydroxy-16-*alpha*-methyl-5-*alpha*-pregnane-3,20-dione 21-acetate 11-(toluene-4-sulphonate)	9
ex 29.14 A II c) 4	20-Oxopregna-5,16-dien-3-*beta*-yl acetate	0
ex 29.14 A XI	2,2'-Ethylenedioxydiethyl bis(2-ethylbutyrate)	0
ex 29.14 B IV b)	Butyl perchlorocrotonate	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
29.15 A IV a)	Azelaic acid and sebacic acid	0
ex 29.15 C III	Benzene-1,2,4-tricarboxylic acid	0
ex 29.15 C III	Benzene-1,2,4,tricarboxylic acid 1,2-anhydride	0
ex 29.15 C III	Tetrachlorophthalic anhydride	0
ex 29.15 C III	Benzyl 3-isobutyryloxy-1-isopropyl-2,2-dimethylpropylphthalate	0
ex 29.16 A II	*L*-Malic acid and its salts and esters	0
29.16 A III a)	Crude calcium tartrate	3·5
ex 29.16 A VIII a)	2,2-*Bis* (hydroxymethyl)propionic acid	0
ex 29.16 B III	2-Ethylhexyl 4-hydroxybenzoate	0
ex 29.16 B VI	Octadecyl 3-(3,5-di-*tert*-butyl-4-hydroxyphenyl)propionate	0
ex 29.16 B VI	Pentaerythritol tetrakis[3-(3,5-di-*tert*-butyl-4-hydroxyphenyl)propinate]	0
ex 29.16 D	Dinoprostone (INN)	0
ex 29.22 A III	*tert*-Butylamine	0
ex 29.22 B II	*N,N,N',N'*-Tetrabutylhexamethylenediamine	0
ex 29.22 D I	3,5-Dichloroaniline	0
ex 29.22 E II	1,8-Naphthylenediamine	0
ex 29.22 E II	*m*-Phenylenebis(methylamine)	0
ex 29.23 A II	Bis(2-dimethylaminoethyl) ether	0
ex 29.23 A II	Dinoprost (INN), Trometamol salt (INN)	0
ex 29.23 C	Ketamine hydrochloride (INNM)	0
ex 29.23 D V	Tranexamic acid (INN)	0
ex 29.23 D V	3,5-Diaminobenzoic acid	0
ex 29.23 D V	*beta*-Alanine	0
ex 29.23 E	4-(2-Hydroxy-3-isopropylaminopropoxy)-2,3,6-trimethylphenyl acetate	0
ex 29.23 E	Methyldopa (INN)	0
ex 29.23 E	Diethyl 1,3-benzodioxol-5-ylaminomethylenemalonate	0
ex 29.23 E	6-Acetyl-1,3-benzodioxol-5-ylammonium chloride	0
ex 29.23 E	Levodopa (INN)	0
ex 29.23 E	Dobutamine (INN) and its salts	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.25 A II	*N*-Acetyl-*DL*-valine	0
ex 29.25 A II	(3-Methacrylamidopropyl)trimethylammonium chloride	0
29.25 B II a)	Phenobarbital (INN) and its salts	11
ex 29.25 B II c)	Barbituric acid	0
ex 29.25 B III b)	2'-Benzoyl-4'-chloro-*N*-(2-hydroxypropyl)glycinanilide	0
ex 29.27	4-Bromophenylacetonitrile	0
ex 29.27	(—)-*N*-(*alpha*-Cyano-4-hydroxy-3-methoxy-*alpha*-methylphenethyl)acetamide	0
ex 29.27	2-(3-Phenoxyphenyl)propiononitrile	0
ex 29.29	20-Hydroxyiminopregna-5,16-dien-3-yl acetate	0
ex 29.29	Carbidopa (INN)	0
ex 29.29	Robenidine hydrochloride (INNM)	0
ex 29.29	*N,N*-Diethylhydroxylamine	0
ex 29.30	*O,O*-Bis(4-*tert*-butylphenyl) *N*-cyclohexylphosphoramidothioate	0
ex 29.30	Methyl isocyanate	9
ex 29.31 B	2-Methyl-2-(methylthio)propionaldehyde oxime	0
ex 29.31 B	4-(Methylthio)phenol	0
ex 29.31 B	Thiophenol	0
ex 29.31 B	Tolnaftate (INN)	0
ex 29.31 B	2,2'-Thiodiethyl bis[3-(3,5-di-*tert*-butyl-4-hydroxyphenyl)propionate]	0
ex 29.34 C	Crystalline dimethyltin dichloride in the form of powder, for the production of goods falling within Chapter 70 (a)	0
ex 29.35 Q	2-Acetyl-1,4-butyrolactone	0
ex 29.35 Q	4-Nitrobenzyl 7-amino-3-methyl-8-oxo-5-thia-1-azabicyclo[4.2.0]oct-2-ene-2-carboxylate and its salts	0
ex 29.35 Q	2-Benzotriazol-2-yl-4-(1,1,3,3-tetramethylbutyl) phenol	0
ex 29.35 Q	2-Benzotriazol-2-yl-*p*-cresol	0
ex 29.35 Q	2,6-Di-*tert*-butyl-4-[4,6-bis(octylthio)-1,3,5-triazin-2-yl-amino]phenol	0
ex 29.35 Q and ex 30.03 A II b)	Butorphanol (INN) and its salts	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.35 Q	(-)-l-*tert*-Butylamino-3-(4-morpholino-1,2,5-thiadiazol-3-yloxy)propan-2-ol	0
ex 29.35 Q	Clotiazepam (INN)	0
ex 29.35 Q	1,4-Diazabicyclo[2.2.2]octane(triethylenediamine)	0
ex 29.35 Q	2,4-Di-*tert*-butyl-6-(5-chlorobenzotriazol-2-yl)phenol	0
ex 29.35 Q	Carpipramine dihydrochloride (INNM)	0
ex 29.35 Q	2,3-Dihydro-2,2-dimethylbenzofuran-7-ol	0
ex 29.35 Q	1-Ethyl-1,4-dihydro-4-oxo[1,3]dioxolo[4,5-g]cinnoline-3-carbonitrile	0
ex 29.35 Q	Indometacin (INN)	0
ex 29.35 Q	Diphemanil metilsulphate (INN)	0
ex 29.35 Q	Minoxidil (INN)	0
ex 29.35 Q	Orazamide (INN)	0
ex 29.35 Q	(25*R*)-Spirost-5-en-3-*beta*-ol(diosgenin) and its esters	0
ex 29.35 Q	Triazolam (INN)	0
ex 29.35 Q	*L*-Tryptophan	0
ex 29.35 Q	4-Nitrobenzyl 7-amino-3-chloro-8-oxo-5-thia-l-azabicyclo[4.2.0]oct-2-ene-2-carboxylate and its salts	0
ex 29.35 Q	Azatadine dimaleate (INNM)	0
ex 29.35 Q	Amprolium hydrochloride (INNM)	0
ex 29.35 Q	2-(4-Pyridyl)ethanesulphonic acid	0
ex 29.35 Q	Prifinium bromide (INN)	0
ex 29.35 Q	Glucurolactone (INN)	0
ex 29.36	Quinethazone (INN)	0
ex 29.36	Sulfaguanidine (INN)	0
ex 29.36	Sulfathiazole (INN)	0
ex 29.36	4-Chloro-5-sulphamoylanthranil-*o*-toluidide	0
ex 29.38 B II	Panthenol (INN)	0
ex 29.38 B III	Folic acid (INN)	0
ex 29.39 C I	Serum gonadotrophin (INN)	0
ex 29.39 D II	Betamethasone 21-acetate (INNM)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.39 D II	Triamcinolone acetonide (INNM)	8
ex 29.39 D II	Betamethasone 17,21-dipropionate (INNM)	0
ex 29.39 D II	Triamcinolone 16-*alpha*,21-diacetate (INNM)	8
ex 29.39 D II	Fluorometholone (INN)	0
ex 29.39 D II	Halcinonide (INN)	0
ex 29.39 D II	Triamcinolone hexacetonide (INN)	8
ex 29.39 D II	Methylprednisolone (INN)	8
ex 29.39 D II	Triamcinolone (INN)	8
ex 29.39 D II	Diflorasone di(acetate) (INNM)	0
ex 29.39 E	Calcitonin (INN), salmon-type and its salts	0
ex 29.39 E	Calusterone (INN)	0
ex 29.39 E	Prasterone (INN)	0
ex 29.39 E	Calcitonin (INN), porcine	0
ex 29.42 C VII	Pilocarpine hydrochloride	0
ex 29.42 C VII	Pilocarpine nitrate	0
ex 29.42 C VII	(22*R*,25*R*)-Tomat-5-enin-3-*beta*-ol (Solasodine)	0
ex 29.44 A	Epicillin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Amikacin (INN) and its salts	0
ex 29.44 C	Amophotericin B (INN)	0
ex 29.44 C	Cefoxitin sodfum (INNM)	0
ex 29.44 C	Cefradine (INN)	0
ex 29.44 C	Minocycline *mono*-hydrochloride dihydrate (INNM)	0
ex 29.44 C	Clindamycin (INN) and its salts and esters	0
ex 29.44 C	Spectinomycin dihydrochloride pentahydrate (INNM)	0
ex 29.44 C	Gentamicin (INN) and its salts	0
ex 29.44 C	Nystatin (INN)	0
ex 29.44 C and ex 30.03 A II b)	Bleomycin sulphate (INNM)	0
ex 29.44 C	Sisomicin sulphate (INNM)	0

CCT heading No	Description	Rate of autonomous duty (%)
ex 29.44 C	Spectinomycin sulphate (INNM)	0
ex 29.44 C	Tobramycin (INN) and its salts	0
ex 29.44 C	Cefamandole (INN) and its salts and esters	0
ex 29.44 C	Cefazolin (INN) and its salts	0
ex 29.44 C	Lincomycin (INN) and its salts and esters, for the manufacture of products falling within heading No 30.03 (a)	0
ex 29.44 C	Monensin (INN) and its salts	0
ex 29.44 C	Cefaclor (INN) and its hydrates, salts and esters	0
ex 29.44 C	Fumagillin dicyclohexylammonium (INNM)	0
ex 29.45	Potassium *tert*-butoxide	0
ex 30.01 A	Bovine livers for organotherapeutic purposes, dried	0
ex 30.01 B II	Extracts of liver of bovine animals	0
ex 30.01 B II	Extracts of suprarenal glands	0
ex 30.02 A	Tenanus immonoglobulin	0
ex 30.02 A	Anti-tetanus immunoplasma	0
ex 30.02 A	German measles immunoplasma	0
ex 30.02 A	Mumps immunoplasma	0
ex 30.02 A	Whooping-cough immunoplasma	0
ex 30.03 A II b) B II b)	Human albumin, whether or not in solution	0
ex 30.03 A II b) B II b)	Human fibrinogen	0
ex 30.03 A II b) B II b)	Preserved serum prepared on a basis of human blood	0
ex 30.03 A II b) B II b)	Anti-haemophilic globulin and anti-Rh, (D)-globulin derived from human blood	0
ex 30.03 A II b)	Cisplatin (INN)	0
ex 30.03 A II b)	Mixture of oestrogens of equine origin in powder form	0
ex 30.03 B II b)	Gamma-globulin, in solution, derived from human blood	0
ex 30.03 B II b)	Lyophilized gamma-globulin derived from human blood	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
32.01 A I	Tanning extracts of wattle (mimosa)	0
ex 32.01 A IV	Tanning extracts derived from gambier and myrobolan fruits	0
ex 32.07 B	Inorganic colouring matter preparations mentioned in Note 3 to Chapter 32, in hollow polyurethane spheres having a diameter of less than 200 micrometres	0
ex 32.08 D	Glass in the form of flakes of a length not less than 0·1 mm and not more than 3·5 mm of a thickness not less than two and not more than five micrometres	0
ex 35.07	Bromelains (INN)	0
ex 35.07	Mixture of streptokinase (INN) and streptodornase (INN)	0
ex 35.07	Peroxidase	0
ex 37.02 B	Colour negative film of a width not less than 75 mm and not more than 105 mm and of a length of 100 m or more, for use in the manufacture of instant picture film packs (a)	0
38.07 B	Spirits of sulphate turpentine ; crude dipentene	3
38.07 C	Spirits of wood turpentine ; terpenic solvents produced by the distillation or other treatment of coniferous woods ; sulphite turpentine ; pine oil (excluding 'pine oils' not rich in terpineol)	3
ex 38.08 C	Hydroabietyl alcohol	0
ex 38.19 G	Catalysts consisting of bis (2-dimethylaminoethyl) ether dissolved in 1.1'-oxydipropan-2-ol	0
ex 38.19 G	Catalysts consisting essentially of diphosphorus pentaoxide on an inert support	0
ex 38.19 K	Sintered magnesite mixed with small quantities of mineral oils	0
ex 38.19 U	Lyophilized extract of the blood cells of the crab Limulus polyphemus (Lyophilized Limulus amebocyte lysate)	0
ex 38.19 U	Calcined bauxite (refactory grade)	0
ex 38.19 U	Diosgenin crude	0
ex 38.19 U	4-(6-Fluoro-2-methylinden-3-ylmethyl)phenyl methyl sulphide dissolved in toluene	0
ex 38.19 U	Mixture of x-butyl-4,4'-isoproplidenediphenol and x,x'-dibutyl-4,4'-isopropylidenediphenol	0
ex 38.19 U	Mixture of nitromethane and 1,2-epoxybutane	4

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 38.19 U	Reaction products containing not less than 55 % by weight of 2-(2-*p*-chlorophenylbenzoxazol-5-yl) propiononitrile	0
ex 38.19 U	Residue of manufacture containing not less than 40 % by weight of 11-*beta*, 17,20,21-tetrahydroxy-6-methylpregna-1,4-dien-3-one 21-acetate	0
ex 38.19 U	Intermediate products from the manufacture of monensin salts	0
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 70 % and not more than 78 % dialuminium trioxide and not less than 19 % and not more than 26 % zirconium dioxide	7·3
ex 38.19 U	Grains consisting of a mixture of dialuminium trioxide and zirconium dioxide containing by weight not less than 54 % and not more than 62 % dialuminium trioxide and not less-than 36 % and not more than 44 % zirconium dioxide	7·3
ex 38.19 U	*N*-(2-Methyl-2-nitropropyl)-4-nitrosoaniline containing not less than 65 % by weight of an inert filler	0
ex 38.19 U	Tetramethylammonium hydroxide dissolved in methanol	0
ex 39.01 A	Colestipol hydrochloride (INNM)	0
ex 39.01 C III and ex 39.03 B II b) 2, III b) 4 aa) and IV b) 4 aa)	Waste and scrap of photographic (including cinematographic) and X-ray film	0
ex 39.01 C III	Waste and scrap of polyester sheets coated with tungsten compounds	0
ex 39.01 C III	Film base, in rolls, of polyethylene terephthalate, for cinematography or photography (including radiography)	8
ex 39.01 C VII	Polyimide sheet and strip, whether or not in rolls	0
ex 39.01 C VII	*alpha*-4-Hydroxybutyl-*omega*-hydroxypoly (oxytetramethylene)	0
ex 39.01 C VII	Polyethylene oxide having a molecular weight of not less than 4 000 000	8
ex 39.01 C VII	Polyoxy (2.6-dibromo-1.4-phenylene) for use in the manufacture of polyamide (a)	0
ex 39.02 C I (b)	Transparent polyethylene film which will split longitudinally when stretched at right angles to this length, and having a density of not less than 0·925 g/cc and yielding not less than 11·5 g/m² and not more than 18·8 g/m² for the manufacture of typewriter ribbon (a)	0
ex 39.02 C II	Microporous polytetrafluorethylene film, not less than 30 cm in width and weighing not more than 22·4 g/m² whether or not in rolls	0
ex 39.02 C III	Polysulphohaloethylenes in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	4
ex 39.02 C VI (a) (b)	Copolymers solely of allyl alcohol with styrene, which have an acetyl value of not less than 175	0
ex 39.02 C VII (b)	Polyvinyl chloride sheeting, whether or not in rolls, of a thickness less than 1 mm and coated with an adhesive in which are embedded hollow glass balls having a diameter of not less than 50 and not more than 100 micrometres	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 39.02 C VIII	Copolymers of vinylidene chloride with vinyl chloride, containing not less than 79·5 % by weight of vinylidene chloride, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39, for the manufacture of fibres, monofil or strip (a)	0
ex 39.02 C XII	Poly(2-diethylaminoethyl methacrylate) dissolved in *N.N*-dimethylacetamide, with a polymer content of not less than 55 % by weight	0
ex 39.02 C XII	Copolymer of 2-di-isopropylaminoethyl methacrylate and decyl methacrylate dissolved in *N.N*-dimethylacetamide, with a copolymer content of not less than 55 % by weight	0
ex 39.02 C XII	Polyacrylic acid for use as a thickener in textile pigment printing pastes (a)	0
ex 39.02 C XIV a)	Alternating copolymer of ethylene and maleic anhydride for use as a thickener in textile pigment printing pastes (a)	0
ex 39.02 C XIV a)	Copolymers of vinylidene chloride and acrylonitrile in the form of expandable beads of a diameter not less than four and not more than 20 micrometres	0
ex 39.02 C XIV a)	Copolymers of vinyl chloride with vinyl acetate and vinyl alcohol containing by weight not less than 89 % and not more than 92 % of vinyl chloride, not less than 2 % and not more than 6 % of vinyl acetate and not less than 4 % and not more than 8 % of vinyl alcohol, in one of the forms mentioned in Note 3 (a) and (b) to Chapter 39	0
ex 39.02 C XIV a)	Fluorinated ethylene propylene copolymers, for the manufacture of flat (ribbon) cable, containing not less than 60 cores (a)	0
ex 39.02 C XIV a)	Poly(1-ethylethylene) (Polybutene-1) in one of the forms mentioned in Note 3 (b) to Chapter 39	0
ex 39.02 C XIV a)	Polymerization product of acrylic acid with small quantities of a polyunsaturated monomer for use as a thickener in textile pigment printing pastes (a)	0
ex 39.02 C XIV (b)	Polyvinyl fluoride sheet, whether or not in rolls	0
39.03 B V a) 1	Ethylcellulose, not plasticized	4
ex 39.03 B V a) 2	Ethylhydroxyethylcellulose, insoluble in water	4
ex 39.03 B V a) 2	Hydroxypropylcellulose	0
ex 39.06 B	*O*-(2-hydroxyethyl)amylopectin hydrolysate	0
ex 39.07 B V d)	Perforated polyethylene film of a width of not less than 4·5 cm and net more than 5·5 cm and having a molecular weight of not less than 4 000 000 in rolls for use as conveyor belts in machines for manufacturing cigars (a)	0
ex 41.02 C	Leather of East India kip, whole, whether or not the heads and legs have been removed, each weighing more than 4·5 kg net and not more than 8 kg, not further prepared than vegetable tanned, whether or not having undergone further preservative treatment with oil, but obviously unsuitable for immediate use in the manufacture of leather articles	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
41.03 B I	Sheep and lambskin leather, except leather falling within heading No 41.06 or 41.08, other not further prepared than tanned	0
41.04 B I	Goat and kid skin leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
41.05 B I	Other kinds of leather, except leather falling within heading No 41.06 or 41.08, other, not further prepared than tanned	0
ex 44.22 B	Used casks and barrels of oak, whether assembled or not ; their staves and heads	0
ex 44.28 D II	Shingles for roofs and walls of coniferous wood	0
45.01	Natural cork, unworked, crushed, granulated or ground ; waste cork	0
45.02	Natural cork in blocks, plates, sheets or strips (including cubes or square slabs, cut to size for corks or stoppers)	4
ex 49.11 B	Microcopies on an opaque base for data banks and libraries (a)	0
ex 49.11 B	Artists' screen prints (commonly described as serigraphs), signed by the artist and numbered from 1 to 200	0
ex 51.01 A	Yarn wholly of polyglycollic acid	0
ex 51.01 A	Yarn of polytetrafluoroethylene	0
ex 51.01 A	Yarn of polyvinyl alcohol, soluble in water at a temperature of 50 °C for use in the manufacture of weftless 'felts' for papermaking machines (a)	0
ex 51.02 A I	Monofil of polytetrafluoroethylene	0
ex 51.02 A II	Polyimide strip, whether or not in rolls	0
ex 51.02 A II	Strip of polytetrafluoroethylene, whether or not in rolls with an extension at break not exceeding 25 %	0
ex 51.04 A IV	Woven fabrics of polyvinyl alcohol fibres for machine embroidery	0
ex 54.03 B I a)	Unbleached linen yarn (excluding yarn of flax tow), measuring per kg 30 000 m or less, for the manufacture of multiple or cabled yarns for the footwear industry or for whipping cables (a)	0
ex 56.01 A	Textile fibres of polytetrafluoroethylene	0
ex 58.01 B	Carpets, carpeting and rugs, of silk or of waste silk other than noil, of which the pile contains not less than 85 % by weight of silk or waste silk other than noil (b)	20 with a maximum duty of 4 EUA per m²

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.
(b) The Additional Note to Chapter 58 shall apply here.

CCT heading No	Description	Rate of autonomous duty (%)
ex 58.07 A	Braid wholly of polyglycollic acid yarn	0
ex 59.03	Bonded fibre fabrics and similar bonded yarn fabrics of aromatic polyamide man-made fibres obtained by polycondensation of *m*-phenylene-diamine and isophthalic acid	0
ex 59.04	Coir yarn, for the manufacture of carpets, carpeting and rugs, mats and the like (a)	0
ex 59.17 D	Yarn and strip of impregnated polytetrafluoroethylene, whether or not oiled or graphited	0
62.03 B I a)	Sacks and bags of the kind used for the packing of goods, used, of flax or of sisal	0
ex 68.02 B	Artificially coloured granules and chippings	0
ex 69.09 B	Catalyst supports, consisting of porous cordierite ceramic pieces of roughly circular or oval cross-section with parallel sides, having an overall volume of not less than 240 ml and not more than 11 100 ml, and having a minimum dimension of not less than 70 mm and a maximum dimension of not more than 480 mm, having not less than 28 continuous channels per 100 mm^2 running parallel to the main axis of symmetry, the total channel cross-section area being not less than 50 % and not more than 80 % of the whole cross-section area	0
ex 70.19 A IV b)	Glass beads of a diameter of less than 0·1 mm and with a refractive index of 2·26	0
ex 70.20 A	Mats of non-textile glass fibres of a weight per square metre of not more than 100 g and a fibre diameter of not more than seven micrometres	0
ex 70.20 B	Glass-fibre yarns, with a filament diameter of not more than four micrometres, for the manufacture of carpets (a)	0
ex 70.20 B	Yarns of 33 tex or a multiple thereof obtained from continuous spun glass filaments having a diameter of not less than 2·5 and not more than 5·1 micrometres other than those treated so as to improve their adhesion to elastomers	0
ex 75.04 A	Tubes of nickel, not alloyed, of a purity not less than 99 %, not deviating from straightness lengthwise by more than 1 mm per 150 cm of length, and with an outside diameter either : — Not less than 213·36 mm and not more than 214 mm, or — Not less than 209·95 mm and not more than 210·59 mm, or — Not less than 168·28 mm and not more than 168·78 mm	0
76.01 B I b)	Waste of aluminium other (including factory rejects)	0
ex 76.03	Aluminium alloy strip in coils, containing not less than 18 % by weight and not more than 23 % by weight of tin and not less than 0·7 % by weight and not more than 1·5 % by weight of copper as the major alloying elements and having a width of not less than 75 and not more than 230 mm and a thickness of not less than 3 and not more than 6·5 mm	0
ex 81.03 B	Wire of unalloyed tantalum, of a diameter not less than 0·25 mm and not more than 0·5 mm, for the manufacture of capacitors (a)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.

CCT heading No	Description	Rate of autonomous duty (%)
ex 81.04 D I b)	Chromium, in the form of cathode chips, pellets or briquettes, which contains not more than 0·10 % by weight of total oxygen, not more than 0·015 % by weight of total aluminium and not more than 0·001 % by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and evaluated as aluminium, for the production of alloy for the manufacture of the following parts of gas turbines and jet engines (a): — Blades, fixed or movable, including their rings — Vanes — Nozzles	0
ex 81.04 G I	Electrolytic manganese of a purity of at least 99·7 %, for the chemical industry (a)	0
ex 81.04 K I	Waste and scrap titanium	0
ex 81.04 K I	Titanium sponge	0
ex 84.51 A	Typewriters with Braille characters	0
ex 84.59 B	Integrally forged, rough-turned components with unit weights of more than 150 tonnes, for reactor pressure vessels	0
ex 84.63 D	Forged and roughly shaped generator and turbine shafts of a weight exceeding 180 tonnes	0
ex 85.13 B	Sonic convertors consisting of a box approximately 28 cm long, approximately 13 cm broad and approximately 10 cm high the top being shaped in the form of a cradle to receive a telephone handset, incorporating a lamp to indicate the state of call. This modem (MODulator/DEModulator) converts teleprinter keyboard signals for transmission by telephone line or radio for reconversion to keyboard signals on a distant teleprinter	0
ex 90.01 B	Material consisting of a polarizing film, supported on one or both sides by transparent material	0
ex 90.19 A III	Vascular prostheses	0
ex 90.19 B II	Reading appliances for the blind, in which a miniature camera using photo-transistors transmits letters onto a scanning bord with piezo-electric pencils, and its parts and accessories	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.