I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EEC) No 1677/83

of 21 June 1983

fixing for the 1983 harvest the norm and intervention prices and the premiums granted to purchasers of leaf tobacco, the derived intervention prices for baled tobacco and the reference qualities

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 43 thereof,

Having regard to Council Regulation (EEC) No 727/70 of 21 April 1970 on the common organization of the market in raw tobacco (1), as last amended by Regulation (EEC) No 1461/82 (2), and in particular Articles 2 (5), 4 (4) and 6 (8) thereof,

Having regard to the proposal from the Commission (3),

Having regard to the opinion of the European Parliament (4),

Having regard to the opinion of the Economic and Social Committee (5),

Having regard to the opinion of the Monetary Committee,

Whereas, when fixing the prices for raw tobacco, account should be taken both of the objectives of the common agricultural policy and of the contribution which the Community desires to make to the harmonious development of world trade; whereas the objectives of the common agricultural policy are, in particular, to ensure a fair standard of living for the agricultural community, to assure the availability of supplies and to ensure that supplies reach consumers at reasonable prices;

Whereas the norm and intervention prices for leaf tobacco must be fixed in accordance with the criteria laid down in Article 2 (2) of Regulation (EEC) No 727/70 in order in particular to encourage producers to convert to the cultivation of those varieties which are most competitive and most in demand;

Whereas Council Regulation (EEC) No 1535/81 of 19 May 1981 laying down special measures for certain varieties of raw tobacco of the 1981, 1982 and 1983 harvests (6) provided for a reduction in the intervention price for the said varieties;

Whereas it is again desirable to fix, in respect of the 1983 harvest, derived intervention prices both for the varieties which, before the common organization of the market came into force, or, in the case of varieties grown in Greece, prior to accession, qualified for a price guarantee at the baled tobacco stage, and for the varieties which are mainly grown in the Federal Republic of Germany, in order to take account of marketing practices in that country, whereas, to this end, both increased costs and increased productivity should be taken into consideration;

Whereas the premium granted to purchasers of Community tobacco is intended to enable them to pay producers of leaf tobacco a price which is at the level of the norm price, account being taken of the trend in world market prices and the level of prices established by the interaction of supply and demand on the Community market;

Whereas the abovementioned prices and the amount of the premium must be fixed for each variety in relation to a reference quality defined in such a way that as objective an assessment as possible can be made of the quality of the tobacco; whereas the definitions of the reference qualities for the 1983 harvest should be those laid down in Council Regulation (EEC) No 1462/82 of 18 May 1982 fixing for the 1982 harvest the norm and intervention prices and the premiums granted to purchasers of leaf tobacco, the derived intervention prices for baled tobacco and the reference qualities (7);

(1) OJ No L 94, 28. 4. 1970, p. 1.
(2) OJ No L 164, 14. 6. 1982, p. 27.
(3) OJ No C 32, 7. 2. 1983, p. 37.
(4) OJ No C 96, 11. 4. 1983, p. 47.
(5) OJ No C 81, 24. 3. 1983, p. 6.
(6) OJ No L 156, 15. 6. 1981, p. 1.
(7) OJ No L 164, 14. 6. 1982, p. 28.

Whereas Article 87 (3) of the 1979 Act of Accession provides that the norm prices in Greece shall be fixed in accordance with the criteria laid down in the first subparagraph of Article 2 (2) of Regulation (EEC) No 727/70, increased in four stages by the incidence of the reduction in national aids that the Hellenic Republic is authorized to maintain in a degressive fashion for tobacco pursuant to Article 69 of that Act, the second increase occurring for the third harvest following accession;

Whereas Regulation (EEC) No 1223/83 [1] provides that for the tobacco sector, from 23 May 1983, a new representative rate shall be applied to the currencies of certain Member States; whereas that provision should lead, as from that date, to a reduction, in terms of national currencies, of the premium fixed in units of account for a substantial part of the harvest in those Member States whose representative rate is revalued; whereas, however, it seems more appropriate to the nature of this sector that the same conditions should apply to the entire harvest in a given year; whereas this objective could be achieved if the previous rates of exchange for the Member States concerned were to be made applicable to premiums paid for the 1982 harvest,

HAS ADOPTED THIS REGULATION:

Article 1

For the 1983 harvest the reference qualities for each of the varieties of leaf tobacco of Community production, referred to in Article 2 (3) (c) of Regulation (EEC) No 727/70, shall be as set out in Annex I.

Article 2

For the 1983 harvest the reference qualities referred to in Article 6 (3) (c) of Regulation (EEC) No 727/70, for each of the varieties of baled tobacco of Community production in respect of which a derived intervention price is fixed, shall be as set out in Annex II.

Article 3

For the 1983 harvest the norm and intervention prices and the amounts of the premium granted to purchasers of leaf tobacco referred to in Articles 2 and 3 of Regulation (EEC) No 727/70, and the derived intervention prices for baled tobacco referred to in Article 6 of the said Regulation, shall be as set out in Annex III.

Article 4

The exchange rate to be applied in the Federal Republic of Germany for the purposes of the premiums for the 1982 harvest shall be the representative rate applicable to the currency in question prior to 23 May 1983.

Article 5

This Regulation shall enter into force on the third day following its publication in the *Official Journal of the European Communities*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Luxembourg, 21 June 1983.

For the Council

The President

H.-W. LAUTENSCHLAGER

---

[1] OJ No L 132, 21. 5. 1983, p. 33.

ANNEX I

Leaf tobacco: varieties and their reference qualities for the 1983 harvest

Serial No	Variety	Reference quality
1	Badischer Geudertheimer	Class 1 Hauptgut (top quality leaf) Class 1: leaf ripe, sound, without blemish, dark brown to mottled brown, of uniform length Packaging: tobacco graded, tied in hands or in temporary bales with non-tobacco material Moisture: 26 %
2	Badischer Burley E	Class 1 Hauptgut (top quality leaf) Class 1: leaf ripe, sound, without blemish, fleshy, reddish brown to light brown, of uniform length Packaging: tobacco graded, tied in hands or in temporary bales with non-tobacco material Moisture: 25 %
3	Virgin D	Class 1 Leaf Class 1: leaf ripe, sound, without blemish, yellow to reddish yellow; variations in colour such as brownish to greenish yellow are allowed up to a third of the leaf's surface Packaging: tobacco graded, tied in hands or in temporary bales with non-tobacco material Moisture: 19 %
4	(a) Paraguay and hybrids thereof (b) Dragon vert and hybrids thereof, Philippin, Petit Grammont (Flobecq), Semois, Appelterre	Class 2 Middle leaf Class 2: leaf sound, with minor defects as regards colour, texture, or ripeness but with satisfactory combustibility Packaging: tobacco graded and tied in hands or straight laid (loose leaf) Moisture: 27 %
5	Nijkerk	Class 2 Tips Class 2: — either leaf of second length (not exceeding 45 cm) with very gummy texture, fleshy, still undamaged; strong and elastic, without prominent veins, well ripened producing a lively brown to dark brown colour, — or leaf of first length (exceeding 45 cm) with a texture still gummy, fleshy and still undamaged; strong, with relatively prominent veins, of all colours except bottle green Packaging: tobacco graded and tied in hands or straight laid (loose leaf) Moisture: 27 %

Serial No	Variety	Reference quality
6	(a) Misionero and hybrids thereof (b) Rio Grande and hybrids thereof	2nd quality leaf 2nd quality: leaf fully developed over 45 cm, not coarse grained, lively to fairly lively light somewhat yellowish colour, reasonably firm and undamaged; reasonably good combustibility Packaging: tobacco graded and tied in hands or straight laid (loose leaf) Moisture: 27 %
7	Bright	Leaf in category A Category A: leaf sufficiently ripe, without curing defects, open texture, with stems (midribs) and veins not too prominent, sound, of various shades of yellow Packaging: in temporary bales of 30 to 40 kg Moisture: 16 %
8	Burley I	Leaf in category A Category A: leaf sufficiently ripe, without curing defects, of open possibly firm texture, stems (midribs) and veins not too prominent, sound, of a more or less lively nut-brown colour Packaging: in temporary bales of 30 to 40 kg or tied in hands of 25 to 30 leaves with non-tobacco material (fascicoli) Moisture: 19 %
9	Maryland	Leaf in category A Category A: leaf sufficiently ripe, with slight curing defects and only slightly mottled, of average texture with stems (midribs) and veins not too prominent, sound, of a rather lively reddish brown colour Packaging: in temporary bales of 30 to 40 kg or tied in hands of 25 to 30 leaves with non-tobacco material (fascicoli) Moisture: 19 %
10	(a) Kentucky and hybrids thereof (b) Moro di Cori (c) Salento	Leaf in category B Category B: leaf fully ripe, of firm texture, without curing and condition defects, brown in colour, with some damage, with good combustibility Packaging: in hands of 25 to 30 leaves tied with a non-tobacco material (fascicoli) Moisture: 23 %

Serial No	Variety	Reference quality
11	(a) Forchheimer Havanna II c (b) Nostrano del Brenta (c) Resistente 142 (d) Gojano	Leaf in category B Category B: leaf of firm or light texture, sound, without any curing defects, brown to greenish in colour, with some damage Packaging: tobacco graded, tied in hands or in temporary bales with non-tobacco material Moisture: 26 %
12	(a) Beneventano (b) Brasile Selvaggio and similar varieties	Leaf in category B Category B: leaf sufficiently ripe, firm texture or possibly coarse or thin, with minor defects as regards curing and fermentation and damage Packaging: in hands of 25 to 30 leaves tied with non-tobacco material (fascicoli) Moisture: 24 %
13	Xanti-Yakà	Leaf in category B Category B: leaf reasonably sound and ripe, sessile, of oval or elliptical shape, stems (midribs) not too prominent and well-spaced veins, with some curing defects, mainly of light texture, from yellow to brown in colour, with marked damage but in good condition, taken from all positions on the stalk, with discreet flavour, sufficient aroma and good combustibility The length of the middle leaves not to exceed 20 cm Packaging: in temporary bales of 15 to 20 kg or 'stringed' in cases of 30 to 40 kg Moisture: 17 %
14	(a) Perustitza (b) Samsun	Leaf in category B Category B: leaf reasonably sound and ripe, sessile (Perustitza) or with leaf stalks (Samsun), of elliptical-lanceolate shape with fine points (Perustitza) or elliptical and rounded (Samsun), without prominent stems (midribs) and with veins at a rather acute angle, with slight curing defects, generally of light texture, in colour from yellow to brown (Perustitza), or reddish (Samsun), with marked damage but in good condition, taken from all positions on the stalk, with discreet flavour, sufficient aroma and good combustibility The length of the middle leaves not to exceed 25 cm Packaging: in temporary bales of 15 to 20 kg or 'stringed' in cases of 30 to 40 kg Moisture: 17 %

Serial No	Variety	Reference quality
15	Erzegovina and similar varieties	Leaf in category B Category B: leaf reasonably sound and ripe, sessile, of oval or elliptical shape, with fairly prominent stems (midribs) and fairly open veins, with some curing defects, mainly of light texture, from yellow to brown in colour, with marked damage but in good condition, taken from all positions on the stalk, with discreet flavour, sufficient aroma and good combustibility The length of the middle leaves not to exceed 35 cm Packaging: in temporary bales of 15 to 20 kg or 'stringed' in cases of 30 to 40 kg Moisture: 17 %
16	(a) Round Tip (b) Scafati (c) Sumatra I	Leaf in category B Category B: lower middle leaf, sorted by length in the following proportions: first length (38 cm and over): 60 % second length (from 32 to under 38 cm): 35 % third length (from 25 to under 32 cm): 5 % Leaf of convenient size, fully ripe and of uniform colour, sound, without damage, fine texture, tensile and elastic, stems and veins not prominent, well fermented and in good condition, good combustibility, of typical flavour and aroma, suitable for wrapping cigars, including about 25 % broken leaf Packaging: in hands tied with a non-tobacco material (fascicoli) Moisture: 22 %
17	Basmas	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except the first 'protomana', up to 15 cm long, colour golden-yellow, orange to yellow-red, with good elasticity, shiny, fairly bodied, porous structure and fine texture, with strong, typical aroma, good combustibility Leaf as described above constitutes 45 % of quality I/III Leaf ripe showing slight damage and/or curing defects, with slight disease blemishes, from all positions on the plant, up to 20 cm long, colour light yellow, yellow-green, reddish or light brown, with fairly porous structure and fine texture, medium elasticity moderately shiny and bodied, with strong, typical aroma, very good combustibility Leaf as described above constitutes 55 % of quality I/III Packaging: growers' bales of 15 to 25 kg, formed in the traditional way from two rows of pastals (leaves straight laid). In the districts of Astakos and Chrysoupolis packing is in 'armathodema' Moisture: 17 %

Serial No	Variety	Reference quality
18	Katerini and similar varieties	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except the first 'protomana', up to 20 cm long, colour light yellow or orange to reddish, of porous structure, good elasticity, shiny, fairly bodied, fine texture and very good combustibility Leaf as above constitutes 45 % of quality I/III Leaf ripe with slight damage and/or curing defects, with slight disease blemishes, from all positions on the plant, up to 25 cm long, colour yellow, orange, yellow-green, reddish or light brown, of porous structure, moderately bodied, medium elasticity and shiny, fine texture and very good combustibility Leaf as described above constitutes 55 % of quality I/III Packaging: strings are usually bulked using the 'Baski' system before packing. Packing is in bales of 25 to 35 kg using traditional 'Kaloup' system Moisture: 16 %
19	(a) Kaba-Koulak classic (b) Elassona	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except top leaves, up to 25 cm long for Macedonia Kaba-Koulak and to 20 cm long for Elassona, Karatzova and Kontoula, of moderate to deep yellow colour, good elasticity, shiny, of porous structure, fine texture and excellent combustibility Leaf as described above constitutes 47 % of quality I/III Leaf ripe, with some slight damage and/or curing defects, with slight disease blemishes, from all positions on the plant, up to 30 cm long for Macedonia Kaba-Koulak and 25 cm long for Elassona, Karatzova and Kontoula, colour yellow, yellow-green, reddish, of fairly porous structure and fairly fine texture, medium elasticity and moderately shiny, excellent combustibility Leaf as described above constitutes 53 % of quality I/III Packaging: growers' bales of 15 to 30 kg, made up in the traditional form of two rows of 'armathodema' Moisture: 17 %
20	(a) Kaba-Koulak non-classic (b) Myrodata Smyrnis, Trapezous, Phi 1	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except the top leaves, up to 30 cm long for Macedonia Kaba-Koulak and Trapezous, 20 cm long for Phi 1 and 15 cm long for Myrodata Smyrnis, of light yellow to reddish colour, good elasticity, shiny, fairly porous structure, fine texture and excellent combustibility Leaf as described above constitutes 47 % of quality I/III

Serial No	Variety	Reference quality
20 *(cont'd)*	(a) Kaba-Koulak non-classic (b) Myrodata Smyrnis, Trapezous, Phi 1	Leaf ripe and reasonably undamaged, with slight curing defects, with slight disease blemishes, from all positions on the plant, up to 35 cm long for Macedonia Kaba-Koulak and Trapezous, 25 cm long for Phi 1 and 20 cm long for Myrodata Smyrnis, of yellow, yellow-green or light brown colour, of fairly porous structure, fairly fine texture, fairly elastic and shiny, very good combustibility Leaf as described above constitutes 53 % of quality I/III Packaging: growers' bales of 25 to 35 kg, made up using the traditional 'armathodema' system or of 35 to 50 kg using the 'Kaloup' system Moisture: 17 %
21	Myrodata Agrinion	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound without curing defects, from all positions on the plant except the first 'protomana', up to 25 cm long, of yellow to deep orange colour, of good elasticity, shiny, porous structure, fine texture and excellent combustibility Leaf as described above constitutes 47 % of quality I/III Leaf ripe and reasonably undamaged, with slight curing defects, with slight disease blemishes, from all positions on the plant, up to 30 cm long, of yellow, yellow-green or light reddish colour, fairly porous structure and fairly fine texture, fairly elastic and shiny, excellent combustibility Leaf as described above constitutes 53 % of quality I/III Packaging: growers' bales of 15 to 30 kg made up in the traditional way in two rows of 'armathodema' Moisture: 15 %
22	Zichnomyrodata	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, without curing defects, from all positions on the plant except top leaves, up to 20 cm long, light yellow to light orange colour, good elasticity, shiny, porous structure, fine texture; excellent combustibility Leaf as described above constitutes 47 % of quality I/III Leaf ripe and reasonably undamaged, with slight curing defects, with slight disease blemishes, from all positions on the plant, up to 25 cm long, colour yellow, yellow-green or light reddish, fairly porous structure and fairly fine texture, fairly elastic and shiny, excellent combustibility Leaf as described above constitutes 53 % of quality I/III Packaging: growers' bales of 15 to 30 kg made up in the traditional way in two rows of 'armathodema' Moisture: 17 %
23	Tsebelia	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, without curing defects, from all positions on the plant except the first 'protomana', up to 35 cm long, colour yellow-red, orange to reddish, of porous structure, good elasticity and shiny, fairly bodied, fine texture and very good combustibility Leaf as described above constitutes 45 % of quality I/III

Serial No	Variety	Reference quality	
23 *(cont'd)*	Tsebelia		Leaf ripe and reasonably undamaged, with minor curing defects, from all positions on the plant, up to 40 cm long, colour light yellow, yellow-green, reddish or light brown, fairly porous structure, fairly elastic and shiny, fairly bodied, fairly fine texture, very good combustibility; includes leaves with slight disease blemishes and/or minor damage
			Leaf as described above constitutes 55 % of quality I/III
		Packaging:	growers' bales of 30 to 40 kg, made up in two rows of 'armathodema'
		Moisture:	14 %
24	Mavra	Quality I/III leaves	
		Quality I/III:	leaf ripe, undamaged, sound, without curing defects, from all positions on the plant except the first 'protomana', up to 30 cm long, colour yellow-reddish or orange to reddish, with porous structure, fine texture, good elasticity and shiny, fairly bodied, good combustibility
			Leaf as described above constitutes 45 % of quality I/III
			Leaf ripe and reasonably undamaged, showing minor curing defects, from all positions on the plant, up to 40 cm long, colour yellowish, yellow-green (lemon), reddish or light brown, fairly porous structure and fairly fine texture, fairly elastic and shiny, fairly bodied, of good combustibility; includes also leaves with slight disease blemishes and/or minor damage
			Leaf as described above constitutes 55 % of quality I/III
		Packaging:	growers' bales of 30 to 50 kg made up in two rows of armathodema'
		Moisture:	14 %
25	Burley GR	Quality A leaves	
		Quality A:	leaf fully ripe, fully developed, undamaged, sound, without curing defects, from the middle stalk position, of uniform medium nut-brown to nut-red colour, porous structure, fine texture, excellent combustibility
		Packaging:	growers' bales of 40 kg, made up in two rows of 'armathodema', no strings (leaves loose)
		Moisture:	22 %
26	Virginia GR	Quality A leaves	
		Quality A:	leaf fully ripe, fully developed, sound, undamaged, without curing defects, of uniform lemon yellow to medium orange colour, well bodied, fine texture and good combustibility, mainly from the middle stalk position
		Packaging:	growers' bales of 30 to 40 kg, made up in two rows of 'armathodema', no strings (leaves loose)
		Moisture:	19 %

ANNEX II

Baled tobacco: varieties and their reference qualities for the 1983 harvest

Serial No	Variety	Reference quality
1	Badischer Geudertheimer	Class 1 Hauptgut (top quality leaf) Class 1: leaf ripe, sound, without blemish, dark brown to mottled brown, of uniform length, fermented normally Packaging: in bales, cases or cartons of approximately 75 to 200 kg or in barrels of approximately 225 to 450 kg Moisture: 16 %
2	Badischer Burley E	Class 1 Hauptgut (top quality leaf) Class 1: leaf ripe, sound, without blemish, fleshy light brown to reddish or dark brown, of uniform length, fermented normally Packaging: in bales or cases of approximately 75 to 175 kg or in barrels of approximately 225 to 450 kg Moisture: 15 %
3	Virgin D	Class 1 leaf Class 1: leaf, ripe, sound, without blemish, yellow to reddish or brownish yellow, fermented normally Packaging: in bales or cases of approximately 75 to 175 kg or in barrels of approximately 225 to 450 kg Moisture: 13 %
7	Bright	Leaf in category A Category A: leaf sufficiently ripe, without curing defects, open texture, with stems (midribs) and veins not too prominent, sound, of various shades of yellow Packaging: in barrels of approximately 280 to 450 kg or cartons of approximately 150 to 210 kg Moisture: 13 %
8	Burley I	Leaf in category A Category A: leaf sufficiently ripe, without curing defects, of open possibly firm texture, stems (midribs) and veins not too prominent, sound, of a more or less lively nut-brown colour Packaging: in barrels of approximately 280 to 450 kg or cartons of approximately 150 to 210 kg Moisture: 13 %

Serial No	Variety	Reference quality
9	Maryland	Leaf in category A Category A: leaf sufficiently ripe, with slight curing defects and only slightly mottled, of average texture, stems (midribs) and veins not too prominent, sound, of a rather lively reddish brown colour Packaging: in barrels of approximately 280 to 450 kg or cartons of approximately 150 to 210 kg Moisture: 13 %
10	(a) Kentucky and hybrids thereof (b) Moro di Cori (c) Salento	Leaf in category B Category B: leaf fully ripe, of firm texture, without curing and condition defects, brown in colour, with some damage, of good combustibility Packaging: in barrels of approximately 280 to 450 kg or bags of approximately 170 to 200 kg Moisture: 16 %
11	(a) Forchheimer Havanna II c (b) Nostrano del Brenta (c) Resistente 142 (d) Gojano	Leaf in category B Category B: leaf of firm or light texture, sound, without any curing defects, brown to greenish in colour, with some damage Packaging: in bales, cases or cartons of approximately 75 to 200 kg or in barrels of approximately 225 to 450 kg Moisture: 16 %
12	(a) Beneventano (b) Brasile Selvaggio and similar varieties	Leaf in category B Category B: leaf sufficiently ripe, firm texture or possibly coarse or thin, with minor defects as regards curing and fermentation and damage Packaging: in bales of approximately 120 kg or barrels of approximately 330 kg Moisture: 16 %
13	Xanti-Yakà	Leaf in category B Category B: leaf reasonably sound and ripe, sessile, of oval or elliptical shape, stems (midribs) not too prominent and well-spaced veins, with some curing defects, mainly of light texture, from yellow to brown in colour, with marked damage but in good condition, taken from all positions on the stalk, with discreet flavour, sufficient aroma and good combustibility The length of the middle leaves not to exceed 20 cm Packaging: in small bales of approximately 18 to 50 kg Moisture: 13 %

Serial No	Variety	Reference quality
14	(a) Perustitza (b) Samsun	Leaf in category B Category B: leaf reasonably sound and ripe, sessile (Perustitza) or with leaf, stalks (Samsun) of elliptical lanceolate shape with fine points (Perustitza) or elliptical and rounded (Samsun) without prominent stems (midribs) and with veins at a rather acute angle, with slight curing defects, generally of light texture, in colour from yellow to brown (Perustitza) or reddish (Samsun), with marked damage but in good condition, taken from all positions on the stalk with discreet flavour, sufficient aroma and good combustibility The length of the middle leaves not to exceed 25 cm Packaging: in small bales of approximately 18 to 50 kg Moisture: 13 %
15	Erzegovina and similar varieties	Leaf in category B Category B: leaf reasonably sound and ripe, sessile, of oval or elliptical shape, with fairly prominent stems (midribs) and fairly open veins, with some curing defects, mainly of light texture, from yellow to brown in colour, with marked damage but in good condition, taken from all positions on the stalk, with discreet flavour, sufficient aroma and good combustibility The length of the middle leaves not to exceed 35 cm Packaging: in small bales of approximately 18 to 50 kg Moisture: 13 %
16	(a) Round Tip (b) Scafati (c) Sumatra I	Leaf in category B Category B: lower middle leaf, sorted by length in the following proportions: first length (38 cm and over): 60 % second length (from 32 to under 38 cm): 35 % third length (from 25 to under 32 cm): 5 % leaf of convenient size, fully ripe and of uniform colour, sound, without damage, fine texture, tensile and elastic, stems and veins not prominent, well fermented and in good condition, good combustibility, of typical flavour and aroma, suitable for wrapping cigars, including about 25 % broken leaf Packaging: in bales of approximately 70 to 90 kg or cartons of approximately 180 to 210 kg Moisture: 16 %

Serial No	Variety	Reference quality
17	Basmas	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except the first 'protomana', up to 15 cm long, colour golden-yellow, orange to yellow-red, with good elasticity and shiny, fairly bodied, porous structure and fine texture, with strong, typical aroma, good combustibility Leaf as described above (I/II) constitutes 45 % of quality I/III Leaf ripe and reasonably undamaged, with slight curing defects and slight disease blemishes, up to 20 cm long, colour light yellow, reddish or light brown, with fairly porous structure and fine texture, medium elasticity, moderately shiny and bodied, with strong, typical aroma, very good combustibility Leaf as described above (III) constitutes 55 % of quality I/III Packaging: bales ('Tongas') of approximately 30 kg Moisture: 13 %
18	Katerini and similar varieties	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except the first 'protomana', up to 20 cm long, colour light yellow or orange to reddish, of porous structure, good elasticity, shiny, fairly bodied, fine texture and very good combustibility Leaf as described above (I/II) constitutes 45 % of quality I/III Leaf ripe with slight damage and curing defects, with slight disease blemishes, from all positions on the plant, up to 25 cm long, colour yellow, orange, yellow-green, reddish or light brown, of porous structure, medium elasticity and shiny, fairly bodied, fine texture and very good combustibility Leaf as described above constitutes 55 % of quality I/III Packaging: bales ('Tongas') of approximately 30 kg Moisture: 13 %
19	(a) Kaba-Koulak (classic) (b) Elassona	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except top leaves, up to 25 cm long for Macedonia Kaba-Koulak and to 20 cm long for Elassona, Karatzova and Kontoula, of moderate to deep yellow colour, good elasticity, shiny, of porous structure, fine texture and excellent combustibility Leaf as described above constitutes 47 % of quality I/III Leaf ripe with some slight damage and/or curing defects, with slight disease blemishes, from all positions on the plant, up to 30 cm long for Macedonia Kaba-Koulak and 25 cm long for Elassona, Karatzova and Kontoula, of yellow to reddish colour, of fairly porous structure and fairly fine texture, medium elasticity, shiny, excellent combustibility Leaf as described above constitutes 53 % of quality I/III Packaging: bales ('Tongas') of approximately 30 kg Moisture: 13 %

Serial No	Variety	Reference quality
20	(a) Kaba-Koulak (non-classic) (b) Myrodata Smyrnis, Trapezous, Phi 1	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except top leaves, up to 30 cm long for Macedonia Kaba-Koulak and Trapezous, 20 cm long for Phi 1 and 15 cm long for Myrodata Smyrnis, of light yellow to reddish colour, good elasticity, shiny, fairly porous structure, fine texture and excellent combustibility Leaf as described above (I/II) constitutes 47 % of quality I/III Leaf ripe and reasonably undamaged, with slight curing defects, with slight disease blemishes, from all positions on the plant, up to 35 cm long for Macedonia Kaba-Koulak and Trapezous, 25 cm long for Phi 1, and 20 cm long for Myrodata Smyrnis, of yellow to light brown colour, fairly porous structure, fairly fine texture, fairly elastic and shiny, very good combustibility Leaf as described above (III) constitutes 53 % of quality I/III Packaging: bales ('Tongas') of approximately 30 kg Moisture: 13 %
21	Myrodata Agrinion	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except the first 'protomana', up to 25 cm long, of yellow to deep orange colour, of good elasticity, shiny, porous structure, fine texture and excellent combustibility Leaf as described above (I/II) constitutes 47 % of quality I/III Leaf ripe and reasonably undamaged, with slight curing defects, with slight disease blemishes, from all positions on the plant, up to 30 cm long, of yellow to light reddish colour, fairly porous structure and fairly fine texture, fairly elastic and shiny, excellent combustibility Leaf as described above (III) constitutes 53 % of quality I/III Packaging: bales ('Tongas') of approximately 30 kg Moisture: 14 %
22	Zichnomyrodata	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except top leaves, up to 20 cm long, from light yellow to light orange in colour, good elasticity, shiny, porous structure, fine texture and excellent combustibility Leaf as described above constitutes 47 % of quality I/III Leaf ripe and reasonably undamaged, with slight curing defects, with slight disease blemishes, from all positions on the plant, up to 25 cm long, of yellow to light reddish colour, fairly porous structure and fairly fine texture, fairly elastic and shiny, excellent combustibility Leaf as described above (III) constitutes 53 % of quality I/III Packaging: bales ('Tongas') of approximately 30 kg Moisture: 13 %

Serial No	Variety	Reference quality
23	Tsebelia	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except the first 'protomana', up to 30 cm long, colour yellow-red, orange to reddish, of porous structure, elastic and shiny, fairly bodied, fine texture and very good combustibility Leaf as described above (I/II) constitutes 45 % of quality I/III Leaf ripe and reasonably undamaged, with minor curing defects, from all positions on the plant, up to 40 cm long, colour from light yellow to reddish or light brown, fairly porous structure, fairly elastic and shiny, fairly bodied, fairly fine texture, very good combustibility; includes also leaves with slight disease blemishes and/or minor damage Leaf as described above constitutes 55 % of quality I/III Packaging: bales ('Tongas') of approximately 30 kg Moisture: 13 %
24	Mavra	Quality I/III leaves Quality I/III: leaf ripe, undamaged, sound, well cured, from all positions on the plant except the first 'protomana', up to 30 cm long, colour yellow-reddish or orange to reddish, with porous structure, fine texture, elastic and shiny, fairly bodied, good combustibility Leaf as described above constitutes 45 % of quality I/III Leaf ripe and reasonably undamaged, with minor curing defects, from all positions on the plant, up to 40 cm long, colour from yellowish to reddish or light brown, fairly porous structure and fairly fine texture, fairly elastic and shiny, fairly bodied, of good combustibility; includes also leaves with slight disease blemishes and/or minor damage Leaf as described above constitutes 55 % of quality I/III Packaging: bales ('Tongas') of approximately 30 kg Moisture: 13 %
25	Burley GR	Quality A leaves Quality A: leaf fully ripe, fully developed, undamaged, sound, well cured, from the middle stalk position, of uniform medium nut-brown, to nut-red colour, porous structure, fine texture, excellent combustibility Packaging: bales of approximately 100 kg, cases of approximately 200 kg or barrels of 240 to 280 kg Moisture: 13 %
26	Virginia GR	Quality A leaves Quality A: leaf fully ripe, fully developed, from the middle stalk position, sound, undamaged, well cured, of a uniform lemon yellow to medium orange colour, fine texture and good combustibility Packaging: bales of approximately 100 kg Moisture: 13 %

ANNEX III

Norm prices, intervention prices and premiums for leaf tobacco for the 1983 crop

Derived intervention prices for baled tobacco of the 1983 harvest

(ECU/kg)

Serial No	Varieties	Norm price	Intervention price	Premiums	Derived intervention prices
1	Badischer Geudertheimer	3,759	3,195	2,613	4,764
2	Badischer Burley E	4,514	3,837	2,820	5,428
3	Virgin D	4,403	3,743	2,653	4,969
4	(a) Paraguay and its hybrids (b) Dragon vert and its hybrids, Philippin, Petit Grammont (Flobecq), Semois, Appelterre	3,507	2,981	2,426	—
5	Nijkerk	3,463	2,944	2,199	—
6	(a) Misionero and its hybrids (b) Rio Grande and its hybrids	3,227	2,743	2,227	—
7	Bright	3,874	3,293	2,230	4,577
8	Burley I	2,849	2,422	1,574	3,566
9	Maryland	3,248	2,761	1,749	3,951
10	(a) Kentucky and its hybrids (b) Moro di Cori (c) Salento	2,741	2,193 (1)	1,713	3,138
11	(a) Forchheimer Havanna II c (b) Nostrano del Brenta (c) Resistente 142 (d) Gojano	3,521	2,993	2,469	4,458
12	(a) Beneventano (b) Brasile Selvaggio and similar varieties	1,901	1,616	1,394	2,436
13	Xanti-Yakà	3,645	2,916 (1)	2,685	4,691
14	(a) Perustitza (b) Samsun	3,452 3,452	2,762 (1) 2,934	2,556 2,488	4,087 4,308
15	Erzegovina and similar varieties	3,101	2,481 (1)	2,302	3,685
16	(a) Round Tip (b) Scafati (c) Sumatra I	16,410	13,949	9,912	21,273
17	Basmas	5,503	4,678	2,785	6,362
18	Katerini and similar varieties	4,673	3,972	2,477	5,803
19	(a) Kaba-Koulak classic (b) Elassona	4,145	3,523	2,190	5,042

(1) Pursuant to Regulation (EEC) No 1535/81 of 19 May 1981 laying down special measures for certain varieties of raw tobacco from the 1982 and 1983 harvests.

(ECU/kg)

Serial No	Varieties	Norm price	Intervention price	Premiums	Derived intervention prices
20	(a) Kaba-Koulak non-classic (b) Myrodata Smyrnis, Trapezous and Phi 1	3,240	2,754	1,593	4,179
21	Myrodata Agrinion	4,160	3,536	2,256	4,993
22	Zichnomyrodata	4,285	3,642	2,332	5,175
23	Tsebelia	4,114	3,497	3,319	5,013
24	Mavra	4,015	3,413	2,713	4,918
25	Burley GR	2,173	1,847	0,943	2,950
26	Virginia GR	3,321	2,823	1,681	4,002