COMMISSION REGULATION (EEC) No 2150/84

of 18 July 1984

amending Regulation (EEC) No 2874/82 on the monitoring by the Community of exports of certain steel products to the United States of America

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Coal and Steel Community,

Having regard to Council Regulation (EEC) No 2870/82 of 21 October 1982 on the restriction of exports of certain steel products to the United States of America (1), as amended by Regulation (EEC) No 2190/83 (2), and in particular Article 5 (6) thereof,

Whereas Commission Regulation (EEC) No 2874/82 (3) laid down the procedures for monitoring exports of certain steel products to the United States of America;

Whereas Appendix B to the Arrangement concluded with the United States of America concerning trade in certain steel products (4) (hereinafter referred to as 'the Arrangement'), as amended by exchange of letters (5), stipulates that the list of NIMEXE headings covered by the Arrangement is subject to further verification and amendments to be agreed upon by experts of both parties;

Whereas such verifications have revealed a need to specify more closely the products covered by the Arrangement by quoting the appropriate NIMEXE codes;

Whereas certain technical changes should be made to Regulation (EEC) No 2874/82 in order to improve the effectiveness of the monitoring system;

Whereas experience has shown that procedures should be laid down for notifying the administrative departments and undertakings concerned in order to ensure that the quantitative limits on steel exports are observed;

Whereas Article 6 of the Arrangement stipulates that the Community should inform the United States of any infringement of the rules concerning export licences,

HAS ADOPTED THIS REGULATION:

Article 1

Regulation (EEC) No 2874/82 is hereby amended as follows:

1. Article 1 is replaced by the following:

'*Article 1*

1. For each of the categories of products originating in the Community, such categories being defined in Annex I, export licences as provided for in Article 5 of Regulation (EEC) No 2870/82 shall be issued free of charge by the competent authorities in the Member States (hereinafter referred to as "the issuing authorities"), subject to the conditions provided for by the said Article 5. Licences shall be made out on forms conforming to the specimen set out in Annex II and respecting the provisions laid down in Annex IV.

For each export of products of the categories referred to in the first subparagraph, the exporter must make out an export certificate on a form conforming to the specimen set out in Annex III and respecting the provisions laid down in Annex IV.

2. Export certificates shall be drawn up as follows:

(a) each certificate may refer to only one licence or one extract from a licence;

(b) the description of the category shall be accompanied by its number;

(c) the description of the products in box 5 of the copy of the certificate shall include the NIMEXE codes;

(d) the letter "T" shall be placed after the figures for tonnes and before any fractions thereof;

(1) OJ No L 307, 1. 11. 1982, p. 3.
(2) OJ No L 215, 5. 8. 1983, p. 10.
(3) OJ No L 307, 1. 11. 1982, p. 56.
(4) OJ No L 307, 1. 11. 1982, p. 13.
(5) OJ No L 215, 5. 8. 1983, p. 2.

(e) each certificate shall comprise a single total;

(f) the customs office accepting the export declaration shall affix, in a legible manner, on both the original and copies of the certificate its stamp bearing the name of the office and the date of acceptance;

(g) the number of each certificate shall be entered in box 13 of the licence or extract thereof to which the certificate refers.

3. An export licence shall be issued within 15 working days of the day on which the application is received. Licences may be issued only until the end of the second month of each calendar quarter.

4. Export licences shall be valid for three months from the date on which they are issued. However, licences shall be valid only for exports to be carried out during the quota year (1984 or 1985) indicated in box 4 of the licences.

However, where the Commission decides to apply Article 2 (3) of Regulation (EEC) No 2870/82:

— with effect from 15 November 1983 and in cases of anticipated use of licences, exports may be carried out during December 1983 and December 1984. Licences may be issued from 1 November to 31 December of the year preceding that to which they refer,

— where licences are carried over, the period of validity of licences expiring on 31 December 1983 and 31 December 1984 may be extended by two months by the authority which issued them,

— where additional allocations are made in the event of shortages, licences valid for a period of six months may be issued; the licences and the certificates corresponding to these licences shall be stamped with the words "special issue".'

2. Articles 4 to 7 are replaced by the following:

'Article 4

Licences or extracts from licences issued by the authorities of a Member State, and certificates and declarations accompanied by the stamp of those authorities, shall have the same legal value in each of the other Member States as such documents issued by the authorities of those Member States and certificates and declarations accompanied by the stamp of those authorities.

Article 5

1. Fully used licences shall be returned at the latest on the eighth working day after they have been fully used to the competent authority in the Member State which issued them.

2. Unused or partially used licences shall be returned at the latest on the eighth working day following expiry of their period of validity to the authority in the Member State which issued them.

3. Member States shall send to the Commission a copy of fully used licences, or licences which have expired without being used or fully used, within eight days of the date on which they received them.

Article 6

1. The original of the export licence and certificate and the requisite copies thereof must be presented in support of the export declaration to the customs office in the Community in which formalities regarding exports of steel products to the United States of America are completed.

This office shall:

(a) attribute the quantity to be exported upon the original of the licence;

(b) endorse the original and copies of the certificate, return the original to the titular holder of the licence or to his representative so that it may be presented to the customs authorities of the United States of America on importation, keep its own copy and forward the copies intended for the issuing authority of the export licence and the Commission.

2. The copies of the certificates shall be forwarded to the Commission within three working days following the week in which the customs office endorsed them.

3. Where certificates are amended or cancelled with the authorization of the customs office which endorsed them, that office shall also forward to the authority which issued the export licence and to the Commission copies of certificates thus amended or cancelled within three working days following the week in which the amendment or cancellation was authorized.

4. Member States may provide for the forwarding of copies to the Commission to take place through a central organization appointed for this purpose.

Article 7

1. Licence applications shall include the following information:

— a description of the products, specifying their category and NIMEXE code, in accordance with Annex I; however, the NIMEXE code need not be specified if the applicant states that he wishes to transfer the licence requested, in which case the code shall be specified by the transferee,

— the quantity of products (in tonnes),

— the exporter's name or trade name, address and telephone and telex numbers,

— the consignee's name or trade name and address; however, these indications need not be specified if the applicant states that he wishes to transfer the licence requested, in which case they shall be given by the transferee,

— scheduled date(s) of export,

— where appropriate, an indication that the products are intended for temporary importation into the United States of America and re-export in the same state or without having been subject to substantial transformation.

2. The exporter shall declare that the goods are of Community origin and that the information on his licence application is accurate.

3. The issue of a licence under the third subparagraph of Article 5 (1) of Regulation (EEC) No 2870/82 shall be conditional upon presentation of a copy of the contract, unless the applicant states that he wishes to transfer the licence requested, in which case the copy shall be supplied by the transferee.'

3. Article 9 is replaced by the following:

'*Article 9*

1. Within the first 10 days of each month Member States shall notify the Commission of:

(a) the tonnages in respect of which licences were issued during the preceding month;

(b) the tonnages exported in the month preceding that referred to in point (a).

2. The notifications from Member States shall include:

(a) a breakdown of the products by category in accordance with Annex I, and in respect of the information referred to in paragraph 1 (b), by NIMEXE code also;

(b) a breakdown by licence-holder;

(c) an indication (in tonnes) for each product intended for temporary importation into the United States of America for re-export in the same state or without having been subject to substantial transformation there.

3. Within the first 15 days of each month Member States shall inform the Commission of the tonnages in respect of which licences expired during the preceding month.

4. Member States shall forward to the Commission, without delay, a copy of each licence and any extract as soon as it has been issued.

They shall also forward a copy of each amended or cancelled licence or extract as soon as it has been amended or cancelled.

5. Where the Commission ascertains that a Member State has issued licences in excess of its allocation for a given category, it shall inform that State that those licences were issued in infringement of the rules and that any certificates issued on the basis of those licences cannot be considered to be certificates within the meaning of Article 6 of the Arrangement.

This information shall be published in the *Official Journal of the European Communities*.

6. At the same time as they submit the monthly notifications provided for in paragraph 1, Member States shall send to the Commission all relevant information concerning infringements of Regulation (EEC) No 2870/82 and of this Regulation and any penalties imposed.'

4. Annex I is replaced by the Annex to this Regulation.

5. The following amendments are made to Annex IV:

(a) 'including any extensions' is inserted:

— in the first line of point 1, after 'extracts thereof',

— in the first line of point 4, after 'extracts thereof';

(b) the following sentence is added to the second subparagraph of point 3:

'It may be followed by additional numbers which Member States may deem necessary for statistical purposes.'

Article 2

This Regulation shall enter into force on 1 September 1984.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 18 July 1984.

For the Commission
Étienne DAVIGNON
Vice-President

ANNEX

'ANNEX I

LIST OF IRON AND STEEL PRODUCTS

CCT heading No	NIMEXE code	Description	TS USA No	Description
		CATEGORY I		
		HOT-ROLLED SHEET AND STRIP		
		A. CARBON STEEL		
		Bars and rods		Plates and sheets of iron and steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
73.10 D II	73.10-49 (1) (7) (34)	— Surface-worked (for example, polished, coated)		Not coated or plated with metal and not clad:
		Hoop and strip		Other than black plate:
73.12 C II	73.12-40 (2) (7) (34)	— Enamelled		Not pickled and not cold-rolled:
73.12 C V b) 2 dd)	73.12-88 (2) (7) (34)	— Lacquered, varnished, painted or plastic-coated (other than those of a thickness of less than 0,50 mm, electrolytically coated with chrome oxides or with chrome and chrome oxides, the thickness of the coating not exceeding 0,05 micrometre, whether or not varnished, lacquered and and/or printed)		Other than alloy iron or steel:
			607.66-10	— Plates in coils
				Sheets:
			607.67-10	— Having a minimum yield point of 40 000 lbs psi
73.12 C V b) 2 ee)	73.12-89 (2) (7) (34)	— Further worked than clad, other than: copper-plated, nickel-plated or chrome-plated, aluminium-coated, lacquered, varnished, painted or plastic-coated and than those of a thickness of less than 0,50 mm, electrolytically coated with chrome oxides or with chrome and chrome oxides, the thickness of the coating not exceeding 0,05 micrometre, whether or not varnished, lacquered and/or printed		Other, in coils:
			20	— With untrimmed edges
			30	— Other
			40	— Other
				Pickled or cold-rolled:
				Other than alloy iron or steel:
			607.83-42	— Sheets, pickled but not cold-rolled
		Sheets and plates		Strip, of iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
73.13 B IV a)	73.13-62 (7) (34) (36) (41)	— Other than 'electrical', silvered, gilded, platinum-plated or enamelled		Other than alloy iron or steel:
		Bars and rods and hollow mining drill steel; angles, shapes and sections (high carbon steel):	608.19-20	Not over 0,01 inch in thickness:
				Hot-rolled
73.15 A V d) 2	73.63-79 (1) (34)	— Surface-worked (for example, polished, coated)	608.21-20	Over 0,01 but not over 0,05 inch in thickness:
				Hot-rolled
		Hoop and strip (high carbon steel):	608.23-20	Over 0,05 inch in thickness:
73.15 A VI c) 2	73.64-79 (2) (34)	— Coated or otherwise surface-treated		Hot-rolled

CCT heading No	NIMEXE code	Description	TS USA No	Description
		B. ALLOY STEEL		
		Bars and rods (alloy steel):		Sheets and strip, of alloy iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17), other than of tool steel or of stainless steel:
73.15 B V d) 2 bb)	73.73-89 (4) (5) (6) (34)	— Surface-worked (for example, polished, coated), other than stainless or heat-resisting	607.81-00	— Sheets, not coated or plated with metal and not clad, other than black plate, not pickled and not cold-rolled
		Hoop and strip (alloy steel):		— Strip, other than of heat-resisting steel:
73.15 B VI c) 2 bb)	73.74-89 (4) (5) (34)	— Coated or otherwise surface-treated, other than stainless or heat-resisting	608.38-20	— Not over 0,01 inch in thickness
			608.55-20	— Over 0,01 but not over 0,05 inch in thickness
			608.67-20	— Over 0,05 inch in thickness

CCT heading No	NIMEXE code	Description	TS USA No	Description
		CATEGORY 2		
		COLD-ROLLED SHEET		
		A. CARBON STEEL		
		Bars and rods		Plates and sheets of iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
73.10 C	73.10-30 (6) (8)	— Not further worked than cold-formed or cold-finished		
73.10 D II	73.10-49 (6) (8) (31) (34)	— Surface-worked (for example, polished, coated)		Not coated or plated with metal and not clad:
		Hoop and strip		Other than black plate:
		Not further worked than cold-rolled:		Pickled or cold-rolled, other than alloy iron or steel:
73.12 B II a)	73.12-25 (8) (9)	— Other than in coils for the manufacture of tinplate, 'electrical'	607.83-20	— Plates
b)	73.12-29 (8) (10)	— Other than in coils for the manufacture of tinplate, other than 'electrical'	607.83-50	— Sheets, painted or varnished
C II	73.12-40 (8) (31) (34)	— Enamelled		Other sheets:
		Other than those of a thickness of less than 0,50 mm, electrolytically coated with chrome oxides or with chrome and chrome oxides, the thickness of the coating not exceeding 0,05 micrometre, whether or not varnished, lacquered and/or printed:	607.83-55	— Having a minimum yield point of 40 000 lbs psi
			607.83-60	— Other
C V b) 2 dd)	73.12-88 (8) (31) (34)	— Lacquered, varnished, painted or plastic-coated		
ee)	73.12-89 (8) (31) (34)	— Other than those under the preceding indent and than:		
		Copper-plated, nickel-plated or chrome-plated, aluminium-coated		
		Sheets and plates		
		Other than 'electrical':		
73.13 B IV a)	73.13-62 (8) (31) (34) (36)	— Silvered, gilded, platinum-plated or enamelled		
		High carbon steel		
		Bars and rods and hollow mining drill steel; angles, shapes and sections		
73.15 A V c)	73.63-50 (6) (8)	— Not further worked than cold-formed or cold-finished		
d) 2	73.63-79 (6) (8) (31) (34)	— Surface-worked (for example, polished, coated)		
		Hoop and strip		
VI b)	73.64-50 (8)	— Not further worked than cold-rolled		
c) 2	73.64-79 (8) (31) (34)	— Coated or otherwise surface-treated		

CCT heading No	NIMEXE code	Description	TS USA No	Description
		Alloy steel		
		Bars and rods and hollow mining drill steel; angles, shapes and sections:		
73.15 B V c) 2 cc)	73.73-55 (6) (8) (21)	— Not further worked than cold-formed or cold-finished:		
		Angles, shapes and sections other than those made from coils for re-rolling, universal plates, hoop, strip, sheets or plates; bars and rods; S, Pb and P steels (free-cutting and other)		

B. ALLOY STEEL

		Alloy steel	607.93-20	Plates and sheets of alloy iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
		Bars and rods and hollow-mining drill steel; angles, shapes and sections		Not coated or plated with metal and not clad:
		Not further worked than cold-formed or cold-finished:		Other than black plate:
		Angles, shapes and sections other than those made from coils for re-rolling, universal plates, hoop, strip, sheets or plates; bars and rods:		Pickled or cold-rolled:
73.15 B V c) 2 cc)	73.73-55 (5) (6) (8) (22)	— S, Pb and P steels (free-cutting and other)		Other than of tool steel and of stainless steel
dd)	73.73-59 (4) (5) (6) (8)	— Other than those under the preceding indent and than stainless or heat-resisting, high-speed steel		Sheets, other than of silicon electrical steel, other than heat-resisting steel
d) 2 bb)	73.73-89 (4) (5) (6) (8) (31) (34)	— Surface-worked (for example, polished, coated):		
		Other than stainless or heat-resisting		
		Hoop and strip		
		Not further worked than cold-rolled:		
		'Electrical':		
73.15 B VI b) 1 aa)	73.74-51 (5) (8) (9)	— With a watt-loss, regardless of thickness, of 0,75 watt or less		
bb)	73.74-52 (5) (8) (9)	— Other		
b) 4	73.74-59 (4) (5) (8)	— Other than: 'electrical', stainless or heat-resisting, high-speed steel		
c) 2 bb)	73.74-89 (4) (8) (31) (34)	— Coated or otherwise surface-treated:		
		Other than stainless or heat-resisting		

CCT heading No	NIMEXE code	Description	TS USA No	Description
		CATEGORY 3		
		PLATE		
		A. CARBON STEEL (INCLUDING CLAD PLATE)		
		Bars and rods		Plates and sheets of iron or steel other than alloy, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
73.10 D I b)	73.10-45 (6) (8)	— Not further worked than clad: Cold-formed or cold-finished		
II	73.10-49 (6) (35)	— Surface-worked (for example, polished, coated)	607.66-15	Not coated or plated with metal and not clad:
		Hoop and strip		Other than black plate:
73.12 C II	73.12-40 (12) (14) (32)	— Enamelled		Not pickled and not cold-rolled, plates other than in coils
III b)	73.12-59 (8) (12)	— Tinned, other than tinplate	607.94-00	Clad
		Zinc-coated or lead-coated:		Coated or plated with metal:
73.12 C IV a)	73.12-61 (12) (14)	— Electrolytically zinc-coated (electro-galvanized)		Other than tinplate, tin coated sheets, terne plate and terne coated sheets:
b)	73.12-63 (12) (14)	— Otherwise zinc-coated (including hot-dipped galvanized)	608.07-10	Plates, valued not over 10 cents per pound
			608.11-00	Plates, valued over 10 cents per pound
c)	73.12-65 (12) (14)	— Lead-coated		
V a) 2	73.12-75 (8)	Not further worked than clad: Cold-rolled Further worked than clad: Other than those of a thickness of less than 0,50 mm, electrolytically coated with chrome oxides or with chrome and chrome oxides, the thickness of the coating not exceeding 0,05 micrometre, whether or not varnished, lacquered and/or printed:		
V b) 2 aa)	73.12-81 (12) (14)	— Copper-plated		
bb)	73.12-85 (12) (14)	— Nickel-plated or chrome-plated		
cc)	73.12-87 (12) (14)	— Aluminium-coated		
dd)	73.12-88 (12) (14) (32)	— Lacquered, varnished, painted or plastic-coated		
ee)	73.12-89 (12) (14) (42)	— Other		
		Sheets and plates		
		Other than 'electrical':		
73.13 B IV a)	73.13-62 (37)	— Silvered, gilded, platinum-plated or enamelled		
		High carbon steel		
		Bars and rods, hollow mining drill steel; angles, shapes and sections		
73.15 A V d) 1 bb)	73.63-74 (6) (8)	— Not further worked than clad, cold-formed or cold-finished		
2	73.63-79 (6) (35)	— Surface-worked (for example, polished, coated)		
		Hoop and strip		
73.15 A VI c) 1 bb)	73.64-75 (8)	— Not further worked than clad, cold-rolled		

CCT heading No	NIMEXE code	Description	TS USA No	Description
73.15 A VI c) 2	73.64-79 (35)	— Coated or otherwise surface-treated		
		Alloy steel		
		Bars and rods		
73.15 B V d) 1 bb)	73.73-74 (6) (8) (16)	— Not further worked than clad:		
		Cold-formed or cold-finished		
d) 2 aa)	73.73-83 (6) (16) (33)	— Surface-worked (for example, polished, coated)		
		Stainless or heat-resisting		
bb)	73.73-89 (6) (16) (33)	— Other		
		Hoop and strip		
73.15 B VI c) 1 bb)	73.74-74 (8)	— Not further worked than clad:		
		Cold-rolled		
		Coated or otherwise surface-treated:		
2 aa)	73.74-83 (16) (33)	— Stainless or heat-resisting		
bb)	73.74-89 (16) (33)	— Other		

B. ALLOY STEEL

		Alloy steel		Plates of alloy iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
		Bars and rods		
		— Not further worked than cold-formed or cold-finished:	607.78-00	Not coated or plated with metal and not clad:
		Angles, shapes and sections other than those made from coils for re-rolling universal plates, hoop, strip, sheets or plates;		Other than black plate:
				Not pickled and not cold-rolled:
		Bars and rods		Other than of tool steel and of stainless steel
73.15 B V c) 2 cc)	73.73-55 (6) (8) (12) (22)	— S, Pb and P steels (free-cutting and other)	607.91-00	Not coated or plated with metal and not clad:
dd)	73.73-59 (4) (6) (12)	— Other than those under the preceding indent and than stainless or heat-resisting, high-speed steel		Other than black plate:
				Pickled or cold-rolled:
		Hoop and strip		Other than of tool steel or of stainless steel
73.15 B VI c) 1 bb)	73.74-74 (8) (12) (18)	— Not further worked than clad, cold-rolled	608.14-20	Coated or plated with metal, other than tin-plate, tin coated sheets, terne plate and terne coated sheets
		Coated or otherwise surface-treated:		
2 aa)	73.74-83 (8) (12) (18) (32)	— Stainless or heat-resisting		
bb)	73.74-89 (12) (14) (18) (32)	— Other		

CCT heading No	NIMEXE code	Description	TS USA No	Description
		CATEGORY 4		
		STRUCTURAL SHAPES		
		A. CARBON STEEL		
		Angles, shapes and sections		Angles, shapes and sections, all the foregoing, of iron or steel, hot-rolled, forged, extruded, or drawn, or cold-formed or cold-finished, whether or not drilled, punched, or otherwise advanced:
73.11 A II	73.11-20 (19)	— Not further worked than forged		
III a)	73.11-31 (19)	— Not further worked than cold-formed or cold-finished:		
		— From coils for re-rolling, universal plates, hoop, strip, sheets or plates		Hot-rolled, or cold-formed and weighing over 0,29 pound per linear foot:
III b)	73.11-39 (19)	— Other than those from coils for re-rolling, universal plates, hoop, strip, sheets or plates		Not drilled, not punched, and not otherwise advanced other than alloy iron or steel:
		Bars and rods and hollow mining drill steel; angles, shapes and sections:		Having a maximum cross-sectional dimension of 3 inches or more:
73.15 A V a)	73.63-10 (19) (20)	— Not further worked than forged (high carbon steel)		Wide flange shapes or sections
			609.80-05	H-piles
73.15 A V c)	73.63-50 (19) (20)	— Not further worked than cold-formed or cold-finished (high carbon steel)	609.80-15	Other
73.15 B V c) 2 cc)	73.73-55 (20) (21)	— Not further worked than cold-formed or cold-finished:		Other than wide flange shapes or sections
			609.80-35	Angles
		Angles, shapes and sections other than those made from coils for re-rolling, universal plates, hoop, strip, sheets or plates; bars and rods:	609.80-41	Channels
			609.80-45	Other
		S, Pb and P steels (free-cutting and other) (alloy steel)		
		B. ALLOY STEEL		
		Alloy steel	609.82-00	Angles, shapes and sections, all the foregoing of alloy iron or steel, hot-rolled, forged, extruded, or drawn, or cold-formed or cold-finished, whether or not drilled, punched, or otherwise advanced:
		Bars and rods and hollow mining drill steel; angles, shapes and sections		
		Not further worked than forged:		Hot-rolled, or cold-formed and weighing over 0,29 pound per linear foot:
73.15 B V a) 1	73.73-13 (20)	— Stainless or heat-resisting		
73.15 B V a) 2	73.73-14 (20)	— High-speed steel		Not drilled, not punched, and not otherwise advanced
73.15 B V a) 3	73.73-19 (20)	— Other than high-speed steel and than stainless or heat-resisting		
		Not further worked than cold-formed or cold-finished:		
		Angles, shapes and sections, made from coils for re-rolling, universal plates, hoop, strip, sheets or plates:		
73.15 B V c) 1 aa)	73.73-43 (20)	— Stainless or heat-resisting		

CCT heading No	NIMEXE code	Description	TS USA No	Description
73.15 B V c) 1 bb)	73.73-49 (20)	— Other than stainless or heat-resisting		
		Other angles, shapes and sections; bars and rods:		
73.15 B V c) 2 aa)	73.73-53 (20)	— Stainless or heat-resisting		
73.15 B V c) 2 bb)	73.73-54 (20)	— High-speed steel		
73.15 B V c) 2 cc)	73.73-55 (20) (22)	— S, Pb and P steels (free-cutting and other)		
73.15 B V c) 2 dd)	73.73-59 (20)	— Other than those under the three preceding indents		

CCT heading No	NIMEXE code	Description	TS USA No	Description
		CATEGORY 6		
		HOT-ROLLED BARS		
		A. CARBON STEEL		
73.10 D II	73.10-49 (27) (29)	— Bars and rods, surface-worked (for example, polished, coated)		Bars of steel (other than deformed concrete reinforcing bars):
				Other than alloy steel:
		High carbon steel		Not cold-formed:
73.15 A V d) 2	73.63-79 (27) (29)	— Bars and rods, and hollow mining drill steel; angles, shapes and sections: surface-worked (for example, polished, coated)		Not coated or plated with metal:
			606.83-10	— Flats
			606.83-30	— Rounds
73.15 A VI c) 2	73.64-79 (7) (12) (30) (34)	— Hoop and strip, coated or otherwise surface-treated	606.83-50	— Others
		B. ALLOY STEEL		
		Alloy steel	606.97-00	Bars of steel (other than deformed concrete reinforcing bars):
		Bars and rods and hollow mining drill steel; angles, shapes and sections		Alloy steel:
				Other than stainless and than tool steel:
73.15 B V d) 2 bb)	73.73-89 (4) (27) (29)	— Surface-worked (for example, polished, coated) other than stainless or heat-resisting		Not cold-formed

CCT heading No	NIMEXE code	Description	TS USA No	Description
		CATEGORY 6		
		HOT-ROLLED BARS		
		A. CARBON STEEL		
73.10 D II	73.10-49 (27) (29)	— Bars and rods, surface-worked (for example, polished, coated)		Bars of steel (other than deformed concrete reinforcing bars):
				Other than alloy steel:
		High carbon steel		Not cold-formed:
73.15 A V d) 2	73.63-79 (27) (29)	— Bars and rods, and hollow mining drill steel; angles, shapes and sections: surface-worked (for example, polished, coated)		Not coated or plated with metal:
			606.83-10	— Flats
			606.83-30	— Rounds
73.15 A VI c) 2	73.64-79 (7) (12) (30) (34)	— Hoop and strip, coated or otherwise surface-treated	606.83-50	— Others
		B. ALLOY STEEL		
		Alloy steel	606.97-00	Bars of steel (other than deformed concrete reinforcing bars):
				Alloy steel:
		Bars and rods and hollow mining drill steel; angles, shapes and sections		Other than stainless and than tool steel:
73.15 B V d) 2 bb)	73.73-89 (4) (27) (29)	— Surface-worked (for example, polished, coated) other than stainless or heat-resisting		Not cold-formed

CCT heading No	NIMEXE code	Description	TS USA No	Description
		CATEGORY 7		
		COATED SHEET (GALVANIZED AND OTHER)		
		A. CARBON STEEL		
		Bars and rods		Sheets of iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17):
73.10 D I b)	73.10-45 (5) (6) (8) (32)	— Not further worked than clad: cold-formed or cold-finished		Coated or plated with metal:
II	73.10-49 (5) (6) (8) (32)	— Surface-worked (for example, polished, coated)		Other than tinplate, tin coated sheets, terne plate and terne coated sheets:
		Hoop and strip		Other than alloy steel:
73.12 C II	73.12-40 (5) (8) (32)	— Enamelled	608.07-30	— Valued not over 10 cents per pound
73.12 C IV a)	73.12-61 (5) (8)	— Electrolytically zinc-coated (electro-galvanized)		— Valued over 10 cents per pound
73.12 C IV b)	73.12-65 (5) (8)	— Zinc-coated (including hot-dipped galvanized), otherwise than electrolytically		Zinc coated:
			608.13-10	— Printed or varnished
73.12 C V a) 2	73.12-75 (5) (8) (32)	— Not further worked than clad:	608.13-20	— Other: having a minimum yield point of 40 000 lbs psi
		Cold-rolled	608.13-30	— Other
		Further worked than clad:	608.13-40	Aluminium coated
		Other than those:	608.13-50	— Other
		Of a thickness of less than 0,50 mm, electrolytically coated with chrome oxides or with chrome and chrome oxides, the thickness of the coating not exceeding 0,05 micrometre, whether or not varnished, lacquered and/or printed		
73.12 C V b) 2 aa)	73.12-81 (5) (8)	— Copper-plated		
bb)	73.12-85 (5) (8)	— Nickel-plated or chrome-plated		
cc)	73.12-87 (5) (8)	— Aluminium-coated		
dd)	73.12-88 (5) (8) (32)	— Lacquered, varnished, painted or plastic-coated		
ee)	73.12-89 (5) (8) (32)	— Other		
		Sheets and plates		
73.13 B IV a)	73.13-62 (5) (32) (43)	Other than 'electrical', silvered, gilded, platinum-plated or enamelled		
		High carbon steel		
		Bars and rods and hollow mining drill steel; angles, shapes and sections		
73.15 A V d) 1 bb)	73.63-74 (5) (6) (8) (32)	— Not further worked than clad:		
		Cold-formed or cold-finished		
2	73.63-79 (5) (6) (8) (32)	— Surface-worked (for example, polished, coated)		
		Hoop and strip		
VI c) 1 bb)	73.64-75 (5) (8) (32)	— Not further worked than clad:		
		Cold-rolled		
2	73.64-79 (5) (8) (32)	— Coated or otherwise surface-treated		

CCT heading No	NIMEXE code	Description	TS USA No	Description
		B. ALLOY STEEL AND TERNE PLATE AND SHEET		
		Hoop and strip		Plates and sheets of iron or steel, not cut, not pressed and not stamped to non-rectangular shape (except as provided in item 609.17):
73.12 C IV c)	73.12-65 (5) (8)	— Lead-coated		Coated or plated with metal:
		Alloy steel	608.01-00	— Terne plate and terne coated sheets
		Bars and rods and hollow mining drill steel; angles, shapes and sections:	608.14-40	— Sheets of alloy iron or steel, other than tinplate, tin coated sheets, terne plate and terne coated sheets
73.15 B V d) 1 bb)	73.73-74 (5) (6) (8) (32)	— Not further worked than clad: Cold-formed or cold-finished		
2 bb)	73.73-89 (5) (6) (8) (32)	— Surface-worked (for example, polished, coated) other than stainless or heat-resisting		
		Hoop and strip		
73.15 B VI c) 1 bb)	73.74-74 (5) (8) (32)	— Not further worked than clad: Cold-rolled		
		Coated or otherwise surface-treated:		
73.15 B VI c) 2 aa)	73.74-83 (5) (8) (32)	— Stainless or heat-resisting		
bb)	73.74-89 (5) (8) (32)	— Other		

CCT heading No	NIMEXE code	Description	TS USA No	Description
		CATEGORY 8		
		TINPLATE (NOT INCLUDING BLACK PLATE)		
73.12 C III b)	73.12-59 (5) (8)	**Hoop and strip** — Tinned, other than tinplate		Plates and sheets of iron or steel, not cut, not pressed, and not stamped to non-rectangular shape (except as provided in item 609.17): Coated or plated with metal Tinplate and tin coated sheets:
			607.96-00	— Imported for use in the manufacture of maple sap evaporators
			607.97-00	— Other, valued not over 10 cents per pound
			607.99-00	— Other, valued over 10 cents per pound

Footnotes

(1) Covered if of rectangular section. If three-sixteenths of an inch or over in thickness, excluded if eight inches or less in width or if not in coils.

(2) If three-sixteenths of an inch or more in thickness, excluded if cut to length, or eight inches or less in width.

(4) Excluding 'tool steel', 'high-speed tool steel', 'tool steel of the type described in headnote 2 (H) (VII)' and 'chipper knife steel' as defined in subparagraphs B 2 (H) (V), (VI), (VII) and (VIII) of part 2 of schedule 6 of the Tariff Schedules of the United States (annotated).

(5) Covered if less than three-sixteenths of an inch in thickness.

(6) Covered if of rectangular section.

(7) Covered if hot-rolled.

(8) Covered if over 12 inches in width.

(9) Excluding 'silicon electrical steel', as defined in subparagraph B 2 (H) (IX) of part 2 of schedule 6 of the Tariff Schedules of the United States (annotated).

(10) Excluded if less than 0,0142 of an inch in thickness and if black plate meeting ASTM specifications A-625 or A-650.

(12) Covered if of three-sixteenths of an inch or more in thickness.

(14) Covered if hot-rolled and over eight inches in width or if cold-rolled and over 12 inches in width.

(16) Covered if clad.

(18) Excluded if clad.

(19) Covered if having a maximum cross-sectional dimension of three inches or more.

(20) Covered if structural shapes.

(21) Covered if contains 0,35 % or less lead or sulfur.

(22) Covered if contains over 0,35 % lead or sulfur.

(27) Covered if cross-section, in the form of circles, segments of circles, ovals, isosceles triangles, rectangles, hexagons, octagons or quadrilaterals with only two sides parallel and the other two sides equal, and not hollow. If of rectangular section, covered if three-sixteenths of an inch or more in thickness and eight inches or less in width. If of circular section, covered if over 18,8 mm in diameter, or if 18,8 mm or less in diameter, and not in coils.

(29) Excluded if cold-formed.

(30) Covered if eight inches or less in width.

(31) Covered if cold-rolled.

(32) Covered if coated or plated with metal.

(33) If less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If three-sixteenths of an inch or more in thickness, covered when cold-rolled if over 12 inches in width and when hot-rolled if over eight inches in width.

(34) Excluded if coated, plated or clad with metal.

(35) Covered if clad, or plated or coated with metal, or otherwise surface-worked. If clad and if less than three-sixteenths of an inch in thickness, covered if over 12 inches in width. If clad or plated or coated with metal and if over three-sixteenths of an inch in thickness, covered if eight inches or more in width when not cold-rolled and if 12 inches or over in width when cold-rolled. If otherwise surface-worked, covered if not in coils, if three-sixteenths of an inch or over in thickness and eight inches or over in width and hot-rolled.

(36) Covered if enamelled.

(37) Covered if clad. If coated or plated with metal, but not silvered, gilded or platinum plated, covered if three-sixteenths of an inch or over in thickness.

(41) If three-sixteenths of an inch or over in thickness, excluded if cut to length.

(42) If cold-rolled, covered if coated or plated with metal. If hot-rolled, covered if coated or plated with metal or, if not coated or plated with metal, if cut to length.

(43) Excluded if silvered, gilded or platinum plated.'