I

(Acts whose publication is obligatory)

COUNCIL REGULATION (EEC) No 3708/85

of 10 December 1985

on the conclusion of an Arrangement in the form of an Exchange of Letters with the United States of America extending and amending the Arrangement of 21 October 1982 relating to trade in certain steel products

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas, following the Council Decision of 7 June 1985, the Commission opened negotiations with the United States of America culminating in an Arrangement extending and amending the Arrangement of 21 October 1982 concerning trade in certain steel products, approved by Regulation (EEC) No 2869/82 (1);

Whereas the Arrangement will make it possible to safeguard the essential interests of Community producers exporting the products in question to the United States market;

Whereas the Commission Decision pursuant to the European Coal and Steel Community Treaty concerning the conclusion of the Arrangement has received the assent of the Council in accordance with that Treaty; whereas, therefore, the abovementioned Arrangement should be approved to the extent that it relates to products covered by the European Economic Community Treaty,

HAS ADOPTED THIS REGULATION:

Article 1

1. The Arrangement in the form of an Exchange of Letters with the United States of America extending and amending the Arrangement of 21 October 1982 relating to trade in certain steel products, is hereby approved on behalf of the European Economic Community, to the extent to which this Arrangement relates to products covered by the EEC Treaty.

2. The text of the Arrangement is attached to this Regulation.

Article 2

The President of the Council is hereby authorized to designate the person empowered to carry out the exchange of letters for the purpose of binding the European Economic Community.

Article 3

This Regulation shall enter into force on the day of its publication in the *Official Journal of the European Communities*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 10 December 1985.

For the Council

The President

M. FISCHBACH

(1) OJ No L 307, 1. 11. 1982, p. 1.

ARRANGEMENT

in the form of an Exchange of Letters with the United States of America extending and modifying the arrangement of 21 October 1982 concerning trade in certain steel products between the European Communities and the United States of America

A. *Letter from the European Communities*

Dear Mr Ambassador,

In the course of discussions between the European Coal and Steel Community and the European Economic Community (1) and the Government of the United States of America, both parties have agreed to extend the Arrangement concerning trade in certain steel products, dated 21 October 1982, through 30 September 1989, with the following modifications, effective 1 January 1986:

1. In the second paragraph of Article 1, the date '31 December 1985' shall be replaced by '30 September 1989'.

2. The following new paragraph shall be added at the end of Article 1:

'In regard to exports of new products effected between 1 November 1985 and 31 December 1985, if aberrations from seasonal trade patterns of new products occur consultations shall be held at the request of the US to find a mutually satisfactory solution. For purposes of this Arrangement, the term "new products" means stainless wire, wire strand, wire rope, other speciality steel, and fabricated structurals, as described in Article 3 (a).'

3. Article 2 shall be amended by redesignating paragraphs 2 (b) and 2 (c) as 2 (c) and 2 (d), respectively, and by adding the following new paragraph 2 (b):

'(b) With respect to special steel products that are products of the ECSC:

(1) this Arrangement shall only apply to such products that are exported from the ECSC after the last day of the month in wich the US terminates both the tariffs and quotas imposed under Section 203 of the Trade Act of 1974 on such products;

(2) subject to paragraph (1), the entry into effect of this Arrangement is conditional upon:

(a) initiation of procedures under Section 751 of the Tariff Act of 1930 to revoke the anti-dumping and countervailing duty orders listed in Appendix A *bis* at the latest by 1 January 1986; should the orders not be revoked within a reasonable period of time, the ECSC may take appropriate actions with respect to those products subject to the remaining order after consultation with the US; and

(b) receipt by the US at the same time of an undertaking from all petitioners in the proceedings resulting in such orders not to file any petitions seeking import relief under US law on the special steel products during the period in which this Arrangement is in effect with respect to such products.

For the purposes of this Arrangement, the term "special steel products" means stainless steel sheet and strip, stainless steel plate, stainless steel bar, stainless steel wire rod and alloy tool steel, as described in Article 3 (a).'

(1) To the extent that the Arrangement products are subject to the Treaty establishing the European Economic Community (the EEC), the term 'ECSC' should be substituted by 'EEC'.

4. Article 2 (c), as redesignated by paragraph 3 of this letter, shall be amended by replacing 'Article 2 (a)' with 'Article 2 (a) or 2 (b)'.

5. In Article 3 (a) the list of products shall be replaced by the following:

'Hot-rolled sheet and strip

Cold-rolled sheet

Plate

Structurals

Carbon wire rods

Hot-rolled bars

Coated sheet

Tin plate

Rails

Sheet piling

Alloy wire rod

Round, flat and other wire

Wire products

Black plate

Electrical sheet and strip

Tin-free steel

Cold-rolled strip

Cold-finished and other bar

Bar shapes under 3 inches

Concrete reinforcing bars

Rail products

Stainless wire

Wire strand

Wire rope

Other speciality steel

Fabricated structurals

Stainless steel sheet and strip

Stainless steel plate

Stainless steel bar

Stainless steel wire rod

Aloy tool steel'

6. Article 4 (a) shall be replaced by the following:

'(a) for the period 1 November 1982 to 31 December 1983 **(hereinafter called** the "Initial Period") and thereafter for each of the years 1984 through **1988 and the period** 1 January 1989 to 30 September 1989 (hereinafter called the "End Period") export licences shall be required for Arrangement products, except as provided below:

(1) in the case of new products, such licences shall be required for the period beginning 1 January 1986 and ending on the last day of the End Period; and

(2) in the case of special steel products, such licences shall be required for the period beginning on 1 January 1986 or, if later, the effective date of the Arrangement with respect to such products under Article 2 (b) (1), and ending on the last day of the End Period.

Such licences shall be issued to Community exporters for each product in quantities no greater than the following (a) percentages of the projected US Apparent Consumption, or (b) number of tons, as appropriate, (hereinafter called "export ceiling") for the relevant period:

Product	*Export Ceiling Percentage*
Hot-rolled sheet and strip	6,93
Cold-rolled sheet	5,35
Plate	5,53
Structurals	10,25
Carbon wire rods	4,42
Hot-rolled bar	2,48
Coated sheet	3,40
Tin plate	2,394
Rails	8,90
Sheet piling	22,85
Alloy wire rod	18,70
Black plate	11,78
Electrical sheet and strip	4,74
Tin-free steel	4,04
Cold-rolled strip	3,69
Cold-finished and other bar	5,44
Bar shapes under 3 inches	2,41
Concrete reinforcing bars	0,04
Rail products	1,63
Stainless steel sheet and strip	3,99
Stainless steel plate	4,93
	Tons
Round, flat and other wire	183 100
Wire products	13 552
Stainless wire	6 800
Wire strand	37 884
Wire rope	5 700
Other speciality steel	12 906
Fabricated structurals	18 240
Stainles steel bar	5 500
Stainless steel wire rod	5 500
Alloy tool steel	9 000

The tonnage amounts shall be reduced pro rata for the End Period or in the event that the Arrangement does not apply to special steel products effective 1 January 1986, as appropriate.

For purposes of this Arrangement, US Apparent Consumption shall mean shipments (deliveries) minus exports plus imports, as described in Appendix D.'

7. The second paragraph of Article 5 shall be amended by adding at the end thereof the following:

'For new products and special steel products, a first projection of US Apparent Consumption by product will be established as early as possible in December 1985.'

8. The third paragraph of Article 5 shall be replaced by the following:

'The same procedure will be followed to calculate and revise the US Apparent Consumption and percentage export ceilings for 1984 through 1988 and the End Period, the first projection being established by the independent forecaster by October of the year preceding each such period, respectively.'

9. The fourth paragraph of Article 5 shall be amended by:

(1) replacing 'In February' with 'By March';

(2) replacing 'that year's' with 'that year's or the End Period's' and

(3) by adding at the end thereof the following:

'If the Arrangement becomes effective for special steels after 1 January 1986, then the US and ECSC shall consult on the appropriate application of this paragraph for 1987.'

10. The third paragraph of Article 6 (a) shall be amended to read as follows:

'Export licences will be issued against the export ceiling for the Initial Period, a specific calendar year, or the End Period, as the case may be. Export licences may be used as early as 1 December of the previous year within a limit of 8 % of the ceiling for the given year or the End Period.

Export licences may not be used after 31 December of the year for which they are issued except that licences not so used may be used during the first two months of the following year or End Period with a limit of 8 % of the export ceiling of the previous period, or 8 % of 86 % of the export ceiling of the Initial Period, as the case may be. Licences issued during 1985 under the Complementary Arrangement dated 9 August 1985 shall be considered to be licences issued under this Arrangement for purposes of this paragraph, except that the 8 % limit in the second sentence shall be $^{5}/_{12}$ of 8 % and the 8 % limit in the third sentence shall be $^{12}/_{5}$ of 8 % for such licences.'

11. Appendices B, D and E shall be replaced by Appendices B, D and E attached to this letter. Appendix A *bis* attached to this letter is added to the Arrangement. All such Appendices are subject to mutually agreed technical and clerical corrections.

12. The second sentence of Article 7 (a) shall be replaced by the following:

'Adjustments to increase or decrease the volume of one product must be offset by an equivalent volume change for one or more other export ceilings under this Arrangement, or for the limit or sub-limit under the Arrangement regarding pipes and tubes, dated 10 January 1985 for the same period.'

13. The third sentence of Article 7 (a) shall be amended by replacing 'under Article 4' with 'under Article 4 or in the limit or sub-limit under the Arrangement regarding pipes and tubes'.

14. Article 7 (b) shall be amended by replacing 'a given year or the Initial Period' each place it appears herein with 'a given year, the Initial Period or the End Period'.

We hereby confirm the agreement of the EEC to the foregoing, and should be grateful if you would acknowledge receipt of this letter and confirm your Government's agreement to its content.

Please accept, Mr Ambassador, the assurance of my highest consideration.

On behalf of the
Council of the European Communities

B. *Letter from the United States of America*

Sir,

I have the honour to acknowledge receipt of your letter of today's date which reads as follows:

'In the course of discussions between the European Coal and Steel Community and the European Economic Community (1) and the Government of the United States of America, both parties have agreed to extend the Arrangement concerning trade in certain steel products, dated 21 October 1982, through 30 September 1989, with the following modifications, effective 1 January 1986:

1. In the second paragraph of Article 1, the date "31 December 1985" shall be replaced by "30 September 1989".

2. The following new paragraph shall be added at the end of Article 1:

   "In regard to exports of new products effected between 1 November 1985 and 31 December 1985, if aberrations from seasonal trade patterns of new products occur consultations shall be held at the request of the US to find a mutually satisfactory solution. For purposes of this Arrangement, the term 'new products' means stainless wire, wire strand, wire rope, other speciality steel, and fabricated structurals, as described in Article 3 (a)."

3. Article 2 shall be amended by redesignating paragraphs 2 (b) and 2 (c) as 2 (c) and 2 (d), respectively, and by adding the following new paragraph 2 (b):

   "(b) With respect to special steel products that are products of the ECSC:

   (1) this Arrangement shall only apply to such products that are exported from the ECSC after the last day of the month in which the US terminates both the tariffs and quotas imposed under Section 203 of the Trade Act of 1974 on such products;

   (2) subject to paragraph (1), the entry into effect of this Arrangement is condiditonal upon:

   (a) initiation of procedures under Section 751 of the Tariff Act of 1930 to revoke the anti-dumping and countervailing duty orders listed in Appendix A *bis* at the latest by 1 January 1986; should the orders not be revoked within a reasonable period of time, the ECSC may take appropriate actions with respect to those products subject to the remaining order after consultation with the US; and

   (b) receipt by the US at the same time of an undertaking from all petitioners in the proceedings resulting in such orders not to file any petitions seeking import relief under US law on the special steel products during the period in which this Arrangement is in effect with respect to such products.

   For the purposes of this Arrangement, the term 'special steel products' means stainless steel sheet and strip, stainless steel plate, stainless steel bar, stainless steel wire rod and alloy tool steel, as described in Article 3 (a)."

4. Article 2 (c), as redesignated by paragraph 3 of this letter, shall be amended by replacing "Article 2 (a)" with "Article 2 (a) or 2 (b)".

5. In Article 3 (a) the list of products shall be replaced by the following:

   "Hot-rolled sheet and strip
   Cold-rolled sheet
   Plate
   Structurals

(1) To the extent that the Arrangement products are subject to the Treaty establishing the European Economic Community (the EEC), the term "ECSC" should be substituted by "EEC".

Carbon wire rods
Hot-rolled bars
Coated sheet
Tin plate
Rails
Sheet piling
Alloy wire rod
Round, flat and other wire
Wire products
Black plate
Electrical sheet and strip
Tin-free steel
Cold-rolled strip
Cold-finished and other bar
Bar shapes under 3 inches
Concrete reinforcing bars
Rail products
Stainless wire
Wire strand
Wire rope
Other speciality steel
Fabricated structurals
Stainless steel sheet and strip
Stainless steel plate
Stainless steel bar
Stainless steel wire rod
Alloy tool steel"

6. Article 4 (a) shall be replaced by the following:

"(a) for the period 1 November 1982 to 31 December 1983 (hereinafter called the 'Initial Period') and thereafter for each of the years 1984 through 1988 and the period 1 January 1989 to 30 September 1989 (hereinafter called the 'End Period') export licences shall be required for Arrangement products, except as provided below:

(1) in the case of new products, such licences shall be required for the period beginning 1 January 1986 and ending on the last day of the End Period; and

(2) in the case of special steel products, such licences shall be required for the period beginning on 1 January 1986 or, if later, the effective date of the Arrangement with respect to such products under Article 2 (b) (1), and ending on the last day of the End Period.

Such licences shall be issued to Community exporters for each product in quantities no greater than the following (a) percentages of the projectied US Apparent Consumption, or (b) number of tons, as appropriate, (hereinafter called 'export ceiling') for the relevant period:

Product	*Export Ceiling Percentage*
Hot-rolled sheet and strip	6,93
Cold-rolled sheet	5,35
Plate	5,53
Structurals	10,25
Carbon wire rods	4,42

Product	*Export Ceiling Percentage*
Hot-rolled bar	2,48
Coated sheet	3,40
Tin plate	2,39
Rails	8,90
Sheet piling	22,85
Alloy wire rod	18,70
Black plate	11,78
Electrical sheet and strip	4,74
Tin-free steel	4,04
Cold-rolled strip	3,69
Cold-finished and other bar	5,44
Bar shapes under 3 inches	2,41
Concrete reinforcing bars	0,04
Rail products	1,63
Stainless steel sheet and strip	3,99
Stainless steel plate	4,93
	Tons
Round, flat and other wire	183 100
Wire products	13 552
Stainless wire	6 800
Wire strand	37 884
Wire rope	5 700
Other speciality steel	12 906
Fabricated structurals	18 240
Stainless steel bar	5 500
Stainless steel wire rod	5 500
Alloy tool steel	9 000

The tonnage amounts shall be reduced pro rata for the End Period or in the event that the Arrangement does not apply to special steel products effective 1 January 1986, as appropriate.

For purposes of this Arrangement, US Apparent Consumption shall mean shipments (deliveries) minus exports plus imports, as described in Appendix D."

7. The second paragraph of Article 5 shall be amended by adding at the end thereof the following:

"For new products and special steel products, a first projection of US Apparent Consumption by product will be established as early as possible in December 1985."

8. The third paragraph of Article 5 shall be replaced by the following:

"The same procedure will be followed to calculate and revise the US Apparent Consumption and percentage export ceilings for 1984 through 1988 and the End Period, the first projection being established by the independent forecaster by October of the year preceding each such period, respectively."

9. The fourth paragraph of Article 5 shall be amended by:

(1) replacing "In February" with "By March";

(2) replacing "that year's" with "that year's or the End Period's" and

(3) by adding at the end thereof the following:

"If the Arrangement becomes effective for special steels after 1 January 1986, then the US and ECSC shall consult on the appropriate application of this paragraph for 1987."

10. The third paragraph of Article 6 (a) shall amended to read as follows:

"Export licences will be issued against the export ceiling for the Initial Period, a specific calendar year, or the End Period, as the case may be. Export licences may be used as early as 1 December of the previous year within a limit of 8 % of the ceiling for the given year or the End Period.

Export licences may not be used after 31 December of the year for which they are issued except that licences not so used may be used during the first two months of the following year or End Period with a limit of 8 % of the export ceiling of the previous period, or 8 % of 86 % of the export ceiling of the Initial Period, as the case may be. Licences issued during 1985 under the Complementary Arrangement dated 9 August 1985 shall be considered to be licences issued under this Arrangement for purposes of this paragraph, except that the 8 % limit in the second sentence shall be 5/12 of 8 % and the 8 % limit in the third sentence shall be 12/5 of 8 % for such licences."

11. Appendices B, D and E shall be replaced by Appendices B, D and E attached to this letter. Appendix A *bis* attached to this letter is added to the Arrangement. All such Appendices are subject to mutually agreed technical and clerical corrections.

12. The second sentence of Article 7 (a) shall be replaced by the following:

"Adjustments to increase or decrease the volume of one product must be offset by an equivalent volume change for one or more other export ceilings under this Arrangement, or for the limit or sub-limit under the Arrangement regarding pipes and tubes, dated 10 January 1985 for the same period."

13. The third sentence of Article 7 (a) shall be amended by replacing "under Article 4" with "under Article 4 or in the limit or sub-limit under the Arrangement regarding pipes and tubes".

14. Article 7 (b) shall be amended by replacing "a given year or the Initial Period" each place it appears herein with "a given year, the Initial Period or the End Period".

We hereby confirm the agreement of the EEC to the foregoing, and should be grateful if you would acknowledge receipt of this letter and confirm your Government's agreement to its content.'

I have the honour to confirm that my Government is in agreement with the contents of your letter.

Please accept, Sir, the assurance of my highest consideration.

For the Government
of the United States of America

APPENDIX A bis

The legal process to terminate all existing anti-dumping (AD) and countervailing duty (CVD) orders will be initiated on the following:

— AD petitions (1) filed with the Department of the Treasury on December 9, 1971 by A1 Tech Specialty Steel Corporation; Armco, Inc.; Carpenter Technology Corporation; Crucible Stainless Steel Division of Colt Industries Inc.; and Republic Steel Corporation concerning stainless steel wire rods from France,

— AD petitions filed on May 10, 1982 by Allegheny Ludlum Steel Corporation; Armco, Inc.; Carpenter Technology Corporation; Colt Industries, Inc.; the Crucible Materials Group; Eastern Stainless Steel Company; Guterl Special Steel Corporation; Jessop Steel Company; Jones and Laughlin Steel, Inc.; Republic Steel Corporation; Universal Cyclops Specialty Steel Division of Cyclops Corporation; Washington Steel Corporation; and United Steelworkers of America concerning stainless steel sheet and strip from France,

— AD petitions filed on April 26, 1982 by Allegheny Ludlum Steel Corporation; Armco, Inc.; Carpenter Technology Corporation; Colt Industries, Inc.: the Crucible Materials Group; Eastern Stainless Steel Company; Guterl Special Steel Corporation; Jessop Steel Company; Jones and Laughlin Steel, Inc.; Republic Steel Corporation; Universal Cyclops Specialty Steel Division of Cyclops Corporation, Washington Steel Corporation; and United Steelworkers of America concerning stainless steel sheet and strip from the Federal Republic of Germany,

— AD petitions filed on July 30, 1982 by A1 Tech Specialty Steel Corporation; Continental Copper and Steel Industries, Inc.; Braeburn Alloy Steel Division; Carpenter Technology Corporation; Columbia Tool Steel Corporation; Colt Industries, Inc.; Crucible Specialty Metals Division; Cyclops Corporation; Guterl Special Steel Corporation; Jessop Steel Company; Latrobe Steel Company; and United Steelworkers of America AFL-CIO/CLC concerning alloy tool steel from the Federal Republic of Germany,

— CVD petitions filed on October 7, 1982 by Allegheny Ludlum Steel Corporation; Armco, Inc.; Carpenter Technology Corporation; Colt Industries, Inc.; the Crucible Materials Group; Eastern Stainless Steel Company; Electroalloy Corporation; Guterl Special Steel Corporation; Jessop Steel Company; Jones and Laughlin Steel Inc.; Republic Steel Corporation; Universal Cyclops Specialty Steel Division of Cyclops Corporation; Washington Steel Corporation; and United Steelworkers of America concerning stainless steel plate from the United Kingdom.

---

(1) For purposes of this Arrangement, the term 'petitions' covers all matters included in the petitions filed on the dates listed, whether or not the DOC initiated the investigations on the products of countries concerned.

APPENDIX B

Imports by category

Product	NIMEXE code (*)	TS USA number (*)
Hot-rolled sheet and strip — Carbon	73.08-01 (2, 191) 03 (2, 191) 05 (191) 07 (191) 21 (2, 191) 25 (191) 29 (191) 41 (2, 191) 45 (191) 49 (191) 73.09-00 (2, 191) 73.10-11 (5, 6, 60, 191) 15 (1, 82, 191) 17 (5, 6, 60, 191) 42 (5, 6, 60, 191) 49 (1, 7, 82, 191, 193) 73.12-11 (2, 191) 19 (2, 191) 40 (2, 7, 82, 191) 51 (5, 7, 60, 191) 59 (5, 7, 60, 191) 61 (5, 7, 60, 191) 63 (5, 7, 60, 191) 65 (5, 7, 60, 191) 71 (5, 60, 191) 81 (5, 7, 60, 191, 193) 85 (5, 7, 60, 191, 193) 87 (5, 7, 60, 191, 193) 88 (2, 7, 82, 191) 89 (2, 7, 82, 191, 193) 73.13-11 (2, 7, 191) 16 (2, 7, 191) 17 (2, 191) 19 (2, 191) 21 (191) 23 (191) 26 (191) 32 (191) 34 (191) 36 (191) 50 (2, 7, 191) 62 (2, 7, 50, 191) 88 (2, 7, 191) 89 (2, 7, 38, 191) 73.62-10 (2, 191) 30 (2, 191) 73.63-21 (5, 6, 60, 191) 29 (1, 82, 191) 72 (5, 6, 60, 191) 79 (1, 7, 82, 191) 73.64-20 (2, 191) 72 (5, 7, 60, 191, 193) 79 (2, 7, 82, 191, 193)	607.6610 607.6710 607.6720 607.6730 607.6740 607.8342 608.1920 608.2120 608.2320

(*) These numbers are subject to revision when the United States or the EEC adopts modifications to the applicable import or export nomenclature. Subject to technical adjustments to be agreed upon by experts of both parties.

Product	NIMEXE code	TS USA number
Hot-rolled sheet and strip *(cont'd)*		
— Carbon *(cont'd)*	73.65-21 (2, 191)	
	23 (191)	
	25 (191)	
	70 (2, 7, 38, 191)	
	73.72-11 (2, 191)	
	13 (2, 191)	
	19 (2, 191)	
	73.73-23 (5, 6, 60, 191)	
	24 (5, 6, 60, 191)	
	25 (5, 6, 60, 191)	
	26 (5, 6, 60, 191)	
	29 (5, 6, 60, 191)	
	73.72-33 (2, 191)	
	39 (2, 191)	
	73.73-33 (1, 82, 191)	
	34 (1, 82, 191)	
	35 (1, 82, 191)	
	36 (1, 82, 191)	
	39 (1, 82, 191)	
	72 (5, 6, 60, 191)	
	83 (1, 7, 82, 191, 193)	
	89 (1, 7, 82, 191, 193)	
	73.74-21 (2, 191)	
	23 (2, 191)	
	29 (2, 191)	
	72 (5, 60, 191)	
	83 (2, 7, 82, 191, 193)	
	89 (2, 7, 82, 191, 193)	
	73.75-11 (2, 7, 191)	
	19 (2, 7, 191)	
	23 (2, 191)	
	24 (2, 191)	
	29 (2, 191)	
	33 (191)	
	34 (191)	
	39 (191)	
	43 (191)	
	44 (191)	
	49 (191)	
	73 (2, 7, 38, 191)	
	79 (2, 7, 38, 191)	
— Alloy	73.08-01 (4, 5, 45, 68, 190, 209)	607.8100
	03 (4, 5, 45, 68, 190, 209)	608.3820 (7)
	05 (4, 45, 68, 190, 209)	608.5520 (7)
	07 (4, 45, 68, 190, 209)	608.6720 (7)
	21 (4, 5, 45, 68, 190, 209)	
	25 (4, 45, 68, 190, 209)	
	29 (4, 45, 68, 190, 209)	
	41 (4, 5, 45, 68, 190, 198, 209)	
	45 (4, 45, 68, 190, 198, 209)	
	49 (4, 45, 68, 190, 198, 209)	
	73.10-11 (4, 5, 6, 60, 68, 190, 199, 205)	
	15 (4, 5, 6, 60, 68, 190, 199, 205)	
	17 (4, 5, 6, 60, 68, 190, 199, 205)	
	42 (4, 5, 6, 60, 68, 190, 199, 205)	
	49 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)	
	73.12-11 (4, 68, 190, 198, 200, 205, 209)	
	19 (4, 68, 190, 198, 200, 205, 209)	
	40 (4, 68, 190, 198, 200, 205, 209)	
	59 (4, 68, 190, 198, 200, 205, 209)	
	61 (4, 68, 190, 198, 200, 205, 209)	
	63 (4, 68, 190, 198, 200, 205, 209)	
	65 (4, 68, 190, 198, 200, 205, 209)	
	71 (4, 68, 190, 198, 200, 205, 209)	

Product	NIMEXE code	TS USA number
Hot-rolled sheet and strip *(cont'd)* — Alloy *(cont'd)*	73.12-81 (4, 68, 190, 193, 198, 200, 205, 209) 85 (4, 68, 190, 193, 198, 200, 205, 209) 87 (4, 68, 190, 193, 198, 200, 205, 209) 88 (4, 68, 190, 198, 200, 205, 209) 89 (4, 68, 190, 193, 198, 200, 205, 209) 73.13-11 (4, 5, 45, 68, 190, 209) 16 (4, 5, 45, 68, 190, 209) 17 (4, 5, 45, 68, 190, 209) 19 (4, 5, 45, 68, 190, 209) 21 (4, 68, 190, 209) 23 (4, 68, 190, 209) 26 (4, 68, 190, 209) 32 (4, 68, 190, 209) 34 (4, 68, 190, 209) 36 (4, 68, 190, 209) 50 (4, 5, 68, 190, 209) 88 (4, 5, 7, 68, 190, 209) 89 (4, 5, 7, 38, 68, 190, 209) 73.62-10 (4, 68, 190, 198, 209) 73.63-21 (4, 5, 6, 60, 68, 190, 199, 205) 29 (4, 5, 6, 60, 68, 190, 199, 205) 72 (4, 5, 6, 60, 68, 190, 199, 205) 79 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205) 73.64-20 (4, 68, 190, 198, 200, 205, 209) 79 (4, 7, 68, 190, 193, 198, 200, 205, 209) 73.65-21 (4, 5, 45, 68, 198, 209) 23 (4, 5, 45, 68, 190, 209) 25 (4, 5, 45, 68, 190, 209) 70 (4, 5, 7, 38, 45, 68, 190, 209) 73.72-11 (4, 68, 190, 198, 209) 13 (4, 68, 190, 198, 209) 19 (4, 68, 190, 198, 209) 73.73-23 (4, 5, 6, 60, 68, 190, 199, 205) 24 (4, 5, 6, 60, 68, 190, 199, 205) 25 (4, 5, 6, 60, 68, 190, 199, 205) 26 (4, 5, 6, 60, 68, 190, 199, 205) 29 (4, 5, 6, 60, 68, 190, 199, 205) 33 (4, 5, 6, 60, 68, 190, 199, 205) 34 (4, 5, 6, 60, 68, 190, 199, 205) 35 (4, 5, 6, 60, 68, 190, 199, 205) 36 (4, 5, 6, 60, 68, 190, 199, 205) 39 (4, 5, 6, 60, 68, 190, 199, 205) 72 (4, 5, 6, 60, 68, 190, 199, 205) 83 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205) 89 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205) 73.74-21 (4, 68, 190, 198, 200, 205, 209) 23 (4, 68, 190, 198, 200, 205, 209) 29 (4, 68, 190, 198, 200, 205, 209) 72 (4, 68, 190, 198, 200, 205, 209) 83 (4, 7, 68, 190, 193, 198, 200, 205, 209) 89 (4, 7, 68, 190, 193, 198, 200, 205, 209) 73.75-11 (4, 5, 7, 45, 68, 190, 209) 19 (4, 5, 7, 45, 68, 190, 209) 23 (4, 5, 45, 68, 190, 209) 24 (4, 5, 45, 68, 190, 209) 29 (4, 5, 45, 68, 190, 209) 33 (4, 5, 45, 68, 190, 209) 34 (4, 5, 45, 68, 190, 209) 39 (4, 5, 45, 68, 190, 209) 43 (4, 5, 45, 68, 190, 209) 44 (4, 5, 45, 68, 190, 209) 49 (4, 5, 45, 68, 190, 209) 73 (4, 5, 7, 38, 45, 68, 190, 209) 79 (4, 5, 7, 38, 45, 68, 190, 209)	

Product	NIMEXE code	TS USA number
Carbon cold-rolled sheet	73.08-01 (87, 191, 202)	607.8320
	03 (87, 191, 202)	607.8350
	05 (191, 202)	607.8355
	07 (191, 202)	707.8360
	21 (87, 191, 202)	
	25 (191, 202)	
	29 (191, 202)	
	41 (87, 191, 202)	
	45 (191, 202)	
	49 (191, 202)	
	73.09-00 (87, 191)	
	73.10-15 (6, 87, 191)	
	17 (6, 87, 191)	
	30 (6, 87, 191)	
	49 (6, 87, 191)	
	73.12-11 (87, 191)	
	19 (87, 191)	
	21 (8, 191, 206)	
	25 (8, 191, 206)	
	29 (8, 191, 206)	
	40 (84, 87, 191)	
	88 (84, 87, 191, 202)	
	89 (84, 87, 191, 202)	
	73.13-11 (84, 87, 191, 206)	
	16 (84, 87, 191, 206)	
	17 (87, 191)	
	19 (87, 191)	
	41 (191)	
	43 (191)	
	45 (191)	
	47 (191)	
	49 (191, 206)	
	50 (84, 87, 191)	
	62 (50, 84, 87, 191)	
	88 (84, 87, 191, 202)	
	89 (84, 87, 191, 202)	
	73.62-10 (87, 191, 202)	
	30 (87, 191)	
	73.63-29 (6, 87, 191)	
	50 (6, 87, 191)	
	79 (6, 87, 191)	
	73.64-20 (87, 191)	
	50 (8, 191, 206)	
	79 (84, 87, 191, 202)	
	73.65-21 (87, 191)	
	53 (191)	
	55 (191, 206)	
	70 (84, 87, 191, 202)	
	73.72-11 (87, 191, 202)	
	13 (87, 191, 202)	
	19 (87, 191, 202)	
	33 (87, 191)	
	39 (87, 191)	
	73.73-33 (6, 87, 191)	
	34 (6, 87, 191)	
	35 (6, 87, 191)	
	36 (6, 87, 191)	
	39 (6, 87, 191)	
	53 (6, 87, 191)	
	54 (6, 87, 191)	
	55 (6, 87, 191)	
	59 (6, 87, 191)	
	83 (6, 87, 191)	
	89 (6, 87, 191)	

Product	NIMEXE code	TS USA number
Carbon cold-rolled sheet *(cont'd)*	73.74-21 (87, 191) 23 (87, 191) 29 (87, 191) 51 (8, 191, 206) 52 (8, 191, 206) 53 (8, 191, 206) 54 (8, 191, 206) 59 (8, 191, 206) 83 (84, 87, 191, 202) 89 (84, 87, 191, 202) 73.75-11 (84, 87, 191, 202, 206) 19 (84, 87, 191, 202, 206) 23 (87, 191) 24 (87, 191) 29 (87, 191) 53 (191) 54 (191) 59 (191) 63 (191, 206) 64 (191, 206) 69 (191, 206) 73 (84, 87, 191, 202) 79 (84, 87, 191, 202)	
Alloy cold-rolled sheet	73.08-01 (4, 5, 9, 68, 143, 190, 199) 03 (4, 5, 9, 68, 143, 190, 199) 05 (4, 9, 68, 143, 190, 199) 07 (4, 9, 68, 143, 190, 199) 21 (4, 5, 9, 68, 143, 190, 199) 25 (4, 9, 68, 143, 190, 199) 29 (4, 9, 68, 143, 190, 199) 41 (4, 5, 9, 68, 143, 190, 199) 45 (4, 9, 68, 143, 190, 199) 49 (4, 9, 68, 143, 190, 199) 73.12-11 (4, 5, 8, 9, 68, 143, 190, 199) 19 (4, 5, 8, 9, 68, 143, 190, 199) 21 (4, 5, 8, 9, 68, 143, 190, 199, 206) 25 (4, 5, 8, 9, 68, 143, 190, 199, 206) 29 (4, 5, 8, 9, 68, 143, 190, 199, 206) 40 (4, 5, 8, 9, 68, 143, 190, 199) 88 (4, 5, 8, 9, 68, 143, 190, 199) 89 (4, 5, 8, 9, 38, 68, 143, 190, 199) 73.13-11 (4, 5, 9, 68, 143, 190, 199) 16 (4, 5, 9, 68, 143, 190, 199) 17 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 21 (4, 9, 68, 143, 190, 199) 23 (4, 9, 68, 143, 190, 199) 26 (4, 9, 68, 143, 190, 199) 32 (4, 9, 68, 143, 190, 199) 34 (4, 9, 68, 143, 190, 199) 36 (4, 9, 68, 143, 190, 199) 41 (4, 5, 9, 68, 143, 190, 199, 206) 43 (4, 9, 68, 143, 190, 199, 206) 45 (4, 9, 68, 143, 190, 199, 206) 47 (4, 9, 68, 143, 190, 199, 206) 49 (4, 9, 68, 143, 190, 199, 206) 50 (4, 5, 9, 68, 143, 190, 199) 62 (4, 5, 9, 50, 68, 143, 199, 190) 88 (4, 5, 9, 68, 143, 190, 199) 89 (4, 5, 9, 38, 68, 143, 190, 199) 73.62-10 (4, 5, 9, 68, 143, 190, 199) 73.64-20 (4, 5, 8, 9, 68, 143, 190, 199) 50 (4, 5, 8, 9, 68, 190, 199, 206) 79 (4, 5, 8, 9, 38, 68, 143, 190, 199, 203)	

Product	NIMEXE code	TS USA number
Alloy cold-rolled sheet *(cont'd)*	73.65-21 (4, 5, 9, 68, 143, 190, 199) 23 (4, 9, 68, 143, 190, 199) 25 (4, 9, 68, 143, 190, 199) 53 (4, 5, 9, 68, 190, 199) 55 (4, 9, 68, 190, 199, 206) 70 (4, 5, 9, 38, 68, 143, 190, 199) 73.72-11 (4, 5, 9, 68, 143, 190, 199) 13 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 73.74-21 (4, 5, 8, 9, 68, 143, 190, 199) 23 (4, 5, 8, 9, 68, 143, 190, 199) 29 (4, 5, 8, 9, 68, 143, 190, 199) 51 (4, 5, 8, 9, 68, 190, 199, 206) 52 (4, 5, 8, 9, 68, 190, 199, 206) 53 (4, 5, 8, 9, 68, 190, 199, 206) 54 (4, 5, 8, 9, 68, 190, 199, 206) 59 (4, 5, 8, 9, 68, 190, 199, 206) 83 (4, 5, 8, 9, 68, 143, 190, 199) 89 (4, 5, 8, 9, 68, 143, 190, 199) 73.75-11 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 23 (4, 5, 9, 68, 143, 190, 199) 24 (4, 5, 9, 68, 143, 190, 199) 29 (4, 5, 9, 68, 143, 190, 199) 33 (4, 9, 68, 143, 190, 199) 34 (4, 9, 68, 143, 190, 199) 39 (4, 9, 68, 143, 190, 199) 43 (4, 9, 68, 143, 190, 199) 44 (4, 9, 68, 143, 190, 199) 49 (4, 9, 68, 143, 190, 199) 53 (4, 5, 9, 68, 190, 199) 54 (4, 5, 9, 68, 190, 199) 59 (4, 5, 9, 68, 190, 199) 63 (4, 9, 68, 190, 199, 206) 64 (4, 9, 68, 190, 199, 206) 69 (4, 9, 68, 190, 199, 206) 73 (4, 5, 9, 38, 68, 143, 190, 199) 79 (4, 5, 9, 38, 68, 143, 190, 199)	
Carbon plate (including coated, plated and clad plate, and clad sheet)	73.09-00 (12, 13, 45, 191) 73.10-17 (6, 12, 13, 45, 191) 42 (6, 44) 45 (6, 44) 49 (6, 40, 191, 193) 73.12-11 (12, 13, 14, 15, 45, 191) 19 (12, 13, 14, 45, 191) 40 (7, 12, 13, 14, 45, 191) 51 (13, 15, 191) 59 (13, 15, 191) 61 (13, 15, 191) 63 (13, 15, 191) 65 (13, 15, 191) 71 (44) 75 (44) 81 (13, 15, 191, 193) 85 (13, 15, 191, 193) 87 (13, 15, 191, 193) 88 (13, 15, 191) 89 (40, 191, 193) 73.13-11 (7, 13, 14, 45, 191) 16 (7, 13, 14, 45, 191) 17 (13, 14, 45, 191) 19 (13, 14, 45, 191) 50 (7, 13, 14, 45, 191) 62 (7, 13, 14, 45, 50, 191)	607.6620 (19) 607.6625 607.9400 608.0710 608.1100

Product	NIMEXE code	TS USA number
Carbon plate (including coated, plated and clad plate, and clad sheet) *(cont'd)*	73.13-64 (13, 15, 191) 65 (13, 15, 191) 67 (13, 15, 191) 68 (13, 15, 191) 72 (13, 15, 191) 74 (13, 15, 191) 78 (44) 79 84 (13, 15, 191, 193) 86 (13, 15, 191, 193) 87 (13, 15, 191, 193) 88 (7, 13, 14, 45, 191) 89 (40, 191, 193) 73.62-30 (12, 45, 191) 73.63-29 (6, 12, 13, 45, 191) 72 (6, 44) 74 (6, 44) 79 (6, 40, 191, 193) 73.64-20 (12, 13, 14, 45, 191) 72 (44) 75 (44) 79 (40, 191, 193) 73.65-21 (13, 14, 45, 191) 70 (40, 44, 193, 211) 73.72-33 (12, 13, 14, 45, 191) 39 (12, 13, 14, 45, 191) 73.73-33 (6, 12, 13, 45, 191) 34 (6, 12, 13, 45, 191) 35 (6, 12, 13, 45, 191) 36 (6, 12, 13, 45, 191) 39 (6, 12, 13, 45, 191) 72 (6, 44) 74 (6, 44) 83 (6, 40, 191, 193) 89 (6, 40, 191, 193) 73.74-21 (12, 13, 14, 45, 191) 23 (12, 13, 14, 45, 191) 29 (12, 13, 14, 45, 191) 72 (44) 74 (44) 83 (40, 191, 193) 89 (40, 191, 193) 73.75-11 (7, 13, 14, 45, 191) 19 (7, 13, 14, 45, 191) 23 (13, 14, 45, 191) 24 (13, 14, 45, 191) 29 (13, 14, 45, 191) 73 (40, 191, 193) 79 (40, 191, 193)	
Alloy plate (including coated plate)	73.08-01 (4, 13, 68, 190) 03 (4, 13, 68, 190) 21 (4, 13, 68, 190) 41 (4, 13, 68, 190) 73.09-00 (4, 12, 20, 68, 190) 73.10-15 (4, 6, 12, 13, 68, 190) 17 (4, 6, 12, 13, 68, 190) 30 (4, 6, 8, 13, 68, 190) 49 (6, 13, 15, 190, 193, 212) 73.12-11 (4, 12, 13, 68, 190) 19 (4, 12, 13, 68, 190) 21 (4, 8, 13, 68, 190) 25 (4, 8, 13, 68, 190) 29 (4, 8, 13, 68, 190) 40 (4, 13, 15, 68, 190) 51 (13, 15, 190)	607.7803 (19) 607.7806 607.9100 608.1420

Product	NIMEXE code	TS USA number
Alloy plate (including coated plate) *(cont'd)*	73.12-59 (13, 15, 190) 61 (13, 15, 190) 63 (13, 15, 190) 65 (13, 15, 190) 81 (13, 15, 190, 193) 85 (13, 15, 190, 193) 87 (13, 15, 190, 193) 88 (4, 13, 15, 68, 190) 89 (13, 15, 190, 193, 212) 73.13-11 (4, 13, 68, 190) 16 (4, 13, 68, 190) 17 (4, 13, 68, 190) 19 (4, 13, 68, 190) 41 (4, 13, 68, 190) 50 (4, 13, 68, 190) 62 (4, 13, 50, 68, 190) 64 (13, 190) 65 (13, 190) 67 (13, 190) 68 (13, 190) 72 (13, 190) 74 (13, 190) 84 (13, 190, 193) 86 (13, 190, 193) 87 (13, 190, 193) 88 (4, 13, 68, 190) 89 (13, 190, 193, 212) 73.62-10 (4, 13, 68, 190) 30 (4, 12, 20, 68, 190) 73.63-29 (4, 6, 12, 13, 68, 190) 50 (4, 6, 8, 13, 68, 190) 79 (6, 13, 15, 190, 193, 212) 73.64-20 (4, 12, 13, 68, 190) 50 (4, 8, 13, 68, 190) 79 (13, 15, 190, 212) 73.65-21 (4, 13, 68, 190) 70 (13, 20, 190, 212) 73.72-11 (4, 12, 13, 68, 190) 13 (4, 12, 13, 68, 190) 19 (4, 12, 13, 68, 190) 33 (4, 12, 13, 20, 68, 190) 39 (4, 12, 13, 20, 68, 190) 73.73-33 (4, 6, 12, 13, 68, 190) 34 (4, 6, 12, 13, 68, 190) 35 (4, 6, 12, 13, 68, 190) 36 (4, 6, 12, 13, 68, 190) 39 (4, 6, 12, 13, 68, 190) 53 (4, 6, 8, 13, 68, 190) 54 (4, 6, 8, 13, 68, 190) 55 (4, 6, 8, 13, 68, 190) 59 (4, 6, 8, 13, 68, 190) 83 (6, 13, 15, 190, 193, 212) 89 (6, 13, 15, 190, 193, 212) 73.74-21 (4, 12, 13, 68, 190) 23 (4, 12, 13, 68, 190) 29 (4, 12, 13, 68, 190) 51 (4, 8, 13, 68, 190) 52 (4, 8, 13, 68, 190) 53 (4, 8, 13, 68, 190) 54 (4, 8, 13, 68, 190) 59 (4, 13, 68, 190) 83 (13, 15, 190, 193, 212) 89 (13, 15, 190, 193, 212)	

Product	NIMEXE code	TS USA number
Alloy plate (including coated plate) *(cont'd)*	73.75-11 (4, 13, 68, 190) 19 (4, 13, 68, 190) 23 (4, 13, 68, 190) 24 (4, 13, 68, 190) 29 (4, 13, 68, 190) 53 (4, 13, 68, 190) 54 (4, 13, 68, 190) 59 (4, 13, 68, 190) 73 (13, 20, 190, 193, 212) 79 (13, 20, 190, 193, 212)	
Carbon structural shapes	73.11-11 (21, 152, 191) 12 (152, 191) 14 (152, 191) 16 (152, 191) 19 (21, 152, 191) 20 (21, 152, 191) 31 (21, 112, 152, 191) 39 (21, 112, 152, 191) 41 (21, 152, 191) 43 (21, 112, 152, 191) 49 (21, 112, 152, 191) 73.16-11 (21, 112, 152, 191) 73.63-10 (21, 152, 191) 29 (21, 152, 191) 50 (21, 112, 152, 191) 72 (21, 152, 191) 74 (21, 112, 152, 191) 79 (21, 112, 152, 191) 73.73-13 (21, 152, 191) 14 (21, 152, 191) 19 (21, 152, 191) 33 (21, 152, 191) 34 (21, 152, 191) 35 (21, 152, 191) 36 (21, 152, 191) 39 (21, 152, 191) 43 (21, 112 152, 191) 49 (21, 112, 152, 191) 53 (21, 112, 152, 191) 54 (21, 112, 152, 191) 55 (21, 112, 152, 191) 59 (21, 112, 152, 191) 72 (21, 152, 191) 74 (21, 112, 152, 191) 83 (21, 112, 152, 191) 89 (21, 112, 152, 191)	609.8005 609.8015 609.8035 609.8041 609.8045
Alloy and stainless structural shapes	73.11-11 (152, 190) 12 (152, 190) 14 (152, 190) 16 (152, 190) 19 (152, 190) 20 (152, 190) 31 (112, 152, 190) 39 (112, 152, 190) 41 (152, 190) 43 (112, 152, 190) 49 (112, 152, 190) 73.16-11 (112, 152, 190) 73.63-10 (152, 190) 29 (152, 190) 50 (112, 152, 190) 72 (152, 190) 74 (112, 152, 190) 79 (112, 152, 190)	609.8205 609.8210 609.8215 609.8220 609.8225 609.8230 609.8235 609.8240

Product	NIMEXE code	TS USA number
Alloy and stainless structural shapes *(cont'd)*	73.73-13 (152, 190) 14 (152, 190) 19 (152, 190) 33 (152, 190) 34 (152, 190) 35 (152, 190) 36 (152, 190) 39 (152, 190) 43 (112, 152, 190) 49 (112, 152, 190) 53 (112, 152, 190) 54 (112, 152, 190) 55 (112, 152, 190) 59 (112, 152, 190) 72 (152, 190) 74 (112, 152, 190) 83 (112, 152, 190) 89 (112, 152, 190)	
Carbon wire rod	73.10-11 (25, 191) 15 (25, 191) 73.63-21 (25, 191) 29 (25, 191) 73.73-23 (25, 191) 24 (25, 191) 25 (25, 191) 26 (25, 191) 29 (25, 191) 33 (25, 191) 34 (25, 191) 35 (25, 191) 36 (25, 191) 39 (25, 191)	607.1400 607.1700 607.2200 607.2300
Carbon hot-rolled bar	73.07-12 (191, 220) 15 (191, 220) 73.09-00 (32, 97, 191) 73.10-11 (29a, 29b, 29d, 191) 15 (29a, 29b, 29d, 191) 17 (29a, 29b, 29d, 191) 20 (29a, 191) 42 (29a, 29b, 191) 49 (29a, 29b, 31, 97, 191) 73.12-11 (29b, 191) 19 (29b, 191) 40 (29b, 31, 191) 71 (29b, 191) 88 (29b, 191) 89 (29b, 97, 191) 73.61-10 (191, 220, 231) 50 (191, 220, 231) 73.62-30 (32, 97, 191) 73.63-10 (29a, 191) 21 (29a, 29b, 29d, 191) 29 (29a, 29b, 29d, 72, 191) 72 (29a, 29b, 29d, 191) 79 (29a, 29b, 29d, 31, 97, 191) 73.64-20 (29b, 191) 72 (29b, 191) 79 (29b, 97, 191) 73.71-13 (191, 220, 231) 14 (191, 220, 231) 19 (191, 220, 231)	606.8310 606.8330 606.8350

Product	NIMEXE code	TS USA number
Carbon hot-rolled bar *(cont'd)*	73.71-53 (191, 220, 231) 54 (191, 220, 231) 55 (191, 220, 231) 56 (191, 220, 231) 59 (191, 220, 231) 73.72-33 (32, 97, 191) 39 (32, 97, 191) 73.73-13 (29a, 191) 14 (29a, 191) 19 (29a, 191) 23 (29a, 29b, 29d, 191) 24 (29a, 29b, 29d, 191) 25 (29a, 29b, 29d, 191) 26 (29a, 29b, 29d, 191) 29 (29a, 29b, 29d, 191) 33 (29a, 29b, 29d, 72, 191) 34 (29a, 29b, 29d, 72, 191) 35 (29a, 29b, 29d, 72, 191) 36 (29a, 29b, 29d, 72, 191) 39 (29a, 29b, 29d, 72, 191) 72 (29a, 29b, 29d, 191) 83 (29a, 29b, 29d, 31, 97, 191) 89 (29a, 29b, 29d, 31, 97, 191) 73.74-21 (29b, 191) 23 (29b, 191) 29 (29b, 191) 72 (29b, 191) 83 (29b, 97, 191) 89 (29b, 97, 191)	
Alloy hot-rolled bar	73.07-12 (4, 68, 190, 220) 15 (4, 68, 190, 220) 73.09-00 (4, 32, 68, 190) 73.10-11 (4, 29a, 29b, 29d, 68, 190) 15 (4, 29a, 29b, 29d, 68, 190) 17 (4, 29a, 29b, 29d, 68, 190) 20 (4, 29a, 29d, 68, 190) 42 (4, 29a, 29b, 68, 190) 49 (4, 29a, 29b, 29d, 31, 68, 190) 73.12-11 (4, 29b, 68, 190) 19 (4, 29b, 68, 190) 40 (4, 29b, 68, 190) 51 (4, 29b, 68, 190) 59 (4, 29b, 68, 190) 61 (4, 29b, 68, 190) 63 (4, 29b, 68, 190) 65 (4, 29b, 68, 190) 71 (4, 29b, 68, 190) 77 (4, 29b, 68, 190) 81 (4, 29b, 68, 190) 85 (4, 29b, 68, 190) 87 (4, 29b, 68, 190) 88 (4, 29b, 68, 190) 89 (4, 29b, 68, 190) 73.61-10 (4, 68, 190, 220, 231) 50 (4, 68, 190, 220, 231) 73.62-30 (4, 32, 68, 190) 73.63-10 (4, 29a, 29d, 68, 190) 21 (4, 29a, 29b, 29d, 68, 190) 29 (4, 29a, 29b, 29d, 68, 72, 190) 72 (4, 29a, 29b, 29d, 68, 190) 79 (4, 29a, 29b, 29d, 31, 68, 190) 73.64-20 (4, 29b, 68, 190) 72 (4, 29b, 68, 190) 79 (4, 29b, 68, 190)	606.9700

Product	NIMEXE code	TS USA number
Alloy hot-rolled bar *(cont'd)*	73.71-13 (4, 68, 190, 220, 231)	
	14 (4, 68, 190, 220, 231)	
	19 (4, 68, 190, 220, 231)	
	53 (4, 68, 190, 220, 231)	
	54 (4, 68, 190, 220, 231)	
	55 (4, 68, 190, 220, 231)	
	56 (4, 68, 190, 220, 231)	
	59 (4, 68, 190, 220, 231)	
	73.72-33 (4, 32, 68, 190)	
	39 (4, 32, 68, 190)	
	73.73-13 (4, 29a, 29b, 68, 190)	
	14 (4, 29a, 29b, 68, 190)	
	19 (4, 29a, 29b, 68, 190)	
	23 (4, 29a, 29b, 29d, 68, 190)	
	24 (4, 29a, 29b, 29d, 68, 190)	
	25 (4, 29a, 29b, 29d, 68, 190)	
	26 (4, 29a, 29b, 29d, 68, 190)	
	29 (4, 29a, 29b, 29d, 68, 190)	
	33 (4, 29a, 29b, 29d, 68, 72, 190)	
	34 (4, 29a, 29b, 29d, 68, 72, 190)	
	35 (4, 29a, 29b, 29d, 68, 72, 190)	
	36 (4, 29a, 29b, 29d, 68, 72, 190)	
	39 (4, 29a, 29b, 29d, 68, 72, 190)	
	72 (4, 29a, 29b, 29d, 68, 190)	
	83 (4, 29a, 29b, 29d, 31, 68, 190)	
	89 (4, 29a, 29b, 29d, 31, 68, 190)	
	73.74-21 (4, 29b, 68, 190)	
	23 (4, 29b, 68, 190)	
	29 (4, 29b, 68, 190)	
	72 (4, 29b, 68, 190)	
	83 (4, 29b, 68, 190)	
	89 (4, 29b, 68, 190)	
Carbon coated sheet	73.12-61 (5, 8, 191)	608.0730
	63 (5, 8, 191)	608.1310
	65 (5, 8, 102, 191)	608.1320
	81 (5, 8, 191, 193)	608.1330
	85 (5, 8, 191, 193)	608.1340
	87 (5, 8, 191, 193)	608.1350
	89 (5, 8, 35, 80, 102, 191, 193)	
	73.13-67 (5, 191)	
	68 (5, 191)	
	72 (5, 191)	
	74 (5, 102, 191)	
	84 (5, 191, 193)	
	86 (5, 191, 193)	
	87 (5, 191, 193)	
	89 (5, 35, 80, 102, 191, 193)	
	73.64-79 (5, 8, 35, 80, 102, 191, 193)	
	73.65-70 (5, 20, 35, 80, 102, 191, 193)	
	73.74-83 (5, 8, 35, 80, 102, 191, 193)	
	89 (5, 8, 35, 80, 102, 191, 193)	
	73.75-73 (5, 20, 35, 80, 102, 191, 193)	
	79 (5, 20, 35, 80, 102, 191, 193)	
Alloy and stainless coated sheet (including terne plate)	73.12-61 (5, 8, 190)	608.0100
	63 (5, 8, 190)	608.1440
	65 (5, 8, 190, 227)	
	81 (5, 8, 190, 193)	
	85 (5, 8, 190, 193)	
	87 (5, 8, 190, 193)	
	89 (5, 8, 35, 80, 190, 193, 227)	
	73.13-67 (5, 190)	
	68 (5, 190)	
	72 (5, 190)	

Product	NIMEXE code	TS USA number
Alloy and stainless coated sheet (including terne plate) *(cont'd)*	73.13-74 (5, 192, 227) 84 (5, 192, 193) 86 (5, 192, 193) 87 (5, 192, 193) 89 (5, 35, 80, 190, 193, 227) 73.64-79 (5, 8, 35, 80, 190, 193, 227) 73.65-70 (5, 20, 35, 80, 190, 193, 227) 73.74-83 (5, 8, 35, 80, 190, 193, 227) 89 (5, 8, 35, 80, 190, 193, 227) 73.75-73 (5, 20, 35, 80, 190, 193, 227) 79 (5, 20, 35, 80, 190, 193, 227)	
Tin plate	73.12-51 (5, 79) 59 (5, 79) 89 (5, 79) 73.13-64 (5, 79) 65 (5, 79) 76 (5, 79) 89 (5, 79) 73.64-79 (5, 79) 73.65-70 (5, 79) 73.74-83 (5, 79) 89 (5, 79) 73.75-73 (5, 79) 79 (5, 79)	607.9600 607.9700 607.9900
Rails	73.16-14 16 17 20	610.2010 610.2025 610.2030 610.2100
Sheet piling	73.11-50	609.9600 609.9800
Alloy wire rod	73.10-11 (4, 25, 68, 190) 15 (4, 25, 68, 190) 73.63-21 (4, 25, 68, 190) 29 (4, 25, 68, 190) 73.73-23 (4, 25, 68, 190) 24 (4, 25, 68, 190) 25 (4, 25, 68, 190) 26 (4, 25, 68, 190) 29 (4, 25, 68, 190) 33 (4, 25, 68, 190) 34 (4, 25, 68, 190) 35 (4, 25, 68, 190) 36 (4, 25, 68, 190) 39 (4, 25, 68, 190)	607.4100 607.5900
Round, flat and other wire	73.10-30 (75, 147, 213, 214, 216) 45 (75, 147, 213, 214, 216) 49 (75, 147, 213, 214, 216) 73.12-21 (75, 147, 213, 214) 25 (75, 147, 213, 214) 29 (75, 147, 213, 214) 40 (75, 147, 213, 214) 51 (75, 147, 214) 59 (75, 147, 214) 61 (75, 147, 214) 63 (75, 147, 214) 65 (75, 147, 214) 75 (75, 147, 213, 214) 77 (75, 147, 214) 81 (75, 147, 214) 85 (75, 147, 214)	609.2000 (184) 609.2100 609.2200 609.2500 609.2800 609.3040 609.3340 (184) 609.3500 609.3600 609.3700 609.4010 609.4040 609.4055 609.4065 609.4120 609.4125

Product	NIMEXE code	TS USA number
Round, flat and other wire *(cont'd)*	73.12-87 (75, 147, 214)	609.4165
	88 (75, 147, 213, 214)	609.4315
	89 (75, 147, 213, 214)	609.4365
	73.14-01 (3, 147, 213, 214, 216)	609.4530
	11 (3, 147, 213, 214, 216)	609.4560
	13 (3, 147, 213, 214, 216)	609.7000
	15 (3, 147, 213, 214, 216)	609.7200
	19 (3, 147, 213, 214, 216)	609.7500
	21 (75, 147, 213, 214, 216)	609.7600
	41 (75, 147, 213, 214, 216)	642.9600
	43 (75, 147, 213, 214, 216)	642.9700
	45 (75, 147, 213, 214, 216)	
	49 (75, 147, 213, 214, 216)	
	81 (75, 147, 213, 214, 216)	
	91 (75, 147, 213, 214, 216)	
	99 (75, 147, 213, 214, 216)	
	73.63-50 (75, 147, 213, 214, 216)	
	74 (75, 147, 213, 214, 216)	
	79 (75, 147, 213, 214, 216)	
	73.64-50 (75, 147, 213, 214)	
	75 (75, 147, 213, 214)	
	79 (75, 147, 213, 214)	
	73.66-40 (75, 147, 213, 214, 216)	
	81 (75, 147, 213, 214, 216)	
	86 (75, 147, 213, 214, 216)	
	89 (75, 147, 213, 214, 216)	
	73.73-53 (75, 147, 213, 214, 216)	
	54 (75, 147, 213, 214, 216)	
	55 (75, 147, 213, 214, 216)	
	59 (75, 147, 213, 214, 216)	
	74 (75, 147, 213, 214, 216)	
	83 (75, 147, 213, 214, 216)	
	89 (75, 147, 213, 214, 216)	
	73.74-51 (75, 147, 213, 214)	
	52 (75, 147, 213, 214)	
	53 (75, 147, 213, 214)	
	54 (75, 147, 213, 214)	
	59 (75, 147, 213, 214)	
	74 (75, 147, 213, 214)	
	83 (75, 147, 213, 214)	
	89 (75, 147, 213, 214)	
	73.76-13 (75, 147, 213, 214, 216)	
	14 (75, 147, 213, 214, 216)	
	15 (75, 147, 213, 214, 216)	
	16 (75, 147, 213, 214, 216)	
	19 (75, 147, 213, 214, 216)	
Wire products	73.10-30 (148)	642.0200
	45 (148)	642.3510
	49 (148)	642.3530
	73.12-21 (148)	642.3570
	25 (148)	642.9000
	29 (148)	642.9100
	40 (148)	646.2500
	51 (148)	646.2622
	59 (148)	646.2624
	61 (148)	646.2626
	63 (148)	646.2628
	65 (148)	646.2642
	75 (148)	646.2644
	77 (148)	646.2646
	81 (148)	646.2648
	85 (148)	646.3040
	87 (148)	646.3200
	88 (148)	646.3600 (122)

Product	NIMEXE code	TS USA number
Wire products *(cont'd)*	73.12-89 (148)	
	73.14-01 (148)	
	11 (148)	
	13 (148)	
	15 (148)	
	19 (148)	
	21 (148)	
	41 (148)	
	43 (148)	
	45 (148)	
	49 (148)	
	81 (148)	
	91 (148)	
	99 (148)	
	73.26-00	
	73.27-20 (28)	
	31 (28)	
	41 (28)	
	91 (28)	
	73.31-92 (121)	
	96 (121)	
	97 (121)	
	98 (121)	
	73.63-50 (148)	
	74 (148)	
	79 (148)	
	50 (148)	
	75 (148)	
	79 (148)	
	73.66-40 (148)	
	81 (148)	
	86 (148)	
	89 (148)	
	73.73-53 (148)	
	54 (148)	
	55 (148)	
	59 (148)	
	74 (148)	
	83 (148)	
	89 (148)	
	73.74-51 (148)	
	52 (148)	
	53 (148)	
	54 (148)	
	59 (148)	
	74 (148)	
	83 (148)	
	89 (148)	
	73.76-13 (148)	
	14 (148)	
	15 (148)	
	16 (148)	
	19 (148)	
Black plate	73.12-21 (186)	607.6200
	25 (186)	607.6400
	29 (186)	
	88 (186)	
	89 (186)	
	73.13-11 (186)	
	16 (186)	
	49 (186)	
	50 (186)	
	88 (186)	
	89 (186)	

Product	NIMEXE code	TS USA number
Black plate *(cont'd)*	73.64-50 (186) 79 (186) 73.65-55 (186) 70 (186) 73.74-51 (186) 52 (186) 53 (186) 54 (186) 59 (186) 83 (186) 89 (186) 73.75-11 (186) 19 (186) 63 (186) 64 (186) 69 (186) 73 (186) 79 (186)	
Electrical sheet and strip	73.08-01 (51, 124) 03 (51, 124) 05 (51, 124) 07 (51, 124) 21 (51, 124) 25 (51, 124) 29 (51, 124) 41 (51, 124) 45 (51, 124) 49 (51, 124) 73.10-11 (6, 51, 124) 15 (6, 51, 124) 17 (6, 51, 124) 42 (6, 51, 124) 49 (6, 51, 124) 73.12-11 (51, 124) 19 (51, 124) 25 (51, 124, 206) 29 (51, 124, 206) 40 (51, 124) 88 (51, 124) 89 (51, 124, 207) 73.13-11 (51, 124, 206) 16 (51, 124, 206) 17 (51, 124) 19 (51, 124) 21 (51, 124) 23 (51, 124) 26 (51, 124) 32 (51, 124) 34 (51, 124) 36 (51, 124) 41 (51, 124) 43 (51, 124) 45 (51, 124) 47 (51, 124) 49 (51, 124, 206) 50 (51, 124) 62 (50, 51, 124, 207) 88 (51, 124) 89 (51, 124, 207) 73.62-10 (51, 124) 73.63-21 (6, 51, 124) 29 (6, 51, 124) 72 (6, 51, 124) 79 (6, 51, 124)	607.9205 607.9210 608.3900

Product	NIMEXE code	TS USA number
Electrical sheet and strip *(cont'd)*	73.64-20 (51, 124) 50 (51, 124, 206) 79 (51, 124, 207) 73.65-21 (51, 124) 23 (51, 124) 25 (51, 124) 53 (51, 124) 55 (51, 124, 206) 70 (51, 124, 207) 73.72-11 (51, 124) 19 (51, 124) 73.73-23 (6, 51, 124) 24 (6, 51, 124) 25 (6, 51, 124) 26 (6, 51, 124) 29 (6, 51, 124) 33 (6, 51, 124) 34 (6, 51, 124) 35 (6, 51, 124) 36 (6, 51, 124) 39 (6, 51, 124) 72 (6, 51, 124) 83 (6, 51, 124) 89 (6, 51, 124) 73.74-21 (51, 124) 29 (51, 124) 51 (51, 124, 206) 52 (51, 124, 206) 53 (51, 124, 206) 54 (51, 124, 206) 59 (51, 124, 206) 74 (51, 124, 207) 83 (51, 124, 207) 89 (51, 124, 207) 73.75-89 (51, 124, 207) 11 (51, 124, 206) 19 (51, 124, 206) 29 (51, 124) 39 (51, 124) 49 (51, 124) 59 (51, 124) 69 (51, 124, 206) 73 (51, 124, 207) 79 (51, 124, 207)	
Tin-free steel	73.10-49 (163) 73.12-77 (76) 81 (163) 85 (163) 87 (163) 89 (163) 73.13-82 84 (163) 86 (163) 87 (163) 89 (163) 92 (163) 73.63-79 (163) 73.64-79 (163) 73.65-70 (163) 81 (163) 73.73-83 (163) 89 (163) 73.74-83 (163) 89 (163)	609.1710 609.1790

Product	NIMEXE code	TS USA number
Tin-free steel *(cont'd)*	73.75-73 (163) 79 (163) 83 (163) 84 (163) 89 (163)	
Cold-rolled strip	73.10-30 (4, 5, 6, 59, 199, 205) 45 (4, 5, 6, 59, 199, 205) 49 (4, 5, 6, 59, 193, 199, 205) 73.12-21 (4, 5, 59, 60, 199, 205) 25 (4, 5, 59, 60, 199, 205) 29 (4, 5, 59, 60, 199, 205) 40 (4, 5, 59, 60, 199, 205) 51 (4, 5, 59, 60, 199, 205) 59 (4, 5, 59, 60, 199, 205) 61 (4, 5, 59, 60, 199, 205) 63 (4, 5, 59, 60, 199, 205) 65 (4, 5, 59, 60, 199, 205) 75 (4, 5, 59, 60, 199, 205) 81 (4, 5, 59, 60, 193, 199, 205) 85 (4, 5, 59, 60, 193, 199, 205) 87 (4, 5, 59, 60, 193, 199, 205) 88 (4, 5, 59, 60, 199, 205) 89 (4, 5, 59, 60, 193, 199, 205) 73.63-50 (4, 5, 6, 59, 199, 205) 74 (4, 5, 6, 59, 199, 205) 79 (4, 5, 6, 59, 193, 199, 205) 73.64-50 (4, 5, 59, 60, 199, 205) 75 (4, 5, 59, 60, 199, 205) 79 (4, 5, 59, 60, 193, 199, 205) 73.73-53 (4, 5, 6, 59, 199, 205) 54 (4, 5, 6, 59, 199, 205) 55 (4, 5, 6, 59, 199, 205) 59 (4, 5, 6, 59, 199, 205) 74 (4, 5, 6, 59, 199, 205) 83 (4, 5, 6, 59, 193, 199, 205) 89 (4, 5, 6, 59, 193, 199, 205) 73.74-51 (4, 5, 59, 60, 199, 205) 52 (4, 5, 59, 60, 199, 205) 53 (4, 5, 59, 60, 199, 205) 54 (4, 5, 59, 60, 199, 205) 59 (4, 5, 59, 60, 199, 205) 74 (4, 5, 59, 60, 199, 205) 83 (4, 5, 59, 60, 193, 199, 205) 89 (4, 5, 59, 60, 193, 199, 205)	608.1940 608.2145 (184) 608.2150 (184) 608.2340 608.3820 (33) 608.5520 (33, 184) 608.6720 (33)
Cold-finished and other bar — Not cold formed	73.09-00 (32, 35, 191) 73.10-49 (29a, 29b, 188, 191) 73.12-51 (29b, 188, 191) 59 (29b, 188, 191) 61 (29b, 188, 191) 63 (29b, 188, 191) 65 (29b, 188, 191) 77 (29b, 188, 191) 81 (29b, 188, 191) 85 (29b, 188, 191) 87 (29b, 188, 191) 89 (29b, 188, 191) 73.62-30 (32, 35, 191) 73.63-79 (29a, 29b, 188, 191) 73.64-79 (29b, 188, 191) 73.72-33 (32, 35, 191) 39 (32, 35, 191)	606.8600

Product	NIMEXE code	TS USA number
Cold-finished and other bar — Not cold formed *(cont'd)*	73.73-83 (29a, 29b, 188, 191)	
	89 (29a, 29b, 188, 191)	
	73.74-83 (29b, 188, 191)	
	89 (29b, 188, 191)	
— Cold formed	73.10-30 (4, 29a, 29c, 68, 76)	606.8805
	45 (4, 29a, 29c, 68, 76)	606.8815
	49 (4, 29a, 29c, 34, 68, 76)	606.9900
	73.12-21 (4, 29c, 68, 76)	
	25 (4, 29c, 68, 76)	
	29 (4, 29c, 68, 76)	
	40 (4, 29c, 68, 76)	
	51 (4, 29c, 68, 76)	
	59 (4, 29c, 68, 76)	
	61 (4, 29c, 68, 76)	
	63 (4, 29c, 68, 76)	
	65 (4, 29c, 68, 76)	
	75 (4, 29c, 68, 76)	
	77 (4, 29c, 68, 76)	
	81 (4, 29c, 68, 76)	
	85 (4, 29c, 68, 76)	
	87 (4, 29c, 68, 76)	
	88 (4, 29c, 68, 76)	
	89 (4, 29c, 68, 76)	
	73.14-01 (4, 14, 68)	
	11 (4, 14, 68)	
	13 (4, 14, 68)	
	15 (4, 14, 68)	
	19 (4, 14, 68)	
	21 (4, 68, 76)	
	41 (4, 68, 76)	
	43 (4, 68, 76)	
	45 (4, 68, 76)	
	49 (4, 68, 76)	
	81 (4, 68, 76)	
	91 (4, 68, 76)	
	99 (4, 68, 76)	
	73.63-50 (4, 29a, 29c, 68, 76)	
	74 (4, 29a, 29c, 68, 76)	
	79 (4, 29a, 29c, 34, 68, 76)	
	73.64-50 (4, 29c, 68, 76)	
	75 (4, 29c, 68, 76)	
	79 (4, 29c, 68, 76)	
	73.66-40 (4, 68, 76)	
	81 (4, 68, 76)	
	86 (4, 68, 76)	
	89 (4, 68, 76)	
	73.73-53 (4, 29a, 29c, 68, 76)	
	54 (4, 29a, 29c, 68, 76)	
	55 (4, 29a, 29c, 68, 76)	
	59 (4, 29a, 29c, 68, 76)	
	74 (4, 29a, 29c, 68, 76)	
	83 (4, 29a, 29c, 34, 68, 76)	
	89 (4, 29a, 29c, 34, 68, 76)	
	73.74-51 (4, 29c, 68, 76)	
	52 (4, 29c, 68, 76)	
	53 (4, 29c, 68, 76)	
	54 (4, 29c, 68, 76)	
	59 (4, 29c, 68, 76)	
	74 (4, 29c, 68, 76)	
	83 (4, 29c, 68, 76)	
	89 (4, 29c, 68, 76)	
	73.76-13 (4, 68, 76)	
	14 (4, 68, 76)	

Product	NIMEXE code	TS USA number
Cold-finished and other bar *(cont'd)*	73.76-15 (4, 68, 76)	
	16 (4, 68, 76)	
	19 (4, 68, 76)	
— Cold formed		
— Hollow drill steel	73.10-18 (187)	607.0500
	73.63-29 (187)	607.0700
	50 (187)	607.0900
	72 (187)	
	74 (187)	
	79 (187)	
	73.73-13 (187)	
	14 (187)	
	19 (187)	
	33 (187)	
	34 (187)	
	35 (187)	
	39 (187)	
	53 (187)	
	54 (187)	
	55 (187)	
	59 (187)	
	72 (187)	
	74 (187)	
	83 (187)	
	89 (187)	
Bar shapes under 3 inches	73.11-11 (77, 191)	609.8050
	19 (77, 191)	609.8070
	20 (77, 191)	609.8090
	31 (77, 191)	
	39 (77, 191)	
	41 (77, 191)	
	43 (77, 191)	
	49 (77, 191)	
	73.16-11 (77, 191)	
	73.63-10 (77, 191)	
	29 (77, 191)	
	50 (77, 191)	
	72 (77, 191)	
	74 (77, 191)	
	79 (77, 191)	
	73.73-13 (77, 191)	
	14 (77, 191)	
	19 (77, 191)	
	33 (77, 191)	
	34 (77, 191)	
	35 (77, 191)	
	36 (77, 191)	
	39 (77, 191)	
	43 (77, 191)	
	49 (77, 191)	
	53 (77, 191)	
	54 (77, 191)	
	55 (77, 191)	
	59 (77, 191)	
	72 (77, 191)	
	74 (77, 191)	
	83 (77, 191)	
	89 (77, 191)	
Concrete reinforcing bars	73.10-12	606.7900
	14	606.8100

Product	NIMEXE code	TS USA number
Concrete reinforcing bars *(cont'd)*	73.63-29 (71) 73.73-33 (71) 34 (71) 35 (71) 36 (71) 39 (71)	
Rail products	73.16-40 (151) 51 (151) 95 (151) 99 (151) 73.31-97 (26) 98 (26) 86.09-51 59	610.2500 610.2600 646.3020 690.2500 690.3000
Stainless wire	73.10-30 (75, 147, 215) 45 (75, 147, 215) 49 (75, 147, 215) 73.12-21 (57, 75, 147, 215) 25 (57, 75, 147, 215) 29 (57, 75, 147, 215) 40 (57, 75, 147, 215) 75 (57, 75, 147, 215) 88 (57, 75, 147, 215) 89 (57, 75, 147, 215) 73.14-01 (3, 147, 215) 11 (3, 147, 215) 13 (3, 147, 215) 15 (3, 147, 215) 19 (3, 147, 215) 21 (75, 147, 215) 41 (75, 147, 215) 43 (75, 147, 215) 45 (75, 147, 215) 49 (75, 147, 215) 81 (75, 147, 215) 91 (75, 147, 215) 99 (75, 147, 215) 73.63-50 (75, 147, 215) 74 (75, 147, 215) 79 (75, 147, 215) 73.64-50 (57, 75, 147, 215) 75 (57, 75, 147, 215) 79 (57, 75, 147, 215) 73.66-40 (75, 147, 215) 81 (75, 147, 215) 86 (75, 147, 215) 89 (75, 147, 215) 73.73-53 (75, 147, 215) 54 (75, 147, 215) 55 (75, 147, 215) 59 (75, 147, 215) 74 (75, 147, 215) 83 (75, 147, 215) 89 (75, 147, 215) 73.74-51 (57, 75, 147, 215) 52 (57, 75, 147, 215) 53 (57, 75, 147, 215) 54 (57, 75, 147, 215) 59 (57, 75, 147, 215) 74 (57, 75, 147, 215) 83 (57, 75, 147, 215) 89 (57, 75, 147, 215)	609.3020 609.3320 609.4502 609.4504 609.4542 609.4544

Product	NIMEXE code	TS USA number
Stainless wire *(cont'd)*	73.76-13 (75, 147, 215)	
	14 (75, 147, 215)	
	15 (75, 147, 215)	
	16 (75, 147, 215)	
	19 (75, 147, 215)	
Wire strand	73.25-11 (103)	642.0800
	21 (103)	642.1105
	31 (103)	642.1120
	35 (103)	642.1142
	39 (103)	642.1144
	51 (103)	642.1146
	55 (103)	
	59 (103)	
	98 (103)	
Wire rope	73.25-11 (104)	642.1200
	21 (104)	642.1400
	31 (104)	642.1610
	35 (104)	642.1650
	39 (104)	
	51 (104)	
	55 (104)	
	59 (104)	
	98 (104)	
Other speciality steel	73.07-12 (201, 220)	606.9105
	15 (201, 220)	606.9110
	73.08-01 (201, 204)	607.3200
	03 (201, 204)	607.4800
	05 (201, 204)	607.6900
	07 (201, 204)	607.8600
	21 (201, 204)	607.9315
	25 (201, 204)	608.3100
	29 (201, 204)	608.3810
	41 (201, 204)	608.4700
	45 (201, 204)	608.5510
	49 (201, 204)	608.5900
	73.09-00 (201)	608.6710
	73.10-11 (201)	
	15 (201, 204)	
	17 (201, 204)	
	20 (201, 204)	
	30 (76, 201, 204)	
	42 (201, 204)	
	45 (76, 201, 204)	
	49 (76, 193, 201, 204)	
	73.12-11 (201, 204)	
	19 (201, 204)	
	21 (76, 201, 204)	
	25 (76, 201, 204)	
	29 (76, 201, 204)	
	40 (76, 201, 204)	
	59 (76, 201, 204, 234)	
	61 (76, 201, 204, 234)	
	63 (76, 201, 204, 234)	
	65 (76, 201, 204, 234)	
	71 (201, 204, 234)	
	75 (76, 201, 204, 234)	
	77 (29b, 29c, 76, 201)	
	81 (76, 193, 201, 204, 234)	
	85 (76, 193, 201, 204, 234)	
	87 (76, 193, 201, 204, 234)	
	88 (76, 201, 204)	
	89 (76, 193, 201, 204, 234)	

Product	NIMEXE code	TS USA number
Other speciality steel *(cont'd)*	73.13-11 (201, 204) 16 (201, 204) 17 (201, 204) 19 (201, 204) 21 (201, 204) 23 (201, 204) 26 (201, 204) 32 (201, 204) 34 (201, 204) 36 (201, 204) 41 (201, 204) 43 (201, 204) 45 (201, 204) 47 (201, 204) 49 (201, 204) 50 (201, 204) 62 (50, 201, 204) 88 (201, 204) 89 (38, 201, 204) 73.14-01 (14, 201) 11 (14, 201) 13 (14, 201) 15 (14, 201) 19 (14, 201) 21 (76, 201) 41 (76, 201) 43 (76, 201) 45 (76, 201) 49 (76, 201) 81 (76, 201) 91 (76, 201) 99 (76, 201) 73.61-10 (201, 220, 231) 50 (201, 220, 231) 73.62-10 (201, 204) 30 (201) 73.63-10 (201) 21 (201, 204) 29 (201, 204) 50 (76, 201, 204) 72 (201, 204) 74 (76, 201, 204) 79 (76, 193, 201, 204) 73.64-20 (201, 204) 50 (76, 201, 204) 72 (201, 204, 234) 75 (76, 201, 204, 234) 79 (76, 193, 201, 204, 234) 73.65-21 (201, 204) 23 (201, 204) 25 (201, 204) 53 (201, 204) 55 (201, 204) 70 (38, 201, 204) 73.66-40 (76, 201) 81 (76, 201) 86 (76, 201) 89 (76, 201) 73.71-13 (201, 220, 231) 14 (201, 220, 231) 19 (201, 220, 231) 53 (201, 220, 231) 54 (201, 220, 231) 55 (201, 220, 231) 56 (201, 220, 231) 59 (201, 220, 231)	

Product	NIMEXE code	TS USA number
Other speciality steel *(cont'd)*	73.72-11 (201, 204)	
	13 (201, 204)	
	19 (201, 204)	
	33 (201)	
	39 (201)	
	73.73-13 (201)	
	14 (201)	
	19 (201)	
	23 (201, 204)	
	24 (201, 204)	
	25 (201, 204)	
	26 (201, 204)	
	29 (201, 204)	
	33 (201, 204)	
	34 (201, 204)	
	35 (201, 204)	
	36 (201, 204)	
	39 (201, 204)	
	53 (76, 201, 204)	
	54 (76, 201, 204)	
	55 (76, 201, 204)	
	59 (76, 201, 204)	
	72 (201, 204, 234)	
	74 (76, 201, 204, 234)	
	83 (76, 193, 201, 204, 234)	
	89 (76, 193, 201, 204, 234)	
	73.74-21 (201, 204)	
	23 (201, 204)	
	29 (201, 204)	
	51 (76, 201, 204)	
	52 (76, 201, 204)	
	53 (76, 201, 204)	
	54 (76, 201, 204)	
	59 (76, 201, 204)	
	72 (201, 204, 234)	
	74 (76, 201, 204, 234)	
	83 (76, 193, 201, 204, 234)	
	89 (76, 193, 201, 204, 234)	
	73.75-11 (201, 204)	
	19 (201, 204)	
	23 (201, 204)	
	24 (201, 204)	
	29 (201, 204)	
	33 (201, 204)	
	34 (201, 204)	
	39 (201, 204)	
	43 (201, 204)	
	44 (201, 204)	
	49 (201, 204)	
	53 (201, 204)	
	54 (201, 204)	
	59 (201, 204)	
	63 (201, 204)	
	64 (201, 204)	
	69 (201, 204)	
	73 (38, 201, 204)	
	79 (38, 201, 204)	
	73.76-13 (76, 201)	
	14 (76, 201)	
	15 (76, 201)	
	16 (76, 201)	
	19 (76, 201)	
Fabricated structurals	73.11-11 (172)	609.8400
	12 (172)	609.8600

Product	NIMEXE code	TS USA number
Fabricated structurals *(cont'd)*	73.11-14 (172) 16 (172) 19 (172) 20 (172) 31 (172) 39 (172) 41 (172) 43 (172) 49 (172) 73.21-10 (109) 20 (109) 40 (109) 50 (109) 60 70 (109) 99 (109) 73.63-10 (172) 29 (172) 50 (172) 72 (172) 74 (172) 79 (172) 73.73-13 (172) 14 (172) 19 (172) 33 (172) 34 (172) 35 (172) 36 (172) 39 (172) 43 (172) 49 (172) 53 (172) 54 (172) 55 (172) 59 (172) 72 (172) 74 (172) 83 (172) 89 (172)	609.8800 609.9000 652.9400 652.9600 653.0000
Stainless steel sheet and strip	73.08-01 (5, 54, 55, 56, 61) 03 (5, 54, 55, 56, 61) 05 (54, 55, 56, 61) 07 (54, 55, 56, 61) 21 (5, 54, 55, 56, 61) 25 (54, 55, 56, 61) 29 (54, 55, 56, 61) 41 (5, 54, 55, 56, 61) 45 (54, 55, 56, 61) 49 (54, 55, 56, 61) 73.10-11 (6, 54, 55, 57, 58, 61, 226) 15 (6, 54, 55, 57, 58, 61, 226) 17 (6, 54, 55, 57, 58, 61, 226) 30 (6, 54, 55, 57, 58, 61, 226) 42 (6, 54, 55, 57, 58, 61, 226) 45 (6, 54, 55, 57, 58, 61, 226) 49 (6, 54, 55, 57, 58, 61, 226) 73.12-11 (5, 8, 54, 55, 56, 57, 58, 61, 226) 19 (5, 8, 54, 55, 56, 57, 58, 61, 226) 21 (5, 8, 54, 55, 56, 57, 58, 61, 226) 25 (5, 8, 54, 55, 56, 57, 58, 61, 226) 29 (5, 8, 54, 55, 56, 57, 58, 61, 226) 40 (5, 8, 54, 55, 56, 57, 58, 61, 226) 51 (54, 55, 57, 58, 61, 226)	607.7610 (54, 55, 56) 607.9010 (54, 55, 56) 607.9020 (54, 55, 56) 608.2900 (54, 55, 58) 608.4300 (54, 55, 58) 608.5700 (54, 55)

Product	NIMEXE code	TS USA number
Stainless steel sheet and strip *(cont'd)*	73.12-59 (54, 55, 57, 58, 61, 226) 61 (54, 55, 57, 58, 61, 226) 63 (54, 55, 57, 58, 61, 226) 65 (54, 55, 57, 58, 61, 226) 71 (54, 55, 57, 58, 61, 226) 75 (54, 55, 57, 58, 61, 226) 81 (54, 55, 57, 58, 61, 193, 226) 85 (54, 55, 57, 58, 61, 193, 226) 87 (54, 55, 57, 58, 61, 193, 226) 88 (5, 8, 54, 55, 56, 57, 58, 61, 226) 89 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226) 73.13-11 (5, 54, 55, 56, 61) 16 (5, 54, 55, 56, 61) 17 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 21 (54, 55, 56, 61) 23 (54, 55, 56, 61) 26 (54, 55, 56, 61) 32 (54, 55, 56, 61) 34 (54, 55, 56, 61) 36 (54, 55, 56, 61) 41 (5, 54, 55, 56, 61) 43 (54, 55, 56, 61) 45 (54, 55, 56, 61) 47 (54, 55, 56, 61) 49 (54, 55, 56, 61) 50 (5, 54, 55, 56, 61) 62 (5, 52, 54, 55, 56, 61) 88 (5, 54, 55, 56, 61) 89 (5, 54, 55, 56, 61, 119) 73.62-10 (5, 54, 55, 56, 61) 73.63-21 (6, 54, 55, 57, 58, 61, 226) 29 (6, 54, 55, 57, 58, 61, 226) 50 (6, 54, 55, 57, 58, 61, 226) 72 (6, 54, 55, 57, 58, 61, 226) 74 (6, 54, 55, 57, 58, 61, 226) 79 (6, 54, 55, 57, 58, 61, 193, 226) 73.64-20 (5, 8, 54, 55, 56, 57, 58, 61, 226) 50 (5, 8, 54, 55, 56, 57, 58, 61, 226) 72 (54, 55, 57, 58, 61, 226) 75 (54, 55, 57, 58, 61, 226) 79 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226) 73.65-21 (5, 54, 55, 56, 61) 23 (54, 55, 56, 61) 25 (54, 55, 56, 61) 53 (5, 54, 55, 56, 61) 55 (54, 55, 56, 61) 70 (5, 54, 55, 56, 61, 119) 73.72-11 (5, 54, 55, 56, 61) 13 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 73.73-23 (6, 54, 55, 57, 58, 61, 226) 24 (6, 54, 55, 57, 58, 61, 226) 25 (6, 54, 55, 57, 58, 61, 226) 26 (6, 54, 55, 57, 58, 61, 226) 29 (6, 54, 55, 57, 58, 61, 226) 33 (6, 54, 55, 57, 58, 61, 226) 34 (6, 54, 55, 57, 58, 61, 226) 35 (6, 54, 55, 57, 58, 61, 226) 36 (6, 54, 55, 57, 58, 61, 226) 39 (6, 54, 55, 57, 58, 61, 226) 53 (6, 54, 55, 57, 58, 61, 226) 54 (6, 54, 55, 57, 58, 61, 226) 55 (6, 54, 55, 57, 58, 61, 226) 59 (6, 54, 55, 57, 58, 61, 226)	

Product	NIMEXE code	TS USA number
Stainless steel sheet and strip *(cont'd)*	73.73-72 (6, 54, 55, 57, 58, 61, 226) 74 (6, 54, 55, 57, 58, 61, 226) 83 (6, 54, 55, 57, 58, 61, 193, 226) 89 (6, 54, 55, 57, 58, 61, 193, 226) 73.74-21 (5, 8, 54, 55, 56, 57, 58, 61, 226) 23 (5, 8, 54, 55, 56, 57, 58, 61, 226) 29 (5, 8, 54, 55, 56, 57, 58, 61, 226) 51 (5, 8, 54, 55, 56, 57, 58, 61, 226) 52 (5, 8, 54, 55, 56, 57, 58, 61, 226) 53 (5, 8, 54, 55, 56, 57, 58, 61, 226) 54 (5, 8, 54, 55, 56, 57, 58, 61, 226) 59 (5, 8, 54, 55, 56, 57, 58, 61, 226) 72 (54, 55, 57, 58, 61, 226) 74 (54, 55, 57, 58, 61, 226) 83 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226) 89 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226) 73.75-11 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 23 (5, 54, 55, 56, 61) 24 (5, 54, 55, 56, 61) 29 (5, 54, 55, 56, 61) 33 (54, 55, 56, 61) 34 (54, 55, 56, 61) 39 (54, 55, 56, 61) 43 (54, 55, 56, 61) 44 (54, 55, 56, 61) 49 (54, 55, 56, 61) 53 (5, 54, 55, 56, 61) 54 (5, 54, 55, 56, 61) 59 (5, 54, 55, 56, 61) 63 (54, 55, 56, 61) 64 (54, 55, 56, 61) 69 (54, 55, 56, 61) 73 (5, 54, 55, 56, 61, 119) 79 (5, 54, 55, 56, 61, 119)	
Stainless plate	73.08-01 (13, 54, 55, 61) 03 (13, 54, 55, 61) 21 (13, 54, 55, 61) 41 (13, 54, 55, 61) 73.09-00 (12, 54, 55, 61) 73.10-15 (6, 12, 13, 54, 55, 61) 17 (6, 12, 13, 54, 55, 61) 30 (6, 8, 13, 54, 55, 61) 49 (6, 13, 15, 38, 54, 55, 61) 73.12-11 (12, 13, 54, 55, 61) 19 (12, 13, 54, 55, 61) 21 (8, 13, 54, 55, 61) 25 (8, 13, 54, 55, 61) 29 (8, 13, 54, 55, 61) 40 (13, 15, 54, 55, 61) 88 (13, 15, 54, 55, 61) 89 (13, 15, 38, 54, 55, 61) 73.13-11 (13, 54, 55, 61) 16 (13, 54, 55, 61) 17 (13, 54, 55, 61) 19 (13, 54, 55, 61) 41 (13, 54, 55, 61) 50 (13, 54, 55, 61) 62 (13, 50, 54, 55, 61) 88 (13, 54, 55, 61) 89 (13, 38, 54, 55, 61) 73.62-10 (13, 54, 55, 61) 30 (12, 54, 55, 61)	607.7603 (19, 54, 55) 607.7606 (54, 55) 607.9005 (54, 55)

Product	NIMEXE code	TS USA number
Stainless plate *(cont'd)*	73.63-29 (6, 12, 13, 54, 55, 61) 50 (6, 8, 13, 54, 55, 61) 79 (6, 13, 15, 38, 54, 55, 61) 73.64-20 (12, 13, 54, 55, 61) 50 (8, 13, 54, 55, 61) 79 (13, 15, 38, 54, 55, 61) 73.65-21 (13, 54, 55, 61) 53 (13, 54, 55, 61) 70 (13, 38, 54, 55, 61) 73.72-11 (13, 54, 55, 61) 13 (13, 54, 55, 61) 19 (13, 54, 55, 61) 33 (12, 54, 55, 61) 39 (12, 54, 55, 61) 73.73-33 (6, 12, 13, 54, 55, 61) 34 (6, 12, 13, 54, 55, 61) 35 (6, 12, 13, 54, 55, 61) 36 (6, 12, 13, 54, 55, 61) 39 (6, 12, 13, 54, 55, 61) 53 (6, 8, 13, 54, 55, 61) 54 (6, 8, 13, 54, 55, 61) 59 (6, 8, 13, 54, 55, 61) 83 (6, 13, 15, 38, 54, 55, 61) 89 (6, 13, 15, 38, 54, 55, 61) 73.74-21 (12, 13, 54, 55, 61) 23 (12, 13, 54, 55, 61) 29 (12, 13, 54, 55, 61) 51 (8, 13, 54, 55, 61) 52 (8, 13, 54, 55, 61) 53 (8, 13, 54, 55, 61) 54 (8, 13, 54, 55, 61) 59 (8, 13, 54, 55, 61) 83 (13, 15, 38, 54, 55, 61) 89 (13, 15, 38, 54, 55, 61) 73.75-11 (13, 54, 55, 61) 19 (13, 54, 55, 61) 23 (13, 54, 55, 61) 24 (13, 54, 55, 61) 29 (13, 54, 55, 61) 53 (13, 54, 55, 61) 54 (13, 54, 55, 61) 59 (13, 54, 55, 61) 73 (13, 38, 54, 55, 61) 79 (13, 38, 54, 55, 61)	
Stainless bar	73.07-12 (61, 220) 15 (61, 220) 73.09-00 (32, 61) 73.10-11 (29a, 29b, 29d, 61) 15 (29a, 29b, 29d, 61) 17 (29a, 29b, 29d, 61) 20 (29a, 29d, 61) 30 (29a, 29c, 61, 76) 42 (29a, 29b, 61) 45 (29a, 29c, 61, 76) 49 (29a, 29b, 29c, 29d, 61, 76) 73.12-11 (29b, 61) 19 (29b, 61) 21 (29c, 61, 76) 25 (29c, 61, 76) 29 (29c, 61, 76) 40 (29b, 29c, 61, 76) 51 (29b, 29c, 61, 76) 59 (29b, 29c, 61, 76)	606.9005 606.9015 606.9020

Product	NIMEXE code	TS USA number
Stainless bar *(cont'd)*	73.12-61 (29b, 29c, 61, 76) 63 (29b, 29c, 61, 76) 65 (29b, 29c, 61, 76) 71 (29b, 61) 75 (29c, 61, 76) 77 (29b, 29c, 61, 76) 81 (29b, 29c, 61, 76) 85 (29b, 29c, 61, 76) 87 (29b, 29c, 61, 76) 88 (29b, 29c, 61, 76) 89 (29b, 29c, 61, 76) 73.14-01 (14, 61) 11 (14, 61) 13 (14, 61) 15 (14, 61) 19 (14, 61) 21 (61, 76) 41 (61, 76) 43 (61, 76) 45 (61, 76) 49 (61, 76) 81 (61, 76) 91 (61, 76) 99 (61, 76) 73.61-10 (61, 220, 231) 50 (61, 220, 231) 73.62-30 (32, 61) 73.63-10 (29a, 29c, 61) 21 (29a, 29b, 29d, 61) 29 (29a, 29b, 29d, 61) 50 (29c, 61, 76) 72 (29a, 29b, 29d, 61) 74 (29c, 61, 76) 79 (29a, 29b, 29c, 29d, 61, 76) 73.64-20 (29b, 61) 50 (29c, 61, 76) 72 (29b, 61) 75 (29c, 61, 76) 79 (29b, 29c, 61, 76) 73.66-40 (61, 76) 81 (61, 76) 86 (61, 76) 89 (61, 76) 73.71-13 (61, 220, 231) 14 (61, 220, 231) 19 (61, 220, 231) 73.72-33 (32, 61) 39 (32, 61) 73.73-13 (29a, 29c, 61) 14 (29a, 29c, 61) 19 (29a, 29c, 61) 23 (29a, 29b, 29d, 61) 24 (29a, 29b, 29d, 61) 25 (29a, 29b, 29d, 61) 26 (29a, 29b, 29d, 61) 29 (29a, 29b, 29d, 61) 33 (29a, 29b, 29d, 61) 34 (29a, 29b, 29d, 61) 35 (29a, 29b, 29d, 61) 36 (29a, 29b, 29d, 61) 39 (29a, 29b, 29d, 61) 53 (29a, 29c, 61, 76) 54 (29a, 29c, 61, 76) 55 (29a, 29c, 61, 76) 59 (29a, 29c, 61, 76)	

Product	NIMEXE code	TS USA number
Stainless bar *(cont'd)*	73.73-72 (29a, 29b, 29d, 61)	
	74 (29a, 29c, 61, 76)	
	83 (29a, 29b, 29c, 29d, 61, 76)	
	89 (29a, 29b, 29c, 29d, 61, 76)	
	73.74-21 (29b, 61)	
	23 (29b, 61)	
	29 (29b, 61)	
	51 (29c, 61, 76)	
	52 (29c, 61, 76)	
	53 (29c, 61, 76)	
	54 (29c, 61, 76)	
	59 (29c, 61, 76)	
	72 (29b, 61)	
	74 (29c, 61, 76)	
	83 (29b, 29c, 61, 76)	
	73.76-13 (61, 76)	
	14 (61, 76)	
	15 (61, 76)	
	16 (61, 76)	
	19 (61, 76)	
Stainless steel wire rod	73.10-11 (25, 61)	607.2600
	15 (25, 61)	607.4300
	73.63-21 (25, 61)	
	29 (25, 61)	
	73.73-23 (25, 61)	
	24 (25, 61)	
	25 (25, 61)	
	26 (25, 61)	
	29 (25, 61)	
	33 (25, 61)	
	34 (25, 61)	
	35 (25, 61)	
	36 (25, 61)	
	39 (25, 61)	
Alloy tool steel	73.07-12 (203, 220)	606.9300
	15 (203, 220)	606.9400
	73.08-01 (203)	606.9505
	03 (203)	606.9512
	05 (203)	606.9514
	07 (203)	606.9520
	21 (203)	606.9525
	25 (203)	606.9535
	29 (203)	606.9542
	41 (203)	606.9544
	45 (203)	606.9546
	49 (203)	606.9548
	73.09-00 (203)	607.2800
	73.10-11 (203)	607.3405
	15 (203)	607.3420
	17 (203)	607.4600
	20 (203)	607.5405
	30 (203, 233)	607.5420
	42 (203)	607.7205
	45 (203, 233)	607.7210 (19)
	49 (193, 203, 233)	607.7220
	73.12-11 (203)	607.7225
	19 (203)	607.8805
	21 (76, 203)	607.8820
	25 (76, 203)	608.3405
	29 (76, 203)	608.3420
	40 (76, 203)	608.4905
	51 (76, 203, 234)	608.4020

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.12-59 (76, 203, 234)	608.6405
	61 (76, 203, 234)	608.6420
	63 (76, 203, 234)	609.4520
	65 (76, 203, 234)	609.4550
	71 (203, 234)	
	75 (76, 203, 234)	
	77 (29b, 29c, 76, 203)	
	81 (76, 193, 203, 234)	
	85 (76, 193, 203, 234)	
	87 (76, 193, 203, 234)	
	88 (76, 203)	
	89 (76, 193, 203, 234)	
	73.13-11 (203)	
	16 (203)	
	17 (203)	
	19 (203)	
	21 (203)	
	23 (203)	
	26 (203)	
	32 (203)	
	34 (203)	
	36 (203)	
	41 (203)	
	43 (203)	
	45 (203)	
	47 (203)	
	49 (203)	
	50 (203)	
	62 (50, 203)	
	88 (203)	
	89 (38, 203)	
	73.14-01 (233)	
	11 (233)	
	13 (233)	
	15 (233)	
	19 (233)	
	21 (233)	
	41 (233)	
	43 (233)	
	45 (233)	
	49 (233)	
	81 (233)	
	91 (233)	
	99 (233)	
	73.61-10 (203, 220, 231)	
	50 (203, 220, 231)	
	73.62-10 (203)	
	30 (203)	
	73.63-10 (203)	
	21 (203)	
	29 (203)	
	50 (203, 233)	
	72 (203)	
	74 (203, 233)	
	79 (193, 203, 233)	
	73.64-20 (203)	
	50 (76, 203)	
	72 (203, 234)	
	75 (76, 203, 234)	
	79 (76, 193, 203, 234)	
	73.65-21 (203)	
	23 (203)	
	25 (203)	
	53 (203)	
	55 (203)	
	70 (38, 203)	

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.66-40 (233) 81 (233) 86 (233) 89 (233) 73.71-13 (203, 220, 231) 14 (203, 220, 231) 19 (203, 220, 231) 53 (203, 220, 231) 54 (203, 220, 231) 55 (203, 220, 231) 56 (203, 220, 231) 59 (203, 220, 231) 73.72-11 (203) 13 (203) 19 (203) 33 (203) 39 (203) 73.73-13 (203) 14 (203) 19 (203) 23 (203) 24 (203) 25 (203) 26 (203) 29 (203) 33 (203) 34 (203) 35 (203) 36 (203) 39 (203) 53 (203, 233) 54 (203, 233) 55 (203, 233) 59 (203, 233) 72 (203) 74 (203, 233) 83 (193, 203, 233) 89 (193, 203, 233) 73.74-21 (203) 23 (203) 29 (203) 51 (76, 203) 52 (76, 203) 53 (76, 203) 54 (76, 203) 59 (76, 203) 72 (203, 234) 74 (76, 203, 234) 83 (76, 193, 203, 234) 89 (76, 193, 203, 234) 73.75-11 (203) 19 (203) 23 (203) 24 (203) 29 (203) 33 (203) 34 (203) 39 (203) 43 (203) 44 (203) 49 (203) 53 (203) 54 (203) 59 (203)	

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.75-63 (203) 64 (203) 69 (203) 73 (38, 203) 79 (38, 203) 73.76-13 (233) 14 (233) 15 (233) 16 (233) 19 (233)	

Footnotes

(1) Covered if of rectangular section. If 3/16 inch or over in thickness and hot-rolled, excluded if 8 inches or less in width, pickled, not in coils or coated, plated or clad with metal.

(2) If 3/16 inch or more in thickness and hot-rolled, excluded if 8 inches or less in width, pickled, not in coils or coated, plated or clad with metal.

(3) Covered if in coil.

(4) Excluding 'tool steel', 'high-speed-tool steel', 'tool steel of the type described in headnote 2 (H) (vii)', and 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (H), (v), (vi), (vii) and (viii) of the Tariff Schedules of the United States Annotated.

(5) Covered if less than 3/16 inch in thickness.

(6) Covered if of rectangular section.

(7) Covered if hot-rolled.

(8) Covered if over 12 inches in width.

(12) Covered if over 8 inches in width.

(13) Covered if 3/16 inch or more in thickness.

(14) Covered if not in coil.

(15) Covered if hot-rolled and over 8 inches in width or if cold-rolled and over 12 inches in width.

(17) Covered if semi-finished products over 6 inches in thickness produced by rolling on a primary (slabbing) mill.

(19) Excluding semi-finished products over 6 inches in thickness produced by rolling on a primary (slabbing) mill.

(20) Excluded if clad.

(21) Covered if structural shape having a maximum cross-sectional dimension of 3 inches or more.

(25) Covered if hot rolled, semi-finished, of approximately circular section, in coil and not under 0,20 inch nor over 0,74 inch in diameter.

(26) Covered if railway track spikes.

(28) Covered if galvanized wire fencing 'wholly of round iron or teel wire measuring not over 0,20 inch and not under 0,075 inch in diameter, whether or not such wire is covered with plastic'. Excluded if welded galvanized wire fencing other than chain link fencing.

(29a) Covered if cross-section in the form of circles, segments of circles, ovals, triangles, rectangles, hexagons, or octagons.

(29b) Covered if of rectangular section, hot-rolled, 3/16 inch or more in thickness and 8 inches or less in width.

(29c) Covered if of rectangular section, cold-rolled, 3/16 inch or more in thickness and 12 inches or less in width.

(29d) If of approximately circular section and hot-rolled, excluded if in coils, not unter 0,20 inch in diameter and not over 0,74 inch in diameter.

(31) Excluded if cold-formed or cold-finished.

(32) Covered if 8 inches or less in width.

(33) Covered if cold-rolled.

(34) Covered if cold-formed or cold-finished.

(35) Covered if coated or plated with metal.

(38) Excluded if coated, plated or clad with metal.

(40) If plated or coated with metal and 3/16 inch or more in thickness, covered if over 8 inches in width when hot-rolled and if over 12 inches in width when cold-rolled. If not plated **or coated with metal** covered if not in coils, if 3/16 inch or more in thickness, not pickled and over 8 inches in **width and hot-rolled.**

(44) Covered if clad, and either less than 3/16 inch in thickness and over 12 inches in width; or 3/16 inch or more in thickness, over 8 inches in width and hot-rolled or if over 12 inches in width and cold-rolled.

(45) Excluded if pickled.

(50) Excluded if silvered, gilded or platinum plated.

(51) Covered if 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated.

(54) Excluding cladding grade 434 stainless steel certified by the importer of record or ultimate consignee to be used in the manufacture of stainless steel clad aluminium automobile trim.

(55) Excluding grade 253 MA and 254 SMO stainless steel.

(56) Excluding stainless steel sheet over 71 inches in width.

(57) Excluding 'razor blade steel', i.e., stainless steel strip or flat wire not over 0,01 inch in thickness and not over 0,9 inch in width, containing by weight not less than 0,6 % and not over 0,75 % carbon, and containing by weight not less than 11,5 % and not over 14,7 % chromium, certified at the time of entry to be used in the manufacture of razor blades.

(58) Excluding stainless steel strip not over 0,05 inch in thickness certified by the importer of record or ultimate consignee to be used in the manufacture of stainless steel flapper valves for compressors.

(59) Covered if over 0,5 inch in width and cold-rolled.

(60) Covered if 12 inches or under in width.

(61) Covered if containing by weight less than 1 % carbon and over 11,5 % chromium.

(68) Covered if containing by weight 11,5 % or less chromium or 1 % or more carbon.

(71) Covered if 'deformed concrete reinforcing bars', as defined in schedule 6, part 2, subpart B, 3 (d) of the Tariff Schedules of the United States Annotated.

(72) Excluded if 'deformed concrete reinforcing bars', as defined in schedule 6, part 2, subpart B, 3 (d) of the Tariff Schedules of the United States Annotated.

(75) Covered if 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated.

(76) Excluded if 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated.

(77) Covered if structural shape having a maximum cross-sectional dimension of less than 3 inches. Excluded if drilled, punched or otherwise advanced. If cold-formed, excluded if weighing 0,29 pound or less per linear foot.

(79) Covered if coated or plated with tin and greater than 12 inches in width.

(80) Excluded if coated or plated with tin.

(82) Covered if hot-rolled and either less than 3/16 inch in thickness and 12 inches or under in width, or less than 3/16 inch in thickness, over 12 inches in width and not coated, plated or clad with metal.

(84) Covered if cold-rolled, less than 3/16 inch in thickness, over 12 inches in width and not coated, plated or clad with metal.

(87) Covered if cold-rolled, 3/16 inch or over in thickness, over 12 inches in width and not coated, plated or clad with metal. Also covered if over 3/16 inch in thickness, hot-rolled and pickled, over 8 inches in width and not coated, plated or clad with metal.

(97) Excluded if coated or plated with metal.

(102) Excluded if coated or plated with a lead-tin alloy.

(103) Covered if wire strand, i.e., a plurality of round or shaped wires helically laid in one or more layers.

(104) Covered if other than wire strand.

(109) Excluded if door and window frames. Also excluded if columns, pillars, posts, beams, girders, and similar structural units made in part of stainless steel, or of cast-iron.

(112) Excluded if cold-formed and weighing not over 0,29 pound per linear foot.

(119) Excluded if coated, plated or clad with metal and over 12 inches in width.

(121) Excluded if thumb tacks; drive pins, studs and other fasteners suitable for use in power-actuated hand tools; staples in strip form; corrugated fasteners, glaziers point, hook nails and ring nails; or railway track spikes. Also excluded if cut nails or if coated or plated with precious metals.

(122) Covered if made from wire of iron or steel with heads of ferrous or non-ferrous metals.

(124) Covered if pickled or cold-rolled and over 12 inches in width and less than 3/16 inch in thickness. Also covered if not over 12 inches in width and over 0,01 inch, but not over 0,05 inch, in thickness. Also, if cold-rolled, product must be over 0,5 inch in width.

(143) Covered if pickled or cold-rolled.

(147) Excluded if bale ties with or without buckles or fastenings.

(148) Covered if bale ties with or without buckles or fastenings.

(151) Covered if tie plates and joint bars as defined in schedule 6, part 2, subpart B, 3 (l) and (m) of the Tariff Schedules of the United States Annotated.

(152) Excluded if drilled, punched or otherwise advanced.

(163) Covered if plates, sheets or strip of iron or steel as defined in schedule 6, part 2, subpart B, 3 (g) and (h) of the Tariff Schedules of the United States Annotated, whether or not cut, pressed or stamped to non-rectangular shape, if electrolytically coated or plated with chromium oxide or with chromium and chromium oxide or with other base metal other than tin, lead, or zinc.

(172) Covered either if cold-formed and weighing not over 0,29 pound per linear foot or if drilled, punched or otherwise advanced.

(184) Excluded if band-saw steel defined as follows: (a) 'metal cutting band-saw steel' referring to steel strip or flat wire, not less than 0,024 inch and not more than 0,036 inch in thickness, not less than 0,248 inch and not more than 2,0 inches in width, in coils, containing:

carbon: not less than 1,18 and not more than 1,32 %;

chromium: not less than 0,15 and not more than 0,32 %;

manganese: not less than 0,10 and not more than 0,40 %;

certified by the importer of record of the ultimate consignee for use in the manufacture of metal-cutting band-saw blades; or (b) 'wood band-saw steel' referring to (1) alloy steel sheet or strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;

manganese: not less than 0,30 nor more than 0,55 %;

silicon: not less than 0,20 nor more than 0,35 %;

nickel: not less than 1,60 nor more than 2,70 %;

chromium: none, or not more than 0,50 %;

phosphorus: none, or not more than 0,03 %; and

sulphur: none, or not more than 0,15 %;

or (2) cold-rolled strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;

manganese: not less than 0,30 nor more than 0,50 %;

silicon: not less than 0,20 nor more than 0,35 %;

chromium: none, or not more than 0,50 %; and

phosphorus: none, or not more than 0,03 %; and

sulphur: none, or not more than 0,15 %,

certified by the importer of record or the ultimate consignee for use in the manufacture of wood band saws.

(186) Covered if 'black plate', as defined in schedule 6, part 2, subpart B, 3 (g) (i) of the Tariff Schedules of the United States Annotated.

(187) Covered if 'hollow drill steel' as defined in schedule 6, part 2, subpart B, 3 (e) of the Tariff Schedules of the United States Annotated.

(188) Covered if hot-rolled and coated or plated with metal.

(189) Covered if current-conducting third rails.

(190) Covered if alloy iron or steel as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(191) Excluded if alloy iron or steel as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(193) Excluded if plates, sheets, or strip of iron or steel as defined in schedule 6, part 2, subpart B, 3 (g) and (h) of the Tariff Schedules of the United States Annotated, whether or not cut, pressed or stamped to non-rectangular shape, if electrolytically coated or plated with base metal other than tin, lead or zinc.

(198) Covered if under 3/16 inch in thickness and hot-rolled, and if either over 12 inches in width and not pickled and not coated, plated or clad with metal or if 12 inches or under in width.

(199) Excluded if 'heat resisting steel' as defined in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated.

(200) Excluded if 'heat-resisting steel' as described in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated and 12 inches or under in width.

(201) Covered if 'tool steel of the type described in headnote 2 (h) (vii)' in schedule 6, part 2, subpart B of the Tariff Schedules of the United States Annotated.

(202) Covered if less than 3/16 inch in thickness, over 12 inches in width, pickled or cold-rolled and either painted or varnished.

(203) Covered if 'tool steel', 'high-speed-tool steel' or 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi) and (viii) of the Tariff Schedules of the United States Annotated.

(204) Covered if 'heat-resisting steel' as defined in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated, less than 3/16 inch in thickness, and either over 12 inches in width, pickled or cold-rolled and not coated, plated or clad with metal, or 12 inches or under in width.

(205) Excluded if strip as defined in schedule 6, part 2, subpart B, 3 (h) and if 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated and over 0,01 inch but not over 0,05 inch in thickness.

(206) Excluded if 'black plate' as defined in schedule 6, part 2, subpart B, 3 (g) (i) of the Tariff Schedules of the United States Annotated.

(207) If sheet as defined in schedule 6, part 2, subpart B, 3 (g) of the Tariff Schedules of the United States Annotated, excluded if coated, plated or clad with metal.

(209) If sheet as defined in schedule 6, part 2, subpart B, 3 (g) and 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated, covered if hot-rolled and not pickled.

(211) If not clad with metal, excluded if 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(212) If not coated or plated with metal, excluded if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) or 'tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi), (vii) and (viii) of the Tariff Schedules of the United States Annotated.

(213) If flat wire and not coated or plated with metal or if round wire, excluded if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) of the Tariff Schedules of the United States Annotated.

(214) If milliners' wire or other wire covered with textile or other material not wholly of metal, covered whether or not 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(215) If flat wire and not coated or plated with metal or if round wire, covered if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) of the Tariff Schedules of the United States Annotated.

(216) Excluded if round wire of 'high-speed-tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (vi) of the Tariff Schedules of the United States Annotated.

(220) Excluded if ingots, blooms, billets, or sheet bars as defined in schedule 6, part 2, subpart B, 3 (a), (b) and (c) of the Tariff Schedules of the United States Annotated.

(226) Covered if cold-rolled and over 0,5 inch and 12 inches or under in width or if hot-rolled and 12 inches or under in width.

(227) Whether or not 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated covered if coated or plated with a lead-tin alloy.

(228) If 'tool steel of the type described in headnote 2 (h) (vii)' of the Tariff Schedules of the United States Annotated, covered if under 3/16 inch in thickness, over 12 inches in width and either pickled or cold-rolled or if 3/16 inch or more in thickness and either over 8 inches in width, pickled and hot-rolled or over 12 inches in width and cold-rolled. Excluded if coated, plated or clad with metal.

(231) Excluded if slabs as defined in schedule 6, part 2, subpart B, 3 (c) of the Tariff Schedules of the United States Annotated.

(232) Covered if band-saw steel defined as follows: (a) 'metal-cutting band-saw steel' referring to steel strip or flat wire, not less than 0,024 inch and not more than 0,036 inch in thickness, not less than 0,248 inch and not more than 2,0 inches in width, in coils, containing:

carbon: not less than 1,18 and not more than 1,32 %;
chromium: not less than 0,15 and not more than 0,32 %;
manganese: not less than 0,10 and not more than 0,40 %;

certified by the importer of record of the ultimate consignee for use in the manufacture of metal-cutting band-saw blades; or (b) 'wood band-saw steel' referring to (1) alloy steel sheet or strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;
manganese: not less than 0,30 nor more than 0,55 %;
silicon: not less than 0,20 nor more than 0,35 %;
nickel: not less than 1,60 nor more than 2,70 %;
chromium: none, or not more than 0,50 %;
phosphorus: none, or not more than 0,03 %; and
sulphur: none, or not more than 0,15 %;

or (2) cold-rolled strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;
manganese: not less than 0,30 nor more than 0,50 %;
silicon: not less than 0,20 nor more than 0,35 %;
chromium: none, or not more than 0,50 %; and
phosphorus: none, or not more than 0,03 %; and
sulphur: none, or not more than 0,15 %,

certified by the importer of record or the ultimate consignee for use in the manufacture of wood band saws.

(233) If 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated, covered only if round wire of 'high-speed-tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (vi) of the Tariff Schedules of the United States Annotated. If not wire, covered if 'tool steel', 'high-speed-tool steel' or 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi) and (viii) of the Tariff Schedules of the United States Annotated.

(234) Excluded if coated, plated or clad with metal, under 3/16 inch in thickness and over 12 inches in width. Also excluded if coated, plated or clad with metal, 3/16 inch or more in thickness and either over 8 inches in width and hot-rolled or over 12 inches in width and cold-rolled.

APPENDIX D

Concordance of US shipments, imports, and exports

European arrangement categories

Product	Type (*)	Shipments (Category)	Exports (**) (Schedule B)	Imports (**) (TS USA number)
Hot-rolled sheet and strip	C	31	608.8610	607.6610
	C	36	609.0910	607.6710
	C			607.6720
	C			607.6730
	C			607.6740
	C			607.8342
	C			608.1920
	C			608.2120
	C			608.2320
	A	31	608.8620	607.8100
	A	36	609.0920	608.3820 (7)
	A			608.5520 (7)
	A			608.6720 (7)
Cold-rolled sheet	C	32	608.9120	607.8320
	C			607.8350
	C			607.8355
	C			607.8360
	A	32	608.9135	607.9320
Plate	C	6	608.8120	607.6620 (19)
	C		608.8112	607.6625
	C		608.8310	607.9400
	C			608.0710
	C			608.1100
	A	6	608.8120	607.7803 (19)
	A		608.8121	607.7806
	A		608.8320	607.9100
	A			608.1420
Structurals	C	4	609.8110	609.8005
	C		609.8120	609.8015
	C			609.8035
	C			609.8041
	C			609.8045
	A	4	609.8130	609.8825
	A			609.8230
	A			609.8235
	A			609.8240
	S			609.8205
	S			609.8210
	S			609.8215
	S			609.8220
Carbon wire rod	C	3	608.7400	607.1400
	C			607.1700
	C			607.2200
	C			607.2300

(*) C = carbon, A = alloy, S = stainless, F = fabricated or non-basic steel mill products.

(**) These numbers are subject to revision when the United States adopts modifications to the applicable import or export nomenclatures. Technical adjustments will be made as necessary.

Product	Type	Shipments (Category)	Exports (Schedule B)	Imports (TS USA number)
Hot-rolled bar	C	14	608.4310	606.8310
	C			606.8330
	C			606.8350
	A	14	608.4340	606.9700
Coated sheet (including terne plate)	C	33A	609.1620	608.0100
	C	33B	609.1605	608.0730
	C	34	609.1615	608.1310
	C		609.1625	608.1320
	C		609.1635	608.1330
	C			608.1340
	C			608.1350
	A			608.1440
Tin plate	C	29	609.1610	607.9600
	C	30	609.1613	607.9700
	C			607.9900
Rails	C	7	610.2205	610.2010
	A			610.2100
	C	8	610.2215	610.2025
	C			610.2030
Sheet piling	C	5	609.9700	609.9600
	A			609.9800
Alloy wire rods	A	3	608.7720	607.4100
	A			607.5900
Round, flat and other wire	C	23	609.1805	609.2000
	C		609.1810	609.2100 (184)
	C		609.1905	609.2200
	C		609.1910	609.2500
	C			609.2800
	C			609.4010
	C			609.4040
	C			609.4055
	C			609.4065
	C			609.4120
	C			609.4125
	C			609.4165
	C			609.4315
	C			609.4365
	C			609.7000
	C			609.7200
	C			642.9600
	C			642.9700
	A	23	609.2405	609.3040
	A		609.2410	609.3340 (184)
	A			609.3500
	A			609.3600
	A			609.3700
	A			609.4530
	A			609.4560
	A			609.7500
	A			609.7600

Product	Type	Shipments (Category)	Exports (Schedule B)	Imports (TS USA number)
Wire products	C	24	646.2320	642.0200
	C	25	642.0300	642.3510
	C	26		642.3530
	C	27		642.3570
	C			642.9000
	C			642.9100
	C			646.2500
	C			646.2622
	C			646.2624
	C			646.2626
	C			646.2628
	C			646.2642
	C			646.2644
	C			646.2646
	C			646.2648
	F			646.3040
	F			646.3200
	F			646.3600 (122)
Black plate	C	28	608.9110	607.6200
	C		608.9115	607.6400
Electrical sheet and strip	A	35	608.9130	607.9205
	A		609.1020	607.9210
	A			608.3900
Tin-free steel	C	29A	609.1630	609.1710
	C			609.1790
Cold-rolled strip	C	37	609.1010	608.1940
	C			608.2145 (184)
	C			608.2150 (184)
	C			608.2340
	A			608.3820 (33)
	A			608.5520 (33, 184)
	A			608.6720 (33)
Cold-finished and other bar	C	16	608.5800	606.8600
	C		608.4710	606.8805
	C			606.8815
	C			607.0500
	C			607.0700
	A	16	608.4740	606.9900
	A			607.0900
Bar shapes under 3 inches	C	14A	609.8510	609.8050
	C			609.8070
	C			609.8090
Concrete reinforcing bars	C	15	608.3800	606.7900
	A			606.8100
Rail products	C	10	610.2400	610.2500
	A			610.2600
	C	11	690.2500	646.3020
	C	12	690.3000	690.2500
	C	13		690.3000

Product	Type	Shipments (Category)	Exports (Schedule B)	Imports (TS USA number)
Stainless wire	S	23	609.2305	609.3020
	S		609.2310	609.3320
	S			609.4502
	S			609.4504
	S			609.4542
	S			609.4544
Wire strand	F			642.0800
	F			642.1105
	F			642.1120
	F			642.1142
	F			642.1144
	F			642.1146
Wire rope	F			642.1200
	F			642.1400
	F			642.1610
	F			642.1650
Other speciality steel	A	14	608.4340	606.9105
	A	16	608.4740	606.9110
	A	3	608.7720	607.3200
	A			607.4800
	A	31	608.8620	607.6900
	A	32	608.9135	607.8600
	A			607.9315
	A	37	609.1025	608.3100
	A			608.3810
	A			608.4700
	A			608.5510
	A			608.5900
	A			608.6710
Fabricated structurals	F			609.8400
	F			609.8600
	F			609.8800
	F			609.9000
	F			652.9400
	F			652.9600
	F			653.0000
Stainless steel sheet and strip	S	31	608.8615	607.7610 (54, 55, 56)
	S	32	608.9125	607.9010 (54, 55, 56)
	S	36	609.0915	607.9020 (54, 55, 56)
	S	37	609.1015	608.2900 (54, 55, 58)
	S			608.4300 (54, 55, 58)
	S			608.5700 (54, 55)
Stainless steel plate	S	6	608.8115	607.7603 (19, 54, 55)
	S		608.8117	607.7606 (54, 55)
	S		608.8315	607.9005 (54, 55)
Stainless bar	S	14	608.4320	606.9005
	S	16	608.4720	606.9015
	S			606.9020

Product	Type	Shipments (Category)	Exports (Schedule B)	Imports (TS USA number)
Stainless steel wire rod	S	3	608.7710	607.2600
	S			607.4300
Alloy tool steel	A	17	608.4330	606.9300
	A		608.4730	606.9400
	A		608.7715	606.9505
	A			606.9512
	A			606.9514
	A			606.9520
	A			606.9525
	A			606.9535
	A			606.9542
	A			606.9544
	A			606.9546
	A			606.9548
	A			607.2800
	A			607.3405
	A			607.3420
	A			607.4600
	A			607.5405
	A			607.5420
	A			607.7205
	A			607.7210
	A			607.7220
	A			607.7225
	A			607.8805
	A			607.8820
	A			608.3405
	A			608.3420
	A			608.4905
	A			608.4920
	A			608.6405
	A			608.6420
	A			609.4520
	A			609.4550

APPENDIX E

Consultation products

'Certain steel products' means all products described in Appendix B plus the products classified under the following TS USA numbers:

Semi-finished Steel	Bandsaw steel	Galvanized wire fencing	Electric conduit rail	Oil drilling platforms
606.6705	608.2145 (232)	642.3560	685.9080 (189)	652.9700
6710	2150 (232)		688.4280 (189)	
6715	5520 (33, 232)			
6720	609.2100 (232)			
6725	3340 (232)			
6730				
6735				
6740				
6901				
6902				
6904				
6905				
6906				
6909				
6912				
6915				
6918				
6921				
6923				
6949				
6951				
6953				
6955				
6957				
6959				
6961				
6963				
607.6620 (17)				
7210 (17)				
7603 (17)				
7803 (17)				