COUNCIL REGULATION (EEC) No 3709/85

of 10 December 1985

amending Council Regulation (EEC) No 2870/82 on the restriction of exports of certain steel products to the United States of America

THE COUNCIL OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community, and in particular Article 113 thereof,

Having regard to the proposal from the Commission,

Whereas the Community has concluded an Arrangement with the United States of America extending until 30 September 1989 and amending the Arrangement of 21 October 1982 (1) adopted by Regulation (EEC) No 2869/82 (2);

Whereas Regulation (EEC) No 2870/82 (3) should therefore be amended accordingly,

HAS ADOPTED THIS REGULATION:

Article 1

Council Regulation (EEC) No 2870/82 is hereby amended as follows:

1. in Article 1 (1) the first subparagraph shall be replaced by the following:

'1. Community export limits are hereby established for the period 1 January 1986 to 30 September 1989 on Community exports effected on or after 1 January 1986 to the United States of America (hereinafter referred to as the "United States") of the steel products originating in the Community which are listed in Annex I.';

2. Article 2 (1) shall be replaced by the following:

'1. Community export limits per product category shall be calculated by the Commission for 1986, 1987, 1988 and the first nine months of 1989 by application to the United States apparent consumption within the meaning of Article 5 of the Arrangement of the following percentages;

Product category	*Quota (in %)*
Cold-rolled sheet	5,35
Plate	5,53
Structurals	10,25
Hot-rolled bars	2,48
Coated sheet	3,40
Tin plate	2,394
Rails	8,90
Black plate	11,78
Electrical sheet and strip	4,74
Tin-free steel	4,04
Cold-rolled strip	3,69
Cold-finished and other bar	5,44
Bar strips under 3 inches	2,41
Rail products	1,63
Stainless plate	4,93
Stainless sheet and strip	3,99

For the following categories, the Community export limits shall be as follows:

	(tonnes)
Round, flat and other wire	166 108
Wire products	12 294
Stainless wire	6 169
Wire strand	34 368
Wire rope	5 171
Other speciality steels	11 708
Structural	16 547
Stainless bar	4 990
Stainless rod	4 990
Alloy tool steel	8 165

These quantities also include the products in the corresponding categories referred to in Article 2 of Commission Decision No 2872/82/ECSC (1), as last amended by Commission Decision 3713/85/ECSC (2).

The limits shall be reduced proportionally for the period covering the first nine months of 1989 and, if the Arrangement is not applied from 1 January 1986, for the products referred to in Article 2 (b) of the Arrangement.

(1) OJ No L 307, 1. 11. 1982, p. 27.
(2) OJ No L 355, 31. 12. 1985, p. 155.';

3. Article 2 (3) shall be replaced by the following:

'3. These limits may also be adjusted in accordance with the procedure laid down in Article 8:

(1) OJ No L 307, 1. 11. 1982, p. 13.
(2) OJ No L 307, 1. 11. 1982, p. 1.
(3) OJ No L 307, 1. 11. 1982, p. 3.

— for advance use or carry-over of licences, including licences issued under the supplementary Arrangement of 6 August 1985 (1),

— to enable transfers to be made between the products covered by this Decision and those covered by Regulation (EEC) No 60/85 (2),

— for additional quotas in case of short supply,

— to take account of possible aberrations, during November and December 1985, from seasonal trade patterns,

under the conditions provided for in the Arrangement.

---

(1) OJ No L 215, 12. 8. 1985, p. 2.
(2) OJ No L 9, 10. 1. 1985, p. 13.';

4. Article 3 (1) shall be replaced by the following:

'1. The Community quantitative export limits established and calculated pursuant to Article 2 shall be allocated for 1986, 1987, 1988 and the period covering the first nine months of 1989 by the Commission in accordance with Annex III.';

5. in Article 4 the following paragraph shall be inserted between the first and second paragraphs:

'This reserve shall be constituted by the proportion of the Community export limits indicated in Annex III.':

6. in the first subparagraph of Article 5 (1), the dates '1 November 1982' and '31 December 1985' shall be replaced by '1 January 1986' and '30 September 1989' respectively;

7. in the second subparagraph of Article 5 (1), the words '1984 and 1985' shall be replaced by '1986, 1987, 1988 and the first nine months of 1989';

8. in Article 5 (1), the third subparagraph shall be replaced by the following:

'Member States may, subject to the second subparagraph hereof, issue further licences in 1986, 1987, 1988 and the first nine months of 1989 respectively, in respect of the unutilized part of licences issued which have been returned to their competent authorities in 1986, 1987, 1988 and the first nine months of 1989.';

9. in Article 5 (2) the second indent shall be replaced by the following:

'— compliance with the traditional export patterns of undertakings, account being taken of the reduction principles established by this Regulation, and of the situation regarding any new undertakings producing steel.';

10. Annexes I and III shall be replaced respectively by the Annexes I and III appearing in the Annex to this Regulation.

Article 2

This Regulation shall enter into force on 1 January 1986.

However, this Regulation shall not be applicable to exports of the categories 'stainless sheet and strip, stainless plate, stainless bar, stainless rod and alloy tool steel' until the first day of the month following the month during which the conditions stipulated in Article 2 (b) of the Arrangement prevail.

The Commission shall inform the Member States when the said conditions prevail.

An announcement to this effect shall be published in the *Official Journal of the European Communities.*

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 10 December 1985.

For the Council

The President

M. FISCHBACH

ANNEX

ANNEX I

This Annex lists, for information purposes, the products which come under the ECSC Treaty and are covered by Article 1 (1) of Decision No 2872/82/ECSC.

Imports by category

Product	NIMEXE code (*)	TS USA number (*)
Hot-rolled sheet and strip — Carbon	73.08-01 (2, 191)	607.6610
	03 (2, 191)	607.6710
	05 (191)	607.6720
	07 (191)	607.6730
	21 (2, 191)	607.6740
	25 (191)	607.8342
	29 (191)	608.1920
	41 (2, 191)	608.2120
	45 (191)	608.2320
	49 (191)	
	73.09-00 (2, 191)	
	73.10-11 (5, 6, 60, 191)	
	15 (1, 82, 191)	
	17 (5, 6, 60, 191)	
	42 (5, 6, 60, 191)	
	49 (1, 7, 82, 191, 193)	
	73.12-11 (2, 191)	
	19 (2, 191)	
	40 (2, 7, 82, 191)	
	51 (5, 7, 60, 191)	
	59 (5, 7, 60, 191)	
	61 (5, 7, 60, 191)	
	63 (5, 7, 60, 191)	
	65 (5, 7, 60, 191)	
	71 (5, 60, 191)	
	81 (5, 7, 60, 191, 193)	
	85 (5, 7, 60, 191, 193)	
	87 (5, 7, 60, 191, 193)	
	88 (2, 7, 82, 191)	
	89 (2, 7, 82, 191, 193)	
	73.13-11 (2, 7, 191)	
	16 (2, 7, 191)	
	17 (2, 191)	
	19 (2, 191)	
	21 (191)	
	23 (191)	
	26 (191)	
	32 (191)	
	34 (191)	
	36 (191)	
	50 (2, 7, 191)	
	62 (2, 7, 50, 191)	
	88 (2, 7, 191)	
	89 (2, 7, 38, 191)	
	73.62-10 (2, 191)	
	30 (2, 191)	
	73.63-21 (5, 6, 60, 191)	
	29 (1, 82, 191)	
	72 (5, 6, 60, 191)	
	79 (1, 7, 82, 191)	
	73.64-20 (2, 191)	
	72 (5, 7, 60, 191, 193)	
	79 (2, 7, 82, 191, 193)	

(*) These numbers are subject to revision when the United States or the EEC adopts modifications to the applicable import or export nomenclature. Subject to technical adjustments to be agreed upon by experts of both parties.

Product	NIMEXE code	TS USA number
Hot-rolled sheet and strip *(cont'd)*		
— Carbon *(cont'd)*	73.65-21 (2, 191)	
	23 (191)	
	25 (191)	
	70 (2, 7, 38, 191)	
	73.72-11 (2, 191)	
	13 (2, 191)	
	19 (2, 191)	
	73.73-23 (5, 6, 60, 191)	
	24 (5, 6, 60, 191)	
	25 (5, 6, 60, 191)	
	26 (5, 6, 60, 191)	
	29 (5, 6, 60, 191)	
	73.72-33 (2, 191)	
	39 (2, 191)	
	73.73-33 (1, 82, 191)	
	34 (1, 82, 191)	
	35 (1, 82, 191)	
	36 (1, 82, 191)	
	39 (1, 82, 191)	
	72 (5, 6, 60, 191)	
	83 (1, 7, 82, 191, 193)	
	89 (1, 7, 82, 191, 193)	
	73.74-21 (2, 191)	
	23 (2, 191)	
	29 (2, 191)	
	72 (5, 60, 191)	
	83 (2, 7, 82, 191, 193)	
	89 (2, 7, 82, 191, 193)	
	73.75-11 (2, 7, 191)	
	19 (2, 7, 191)	
	23 (2, 191)	
	24 (2, 191)	
	29 (2, 191)	
	33 (191)	
	34 (191)	
	39 (191)	
	43 (191)	
	44 (191)	
	49 (191)	
	73 (2, 7, 38, 191)	
	79 (2, 7, 38, 191)	
— Alloy	73.08-01 (4, 5, 45, 68, 190, 209)	607.8100
	03 (4, 5, 45, 68, 190, 209)	608.3820 (7)
	05 (4, 45, 68, 190, 209)	608.5520 (7)
	07 (4, 45, 68, 190, 209)	608.6720 (7)
	21 (4, 5, 45, 68, 190, 209)	
	25 (4, 45, 68, 190, 209)	
	29 (4, 45, 68, 190, 209)	
	41 (4, 5, 45, 68, 190, 198, 209)	
	45 (4, 45, 68, 190, 198, 209)	
	49 (4, 45, 68, 190, 198, 209)	
	73.10-11 (4, 5, 6, 60, 68, 190, 199, 205)	
	15 (4, 5, 6, 60, 68, 190, 199, 205)	
	17 (4, 5, 6, 60, 68, 190, 199, 205)	
	42 (4, 5, 6, 60, 68, 190, 199, 205)	
	49 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205)	
	73.12-11 (4, 68, 190, 198, 200, 205, 209)	
	19 (4, 68, 190, 198, 200, 205, 209)	
	40 (4, 68, 190, 198, 200, 205, 209)	
	59 (4, 68, 190, 198, 200, 205, 209)	
	61 (4, 68, 190, 198, 200, 205, 209)	
	63 (4, 68, 190, 198, 200, 205, 209)	
	65 (4, 68, 190, 198, 200, 205, 209)	
	71 (4, 68, 190, 198, 200, 205, 209)	

Product	NIMEXE code	TS USA number
Hot-rolled sheet and strip *(cont'd)* — Alloy *(cont'd)*	73.12-81 (4, 68, 190, 193, 198, 200, 205, 209) 85 (4, 68, 190, 193, 198, 200, 205, 209) 87 (4, 68, 190, 193, 198, 200, 205, 209) 88 (4, 68, 190, 198, 200, 205, 209) 89 (4, 68, 190, 193, 198, 200, 205, 209) 73.13-11 (4, 5, 45, 68, 190, 209) 16 (4, 5, 45, 68, 190, 209) 17 (4, 5, 45, 68, 190, 209) 19 (4, 5, 45, 68, 190, 209) 21 (4, 68, 190, 209) 23 (4, 68, 190, 209) 26 (4, 68, 190, 209) 32 (4, 68, 190, 209) 34 (4, 68, 190, 209) 36 (4, 68, 190, 209) 50 (4, 5, 68, 190, 209) 88 (4, 5, 7, 68, 190, 209) 89 (4, 5, 7, 38, 68, 190, 209) 73.62-10 (4, 68, 190, 198, 209) 73.63-21 (4, 5, 6, 60, 68, 190, 199, 205) 29 (4, 5, 6, 60, 68, 190, 199, 205) 72 (4, 5, 6, 60, 68, 190, 199, 205) 79 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205) 73.64-20 (4, 68, 190, 198, 200, 205, 209) 79 (4, 7, 68, 190, 193, 198, 200, 205, 209) 73.65-21 (4, 5, 45, 68, 198, 209) 23 (4, 5, 45, 68, 190, 209) 25 (4, 5, 45, 68, 190, 209) 70 (4, 5, 7, 38, 45, 68, 190, 209) 73.72-11 (4, 68, 190, 198, 209) 13 (4, 68, 190, 198, 209) 19 (4, 68, 190, 198, 209) 73.73-23 (4, 5, 6, 60, 68, 190, 199, 205) 24 (4, 5, 6, 60, 68, 190, 199, 205) 25 (4, 5, 6, 60, 68, 190, 199, 205) 26 (4, 5, 6, 60, 68, 190, 199, 205) 29 (4, 5, 6, 60, 68, 190, 199, 205) 33 (4, 5, 6, 60, 68, 190, 199, 205) 34 (4, 5, 6, 60, 68, 190, 199, 205) 35 (4, 5, 6, 60, 68, 190, 199, 205) 36 (4, 5, 6, 60, 68, 190, 199, 205) 39 (4, 5, 6, 60, 68, 190, 199, 205) 72 (4, 5, 6, 60, 68, 190, 199, 205) 83 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205) 89 (4, 5, 6, 7, 60, 68, 190, 193, 199, 205) 73.74-21 (4, 68, 190, 198, 200, 205, 209) 23 (4, 68, 190, 198, 200, 205, 209) 29 (4, 68, 190, 198, 200, 205, 209) 72 (4, 68, 190, 198, 200, 205, 209) 83 (4, 7, 68, 190, 193, 198, 200, 205, 209) 89 (4, 7, 68, 190, 193, 198, 200, 205, 209) 73.75-11 (4, 5, 7, 45, 68, 190, 209) 19 (4, 5, 7, 45, 68, 190, 209) 23 (4, 5, 45, 68, 190, 209) 24 (4, 5, 45, 68, 190, 209) 29 (4, 5, 45, 68, 190, 209) 33 (4, 5, 45, 68, 190, 209) 34 (4, 5, 45, 68, 190, 209) 39 (4, 5, 45, 68, 190, 209) 43 (4, 5, 45, 68, 190, 209) 44 (4, 5, 45, 68, 190, 209) 49 (4, 5, 45, 68, 190, 209) 73 (4, 5, 7, 38, 45, 68, 190, 209) 79 (4, 5, 7, 38, 45, 68, 190, 209)	

Product	NIMEXE code	TS USA number
Carbon cold-rolled sheet	73.08-01 (87, 191, 202)	607.8320
	03 (87, 191, 202)	607.8350
	05 (191, 202)	607.8355
	07 (191, 202)	707.8360
	21 (87, 191, 202)	
	25 (191, 202)	
	29 (191, 202)	
	41 (87, 191, 202)	
	45 (191, 202)	
	49 (191, 202)	
	73.09-00 (87, 191)	
	73.10-15 (6, 87, 191)	
	17 (6, 87, 191)	
	30 (6, 87, 191)	
	49 (6, 87, 191)	
	73.12-11 (87, 191)	
	19 (87, 191)	
	21 (8, 191, 206)	
	25 (8, 191, 206)	
	29 (8, 191, 206)	
	40 (84, 87, 191)	
	88 (84, 87, 191, 202)	
	89 (84, 87, 191, 202)	
	73.13-11 (84, 87, 191, 206)	
	16 (84, 87, 191, 206)	
	17 (87, 191)	
	19 (87, 191)	
	41 (191)	
	43 (191)	
	45 (191)	
	47 (191)	
	49 (191, 206)	
	50 (84, 87, 191)	
	62 (50, 84, 87, 191)	
	88 (84, 87, 191, 202)	
	89 (84, 87, 191, 202)	
	73.62-10 (87, 191, 202)	
	30 (87, 191)	
	73.63-29 (6, 87, 191)	
	50 (6, 87, 191)	
	79 (6, 87, 191)	
	73.64-20 (87, 191)	
	50 (8, 191, 206)	
	79 (84, 87, 191, 202)	
	73.65-21 (87, 191)	
	53 (191)	
	55 (191, 206)	
	70 (84, 87, 191, 202)	
	73.72-11 (87, 191, 202)	
	13 (87, 191, 202)	
	19 (87, 191, 202)	
	33 (87, 191)	
	39 (87, 191)	
	73.73-33 (6, 87, 191)	
	34 (6, 87, 191)	
	35 (6, 87, 191)	
	36 (6, 87, 191)	
	39 (6, 87, 191)	
	53 (6, 87, 191)	
	54 (6, 87, 191)	
	55 (6, 87, 191)	
	59 (6, 87, 191)	
	83 (6, 87, 191)	
	89 (6, 87, 191)	

Product	NIMEXE code	TS USA number
Carbon cold-rolled sheet *(cont'd)*	73.74-21 (87, 191) 23 (87, 191) 29 (87, 191) 51 (8, 191, 206) 52 (8, 191, 206) 53 (8, 191, 206) 54 (8, 191, 206) 59 (8, 191, 206) 83 (84, 87, 191, 202) 89 (84, 87, 191, 202) 73.75-11 (84, 87, 191, 202, 206) 19 (84, 87, 191, 202, 206) 23 (87, 191) 24 (87, 191) 29 (87, 191) 53 (191) 54 (191) 59 (191) 63 (191, 206) 64 (191, 206) 69 (191, 206) 73 (84, 87, 191, 202) 79 (84, 87, 191, 202)	
Alloy cold-rolled sheet	73.08-01 (4, 5, 9, 68, 143, 190, 199) 03 (4, 5, 9, 68, 143, 190, 199) 05 (4, 9, 68, 143, 190, 199) 07 (4, 9, 68, 143, 190, 199) 21 (4, 5, 9, 68, 143, 190, 199) 25 (4, 9, 68, 143, 190, 199) 29 (4, 9, 68, 143, 190, 199) 41 (4, 5, 9, 68, 143, 190, 199) 45 (4, 9, 68, 143, 190, 199) 49 (4, 9, 68, 143, 190, 199) 73.12-11 (4, 5, 8, 9, 68, 143, 190, 199) 19 (4, 5, 8, 9, 68, 143, 190, 199) 21 (4, 5, 8, 9, 68, 143, 190, 199, 206) 25 (4, 5, 8, 9, 68, 143, 190, 199, 206) 29 (4, 5, 8, 9, 68, 143, 190, 199, 206) 40 (4, 5, 8, 9, 68, 143, 190, 199) 88 (4, 5, 8, 9, 68, 143, 190, 199) 89 (4, 5, 8, 9, 38, 68, 143, 190, 199) 73.13-11 (4, 5, 9, 68, 143, 190, 199) 16 (4, 5, 9, 68, 143, 190, 199) 17 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 21 (4, 9, 68, 143, 190, 199) 23 (4, 9, 68, 143, 190, 199) 26 (4, 9, 68, 143, 190, 199) 32 (4, 9, 68, 143, 190, 199) 34 (4, 9, 68, 143, 190, 199) 36 (4, 9, 68, 143, 190, 199) 41 (4, 5, 9, 68, 143, 190, 199, 206) 43 (4, 9, 68, 143, 190, 199, 206) 45 (4, 9, 68, 143, 190, 199, 206) 47 (4, 9, 68, 143, 190, 199, 206) 49 (4, 9, 68, 143, 190, 199, 206) 50 (4, 5, 9, 68, 143, 190, 199) 62 (4, 5, 9, 50, 68, 143, 199, 190) 88 (4, 5, 9, 68, 143, 190, 199) 89 (4, 5, 9, 38, 68, 143, 190, 199) 73.62-10 (4, 5, 9, 68, 143, 190, 199) 73.64-20 (4, 5, 8, 9, 68, 143, 190, 199) 50 (4, 5, 8, 9, 68, 190, 199, 206) 79 (4, 5, 8, 9, 38, 68, 143, 190, 199, 203)	

Product	NIMEXE code	TS USA number
Alloy cold-rolled sheet *(cont'd)*	73.65-21 (4, 5, 9, 68, 143, 190, 199) 23 (4, 9, 68, 143, 190, 199) 25 (4, 9, 68, 143, 190, 199) 53 (4, 5, 9, 68, 190, 199) 55 (4, 9, 68, 190, 199, 206) 70 (4, 5, 9, 38, 68, 143, 190, 199) 73.72-11 (4, 5, 9, 68, 143, 190, 199) 13 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 73.74-21 (4, 5, 8, 9, 68, 143, 190, 199) 23 (4, 5, 8, 9, 68, 143, 190, 199) 29 (4, 5, 8, 9, 68, 143, 190, 199) 51 (4, 5, 8, 9, 68, 190, 199, 206) 52 (4, 5, 8, 9, 68, 190, 199, 206) 53 (4, 5, 8, 9, 68, 190, 199, 206) 54 (4, 5, 8, 9, 68, 190, 199, 206) 59 (4, 5, 8, 9, 68, 190, 199, 206) 83 (4, 5, 8, 9, 68, 143, 190, 199) 89 (4, 5, 8, 9, 68, 143, 190, 199) 73.75-11 (4, 5, 9, 68, 143, 190, 199) 19 (4, 5, 9, 68, 143, 190, 199) 23 (4, 5, 9, 68, 143, 190, 199) 24 (4, 5, 9, 68, 143, 190, 199) 29 (4, 5, 9, 68, 143, 190, 199) 33 (4, 9, 68, 143, 190, 199) 34 (4, 9, 68, 143, 190, 199) 39 (4, 9, 68, 143, 190, 199) 43 (4, 9, 68, 143, 190, 199) 44 (4, 9, 68, 143, 190, 199) 49 (4, 9, 68, 143, 190, 199) 53 (4, 5, 9, 68, 190, 199) 54 (4, 5, 9, 68, 190, 199) 59 (4, 5, 9, 68, 190, 199) 63 (4, 9, 68, 190, 199, 206) 64 (4, 9, 68, 190, 199, 206) 69 (4, 9, 68, 190, 199, 206) 73 (4, 5, 9, 38, 68, 143, 190, 199) 79 (4, 5, 9, 38, 68, 143, 190, 199)	
Carbon plate (including coated, plated and clad plate, and clad sheet)	73.09-00 (12, 13, 45, 191) 73.10-17 (6, 12, 13, 45, 191) 42 (6, 44) 45 (6, 44) 49 (6, 40, 191, 193) 73.12-11 (12, 13, 14, 15, 45, 191) 19 (12, 13, 14, 45, 191) 40 (7, 12, 13, 14, 45, 191) 51 (13, 15, 191) 59 (13, 15, 191) 61 (13, 15, 191) 63 (13, 15, 191) 65 (13, 15, 191) 71 (44) 75 (44) 81 (13, 15, 191, 193) 85 (13, 15, 191, 193) 87 (13, 15, 191, 193) 88 (13, 15, 191) 89 (40, 191, 193) 73.13-11 (7, 13, 14, 45, 191) 16 (7, 13, 14, 45, 191) 17 (13, 14, 45, 191) 19 (13, 14, 45, 191) 50 (7, 13, 14, 45, 191) 62 (7, 13, 14, 45, 50, 191)	607.6620 (19) 607.6625 607.9400 608.0710 608.1100

Product	NIMEXE code	TS USA number
Carbon plate (including coated, plated and clad plate, and clad sheet) *(cont'd)*	73.13-64 (13, 15, 191) 65 (13, 15, 191) 67 (13, 15, 191) 68 (13, 15, 191) 72 (13, 15, 191) 74 (13, 15, 191) 78 (44) 79 84 (13, 15, 191, 193) 86 (13, 15, 191, 193) 87 (13, 15, 191, 193) 88 (7, 13, 14, 45, 191) 89 (40, 191, 193) 73.62-30 (12, 45, 191) 73.63-29 (6, 12, 13, 45, 191) 72 (6, 44) 74 (6, 44) 79 (6, 40, 191, 193) 73.64-20 (12, 13, 14, 45, 191) 72 (44) 75 (44) 79 (40, 191, 193) 73.65-21 (13, 14, 45, 191) 70 (40, 44, 193, 211) 73.72-33 (12, 13, 14, 45, 191) 39 (12, 13, 14, 45, 191) 73.73-33 (6, 12, 13, 45, 191) 34 (6, 12, 13, 45, 191) 35 (6, 12, 13, 45, 191) 36 (6, 12, 13, 45, 191) 39 (6, 12, 13, 45, 191) 72 (6, 44) 74 (6, 44) 83 (6, 40, 191, 193) 89 (6, 40, 191, 193) 73.74-21 (12, 13, 14, 45, 191) 23 (12, 13, 14, 45, 191) 29 (12, 13, 14, 45, 191) 72 (44) 74 (44) 83 (40, 191, 193) 89 (40, 191, 193) 73.75-11 (7, 13, 14, 45, 191) 19 (7, 13, 14, 45, 191) 23 (13, 14, 45, 191) 24 (13, 14, 45, 191) 29 (13, 14, 45, 191) 73 (40, 191, 193) 79 (40, 191, 193)	
Alloy plate (including coated plate)	73.08-01 (4, 13, 68, 190) 03 (4, 13, 68, 190) 21 (4, 13, 68, 190) 41 (4, 13, 68, 190) 73.09-00 (4, 12, 20, 68, 190) 73.10-15 (4, 6, 12, 13, 68, 190) 17 (4, 6, 12, 13, 68, 190) 30 (4, 6, 8, 13, 68, 190) 49 (6, 13, 15, 190, 193, 212) 73.12-11 (4, 12, 13, 68, 190) 19 (4, 12, 13, 68, 190) 21 (4, 8, 13, 68, 190) 25 (4, 8, 13, 68, 190) 29 (4, 8, 13, 68, 190) 40 (4, 13, 15, 68, 190) 51 (13, 15, 190)	607.7803 (19) 607.7806 607.9100 608.1420

Product	NIMEXE code	TS USA number
Alloy plate (including coated plate) *(cont'd)*	73.12-59 (13, 15, 190) 61 (13, 15, 190) 63 (13, 15, 190) 65 (13, 15, 190) 81 (13, 15, 190, 193) 85 (13, 15, 190, 193) 87 (13, 15, 190, 193) 88 (4, 13, 15, 68, 190) 89 (13, 15, 190, 193, 212) 73.13-11 (4, 13, 68, 190) 16 (4, 13, 68, 190) 17 (4, 13, 68, 190) 19 (4, 13, 68, 190) 41 (4, 13, 68, 190) 50 (4, 13, 68, 190) 62 (4, 13, 50, 68, 190) 64 (13, 190) 65 (13, 190) 67 (13, 190) 68 (13, 190) 72 (13, 190) 74 (13, 190) 84 (13, 190, 193) 86 (13, 190, 193) 87 (13, 190, 193) 88 (4, 13, 68, 190) 89 (13, 190, 193, 212) 73.62-10 (4, 13, 68, 190) 30 (4, 12, 20, 68, 190) 73.63-29 (4, 6, 12, 13, 68, 190) 50 (4, 6, 8, 13, 68, 190) 79 (6, 13, 15, 190, 193, 212) 73.64-20 (4, 12, 13, 68, 190) 50 (4, 8, 13, 68, 190) 79 (13, 15, 190, 212) 73.65-21 (4, 13, 68, 190) 70 (13, 20, 190, 212) 73.72-11 (4, 12, 13, 68, 190) 13 (4, 12, 13, 68, 190) 19 (4, 12, 13, 68, 190) 33 (4, 12, 13, 20, 68, 190) 39 (4, 12, 13, 20, 68, 190) 73.73-33 (4, 6, 12, 13, 68, 190) 34 (4, 6, 12, 13, 68, 190) 35 (4, 6, 12, 13, 68, 190) 36 (4, 6, 12, 13, 68, 190) 39 (4, 6, 12, 13, 68, 190) 53 (4, 6, 8, 13, 68, 190) 54 (4, 6, 8, 13, 68, 190) 55 (4, 6, 8, 13, 68, 190) 59 (4, 6, 8, 13, 68, 190) 83 (6, 13, 15, 190, 193, 212) 89 (6, 13, 15, 190, 193, 212) 73.74-21 (4, 12, 13, 68, 190) 23 (4, 12, 13, 68, 190) 29 (4, 12, 13, 68, 190) 51 (4, 8, 13, 68, 190) 52 (4, 8, 13, 68, 190) 53 (4, 8, 13, 68, 190) 54 (4, 8, 13, 68, 190) 59 (4, 13, 68, 190) 83 (13, 15, 190, 193, 212) 89 (13, 15, 190, 193, 212)	

Product	NIMEXE code	TS USA number
Alloy plate (including coated plate) *(cont'd)*	73.75-11 (4, 13, 68, 190) 19 (4, 13, 68, 190) 23 (4, 13, 68, 190) 24 (4, 13, 68, 190) 29 (4, 13, 68, 190) 53 (4, 13, 68, 190) 54 (4, 13, 68, 190) 59 (4, 13, 68, 190) 73 (13, 20, 190, 193, 212) 79 (13, 20, 190, 193, 212)	
Carbon structural shapes	73.11-11 (21, 152, 191) 12 (152, 191) 14 (152, 191) 16 (152, 191) 19 (21, 152, 191) 20 (21, 152, 191) 31 (21, 112, 152, 191) 39 (21, 112, 152, 191) 41 (21, 152, 191) 43 (21, 112, 152, 191) 49 (21, 112, 152, 191) 73.16-11 (21, 112, 152, 191) 73.63-10 (21, 152, 191) 29 (21, 152, 191) 50 (21, 112, 152, 191) 72 (21, 152, 191) 74 (21, 112, 152, 191) 79 (21, 112, 152, 191) 73.73-13 (21, 152, 191) 14 (21, 152, 191) 19 (21, 152, 191) 33 (21, 152, 191) 34 (21, 152, 191) 35 (21, 152, 191) 36 (21, 152, 191) 39 (21, 152, 191) 43 (21, 112, 152, 191) 49 (21, 112, 152, 191) 53 (21, 112, 152, 191) 54 (21, 112, 152, 191) 55 (21, 112, 152, 191) 59 (21, 112, 152, 191) 72 (21, 152, 191) 74 (21, 112, 152, 191) 83 (21, 112, 152, 191) 89 (21, 112, 152, 191)	609.8005 609.8015 609.8035 609.8041 609.8045
Alloy and stainless structural shapes	73.11-11 (152, 190) 12 (152, 190) 14 (152, 190) 16 (152, 190) 19 (152, 190) 20 (152, 190) 31 (112, 152, 190) 39 (112, 152, 190) 41 (152, 190) 43 (112, 152, 190) 49 (112, 152, 190) 73.16-11 (112, 152, 190) 73.63-10 (152, 190) 29 (152, 190) 50 (112, 152, 190) 72 (152, 190) 74 (112, 152, 190) 79 (112, 152, 190)	609.8205 609.8210 609.8215 609.8220 609.8225 609.8230 609.8235 609.8240

Product	NIMEXE code	TS USA number
Alloy and stainless structural shapes *(cont'd)*	73.73-13 (152, 190) 14 (152, 190) 19 (152, 190) 33 (152, 190) 34 (152, 190) 35 (152, 190) 36 (152, 190) 39 (152, 190) 43 (112, 152, 190) 49 (112, 152, 190) 53 (112, 152, 190) 54 (112, 152, 190) 55 (112, 152, 190) 59 (112, 152, 190) 72 (152, 190) 74 (112, 152, 190) 83 (112, 152, 190) 89 (112, 152, 190)	
Carbon wire rod	73.10-11 (25, 191) 15 (25, 191) 73.63-21 (25, 191) 29 (25, 191) 73.73-23 (25, 191) 24 (25, 191) 25 (25, 191) 26 (25, 191) 29 (25, 191) 33 (25, 191) 34 (25, 191) 35 (25, 191) 36 (25, 191) 39 (25, 191)	607.1400 607.1700 607.2200 607.2300
Carbon hot-rolled bar	73.07-12 (191, 220) 15 (191, 220) 73.09-00 (32, 97, 191) 73.10-11 (29a, 29b, 29d, 191) 15 (29a, 29b, 29d, 191) 17 (29a, 29b, 29d, 191) 20 (29a, 191) 42 (29a, 29b, 191) 49 (29a, 29b, 31, 97, 191) 73.12-11 (29b, 191) 19 (29b, 191) 40 (29b, 31, 191) 71 (29b, 191) 88 (29b, 191) 89 (29b, 97, 191) 73.61-10 (191, 220, 231) 50 (191, 220, 231) 73.62-30 (32, 97, 191) 73.63-10 (29a, 191) 21 (29a, 29b, 29d, 191) 29 (29a, 29b, 29d, 72, 191) 72 (29a, 29b, 29d, 191) 79 (29a, 29b, 29d, 31, 97, 191) 73.64-20 (29b, 191) 72 (29b, 191) 79 (29b, 97, 191) 73.71-13 (191, 220, 231) 14 (191, 220, 231) 19 (191, 220, 231)	606.8310 606.8330 606.8350

Product	NIMEXE code	TS USA number
Carbon hot-rolled bar *(cont'd)*	73.71-53 (191, 220, 231) 54 (191, 220, 231) 55 (191, 220, 231) 56 (191, 220, 231) 59 (191, 220, 231) 73.72-33 (32, 97, 191) 39 (32, 97, 191) 73.73-13 (29a, 191) 14 (29a, 191) 19 (29a, 191) 23 (29a, 29b, 29d, 191) 24 (29a, 29b, 29d, 191) 25 (29a, 29b, 29d, 191) 26 (29a, 29b, 29d, 191) 29 (29a, 29b, 29d, 191) 33 (29a, 29b, 29d, 72, 191) 34 (29a, 29b, 29d, 72, 191) 35 (29a, 29b, 29d, 72, 191) 36 (29a, 29b, 29d, 72, 191) 39 (29a, 29b, 29d, 72, 191) 72 (29a, 29b, 29d, 191) 83 (29a, 29b, 29d, 31, 97, 191) 89 (29a, 29b, 29d, 31, 97, 191) 73.74-21 (29b, 191) 23 (29b, 191) 29 (29b, 191) 72 (29b, 191) 83 (29b, 97, 191) 89 (29b, 97, 191)	
Alloy hot-rolled bar	73.07-12 (4, 68, 190, 220) 15 (4, 68, 190, 220) 73.09-00 (4, 32, 68, 190) 73.10-11 (4, 29a, 29b, 29d, 68, 190) 15 (4, 29a, 29b, 29d, 68, 190) 17 (4, 29a, 29b, 29d, 68, 190) 20 (4, 29a, 29d, 68, 190) 42 (4, 29a, 29b, 68, 190) 49 (4, 29a, 29b, 29d, 31, 68, 190) 73.12-11 (4, 29b, 68, 190) 19 (4, 29b, 68, 190) 40 (4, 29b, 68, 190) 51 (4, 29b, 68, 190) 59 (4, 29b, 68, 190) 61 (4, 29b, 68, 190) 63 (4, 29b, 68, 190) 65 (4, 29b, 68, 190) 71 (4, 29b, 68, 190) 77 (4, 29b, 68, 190) 81 (4, 29b, 68, 190) 85 (4, 29b, 68, 190) 87 (4, 29b, 68, 190) 88 (4, 29b, 68, 190) 89 (4, 29b, 68, 190) 73.61-10 (4, 68, 190, 220, 231) 50 (4, 68, 190, 220, 231) 73.62-30 (4, 32, 68, 190) 73.63-10 (4, 29a, 29d, 68, 190) 21 (4, 29a, 29b, 29d, 68, 190) 29 (4, 29a, 29b, 29d, 68, 72, 190) 72 (4, 29a, 29b, 29d, 68, 190) 79 (4, 29a, 29b, 29d, 31, 68, 190) 73.64-20 (4, 29b, 68, 190) 72 (4, 29b, 68, 190) 79 (4, 29b, 68, 190)	606.9700

Product	NIMEXE code	TS USA number
Alloy hot-rolled bar *(cont'd)*	73.71-13 (4, 68, 190, 220, 231) 14 (4, 68, 190, 220, 231) 19 (4, 68, 190, 220, 231) 53 (4, 68, 190, 220, 231) 54 (4, 68, 190, 220, 231) 55 (4, 68, 190, 220, 231) 56 (4, 68, 190, 220, 231) 59 (4, 68, 190, 220, 231) 73.72-33 (4, 32, 68, 190) 39 (4, 32, 68, 190) 73.73-13 (4, 29a, 29b, 68, 190) 14 (4, 29a, 29b, 68, 190) 19 (4, 29a, 29b, 68, 190) 23 (4, 29a, 29b, 29d, 68, 190) 24 (4, 29a, 29b, 29d, 68, 190) 25 (4, 29a, 29b, 29d, 68, 190) 26 (4, 29a, 29b, 29d, 68, 190) 29 (4, 29a, 29b, 29d, 68, 190) 33 (4, 29a, 29b, 29d, 68, 72, 190) 34 (4, 29a, 29b, 29d, 68, 72, 190) 35 (4, 29a, 29b, 29d, 68, 72, 190) 36 (4, 29a, 29b, 29d, 68, 72, 190) 39 (4, 29a, 29b, 29d, 68, 72, 190) 72 (4, 29a, 29b, 29d, 68, 190) 83 (4, 29a, 29b, 29d, 31, 68, 190) 89 (4, 29a, 29b, 29d, 31, 68, 190) 73.74-21 (4, 29b, 68, 190) 23 (4, 29b, 68, 190) 29 (4, 29b, 68, 190) 72 (4, 29b, 68, 190) 83 (4, 29b, 68, 190) 89 (4, 29b, 68, 190)	
Carbon coated sheet	73.12-61 (5, 8, 191) 63 (5, 8, 191) 65 (5, 8, 102, 191) 81 (5, 8, 191, 193) 85 (5, 8, 191, 193) 87 (5, 8, 191, 193) 89 (5, 8, 35, 80, 102, 191, 193) 73.13-67 (5, 191) 68 (5, 191) 72 (5, 191) 74 (5, 102, 191) 84 (5, 191, 193) 86 (5, 191, 193) 87 (5, 191, 193) 89 (5, 35, 80, 102, 191, 193) 73.64-79 (5, 8, 35, 80, 102, 191, 193) 73.65-70 (5, 20, 35, 80, 102, 191, 193) 73.74-83 (5, 8, 35, 80, 102, 191, 193) 89 (5, 8, 35, 80, 102, 191, 193) 73.75-73 (5, 20, 35, 80, 102, 191, 193) 79 (5, 20, 35, 80, 102, 191, 193)	608.0730 608.1310 608.1320 608.1330 608.1340 608.1350
Alloy and stainless coated sheet (including terne plate)	73.12-61 (5, 8, 190) 63 (5, 8, 190) 65 (5, 8, 190, 227) 81 (5, 8, 190, 193) 85 (5, 8, 190, 193) 87 (5, 8, 190, 193) 89 (5, 8, 35, 80, 190, 193, 227) 73.13-67 (5, 190) 68 (5, 190) 72 (5, 190)	608.0100 608.1440

Product	NIMEXE code	TS USA number
Alloy and stainless coated sheet (including terne plate) *(cont'd)*	73.13-74 (5, 190, 227) 84 (5, 190, 193) 86 (5, 190, 193) 87 (5, 190, 193) 89 (5, 35, 80, 190, 193, 227) 73.64-79 (5, 8, 35, 80, 190, 193, 227) 73.65-70 (5, 20, 35, 80, 190, 193, 227) 73.74-83 (5, 8, 35, 80, 190, 193, 227) 89 (5, 8, 35, 80, 190, 193, 227) 73.75-73 (5, 20, 35, 80, 190, 193, 227) 79 (5, 20, 35, 80, 190, 193, 227)	
Tin plate	73.12-51 (5, 79) 59 (5, 79) 89 (5, 79) 73.13-64 (5, 79) 65 (5, 79) 76 (5, 79) 89 (5, 79) 73.64-79 (5, 79) 73.65-70 (5, 79) 73.74-83 (5, 79) 89 (5, 79) 73.75-73 (5, 79) 79 (5, 79)	607.9600 607.9700 607.9900
Rails	73.16-14 16 17 20	610.2010 610.2025 610.2030 610.2100
Sheet piling	73.11-50	609.9600 609.9800
Alloy wire rod	73.10-11 (4, 25, 68, 190) 15 (4, 25, 68, 190) 73.63-21 (4, 25, 68, 190) 29 (4, 25, 68, 190) 73.73-23 (4, 25, 68, 190) 24 (4, 25, 68, 190) 25 (4, 25, 68, 190) 26 (4, 25, 68, 190) 29 (4, 25, 68, 190) 33 (4, 25, 68, 190) 34 (4, 25, 68, 190) 35 (4, 25, 68, 190) 36 (4, 25, 68, 190) 39 (4, 25, 68, 190)	607.4100 607.5900
Round, flat and other wire	73.10-30 (75, 147, 213, 214, 216) 45 (75, 147, 213, 214, 216) 49 (75, 147, 213, 214, 216) 73.12-21 (75, 147, 213, 214) 25 (75, 147, 213, 214) 29 (75, 147, 213, 214) 40 (75, 147, 213, 214) 51 (75, 147, 214) 59 (75, 147, 214) 61 (75, 147, 214) 63 (75, 147, 214) 65 (75, 147, 214) 75 (75, 147, 213, 214) 77 (75, 147, 214) 81 (75, 147, 214) 85 (75, 147, 214)	609.2000 (184) 609.2100 609.2200 609.2500 609.2800 609.3040 609.3340 (184) 609.3500 609.3600 609.3700 609.4010 609.4040 609.4055 609.4065 609.4120 609.4125

Product	NIMEXE code	TS USA number
Round, flat and other wire *(cont'd)*	73.12-87 (75, 147, 214)	609.4165
	88 (75, 147, 213, 214)	609.4315
	89 (75, 147, 213, 214)	609.4365
	73.14-01 (3, 147, 213, 214, 216)	609.4530
	11 (3, 147, 213, 214, 216)	609.4560
	13 (3, 147, 213, 214, 216)	609.7000
	15 (3, 147, 213, 214, 216)	609.7200
	19 (3, 147, 213, 214, 216)	609.7500
	21 (75, 147, 213, 214, 216)	609.7600
	41 (75, 147, 213, 214, 216)	642.9600
	43 (75, 147, 213, 214, 216)	642.9700
	45 (75, 147, 213, 214, 216)	
	49 (75, 147, 213, 214, 216)	
	81 (75, 147, 213, 214, 216)	
	91 (75, 147, 213, 214, 216)	
	99 (75, 147, 213, 214, 216)	
	73.63-50 (75, 147, 213, 214, 216)	
	74 (75, 147, 213, 214, 216)	
	79 (75, 147, 213, 214, 216)	
	73.64-50 (75, 147, 213, 214)	
	75 (75, 147, 213, 214)	
	79 (75, 147, 213, 214)	
	73.66-40 (75, 147, 213, 214, 216)	
	81 (75, 147, 213, 214, 216)	
	86 (75, 147, 213, 214, 216)	
	89 (75, 147, 213, 214, 216)	
	73.73-53 (75, 147, 213, 214, 216)	
	54 (75, 147, 213, 214, 216)	
	55 (75, 147, 213, 214, 216)	
	59 (75, 147, 213, 214, 216)	
	74 (75, 147, 213, 214, 216)	
	83 (75, 147, 213, 214, 216)	
	89 (75, 147, 213, 214, 216)	
	73.74-51 (75, 147, 213, 214)	
	52 (75, 147, 213, 214)	
	53 (75, 147, 213, 214)	
	54 (75, 147, 213, 214)	
	59 (75, 147, 213, 214)	
	74 (75, 147, 213, 214)	
	83 (75, 147, 213, 214)	
	89 (75, 147, 213, 214)	
	73.76-13 (75, 147, 213, 214, 216)	
	14 (75, 147, 213, 214, 216)	
	15 (75, 147, 213, 214, 216)	
	16 (75, 147, 213, 214, 216)	
	19 (75, 147, 213, 214, 216)	
Wire products	73.10-30 (148)	642.0200
	45 (148)	642.3510
	49 (148)	642.3530
	73.12-21 (148)	642.3570
	25 (148)	642.9000
	29 (148)	642.9100
	40 (148)	646.2500
	51 (148)	646.2622
	59 (148)	646.2624
	61 (148)	646.2626
	63 (148)	646.2628
	65 (148)	646.2642
	75 (148)	646.2644
	77 (148)	646.2646
	81 (148)	646.2648
	85 (148)	646.3040
	87 (148)	646.3200
	88 (148)	646.3600 (122)

Product	NIMEXE code	TS USA number
Wire products *(cont'd)*	73.12-89 (148) 73.14-01 (148) 11 (148) 13 (148) 15 (148) 19 (148) 21 (148) 41 (148) 43 (148) 45 (148) 49 (148) 81 (148) 91 (148) 99 (148) 73.26-00 73.27-20 (28) 31 (28) 41 (28) 91 (28) 73.31-92 (121) 96 (121) 97 (121) 98 (121) 73.63-50 (148) 74 (148) 79 (148) 50 (148) 75 (148) 79 (148) 73.66-40 (148) 81 (148) 86 (148) 89 (148) 73.73-53 (148) 54 (148) 55 (148) 59 (148) 74 (148) 83 (148) 89 (148) 73.74-51 (148) 52 (148) 53 (148) 54 (148) 59 (148) 74 (148) 83 (148) 89 (148) 73.76-13 (148) 14 (148) 15 (148) 16 (148) 19 (148)	
Black plate	73.12-21 (186) 25 (186) 29 (186) 88 (186) 89 (186) 73.13-11 (186) 16 (186) 49 (186) 50 (186) 88 (186) 89 (186)	607.6200 607.6400

Product	NIMEXE code	TS USA number
Black plate *(cont'd)*	73.64-50 (186) 79 (186) 73.65-55 (186) 70 (186) 73.74-51 (186) 52 (186) 53 (186) 54 (186) 59 (186) 83 (186) 89 (186) 73.75-11 (186) 19 (186) 63 (186) 64 (186) 69 (186) 73 (186) 79 (186)	
Electrical sheet and strip	73.08-01 (51, 124) 03 (51, 124) 05 (51, 124) 07 (51, 124) 21 (51, 124) 25 (51, 124) 29 (51, 124) 41 (51, 124) 45 (51, 124) 49 (51, 124) 73.10-11 (6, 51, 124) 15 (6, 51, 124) 17 (6, 51, 124) 42 (6, 51, 124) 49 (6, 51, 124) 73.12-11 (51, 124) 19 (51, 124) 25 (51, 124, 206) 29 (51, 124, 206) 40 (51, 124) 88 (51, 124) 89 (51, 124, 207) 73.13-11 (51, 124, 206) 16 (51, 124, 206) 17 (51, 124) 19 (51, 124) 21 (51, 124) 23 (51, 124) 26 (51, 124) 32 (51, 124) 34 (51, 124) 36 (51, 124) 41 (51, 124) 43 (51, 124) 45 (51, 124) 47 (51, 124) 49 (51, 124, 206) 50 (51, 124) 62 (50, 51, 124, 207) 88 (51, 124) 89 (51, 124, 207) 73.62-10 (51, 124) 73.63-21 (6, 51, 124) 29 (6, 51, 124) 72 (6, 51, 124) 79 (6, 51, 124)	607.9205 607.9210 608.3900

Product	NIMEXE code	TS USA number
Electrical sheet and strip *(cont'd)*	73.64-20 (51, 124) 50 (51, 124, 206) 79 (51, 124, 207) 73.65-21 (51, 124) 23 (51, 124) 25 (51, 124) 53 (51, 124) 55 (51, 124, 206) 70 (51, 124, 207) 73.72-11 (51, 124) 19 (51, 124) 73.73-23 (6, 51, 124) 24 (6, 51, 124) 25 (6, 51, 124) 26 (6, 51, 124) 29 (6, 51, 124) 33 (6, 51, 124) 34 (6, 51, 124) 35 (6, 51, 124) 36 (6, 51, 124) 39 (6, 51, 124) 72 (6, 51, 124) 83 (6, 51, 124) 89 (6, 51, 124) 73.74-21 (51, 124) 29 (51, 124) 51 (51, 124, 206) 52 (51, 124, 206) 53 (51, 124, 206) 54 (51, 124, 206) 59 (51, 124, 206) 74 (51, 124, 207) 83 (51, 124, 207) 89 (51, 124, 207) 73.75-89 (51, 124, 207) 11 (51, 124, 206) 19 (51, 124, 206) 29 (51, 124) 39 (51, 124) 49 (51, 124) 59 (51, 124) 69 (51, 124, 206) 73 (51, 124, 207) 79 (51, 124, 207)	
Tin-free steel	73.10-49 (163) 73.12-77 (76) 81 (163) 85 (163) 87 (163) 89 (163) 73.13-82 84 (163) 86 (163) 87 (163) 89 (163) 92 (163) 73.63-79 (163) 73.64-79 (163) 73.65-70 (163) 81 (163) 73.73-83 (163) 89 (163) 73.74-83 (163) 89 (163)	609.1710 609.1790

Product	NIMEXE code	TS USA number
Tin-free steel *(cont'd)*	73.75-73 (163) 79 (163) 83 (163) 84 (163) 89 (163)	
Cold-rolled strip	73.10-30 (4, 5, 6, 59, 199, 205) 45 (4, 5, 6, 59, 199, 205) 49 (4, 5, 6, 59, 193, 199, 205) 73.12-21 (4, 5, 59, 60, 199, 205) 25 (4, 5, 59, 60, 199, 205) 29 (4, 5, 59, 60, 199, 205) 40 (4, 5, 59, 60, 199, 205) 51 (4, 5, 59, 60, 199, 205) 59 (4, 5, 59, 60, 199, 205) 61 (4, 5, 59, 60, 199, 205) 63 (4, 5, 59, 60, 199, 205) 65 (4, 5, 59, 60, 199, 205) 75 (4, 5, 59, 60, 199, 205) 81 (4, 5, 59, 60, 193, 199, 205) 85 (4, 5, 59, 60, 193, 199, 205) 87 (4, 5, 59, 60, 193, 199, 205) 88 (4, 5, 59, 60, 199, 205) 89 (4, 5, 59, 60, 193, 199, 205) 73.63-50 (4, 5, 6, 59, 199, 205) 74 (4, 5, 6, 59, 199, 205) 79 (4, 5, 6, 59, 193, 199, 205) 73.64-50 (4, 5, 59, 60, 199, 205) 75 (4, 5, 59, 60, 199, 205) 79 (4, 5, 59, 60, 193, 199, 205) 73.73-53 (4, 5, 6, 59, 199, 205) 54 (4, 5, 6, 59, 199, 205) 55 (4, 5, 6, 59, 199, 205) 59 (4, 5, 6, 59, 199, 205) 74 (4, 5, 6, 59, 199, 205) 83 (4, 5, 6, 59, 193, 199, 205) 89 (4, 5, 6, 59, 193, 199, 205) 73.74-51 (4, 5, 59, 60, 199, 205) 52 (4, 5, 59, 60, 199, 205) 53 (4, 5, 59, 60, 199, 205) 54 (4, 5, 59, 60, 199, 205) 59 (4, 5, 59, 60, 199, 205) 74 (4, 5, 59, 60, 199, 205) 83 (4, 5, 59, 60, 193, 199, 205) 89 (4, 5, 59, 60, 193, 199, 205)	608.1940 608.2145 (184) 608.2150 (184) 608.2340 608.3820 (33) 608.5520 (33, 184) 608.6720 (33)
Cold-finished and other bar — Not cold formed	73.09-00 (32, 35, 191) 73.10-49 (29a, 29b, 188, 191) 73.12-51 (29b, 188, 191) 59 (29b, 188, 191) 61 (29b, 188, 191) 63 (29b, 188, 191) 65 (29b, 188, 191) 77 (29b, 188, 191) 81 (29b, 188, 191) 85 (29b, 188, 191) 87 (29b, 188, 191) 89 (29b, 188, 191) 73.62-30 (32, 35, 191) 73.63-79 (29a, 29b, 188, 191) 73.64-79 (29b, 188, 191) 73.72-33 (32, 35, 191) 39 (32, 35, 191)	606.8600

Product	NIMEXE code	TS USA number
Cold-finished and other bar — Not cold formed *(cont'd)*	73.73-83 (29a, 29b, 188, 191) 89 (29a, 29b, 188, 191) 73.74-83 (29b, 188, 191) 89 (29b, 188, 191)	
— Cold formed	73.10-30 (4, 29a, 29c, 68, 76) 45 (4, 29a, 29c, 68, 76) 49 (4, 29a, 29c, 34, 68, 76) 73.12-21 (4, 29c, 68, 76) 25 (4, 29c, 68, 76) 29 (4, 29c, 68, 76) 40 (4, 29c, 68, 76) 51 (4, 29c, 68, 76) 59 (4, 29c, 68, 76) 61 (4, 29c, 68, 76) 63 (4, 29c, 68, 76) 65 (4, 29c, 68, 76) 75 (4, 29c, 68, 76) 77 (4, 29c, 68, 76) 81 (4, 29c, 68, 76) 85 (4, 29c, 68, 76) 87 (4, 29c, 68, 76) 88 (4, 29c, 68, 76) 89 (4, 29c, 68, 76) 73.14-01 (4, 14, 68) 11 (4, 14, 68) 13 (4, 14, 68) 15 (4, 14, 68) 19 (4, 14, 68) 21 (4, 68, 76) 41 (4, 68, 76) 43 (4, 68, 76) 45 (4, 68, 76) 49 (4, 68, 76) 81 (4, 68, 76) 91 (4, 68, 76) 99 (4, 68, 76) 73.63-50 (4, 29a, 29c, 68, 76) 74 (4, 29a, 29c, 68, 76) 79 (4, 29a, 29c, 34, 68, 76) 73.64-50 (4, 29c, 68, 76) 75 (4, 29c, 68, 76) 79 (4, 29c, 68, 76) 73.66-40 (4, 68, 76) 81 (4, 68, 76) 86 (4, 68, 76) 89 (4, 68, 76) 73.73-53 (4, 29a, 29c, 68, 76) 54 (4, 29a, 29c, 68, 76) 55 (4, 29a, 29c, 68, 76) 59 (4, 29a, 29c, 68, 76) 74 (4, 29a, 29c, 68, 76) 83 (4, 29a, 29c, 34, 68, 76) 89 (4, 29a, 29c, 34, 68, 76) 73.74-51 (4, 29c, 68, 76) 52 (4, 29c, 68, 76) 53 (4, 29c, 68, 76) 54 (4, 29c, 68, 76) 59 (4, 29c, 68, 76) 74 (4, 29c, 68, 76) 83 (4, 29c, 68, 76) 89 (4, 29c, 68, 76) 73.76-13 (4, 68, 76) 14 (4, 68, 76)	606.8805 606.8815 606.9900

Product	NIMEXE code	TS USA number
Cold-finished and other bar *(cont'd)*	73.76-15 (* [illegible])	
	16 (* [illegible])	
— Cold formed	19 (* [illegible])	
— Hollow drill steel	73.10-18 (*)	607.0500
	73.63-29 (*)	607.0700
	50 (*)	607.0900
	72 (*)	
	74 (*)	
	79 (*)	
	73.73-13 (*)	
	14 (*)	
	19 (*)	
	33 (*)	
	34 (*)	
	35 (*)	
	39 (*)	
	53 (*)	
	54 (*)	
	55 (*)	
	59 (*)	
	72 (*)	
	74 (*)	
	83 (*)	
	89 (*)	
Bar shapes under 3 inches	73.11-11 (* [illegible])	609.8050
	19 (* [illegible])	609.8070
	20 (* [illegible])	609.8090
	31 (* [illegible])	
	39 (* [illegible])	
	41 (* [illegible])	
	43 (* [illegible])	
	49 (* [illegible])	
	73.16-11 (* [illegible])	
	73.63-10 (* [illegible])	
	29 (* [illegible])	
	50 (* [illegible])	
	72 (* [illegible])	
	74 (* [illegible])	
	79 (* [illegible])	
	73.73-13 (* [illegible])	
	14 (* [illegible])	
	19 (* [illegible])	
	33 (* [illegible])	
	34 (* [illegible])	
	35 (* [illegible])	
	36 (* [illegible])	
	39 (* [illegible])	
	43 (* [illegible])	
	49 (* [illegible])	
	53 (* [illegible])	
	54 (* [illegible])	
	55 (* [illegible])	
	59 (* [illegible])	
	72 (* [illegible])	
	74 (* [illegible])	
	83 (* [illegible])	
	89 (* [illegible])	
Concrete reinforcing bars	73.10-12	606.7900
	14	606.8100

Product	NIMEXE code	TS USA number
Concrete reinforcing bars *(cont'd)*	73.63-29 (71) 73.73-33 (71) 34 (71) 35 (71) 36 (71) 39 (71)	
Rail products	73.16-40 (151) 51 (151) 95 (151) 99 (151) 73.31-97 (26) 98 (26) 86.09-51 59	610.2500 610.2600 646.3020 690.2500 690.3000
Stainless wire	73.10-30 (75, 147, 215) 45 (75, 147, 215) 49 (75, 147, 215) 73.12-21 (57, 75, 147, 215) 25 (57, 75, 147, 215) 29 (57, 75, 147, 215) 40 (57, 75, 147, 215) 75 (57, 75, 147, 215) 88 (57, 75, 147, 215) 89 (57, 75, 147, 215) 73.14-01 (3, 147, 215) 11 (3, 147, 215) 13 (3, 147, 215) 15 (3, 147, 215) 19 (3, 147, 215) 21 (75, 147, 215) 41 (75, 147, 215) 43 (75, 147, 215) 45 (75, 147, 215) 49 (75, 147, 215) 81 (75, 147, 215) 91 (75, 147, 215) 99 (75, 147, 215) 73.63-50 (75, 147, 215) 74 (75, 147, 215) 79 (75, 147, 215) 73.64-50 (57, 75, 147, 215) 75 (57, 75, 147, 215) 79 (57, 75, 147, 215) 73.66-40 (75, 147, 215) 81 (75, 147, 215) 86 (75, 147, 215) 89 (75, 147, 215) 73.73-53 (75, 147, 215) 54 (75, 147, 215) 55 (75, 147, 215) 59 (75, 147, 215) 74 (75, 147, 215) 83 (75, 147, 215) 89 (75, 147, 215) 73.74-51 (57, 75, 147, 215) 52 (57, 75, 147, 215) 53 (57, 75, 147, 215) 54 (57, 75, 147, 215) 59 (57, 75, 147, 215) 74 (57, 75, 147, 215) 83 (57, 75, 147, 215) 89 (57, 75, 147, 215)	609.3020 609.3320 609.4502 609.4504 609.4542 609.4544

Product	NIMEXE code	TS USA number
Stainless wire *(cont'd)*	73.76-13 (75, 147, 215)	
	14 (75, 147, 215)	
	15 (75, 147, 215)	
	16 (75, 147, 215)	
	19 (75, 147, 215)	
Wire strand	73.25-11 (103)	642.0800
	21 (103)	642.1105
	31 (103)	642.1120
	35 (103)	642.1142
	39 (103)	642.1144
	51 (103)	642.1146
	55 (103)	
	59 (103)	
	98 (103)	
Wire rope	73.25-11 (104)	642.1200
	21 (104)	642.1400
	31 (104)	642.1610
	35 (104)	642.1650
	39 (104)	
	51 (104)	
	55 (104)	
	59 (104)	
	98 (104)	
Other speciality steel	73.07-12 (201, 220)	606.9105
	15 (201, 220)	606.9110
	73.08-01 (201, 204)	607.3200
	03 (201, 204)	607.4800
	05 (201, 204)	607.6900
	07 (201, 204)	607.8600
	21 (201, 204)	607.9315
	25 (201, 204)	608.3100
	29 (201, 204)	608.3810
	41 (201, 204)	608.4700
	45 (201, 204)	608.5510
	49 (201, 204)	608.5900
	73.09-00 (201)	608.6710
	73.10-11 (201)	
	15 (201, 204)	
	17 (201, 204)	
	20 (201, 204)	
	30 (76, 201, 204)	
	42 (201, 204)	
	45 (76, 201, 204)	
	49 (76, 193, 201, 204)	
	73.12-11 (201, 204)	
	19 (201, 204)	
	21 (76, 201, 204)	
	25 (76, 201, 204)	
	29 (76, 201, 204)	
	40 (76, 201, 204)	
	59 (76, 201, 204, 234)	
	61 (76, 201, 204, 234)	
	63 (76, 201, 204, 234)	
	65 (76, 201, 204, 234)	
	71 (201, 204, 234)	
	75 (76, 201, 204, 234)	
	77 (29b, 29c, 76, 201)	
	81 (76, 193, 201, 204, 234)	
	85 (76, 193, 201, 204, 234)	
	87 (76, 193, 201, 204, 234)	
	88 (76, 201, 204)	
	89 (76, 193, 201, 204, 234)	

Product	NIMEXE code	TS USA number
Other speciality steel *(cont'd)*	73.13-11 (201, 204) 16 (201, 204) 17 (201, 204) 19 (201, 204) 21 (201, 204) 23 (201, 204) 26 (201, 204) 32 (201, 204) 34 (201, 204) 36 (201, 204) 41 (201, 204) 43 (201, 204) 45 (201, 204) 47 (201, 204) 49 (201, 204) 50 (201, 204) 62 (50, 201, 204) 88 (201, 204) 89 (38, 201, 204) 73.14-01 (14, 201) 11 (14, 201) 13 (14, 201) 15 (14, 201) 19 (14, 201) 21 (76, 201) 41 (76, 201) 43 (76, 201) 45 (76, 201) 49 (76, 201) 81 (76, 201) 91 (76, 201) 99 (76, 201) 73.61-10 (201, 220, 231) 50 (201, 220, 231) 73.62-10 (201, 204) 30 (201) 73.63-10 (201) 21 (201, 204) 29 (201, 204) 50 (76, 201, 204) 72 (201, 204) 74 (76, 201, 204) 79 (76, 193, 201, 204) 73.64-20 (201, 204) 50 (76, 201, 204) 72 (201, 204, 234) 75 (76, 201, 204, 234) 79 (76, 193, 201, 204, 234) 73.65-21 (201, 204) 23 (201, 204) 25 (201, 204) 53 (201, 204) 55 (201, 204) 70 (38, 201, 204) 73.66-40 (76, 201) 81 (76, 201) 86 (76, 201) 89 (76, 201) 73.71-13 (201, 220, 231) 14 (201, 220, 231) 19 (201, 220, 231) 53 (201, 220, 231) 54 (201, 220, 231) 55 (201, 220, 231) 56 (201, 220, 231) 59 (201, 220, 231)	

Product	NIMEXE code	TS USA number
Other speciality steel *(cont'd)*	73.72-11 (201, 204) 13 (201, 204) 19 (201, 204) 33 (201) 39 (201) 73.73-13 (201) 14 (201) 19 (201) 23 (201, 204) 24 (201, 204) 25 (201, 204) 26 (201, 204) 29 (201, 204) 33 (201, 204) 34 (201, 204) 35 (201, 204) 36 (201, 204) 39 (201, 204) 53 (76, 201, 204) 54 (76, 201, 204) 55 (76, 201, 204) 59 (76, 201, 204) 72 (201, 204, 234) 74 (76, 201, 204, 234) 83 (76, 193, 201, 204, 234) 89 (76, 193, 201, 204, 234) 73.74-21 (201, 204) 23 (201, 204) 29 (201, 204) 51 (76, 201, 204) 52 (76, 201, 204) 53 (76, 201, 204) 54 (76, 201, 204) 59 (76, 201, 204) 72 (201, 204, 234) 74 (76, 201, 204, 234) 83 (76, 193, 201, 204, 234) 89 (76, 193, 201, 204, 234) 73.75-11 (201, 204) 19 (201, 204) 23 (201, 204) 24 (201, 204) 29 (201, 204) 33 (201, 204) 34 (201, 204) 39 (201, 204) 43 (201, 204) 44 (201, 204) 49 (201, 204) 53 (201, 204) 54 (201, 204) 59 (201, 204) 63 (201, 204) 64 (201, 204) 69 (201, 204) 73 (38, 201, 204) 79 (38, 201, 204) 73.76-13 (76, 201) 14 (76, 201) 15 (76, 201) 16 (76, 201) 19 (76, 201)	
Fabricated structurals	73.11-11 (172) 12 (172)	609.8400 609.8600

Product	NIMEXE code	TS USA number
Fabricated structurals *(cont'd)*	73.11-14 (172)	609.8800
	16 (172)	609.9000
	19 (172)	652.9400
	20 (172)	652.9600
	31 (172)	653.0000
	39 (172)	
	41 (172)	
	43 (172)	
	49 (172)	
	73.21-10 (109)	
	20 (109)	
	40 (109)	
	50 (109)	
	60	
	70 (109)	
	99 (109)	
	73.63-10 (172)	
	29 (172)	
	50 (172)	
	72 (172)	
	74 (172)	
	79 (172)	
	73.73-13 (172)	
	14 (172)	
	19 (172)	
	33 (172)	
	34 (172)	
	35 (172)	
	36 (172)	
	39 (172)	
	43 (172)	
	49 (172)	
	53 (172)	
	54 (172)	
	55 (172)	
	59 (172)	
	72 (172)	
	74 (172)	
	83 (172)	
	89 (172)	
Stainless steel sheet and strip	73.08-01 (5, 54, 55, 56, 61)	607.7610 (54, 55, 56)
	03 (5, 54, 55, 56, 61)	607.9010 (54, 55, 56)
	05 (54, 55, 56, 61)	607.9020 (54, 55, 56)
	07 (54, 55, 56, 61)	608.2900 (54, 55, 58)
	21 (5, 54, 55, 56, 61)	608.4300 (54, 55, 58)
	25 (54, 55, 56, 61)	608.5700 (54, 55)
	29 (54, 55, 56, 61)	
	41 (5, 54, 55, 56, 61)	
	45 (54, 55, 56, 61)	
	49 (54, 55, 56, 61)	
	73.10-11 (6, 54, 55, 57, 58, 61, 226)	
	15 (6, 54, 55, 57, 58, 61, 226)	
	17 (6, 54, 55, 57, 58, 61, 226)	
	30 (6, 54, 55, 57, 58, 61, 226)	
	42 (6, 54, 55, 57, 58, 61, 226)	
	45 (6, 54, 55, 57, 58, 61, 226)	
	49 (6, 54, 55, 57, 58, 61, 226)	
	73.12-11 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	19 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	21 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	25 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	29 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	40 (5, 8, 54, 55, 56, 57, 58, 61, 226)	
	51 (54, 55, 57, 58, 61, 226)	

Product	NIMEXE code	TS USA number
Stainless steel sheet and strip *(cont'd)*	73.12-59 (54, 55, 57, 58, 61, 226) 61 (54, 55, 57, 58, 61, 226) 63 (54, 55, 57, 58, 61, 226) 65 (54, 55, 57, 58, 61, 226) 71 (54, 55, 57, 58, 61, 226) 75 (54, 55, 57, 58, 61, 226) 81 (54, 55, 57, 58, 61, 193, 226) 85 (54, 55, 57, 58, 61, 193, 226) 87 (54, 55, 57, 58, 61, 193, 226) 88 (5, 8, 54, 55, 56, 57, 58, 61, 226) 89 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226) 73.13-11 (5, 54, 55, 56, 61) 16 (5, 54, 55, 56, 61) 17 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 21 (54, 55, 56, 61) 23 (54, 55, 56, 61) 26 (54, 55, 56, 61) 32 (54, 55, 56, 61) 34 (54, 55, 56, 61) 36 (54, 55, 56, 61) 41 (5, 54, 55, 56, 61) 43 (54, 55, 56, 61) 45 (54, 55, 56, 61) 47 (54, 55, 56, 61) 49 (54, 55, 56, 61) 50 (5, 54, 55, 56, 61) 62 (5, 50, 54, 55, 56, 61) 88 (5, 54, 55, 56, 61) 89 (5, 54, 55, 56, 61, 119) 73.62-10 (5, 54, 55, 56, 61) 73.63-21 (6, 54, 55, 57, 58, 61, 226) 29 (6, 54, 55, 57, 58, 61, 226) 50 (6, 54, 55, 57, 58, 61, 226) 72 (6, 54, 55, 57, 58, 61, 226) 74 (6, 54, 55, 57, 58, 61, 226) 79 (6, 54, 55, 57, 58, 61, 193, 226) 73.64-20 (5, 8, 54, 55, 56, 57, 58, 61, 226) 50 (5, 8, 54, 55, 56, 57, 58, 61, 226) 72 (54, 55, 57, 58, 61, 226) 75 (54, 55, 57, 58, 61, 226) 79 (5, 8, 54, 55, 56, 57, 58, 61, 119, 193, 226) 73.65-21 (5, 54, 55, 56, 61) 23 (54, 55, 56, 61) 25 (54, 55, 56, 61) 53 (5, 54, 55, 56, 61) 55 (54, 55, 56, 61) 70 (5, 54, 55, 56, 61, 119) 73.72-11 (5, 54, 55, 56, 61) 13 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 73.73-23 (6, 54, 55, 57, 58, 61, 226) 24 (6, 54, 55, 57, 58, 61, 226) 25 (6, 54, 55, 57, 58, 61, 226) 26 (6, 54, 55, 57, 58, 61, 226) 29 (6, 54, 55, 57, 58, 61, 226) 33 (6, 54, 55, 57, 58, 61, 226) 34 (6, 54, 55, 57, 58, 61, 226) 35 (6, 54, 55, 57, 58, 61, 226) 36 (6, 54, 55, 57, 58, 61, 226) 39 (6, 54, 55, 57, 58, 61, 226) 53 (6, 54, 55, 57, 58, 61, 226) 54 (6, 54, 55, 57, 58, 61, 226) 55 (6, 54, 55, 57, 58, 61, 226) 59 (6, 54, 55, 57, 58, 61, 226)	

Product	NIMEXE code	TS USA number
Stainless steel sheet and strip *(cont'd)*	73.73-72 (6, 54, 55, 57, 58, 61, 226) 74 (6, 54, 55, 57, 58, 61, 226) 83 (6, 54, 55, 57, 58, 61, 193, 226) 89 (6, 54, 55, 57, 58, 61, 193, 226) 73.74-21 (5, 8, 54, 55, 56, 57, 58, 61, 226) 23 (5, 8, 54, 55, 56, 57, 58, 61, 226) 29 (5, 8, 54, 55, 56, 57, 58, 61, 226) 51 (5, 8, 54, 55, 56, 57, 58, 61, 226) 52 (5, 8, 54, 55, 56, 57, 58, 61, 226) 53 (5, 8, 54, 55, 56, 57, 58, 61, 226) 54 (5, 8, 54, 55, 56, 57, 58, 61, 226) 59 (5, 8, 54, 55, 56, 57, 58, 61, 226) 72 (54, 55, 57, 58, 61, 226) 74 (54, 55, 57, 58, 61, 226) 83 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226) 89 (5, 8, 54, 55, 56, 57, 61, 119, 193, 226) 73.75-11 (5, 54, 55, 56, 61) 19 (5, 54, 55, 56, 61) 23 (5, 54, 55, 56, 61) 24 (5, 54, 55, 56, 61) 29 (5, 54, 55, 56, 61) 33 (54, 55, 56, 61) 34 (54, 55, 56, 61) 39 (54, 55, 56, 61) 43 (54, 55, 56, 61) 44 (54, 55, 56, 61) 49 (54, 55, 56, 61) 53 (5, 54, 55, 56, 61) 54 (5, 54, 55, 56, 61) 59 (5, 54, 55, 56, 61) 63 (54, 55, 56, 61) 64 (54, 55, 56, 61) 69 (54, 55, 56, 61) 73 (5, 54, 55, 56, 61, 119) 79 (5, 54, 55, 56, 61, 119)	
Stainless plate	73.08-01 (13, 54, 55, 61) 03 (13, 54, 55, 61) 21 (13, 54, 55, 61) 41 (13, 54, 55, 61) 73.09-00 (12, 54, 55, 61) 73.10-15 (6, 12, 13, 54, 55, 61) 17 (6, 12, 13, 54, 55, 61) 30 (6, 8, 13, 54, 55, 61) 49 (6, 13, 15, 38, 54, 55, 61) 73.12-11 (12, 13, 54, 55, 61) 19 (12, 13, 54, 55, 61) 21 (8, 13, 54, 55, 61) 25 (8, 13, 54, 55, 61) 29 (8, 13, 54, 55, 61) 40 (13, 15, 54, 55, 61) 88 (13, 15, 54, 55, 61) 89 (13, 15, 38, 54, 55, 61) 73.13-11 (13, 54, 55, 61) 16 (13, 54, 55, 61) 17 (13, 54, 55, 61) 19 (13, 54, 55, 61) 41 (13, 54, 55, 61) 50 (13, 54, 55, 61) 62 (13, 50, 54, 55, 61) 88 (13, 54, 55, 61) 89 (13, 38, 54, 55, 61) 73.62-10 (13, 54, 55, 61) 30 (12, 54, 55, 61)	607.7603 (19, 54, 55) 607.7606 (54, 55) 607.9005 (54, 55)

Product	NIMEXE code	TS USA number
Stainless plate *(cont'd)*	73.63-29 (6, 12, 13, 54, 55, 61) 50 (6, 8, 13, 54, 55, 61) 79 (6, 13, 15, 38, 54, 55, 61) 73.64-20 (12, 13, 54, 55, 61) 50 (8, 13, 54, 55, 61) 79 (13, 15, 38, 54, 55, 61) 73.65-21 (13, 54, 55, 61) 53 (13, 54, 55, 61) 70 (13, 38, 54, 55, 61) 73.72-11 (13, 54, 55, 61) 13 (13, 54, 55, 61) 19 (13, 54, 55, 61) 33 (12, 54, 55, 61) 39 (12, 54, 55, 61) 73.73-33 (6, 12, 13, 54, 55, 61) 34 (6, 12, 13, 54, 55, 61) 35 (6, 12, 13, 54, 55, 61) 36 (6, 12, 13, 54, 55, 61) 39 (6, 12, 13, 54, 55, 61) 53 (6, 8, 13, 54, 55, 61) 54 (6, 8, 13, 54, 55, 61) 59 (6, 8, 13, 54, 55, 61) 83 (6, 13, 15, 38, 54, 55, 61) 89 (6, 13, 15, 38, 54, 55, 61) 73.74-21 (12, 13, 54, 55, 61) 23 (12, 13, 54, 55, 61) 29 (12, 13, 54, 55, 61) 51 (8, 13, 54, 55, 61) 52 (8, 13, 54, 55, 61) 53 (8, 13, 54, 55, 61) 54 (8, 13, 54, 55, 61) 59 (8, 13, 54, 55, 61) 83 (13, 15, 38, 54, 55, 61) 89 (13, 15, 38, 54, 55, 61) 73.75-11 (13, 54, 55, 61) 19 (13, 54, 55, 61) 23 (13, 54, 55, 61) 24 (13, 54, 55, 61) 29 (13, 54, 55, 61) 53 (13, 54, 55, 61) 54 (13, 54, 55, 61) 59 (13, 54, 55, 61) 73 (13, 38, 54, 55, 61) 79 (13, 38, 54, 55, 61)	
Stainless bar	73.07-12 (61, 220) 15 (61, 220) 73.09-00 (32, 61) 73.10-11 (29a, 29b, 29d, 61) 15 (29a, 29b, 29d, 61) 17 (29a, 29b, 29d, 61) 20 (29a, 29d, 61) 30 (29a, 29c, 61, 76) 42 (29a, 29b, 61) 45 (29a, 29c, 61, 76) 49 (29a, 29b, 29c, 29d, 61, 76) 73.12-11 (29b, 61) 19 (29b, 61) 21 (29c, 61, 76) 25 (29c, 61, 76) 29 (29c, 61, 76) 40 (29b, 29c, 61, 76) 51 (29b, 29c, 61, 76) 59 (29b, 29c, 61, 76)	606.9005 606.9015 606.9020

Product	NIMEXE code	TS USA number
Stainless bar *(cont'd)*	73.12-61 (29b, 29c, 61, 76) 63 (29b, 29c, 61, 76) 65 (29b, 29c, 61, 76) 71 (29b, 61) 75 (29c, 61, 76) 77 (29b, 29c, 61, 76) 81 (29b, 29c, 61, 76) 85 (29b, 29c, 61, 76) 87 (29b, 29c, 61, 76) 88 (29b, 29c, 61, 76) 89 (29b, 29c, 61, 76) 73.14-01 (14, 61) 11 (14, 61) 13 (14, 61) 15 (14, 61) 19 (14, 61) 21 (61, 76) 41 (61, 76) 43 (61, 76) 45 (61, 76) 49 (61, 76) 81 (61, 76) 91 (61, 76) 99 (61, 76) 73.61-10 (61, 220, 231) 50 (61, 220, 231) 73.62-30 (32, 61) 73.63-10 (29a, 29d, 61) 21 (29a, 29b, 29d, 61) 29 (29a, 29b, 29d, 61) 50 (29c, 61, 76) 72 (29a, 29b, 29d, 61) 74 (29c, 61, 76) 79 (29a, 29b, 29c, 29d, 61, 76) 73.64-20 (29b, 61) 50 (29c, 61, 76) 72 (29b, 61) 75 (29c, 61, 76) 79 (29b, 29c, 61, 76) 73.66-40 (61, 76) 81 (61, 76) 86 (61, 76) 89 (61, 76) 73.71-13 (61, 220, 231) 14 (61, 220, 231) 19 (61, 220, 231) 73.72-33 (32, 61) 39 (32, 61) 73.73-13 (29a, 29d, 61) 14 (29a, 29d, 61) 19 (29a, 29d, 61) 23 (29a, 29b, 29d, 61) 24 (29a, 29b, 29d, 61) 25 (29a, 29b, 29d, 61) 26 (29a, 29b, 29d, 61) 29 (29a, 29b, 29d, 61) 33 (29a, 29b, 29d, 61) 34 (29a, 29b, 29d, 61) 35 (29a, 29b, 29d, 61) 36 (29a, 29b, 29d, 61) 39 (29a, 29b, 29d, 61) 53 (29a, 29c, 61, 76) 54 (29a, 29c, 61, 76) 55 (29a, 29c, 61, 76) 59 (29a, 29c, 61, 76)	

Product	NIMEXE code	TS USA number
Stainless bar *(cont'd)*	73.73-72 (29a, 29b, 29d, 61)	
	74 (29a, 29c, 61, 76)	
	83 (29a, 29b, 29c, 29d, 61, 76)	
	89 (29a, 29b, 29c, 29d, 61, 76)	
	73.74-21 (29b, 61)	
	23 (29b, 61)	
	29 (29b, 61)	
	51 (29c, 61, 76)	
	52 (29c, 61, 76)	
	53 (29c, 61, 76)	
	54 (29c, 61, 76)	
	59 (29c, 61, 76)	
	72 (29b, 61)	
	74 (29c, 61, 76)	
	83 (29b, 29c, 61, 76)	
	73.76-13 (61, 76)	
	14 (61, 76)	
	15 (61, 76)	
	16 (61, 76)	
	19 (61, 76)	
Stainless steel wire rod	73.10-11 (25, 61)	607.2600
	15 (25, 61)	607.4300
	73.63-21 (25, 61)	
	29 (25, 61)	
	73.73-23 (25, 61)	
	24 (25, 61)	
	25 (25, 61)	
	26 (25, 61)	
	29 (25, 61)	
	33 (25, 61)	
	34 (25, 61)	
	35 (25, 61)	
	36 (25, 61)	
	39 (25, 61)	
Alloy tool steel	73.07-12 (203, 220)	606.9300
	15 (203, 220)	606.9400
	73.08-01 (203)	606.9505
	03 (203)	606.9512
	05 (203)	606.9514
	07 (203)	606.9520
	21 (203)	606.9525
	25 (203)	606.9535
	29 (203)	606.9542
	41 (203)	606.9544
	45 (203)	606.9546
	49 (203)	606.9548
	73.09-00 (203)	607.2800
	73.10-11 (203)	607.3405
	15 (203)	607.3420
	17 (203)	607.4600
	20 (203)	607.5405
	30 (203, 233)	607.5420
	42 (203)	607.7205
	45 (203, 233)	607.7210 (19)
	49 (193, 203, 233)	607.7220
	73.12-11 (203)	607.7225
	19 (203)	607.8805
	21 (76, 203)	607.8820
	25 (76, 203)	608.3405
	29 (76, 203)	608.3420
	40 (76, 203)	608.4905
	51 (76, 203, 234)	608.4020

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.12-59 (76, 203, 234)	608.6405
	61 (76, 203, 234)	608.6420
	63 (76, 203, 234)	609.4520
	65 (76, 203, 234)	609.4550
	71 (203, 234)	
	75 (76, 203, 234)	
	77 (29b, 29c, 76, 203)	
	81 (76, 193, 203, 234)	
	85 (76, 193, 203, 234)	
	87 (76, 193, 203, 234)	
	88 (76, 203)	
	89 (76, 193, 203, 234)	
	73.13-11 (203)	
	16 (203)	
	17 (203)	
	19 (203)	
	21 (203)	
	23 (203)	
	26 (203)	
	32 (203)	
	34 (203)	
	36 (203)	
	41 (203)	
	43 (203)	
	45 (203)	
	47 (203)	
	49 (203)	
	50 (203)	
	62 (50, 203)	
	88 (203)	
	89 (38, 203)	
	73.14-01 (233)	
	11 (233)	
	13 (233)	
	15 (233)	
	19 (233)	
	21 (233)	
	41 (233)	
	43 (233)	
	45 (233)	
	49 (233)	
	81 (233)	
	91 (233)	
	99 (233)	
	73.61-10 (203, 220, 231)	
	50 (203, 220, 231)	
	73.62-10 (203)	
	30 (203)	
	73.63-10 (203)	
	21 (203)	
	29 (203)	
	50 (203, 233)	
	72 (203)	
	74 (203, 233)	
	79 (193, 203, 233)	
	73.64-20 (203)	
	50 (76, 203)	
	72 (203, 234)	
	75 (76, 203, 231)	
	79 (76, 193, 203, 234)	
	73.65-21 (203)	
	23 (203)	
	25 (203)	
	53 (203)	
	55 (203)	
	70 (38, 203)	

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.66-40 (233) 81 (233) 86 (233) 89 (233) 73.71-13 (203, 220, 231) 14 (203, 220, 231) 19 (203, 220, 231) 53 (203, 220, 231) 54 (203, 220, 231) 55 (203, 220, 231) 56 (203, 220, 231) 59 (203, 220, 231) 73.72-11 (203) 13 (203) 19 (203) 33 (203) 39 (203) 73.73-13 (203) 14 (203) 19 (203) 23 (203) 24 (203) 25 (203) 26 (203) 29 (203) 33 (203) 34 (203) 35 (203) 36 (203) 39 (203) 53 (203, 233) 54 (203, 233) 55 (203, 233) 59 (203, 233) 72 (203) 74 (203, 233) 83 (193, 203, 233) 89 (193, 203, 233) 73.74-21 (203) 23 (203) 29 (203) 51 (76, 203) 52 (76, 203) 53 (76, 203) 54 (76, 203) 59 (76, 203) 72 (203, 234) 74 (76, 203, 234) 83 (76, 193, 203, 234) 89 (76, 193, 203, 234) 73.75-11 (203) 19 (203) 23 (203) 24 (203) 29 (203) 33 (203) 34 (203) 39 (203) 43 (203) 44 (203) 49 (203) 53 (203) 54 (203) 59 (203)	

Product	NIMEXE code	TS USA number
Alloy tool steel *(cont'd)*	73.75-63 (203) 64 (203) 69 (203) 73 (38, 203) 79 (38, 203) 73.76-13 (233) 14 (233) 15 (233) 16 (233) 19 (233)	

Footnotes

(1) Covered if of rectangular section. If 3/16 inch or over in thickness and hot-rolled, excluded if 8 inches or less in width, pickled, not in coils or coated, plated or clad with metal.

(2) If 3/16 inch or more in thickness and hot-rolled, excluded if 8 inches or less in width, pickled, not in coils or coated, plated or clad with metal.

(3) Covered if in coil.

(4) Excluding 'tool steel', 'high-speed-tool steel', 'tool steel of the type described in headnote 2 (H) (vii)', and 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (H), (v), (vi), (vii) and (viii) of the Tariff Schedules of the United States Annotated.

(5) Covered if less than 3/16 inch in thickness.

(6) Covered if of rectangular section.

(7) Covered if hot-rolled.

(8) Covered if over 12 inches in width.

(12) Covered if over 8 inches in width.

(13) Covered if 3/16 inch or more in thickness.

(14) Covered if not in coil.

(15) Covered if hot-rolled and over 8 inches in width or if cold-rolled and over 12 inches in width.

(17) Covered if semi-finished products over 6 inches in thickness produced by rolling on a primary (slabbing) mill.

(19) Excluding semi-finished products over 6 inches in thickness produced by rolling on a primary (slabbing) mill.

(20) Excluded if clad.

(21) Covered if structural shape having a maximum cross-sectional dimension of 3 inches or more.

(25) Covered if hot rolled, semi-finished, of approximately circular section, in coil and not under 0,20 inch nor over 0,74 inch in diameter.

(26) Covered if railway track spikes.

(28) Covered if galvanized wire fencing 'wholly of round iron or teel wire measuring not over 0,20 inch and not under 0,075 inch in diameter, whether or not such wire is covered with plastic'. Excluded if welded galvanized wire fencing other than chain link fencing.

(29a) Covered if cross-section in the form of circles, segments of circles, ovals, triangles, rectangles, hexagons, or octagons.

(29b) Covered if of rectangular section, hot-rolled, 3/16 inch or more in thickness and 8 inches or less in width.

(29c) Covered if of rectangular section, cold-rolled, 3/16 inch or more in thickness and 12 inches or less in width.

(29d) If of approximately circular section and hot-rolled, excluded if in coils, not unter 0,20 inch in diameter and not over 0,74 inch in diameter.

(31) Excluded if cold-formed or cold-finished.

(32) Covered if 8 inches or less in width.

(33) Covered if cold-rolled.

(34) Covered if cold-formed or cold-finished.

(35) Covered if coated or plated with metal.

(38) Excluded if coated, plated or clad with metal.

(40) If plated or coated with metal and 3/16 inch or more in thickness, covered if over 8 inches in width when hot-rolled and if over 12 inches in width when cold-rolled. If not plated or coated with metal covered if not in coils, if 3/16 inch or more in thickness, not pickled and over 8 inches in width and hot-rolled.

(44) Covered if clad, and either less than 3/16 inch in thickness and over 12 inches in width; or 3/16 inch or more in thickness, over 8 inches in width and hot-rolled or if over 12 inches in width and cold-rolled.

(45) Excluded if pickled.

(50) Excluded if silvered, gilded or platinum plated.

(51) Covered if 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated.

(54) Excluding cladding grade 434 stainless steel certified by the importer of record or ultimate consignee to be used in the manufacture of stainless steel clad aluminium automobile trim.

(55) Excluding grade 253 MA and 254 SMO stainless steel.

(56) Excluding stainless steel sheet over 71 inches in width.

(57) Excluding 'razor blade steel', i.e., stainless steel strip or flat wire not over 0,01 inch in thickness and not over 0,9 inch in width, containing by weight not less than 0,6 % and not over 0,75 % carbon, and containing by weight not less than 11,5 % and not over 14,7 % chromium, certified at the time of entry to be used in the manufacture of razor blades.

(58) Excluding stainless steel strip not over 0,05 inch in thickness certified by the importer of record or ultimate consignee to be used in the manufacture of stainless steel flapper valves for compressors.

(59) Covered if over 0,5 inch in width and cold-rolled.

(60) Covered if 12 inches or under in width.

(61) Covered if containing by weight less than 1 % carbon and over 11,5 % chromium.

(68) Covered if containing by weight 11,5 % or less chromium or 1 % or more carbon.

(71) Covered if 'deformed concrete reinforcing bars', as defined in schedule 6, part 2, subpart B, 3 (d) of the Tariff Schedules of the United States Annotated.

(72) Excluded if 'deformed concrete reinforcing bars', as defined in schedule 6, part 2, subpart B, 3 (d) of the Tariff Schedules of the United States Annotated.

(75) Covered if 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated.

(76) Excluded if 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated.

(77) Covered if structural shape having a maximum cross-sectional dimension of less than 3 inches. Excluded if drilled, punched or otherwise advanced. If cold-formed, excluded if weighing 0,29 pound or less per linear foot.

(79) Covered if coated or plated with tin and greater than 12 inches in width.

(80) Excluded if coated or plated with tin.

(82) Covered if hot-rolled and either less than 3/16 inch in thickness and 12 inches or under in width, or less than 3/16 inch in thickness, over 12 inches in width and not coated, plated or clad with metal.

(84) Covered if cold-rolled, less than 3/16 inch in thickness, over 12 inches in width and not coated, plated or clad with metal.

(87) Covered if cold-rolled, 3/16 inch or over in thickness, over 12 inches in width and not coated, plated or clad with metal. Also covered if over 3/16 inch in thickness, hot-rolled and pickled, over 8 inches in width and not coated, plated or clad with metal.

(97) Excluded if coated or plated with metal.

(102) Excluded if coated or plated with a lead-tin alloy.

(103) Covered if wire strand, i.e., a plurality of round or shaped wires helically laid in one or more layers.

(104) Covered if other than wire strand.

(109) Excluded if door and window frames. Also excluded if columns, pillars, posts, beams, girders, and similar structural units made in part of stainless steel, or of cast-iron.

(112) Excluded if cold-formed and weighing not over 0,29 pound per linear foot.

(119) Excluded if coated, plated or clad with metal and over 12 inches in width.

(121) Excluded if thumb tacks; drive pins, studs and other fasteners suitable for use in power-actuated hand tools; staples in strip form; corrugated fasteners, glaziers point, hook nails and ring nails; or railway track spikes. Also excluded if cut nails or if coated or plated with precious metals.

(122) Covered if made from wire of iron or steel with heads of ferrous or non-ferrous metals.

(124) Covered if pickled or cold-rolled and over 12 inches in width and less than 3/16 inch in thickness. Also covered if not over 12 inches in width and over 0,01 inch, but not over 0,05 inch, in thickness. Also, if cold-rolled, product must be over 0,5 inch in width.

(143) Covered if pickled or cold-rolled.

(147) Excluded if bale ties with or without buckles or fastenings.

(148) Covered if bale ties with or without buckles or fastenings.

(151) Covered if tie plates and joint bars as defined in schedule 6, part 2, subpart B, 3 (l) and (m) of the Tariff Schedules of the United States Annotated.

(152) Excluded if drilled, punched or otherwise advanced.

(163) Covered if plates, sheets or strip of iron or steel as defined in schedule 6, part 2, subpart B, 3 (g) and (h) of the Tariff Schedules of the United States Annotated, whether or not cut, pressed or stamped to non-rectangular shape, if electrolytically coated or plated with chromium oxide or with chromium and chromium oxide or with other base metal other than tin, lead, or zinc.

(172) Covered either if cold-formed and weighing not over 0,29 pound per linear foot or if drilled, punched or otherwise advanced.

(184) Excluded if band-saw steel defined as follows: (a) 'metal cutting band-saw steel' referring to steel strip or flat wire, not less than 0,024 inch and not more than 0,036 inch in thickness, not less than 0,248 inch and not more than 2,0 inches in width, in coils, containing:

carbon: not less than 1,18 and not more than 1,32 %;

chromium: not less than 0,15 and not more than 0,32 %;

manganese: not less than 0,10 and not more than 0,40 %;

certified by the importer of record of the ultimate consignee for use in the manufacture of metal-cutting band-saw blades; or (b) 'wood band-saw steel' referring to (1) alloy steel sheet or strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;

manganese: not less than 0,30 nor more than 0,55 %;

silicon: not less than 0,20 nor more than 0,35 %;

nickel: not less than 1,60 nor more than 2,70 %;

chromium: none, or not more than 0,50 %;

phosphorus: none, or not more than 0,03 %; and

sulphur: none, or not more than 0,15 %;

or (2) cold-rolled strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;

manganese: not less than 0,30 nor more than 0,50 %;

silicon: not less than 0,20 nor more than 0,35 %;

chromium: none, or not more than 0,50 %; and

phosphorus: none, or not more than 0,03 %; and

sulphur: none, or not more than 0,15 %,

certified by the importer of record or the ultimate consignee for use in the manufacture of wood band saws.

(186) Covered if 'black plate', as defined in schedule 6, part 2, subpart B, 3 (g) (i) of the Tariff Schedules of the United States Annotated.

(187) Covered if 'hollow drill steel' as defined in schedule 6, part 2, subpart B, 3 (e) of the Tariff Schedules of the United States Annotated.

(188) Covered if hot rolled and coated or plated with metal.

(189) Covered if current-conducting third rails.

(190) Covered if alloy iron or steel as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(191) Excluded if alloy iron or steel as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(192) Excluded if plates, sheets, or strip of iron or steel as defined in schedule 6, part 2, subpart B, 3 (g) and (h) of the Tariff Schedules of the United States Annotated, whether or not cut, pressed or stamped to non-rectangular shape, if electrolytically coated or plated with base metal other than tin, lead or zinc.

(193) Covered if under 3/16 inch in thickness and hot-rolled, and if either over 12 inches in width and not pickled and not coated, plated or clad with metal or if 12 inches or under in width.

(194) Excluded if 'heat-resisting steel' as defined in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated.

(195) Excluded if 'heat-resisting steel' as described in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated and 12 inches or under in width.

(196) Covered if 'tool steel of the type described in headnote 2 (h) (vii)' in schedule 6, part 2, subpart B of the Tariff Schedules of the United States Annotated.

(197) Covered if less than 3/16 inch in thickness, over 12 inches in width, pickled or cold-rolled and either painted or varnished.

(198) Covered if 'tool steel' 'high-speed-tool steel' or 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi) and (viii) of the Tariff Schedules of the United States Annotated.

(199) Covered if 'heat-resisting steel' as defined in schedule 6, part 2, subpart B, statistical headnote 1 (a) of the Tariff Schedules of the United States Annotated, less than 3/16 inch in thickness, and either over 12 inches in width, pickled or cold-rolled and not coated, plated or clad with metal or 12 inches or under in width.

(200) Excluded if strip as defined in schedule 6, part 2, subpart B, 3 (h) and if 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated and over 0,01 inch but not over 0,05 inch in thickness.

(201) Excluded if 'black plate' as defined in schedule 6, part 2, subpart B, 3 (g) (i) of the Tariff Schedules of the United States Annotated.

(202) If sheet as defined in schedule 6, part 2, subpart B, 3 (g) of the Tariff Schedules of the United States Annotated, excluded if coated, plated or clad with metal.

(203) If sheet as defined in schedule 6, part 2, subpart B, 3 (g) and 'silicon electrical steel' as defined in schedule 6, part 2, subpart B, 2 (h) (ix) of the Tariff Schedules of the United States Annotated, covered if hot-rolled and not pickled.

(204) If not clad with metal, excluded if 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(205) If not coated or plated with metal, excluded if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) or 'tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi), (vii) and (viii) of the Tariff Schedules of the United States Annotated.

(206) If flat wire and not coated or plated with metal or if round wire, excluded if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) of the Tariff Schedules of the United States Annotated.

(207) If milliners' wire or other wire covered with textile or other material not wholly of metal, covered whether or not 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated.

(208) If flat wire and not coated or plated with metal or if round wire, covered if 'stainless steel' as defined in schedule 6, part 2, subpart B, 2 (h) (iv) of the Tariff Schedules of the United States Annotated.

(209) Excluded if round wire of 'high-speed-tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (vi) of the Tariff Schedules of the United States Annotated.

(210) Excluded if ingots, blooms, billets, or sheet bars as defined in schedule 6, part 2, subpart B, 3 (a), (b) and (c) of the Tariff Schedules of the United States Annotated.

(226) Covered if cold-rolled and over 0,5 inch and 12 inches or under in width or if hot-rolled and 12 inches or under in width.

(227) Whether or not 'alloy iron or steel' as defined in schedule 6, part 2, subpart B, 2 (h) of the Tariff Schedules of the United States Annotated covered if coated or plated with a lead-tin alloy.

(228) If 'tool steel of the type described in headnote 2 (h) (vii)' of the Tariff Schedules of the United States Annotated, covered if under 3/16 inch in thickness, over 12 inches in width and either pickled or cold-rolled or if 3/16 inch or more in thickness and either over 8 inches in width, pickled and hot-rolled or over 12 inches in width and cold-rolled. Excluded if coated, plated or clad with metal.

(231) Excluded if slabs as defined in schedule 6, part 2, subpart B, 3 (c) of the Tariff Schedules of the United States Annotated.

(232) Covered if band-saw steel defined as follows: (a) 'metal-cutting band-saw steel' referring to steel strip or flat wire, not less than 0,024 inch and not more than 0,036 inch in thickness, not less than 0,248 inch and not more than 2,0 inches in width, in coils, containing:

carbon: not less than 1,18 and not more than 1,32 %;
chromium: not less than 0,15 and not more than 0,32 %;
manganese: not less than 0,10 and not more than 0,40 %;

certified by the importer of record of the ultimate consignee for use in the manufacture of metal-cutting band-saw blades; or (b) 'wood band-saw steel' referring to (1) alloy steel sheet or strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;
manganese: not less than 0,30 nor more than 0,55 %;
silicon: not less than 0,20 nor more than 0,35 %;
nickel: not less than 1,60 nor more than 2,70 %;
chromium: none, or not more than 0,50 %;
phosphorus: none, or not more than 0,03 %; and
sulphur: none, or not more than 0,15 %;

or (2) cold-rolled strip which contains, in addition to iron, each of the following elements by weight in the amount specified:

carbon: not less than 0,70 nor more than 0,81 %;
manganese: not less than 0,30 nor more than 0,50 %;
silicon: not less than 0,20 nor more than 0,35 %;
chromium: none, or not more than 0,50 %; and
phosphorus: none, or not more than 0,03 %; and
sulphur: none, or not more than 0,15 %,

certified by the importer of record or the ultimate consignee for use in the manufacture of wood band saws.

(233) If 'wire' as defined in schedule 6, part 2, subpart B, 3 (i) of the Tariff Schedules of the United States Annotated, covered only if round wire of 'high-speed-tool steel' as defined in schedule 6, part 2, subpart B, 2 (h) (vi) of the Tariff Schedules of the United States Annotated. If not wire, covered if 'tool steel', 'high-speed-tool steel' or 'chipper knife steel' as defined in schedule 6, part 2, subpart B, 2 (h) (v), (vi) and (viii) of the Tariff Schedules of the United States Annotated.

(234) Excluded if coated, plated or clad with metal, under 3/16 inch in thickness and over 12 inches in width. Also excluded if coated, plated or clad with metal, 3/16 inch or more in thickness and either over 8 inches in width and hot-rolled or over 12 inches in width and cold-rolled.

ANNEX III

Allocation among Member States

	D	F	I	NL	B	LUX	UK	GR	DK	IRL	Reserve
Cold-rolled sheet	42,80	15,51	9,55	15,74	8,73	0,27	2,30	5.10	—	—	—
Plate	22,52	3,61	10,35	0,90	47,21	—	13,65	—	1,76	—	—
Structurals	22,42	11,06	0,64	—	24,72	17,71	23,45	—	—	—	—
Hot-rolled bars	8,47	13,60	3,35	0,29	5,34	19,35	49,60	—	—	—	—
Coated sheet	57,17	23,22	8,67	4,13	3,86	0,43	2,52	—	—	—	—
Tin plate	48,76	35,24	—	11,63	3,62	—	0,75	—	—	—	—
Rails	58,54	14,36	—	—	—	20,77	6,33	—	—	—	—
Round, flat and other wire	14,82	27,15	4,03	1,15	39,39		12,41	—	0,09	—	0,96
Wire products	4,80	6,85	2,26	5,18	60,85		9,84	—	9,22	—	1,00
Black plate	11,60	10,64	—	16,54	30,66	—	0,16	29,40	—	—	1,00
Electrical sheet and strip	47,12	1,02	45,65	—	1,22	—	3,99	—	—	—	1,00
Tin-free steel	77,92	18,71	—	0,88	0,98	—	0,51	—	—	—	1,00
Cold-rolled strip	66,44	8,08	0,50	0,17	5,11	—	10,96	7,87	—	—	0,87
Cold-finished and other bar	8,13	53,23	4,52	0,10	0,76	—	32,32	—	—	—	0,94
Bar shapes under 3 inches	12,43	1,99	1,24	1,37	54,95	19,56	7,58	—	—	—	0,88

	D	F	I	NL	B	LUX	UK	GR	DK	IRL	Reserve
Rail products	10,57	75,83	4,25	0,13	0,76	0,79	6,67	—	—	—	1,00
Stainless wire	7,00	23,18	29,80	0,51	20,28		19,23				
Fabricated structurals	11,62	4,32	40,51	3,27	—	17,44	19,62		3,22		
Wire strand	12,49	15,55	39,95	13,88	7,06		11,06	—	0,01		
Wire rope	25,23	27,50	11,44	9,80	5,24		19,35		1,44		
Other speciality steel	12,91	33,86	49,86	0,15	0,94	—	2,28				
Stainless plate	55,90	3,88	0,77	0,03	9,63	—	29,79				
Stainless sheet and strip	25,26	55,23	7,33	0,03	5,03	—	7,12				
Stainless bar	20,45	41,46	20,46	0,08	0,19	—	17,18		0,18		
Stainless rod	15,53	46,23	26,65	0,04	11,18	—	0,29		0,08		
Alloy tool steel	64,02	9,32	14,21	0,54	0,46		10,95				