COMMISSION REGULATION (EEC) No 928/89

of 11 April 1989

re-establishing the levying of customs duties applicable to third countries on certain products originating in Yugoslavia

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Economic Community,

Having regard to the Cooperation Agreement between the European Economic Community and the Socialist Federal Republic of Yugoslavia [1], and in particular Protocol 1 thereto,

Having regard to Council Regulation (EEC) No 4234/88 of 19 December 1988 establishing ceilings and Community surveillance for imports of certain products originating in Yugoslavia (1989) [2], and in particular Article 1 thereof,

Whereas the abovementioned Protocol 1 and Article 15 of the Cooperation Agreement provide that the products listed in Article 1 hereto are imported exempt of customs duty into the Community, subject to the ceiling shown, above which the customs duties applicable to third countries may be re-established;

Whereas imports into the Community of those products, originating in Yugoslavia, have reached that ceiling;

whereas the situation on the Community market requires that customs duties applicable to third countries on the products in question be re-established,

HAS ADOPTED THIS REGULATION:

Article 1

From 15 April to 31 December 1989, the levying of customs duties applicable to third countries shall be re-established on imports into the Community of the products listed in the Annex, originating in Yugoslavia.

Article 2

This Regulation shall enter into force on the third day following its publication in the *Official Journal of the European Communities.*

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 11 April 1989.

For the Commission

Christiane SCRIVENER

Member of the Commission

[1] OJ No L 41, 14. 2. 1983, p. 2.
[2] OJ No L 372, 31. 12. 1988, p. 15.

ANNEX

(tonnes)

Order No	CN code	Description	Ceiling
01.0160	7304	Tubes, pipes and hollow profiles, seamless, of iron (other than cast iron) or steel :	
	7304 10	– Line pipe of a kind used for oil or gas pipelines :	
	7304 10 10	– – Of an external diameter not exceeding 168,3 mm	
	7304 10 30	– – Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 10 90	– – Of an external diameter exceeding 406,4 mm	
	7304 20	– Casing, tubing and drill pipe, of a kind used in drilling for oil or gas :	
		– – Other :	
	7304 20 91	– – – Of an external diameter not exceeding 406,4 mm	
	7304 20 99	– – – Of an external diameter exceeding 406,4 mm	
		– Other, of circular cross-section, of iron or non-alloy steel :	
	7304 31	– – Cold-drawn or cold-rolled (cold-reduced) :	
		– – – Other	
	7304 31 91	– – – – Precision tubes	
	7304 31 99	– – – – Other	
	7304 39	– – Other :	
	7304 39 10	– – – Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1)	
		– – – Other :	
		– – – – Other	
		– – – – – Other :	
		– – – – – – Threaded or threadable tubes (gas pipe) :	13 594
	7304 39 51	– – – – – – – Plated or coated with zinc	
	7304 39 59	– – – – – – – Other	
		– – – – – – Other, of an external diameter :	
	7304 39 91	– – – – – – – Not exceeding 168,3 mm	
	7304 39 93	– – – – – – – Exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 39 99	– – – – – – – Exceeding 406,4 mm	
		– Other, of circular cross-section, of stainless steel :	
	7304 41	– – Cold-drawn or cold-rolled (cold-reduced) :	
	7304 41 90	– – – Other	
	7304 49	– – Other :	
	7304 49 10	– – – Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1)	
		– – – Other :	
		– – – – Other :	
	7304 49 91	– – – – – Of an external diameter not exceeding 406,4 mmm	
	7304 49 99	– – – – – Of an external diameter exceeding 406,4 mm	
		– Other, of circular cross-section, of other alloy steel :	
	7304 51	– – Cold-drawn or cold-rolled (cold-reduced) :	
		– – – Straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length :	

(1) Entry under this code is subject to conditions laid down in the relevant Community provisions. See also Section II, paragraph B, of the preliminary provisions (combined nomenclature).

(tonnes)

Order No	CN code	Description	Ceiling
01.0160 *(cont'd)*	7304 51 11	– – – – Not exceeding 4,5 m	
	7304 51 19	– – – – Exceeding 4,5 m	
		– – – Other :	
		– – – – Other :	
	7304 51 91	– – – – – Precision tubes	
	7304 51 99	– – – – – Other	
	7304 59	– – Other :	
	7304 59 10	– – – Unworked, straight and of uniform wall-thickness, for use solely in the manufacture of tubes and pipes with other cross-sections and wall-thicknesses (1)	
		– – – Other, straight and of uniform wall-thickness, of alloy steel containing by weight not less than 0,9 % but not more than 1,15 % of carbon, not less than 0,5 % but not more than 2 % of chromium and not more than 0,5 % of molybdenum, of a length :	
	7304 59 31	– – – – Not exceeding 4,5 m	
	7304 59 39	– – – – Exceeding 4,5 m	
		– – – Other :	
		– – – – Other :	
	7304 59 91	– – – – – Of an external diameter not exceeding 168,3 mm	
	7304 59 93	– – – – – Of an external diameter exceeding 168,3 mm, but not exceeding 406,4 mm	
	7304 59 99	– – – – – Of an external diameter exceeding 406,4 mm	
	7304 90	– Other :	
	7304 90 90	– – Other	
	7305	Other tubes and pipes (for example, welded, riveted or similary closed), having internal and external circular cross-sections, the external diameter of which exceeds 406,4 mm, of iron or steel	13 594 *(cont'd)*
	7306	Other tubes, pipes and hollow profiles (for example, open seam or welded, riveted or similarly closed), of iron or steel :	
	7306 10	– Line pipe of a kind used for oil or gas pipelines :	
		– – Longitudinally welded, of an external diameter of :	
	7306 10 11	– – – Not more than 168,3 mm	
	7306 10 19	– – – More than 168,3 mm, but not more than 406,4 mm	
	7306 10 90	– – Spirally welded	
	7306 20 00	– Casing and tubing of a kind used in drilling for oil or gas	
	7306 30	– Other, welded, of circular cross-section, of iron or non-alley steel :	
		– – Other :	
		– – – Precision tubes, with a wall thickness :	
	7306 30 21	– – – – Not exceeding 2 mm	
	7306 30 29	– – – – Exceeding 2 mm	
		– – – Other :	
	7306 30 30	– – – – Electrical conduit tubes	
		– – – – Threaded or threadable tubes (gas pipe) :	
	7306 30 51	– – – – – Plated or coated with zinc	
	7306 30 59	– – – – – Other	
		– – – – Other, of an external diameter :	
		– – – – – Not exceeding 168,3 mm :	
	7306 39 71	– – – – – – Plated or coated with zinc	
	7306 30 79	– – – – – – Other	
	7306 30 90	– – – – – Exceeding 168,3 mm, but not exceeding 406,4 mm	

(1) Entry under this code is subject to conditions laid down in the relevant Community provisions. See also Section II, paragraph B, of the preliminary provisions (combined nomenclature).

(tonnes)

Order No	CN code	Description	Ceiling
01.0160 *(cont'd)*	7306 40	– Other, welded, of circular cross-section, of stainless steel :	13 594 *(cont'd)*
		– – Other :	
	7306 40 91	– – – Cold-drawn or cold-rolled (cold-reduced)	
	7306 40 99	– – – Other	
	7306 50	– Other, welded, of circular cross-section, of other alloy steel :	
		– – Other :	
	7306 50 91	– – – Precision tubes	
	7306 50 99	– – – Other	
	7306 60	– Other, welded, of non-circular cross-section :	
		– – Other :	
		– – – Of rectangular (including square) cross-section, with a wall thickness :	
	7306 60 31	– – – – Not exceeding 2 mm	
	7306 60 39	– – – – Exceeding 2 mm	
	7306 60 90	– – – Of other sections	
	7306 90 00	– Other	