COUNCIL REGULATION (EC) No 3544/93

of 10 December 1993

temporarily suspending the autonomous Common Customs Tariff duty on certain industrial products (in the chemical and allied sectors)

THE COUNCIL OF THE EUROPEAN UNION,

Having regard to the Treaty establishing the European Community, and in particular Article 28 thereof,

Having regard to the proposal from the Commission,

Whereas production of the products referred to in this Regulation is at present inadequate or non-existent within the Community and producers are thus unable to meet the needs of user industries in the Community;

Whereas it is in the Community's interest in certain cases to suspend the autonomous Common Customs Tariff duties only partially, particularly because of the existence of Community production, and in other cases to suspend them completely;

Whereas the decision for the suspension of these autonomous duties should be taken by the Community;

Whereas, taking account of the difficulties involved in accurately assessing the development of the economic situation in the sectors concerned in the near future, these suspension measures should be taken only temporarily, by fixing their period of validity by reference to the interests of Community production,

HAS ADOPTED THIS REGULATION:

Article 1

The autonomous Common Customs Tariff duties for the products listed in the Annex shall be suspended at the level indicated in respect of each of them.

These suspensions shall apply from 1 January to 30 June 1994.

Article 2

This Regulation shall enter into force on 1 January 1994.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 10 December 1993.

For the Council

The President

M. WATHELET

ANNEX

CN code	TARIC	Description	Rate of autonomous duty (%)
ex 2819 90 00	*10	Chromium dioxide	9
ex 2825 90 10	*10	Calcium hydroxide, of a purity of 98 % or more calculated on the dry weight, in the form of particles of which: — not more than 1 % by weight have a particle–size exceeding 75 micrometres and — not more than 4 % by weight have a particle–size of less than 1,3 micrometres	0
ex 2827 39 00	*10	Copper monochloride of a purity by weight of 96 % or more but not exceeding 99 %	0
ex 2902 90 90	*15	1,2–Di(3,4–xylyl)ethane	0
ex 2904 10 00	*30	Sodium *p*–styrenesulphonate	0
ex 2904 90 10	*40	Tosyl chloride	0
ex 2907 29 90	*40	2,2′,2″,6,6′,6″–Hexa–*tert*–butyl–α,α′,α″–(mesitylene–2,4,6–triyl)tri–*p*–cresol	0
ex 2907 29 90	*50	Disodium 1,4–dihydroanthracene–9,10–diolate, in the form of an aqueous solution	0
2909 30 10		Diphenyl ether	0
ex 2909 44 00	*10	2–Hexyloxyethanol	0
ex 2916 39 00	*30	Felbinac (INN)	0
ex 2917 39 90	*20	Benzene–1,2,4–tricarboxylic acid 1,2–anhydride	0
ex 2917 39 90	*50	Benzene–1,2,4–tricarbonyl trichloride	0
ex 2918 29 30	*10	2–Ethylhexyl 4–hydroxybenzoate	0
ex 2920 90 80	*60	Tetraethyl orthosilicate, of a purity by weight of 99,99 % or more and containing: — 1,0 microgram/kg or less of calcium, — 1,0 microgram/kg or less of chromium, — 2,0 microgram/kg or less of iron and — 2,0 microgram/kg or less of sodium, for use in the manufacture of goods of heading No 8542 (a)	0
ex 2921 43 90	*10	5–Amino–2–chlorotoluene–4–sulphonic acid	0
ex 2921 49 10	*20	Pendimethalin (ISO)	3,5
ex 2922 49 80	*30	Gabapentin (INN)	0
ex 2922 50 00	*50	2–(4–Dibutylaminosalicyloyl)benzoic acid	0
ex 2926 90 90	*15	Methacrylonitrile	0
ex 2931 00 80	*50	Bis(2–chloroethyl) vinylphosphonate	0

CN code	TARIC	Description	Rate of autonomous duty (%)
ex 2932 29 90	*75	2'-Anilino-6'-ethyl(isobutyl)amino-3'-methylspiro[isobenzofuran-1(3*H*),9'-xanthen]-3-one	0
ex 2932 29 90	*76	2'-Anilino-6'-cyclohexyl(methyl)amino-3'H),9'-xanthen]-3-one	0
ex 2933 39 80	*06	2,3,5,6-Tetrachloropyridine	0
ex 2933 39 80	*17	3,5-Dichloro-2,4,6-trifluoropyridine	0
ex 2933 39 80	*25	Nilvadipine (INN)	0
ex 2933 69 90	*30	1,3,5-Tris[(3,5-di-*tert*-butyl-4-hydroxyphenyl)methyl]-1,3,5-triazine-2,4,6(1*H*,3*H*,5*H*)-trione	0
2939 30 00		Caffeine and its salts	6
ex 2941 90 00	*20	Josamycin propionate (INNM)	2,7
ex 2941 90 00	*45	Ivermectin (INN)	2,7
ex 2941 90 00	*46	Florfenicol (INN)	0
ex 2941 90 00	*47	Isepamicin sulphate (INNM)	0
ex 3208 90 10 ex 3909 50 00	*10 *10	Polyurethane of 2,2'-(*tert*-butylimino)diethanol and 4,4'-methylenedicyclohexyl diisocyanate, in the form of a solution in *N*,*N*-dimethylacetamide containing by weight 48 % or more of polymer	0
ex 3808 40 90	*10	1-Dodecylguanidine hydrochloride, in the form of a solution in isopropanol and water, containing by weight 33 % or less of 1-dodecylguanidine hydrochloride	0
ex 3815 90 00	*70	Catalyst containing titanium trichloride, in the form of a suspension in hexane containing by weight, in the hexane-free material, 9 % or more but not more than 25 % of titanium	0
ex 3823 90 98	*44	Mixture of disodium *N*-benzyloxycarbonyl-L-aspartate and sodium chloride, in the form of a solution in water	0
ex 3823 90 98	*53	Mixture of tris[2-chloro-1-(chloromethyl)ethyl] phosphate and oligomers of methylphosphonic acid and phosphoric acid with ethane-1,2-diol	0
ex 3823 90 98	*54	Mixture of tris[2-chloro-1-(chloromethyl)ethyl] phosphate and oligomers of 2-chloroethyl phosphate with ethane-1,2-diol	0
ex 3823 90 98	*57	Preparations consisting predominantly of phosphabicyclononanes and *P*-alkyl derivatives thereof, in the form of a solution in 4-*tert*-butyltoluene	0
ex 3901 90 00	*92	Ionomer resin consisting of a salt of a copolymer of ethylene with methacrylic acid	4
ex 3902 90 00	*92	Polymers of 4-methylpent-1-ene	0
ex 3904 69 00	*92	Copolymer of tetrafluoroethylene and trifluoro(trifluoromethoxy)ethylene	0
ex 3906 90 00	*60	Copolymer of methyl acrylate with ethylene and a monomer containing a non-terminal carboxy group as a substituent, containing by weight 50 % or more of methyl acrylate, whether or not compounded with silica	5
ex 3911 90 10	*10	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-1,4-phenyleneisopropylidene-1,4-phenylene), in one of the forms mentioned in note 6 (b) to Chapter 39	3,5

CN code	TARIC	Description	Rate of autonomous duty (%)
ex 3917 32 39	*20	Pipe consisting of a block copolymer of polytetrafluoroethylene and polyperfluoroalkoxytrifluoroethylene, having a length of not more than 570 mm, a diameter of not more than 50 mm and a wall-thickness of not less than 30 and not more than 110 micrometers	0
ex 3919 90 31 ex 3920 62 10 ex 3920 62 90 ex 3921 90 19	*10 *30 *10 *70	Reflecting laminated sheeting, metallized, consisting of one sheet of polyester and at least another sheet of polyester or other plastic material and coated on one side with an adhesive, whether or not protected by a release sheet	0
ex 3920 62 10	*10	Polyethylene terephthalate film, of a thickness of less than 10 micrometres, for the manufacture of digital audio cassettes (a)	0
ex 3920 62 10	*35	Polyethylene terephthalate film, of a thickness of 100 micrometres or more but not exceeding 150 micrometres, for the manufacture of photopolymer printing plates (a)	0
ex 3920 62 10	*50	Polyethylene terephthalate film, of a thickness of 20 micrometres or more but not exceeding 30 micrometres, coated on one side with silicone, for use in the manufacture of window safety-film (a)	6,5
ex 3920 62 10 ex 3921 90 19	*60 *25	Film of polyethylene terephthalate, coated or covered on one side or on both sides with a layer of modified polyester, of a total thickness of 7 micrometres or more but not exceeding 11 micrometres, for the manufacture of video tapes with a magnetic layer of metallic pigments and a width of 8 mm or of 12,7 mm (a)	0
ex 3920 69 00	*70	Film of a copolymer of ethane-1,2-diol and naphthalene-2,6-dicarboxylic acid, of a thickness of less than 10 micrometres, for the manufacture of video-cassettes with a playing-time of 300 minutes at a tape-speed of 24 mm per second (a)	0
ex 3920 91 00	*91	Polyvinyl butyral film having a graduated coloured band	6
ex 3920 99 50	*39	Polytetrafluoroethylene film, non-microporous, in the form of rolls, of a thickness of 0,019 mm or more but not exceeding 0,11 mm, impermeable to water vapour	0
ex 5402 49 99	*80	Polyethylene filament yarn, untwisted, of either 55, 110, 165 or 1 760 decitex, for the manufacture of goods of heading No 5607 (a)	0
ex 5402 49 99	*85	Synthetic filament yarn, single, untwisted, wholly of poly(thio-1,4-phenylene)	0
ex 5504 90 00	*10	Cellulose fibre produced by organic solvent spinning (Lyocell)	4
ex 5603 00 93 ex 5603 00 95	*20 *20	Non-wovens consisting of a melt-blown central layer of a thermoplastic elastomer laminated on each side with spunbonded fibres of polypropylene	0
ex 7006 00 90	*20	Colour filter, consisting of a glass plate with red, blue and green pixels, having a total thickness of 1,1 mm (± 0,1 mm) and exterior dimensions of 320 × 352 mm or more but not exceeding 320 × 400 mm, for the manufacture of liquid crystal displays with active matrix (a)	0
ex 7011 20 00	*40	Glass face-plate: — with a diagonal measurement of 366,4 mm (± 1,5 mm) and of dimensions of 246,4 × 315,4 mm (± 1,5 mm), — with a diagonal measurement of 544,5 mm (± 1,5 mm) and of dimensions of 358 × 454 mm (± 1,5 mm) or — with a diagonal measurement of 838,2 mm (± 1,5 mm) and of dimensions of 549,9 × 695,6 mm (± 1,5 mm), and with a raised edge, for the manufacture of colour cathode-ray tubes (a)	0

CN code	TARIC	Description	Rate of autonomous duty (%)
ex 7011 20 00	*50	Glass face-plate with a diagonal measurement of 704,1 mm (± 1,5 mm) and of dimensions of 387,1 × 628,8 mm (± 1,5 mm)	0
ex 7011 20 00	*60	Glass cone with a diagonal measurement of 698,7 mm (± 1,5 mm) and of dimensions of 381,7 × 623,4 mm (± 1,5 mm)	0
ex 7019 32 00 ex 7019 39 10 ex 7019 39 90	*10 *10 *10	Non-woven product of non-textile glass fibre, for the manufacture of air-filters or of air-filtration products (a)	0
ex 7019 90 10	*11	Non-textile glass fibres in which fibres of a diameter of less than 3,5 micrometres predominate	0
7202 93 00		Ferroniobium	0
ex 7616 90 99	*40	Discs of aluminium alloy, coated or covered on both sides with a nickel-phosphorus layer, having a total thickness not exceeding 3,02 mm	0
ex 8101 99 00	*10	Disc (target) with deposition material, of tungsten or an alloy containing by weight 90 % of tungsten en 10 % titanium, — containing 100 micrograms/kg or less of sodium and — mounted on a copper support, for use in the manufacture of goods of heading No 8542 by sputtering (a)	0
ex 8108 90 90	*92	Disc (target) with deposition material, of titanium, — containing 50 micrograms/kg or less of sodium and — mounted on a copper support, for use in the manufacture of goods of heading No 8542 by sputtering (a)	0
ex 8110 00 11	*10	Antimony ingots	0
ex 8111 00 11	*20	Electrolytic manganese of a purity by weight of 99,7 % or more, for the manufacture of non-ferrous alloys (a)	0

(a) Control of the use for this special purpose shall be carried out pursuant to the relevant Community provisions.