COMMISSION REGULATION (EC) No 2551/97

of 15 December 1997

suspending the introduction into the Community of specimens of certain species of wild fauna and flora

THE COMMISSION OF THE EUROPEAN COMMUNITIES,

Having regard to the Treaty establishing the European Community,

Having regard to Council Regulation (EC) No 338/97 of 9 December 1996 on the protection of species of wild fauna and flora by regulating trade therein [1], as last amended by Commission Regulation (EC) No 2307/97 [2], and in particular point 2 of Article 19 thereof,

After consulting the Scientific Review Group,

Whereas Article 4 (6) of Regulation (EC) No 338/97 provides for the establishment by the Commission of general restrictions, or restrictions relating to certain countries of origin, on the introduction into the Community of specimens of species listed in Annexes A and B thereto and lays down the criteria for such restrictions;

Whereas species listed in Annex C to Council Regulation (EEC) No 3626/82 of 3 December 1982 on the implementation in the Community of the Convention on International Trade in Endangered Species of Wild Fauna and Flora [3] were subject to restrictions on the introduction into the Community on the basis of the provisions of Article 10 (1) of that Regulation; whereas, in view of the replacement of that Regulation by Regulation (EC) No 338/97, the restrictions concerned should now be based on the similar criteria laid down in Article 4 (6) of the latter Regulation; whereas the countries of origin of the species subject to those restrictions were consulted with a view to their adoption;

Whereas point (d) of Article 3 (2) of Regulation (EC) No 338/97 provides for the inclusion in Annex B to that Regulation of species in relation to which it has been established that the introduction of live specimens into the natural habitat of the Community would constitute an ecological threat to wild species of fauna and flora indigenous to the Community, as a result of which the species *Trachemys scripta elegans* and *Rana catesbeiana* were so listed; whereas point (d) of Article 4 (6) of that Regulation provides for the establishment by the Commission of restrictions on the introduction into the Community of such species on identical grounds;

Whereas Article 41 of Commission Regulation (EC) No 939/97 [4] contains provisions for the implementation by the Member States of the restrictions established by the Commission;

Whereas the measures provided for in this Regulation are in accordance with the opinion of the Committee on Trade in Wild Fauna and Flora,

HAS ADOPTED THIS REGULATION:

Article 1

Subject to the provisions of Article 41 of Regulation (EC) No 939/97, the introduction into the Community of the specimens of the species of wild fauna and flora mentioned in the Annex to this Regulation is hereby suspended.

Article 2

This Regulation shall enter into force on the third day following its publication in the *Official Journal of the European Communities.*

This Regulation shall be binding in its entirety and directly applicable in all Member States.

Done at Brussels, 15 December 1997.

For the Commission

Ritt BJERREGAARD

Member of the Commission

---

[1] OJ L 61, 3. 3. 1997, p. 1.
[2] OJ L 325, 27. 11. 1997, p. 1.
[3] OJ L 384, 31. 12. 1982, p. 1.
[4] OJ L 140, 30. 5. 1997, p. 9.

ANNEX

Specimens of species included in Annex B to Regulation (EC) No 338/97 whose introduction into the Community is suspended

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
FAUNA			
MAMMALIA			
MONOTREMATA			
Tachyglossidae			
Zaglossus bruijni	Of wild origin	All range States	b
PRIMATES			
Tupaiidae			
Tupaia glis	Of wild origin	Bhutan	b
Loridae			
Arctocebus calabarensis	Of wild origin	Central African Republic, Gabon, Nigeria	b
Nycticebus coucang	Of wild origin	China, Philippines, Singapore	b
Nycticebus pygmaeus	Of wild origin	All range States	b
Perodicticus potto	Of wild origin	Angola, Libera, Nigeria	b
Galagidae			
Euoticus elegantulus (synonym *Galago elegantulus*)	Of wild origin	Equatorial Guinea, Nigeria	b
Galago alleni	Of wild origin	All range States	b
Galago matschiei (synonym *G. inustus*)	Of wild origin	Rwanda, Democratic Republic of Congo	b
Galago moholi	Of wild origin	Mozambique	b
Galago senegalensis	Of wild origin	Djibouti, Eritrea, Gambia	b
Galagoides demidoff (synonym *Galago demidovii*)	Of wild origin	Burkina Faso, Central African Republic, Kenya, Senegal	b
Galagoides zanzibaricus (synonym *Galago zanzibaricus*)	Of wild origin	Malawi, Mozambique	b
Otolemur crassicaudatus	Of wild origin	Mozambique	b
Callitricidae			
Callithrix argentata	Of wild origin	Brazil, Paraguay	b
Callithrix geoffroyi (synonym *C. jacchus geoffroyi*)	Of wild origin	Brazil	b
Callithrix humeralifer	Of wild origin	Brazil	b
Callithrix jacchus	Of wild origin	Brazil	b
Callithrix penicillata (synonym *C. jacchus penicillata*)	Of wild origin	Brazil	b
Callithrix pygmaea (synonym *Cebuella pygmaea*)	Of wild origin	Bolivia, Ecuador	b
Saguinus imperator	Of wild origin	All range States	b
Saguinus labiatus	Of wild origin	Colombia	b
Saguinus mystax	Of wild origin	Peru	b
Cebidae			
Alouatta fusca	Of wild origin	All range States	b
Alouatta seniculus	Of wild origin	Trinidad and Tobago	b
Ateles belzebuth	Of wild origin	All range States	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Ateles fusciceps	Of wild origin	All range States	b
Ateles geoffroyi	Of wild origin	All range States	b
Ateles paniscus	Of wild origin	Bolivia, Brazil, Guyana, Peru, Suriname	b
Callicebus torquatus	Of wild origin	Colombia, Ecuador, Venezuela	b
Cebus albifrons	Of wild origin	Guyana	b
Cebus capucinus	Of wild origin	Belize, Venezuela	b
Cebus olivaceus	Of wild origin	Guyana, Peru, Suriname	b
Chiropotes satanas	Of wild origin	Brazil	b
Lagothrix lagothricha	Of wild origin	All range States	b
Pithecia aequatorialis (synonym *P. monachus aequatorialis*)	Of wild origin	Peru	b
Pithecia irrorata (synonym *P. monachus irrorata*)	Of wild origin	Brazil, Peru	b
Pithecia monachus	Of wild origin	Brazil, Peru	b
Pithecia monachus hirsuta	Of wild origin	Bolivia, Ecuador	b
Pithecia pithecia	Of wild origin	Brazil	b
Cercopithecidae			
Allenopithecus nigroviridis	Of wild origin	All range States	b
Cercocebus agilis	Of wild origin	Central African Republic	b
Cercocebus torquatus	Of wild origin	Côte d'Ivoire, Guinea, Nigeria, Senegal, Sierra Leone	b
Cercopithecus ascanius	Of wild origin	Angola, Burundi, Central African Republic, Kenya, Rwanda, Sudan, Uganda	b
Cercopithecus cephus	Of wild origin	Cameroon, Central African Republic, Equatorial Guinea, Gabon	b
Cercopithecus dryas (including *C. salongo*)	Of wild origin	Democratic Republic of Congo	b
Cercopithecus erythrogaster	Of wild origin	All range States	b
Cercopithecus erythrotis	Of wild origin	All range States	b
Cercopithecus hamlyni	Of wild origin	All range States	b
Cercopithecus mitis	Of wild origin	Mozambique	b
Cercopithecus neglectus	Of wild origin	Central African Republic, Ethiopia, Gabon, Kenya	b
Cercopithecus nictitans	Of wild origin	Benin, Sierra Leone	b
Cercopithecus petaurista	Of wild origin	Senegal	b
Cercopithecus pogonias	Of wild origin	Cameroon, Equatorial Guinea, Gabon, Nigeria	b
Cercopithecus preussi (synonym *C. lhoesti preussi*)	Of wild origin	Cameroon, Equatorial Guinea	b
Chlorocebus aethiops	Of wild origin	Mozambique	b
Colobus angolensis	Of wild origin	Angola, Malawi, Uganda, Zambia	b
Colobus guereza	Of wild origin	Equatorial Guinea, Ethiopia	b
Colobus polykomos	Of wild origin	Côte d'Ivoire, Ghana, Guinea-Bissau, Nigeria, Togo	b
Erythrocebus patas	Of wild origin	Somalia	b
Lophocebus albigena (synonym *Cercocebus albigena*)	Of wild origin	Cameroon, Equatorial Guinea, Kenya, Nigeria, Uganda	b
Macaca arctoides	Of wild origin	India, Malaysia, Thailand	b
Macaca assamensis	Of wild origin	Nepal	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Macaca cyclopis	Of wild origin	All range States	b
Macaca fascicularis	Of wild origin	Bangladesh, India, Laos, Singapore	b
Macaca maura	Of wild origin	Indonesia	b
Macaca mulatta	Of wild origin	Myanmar, Pakistan, Thailand	b
Macaca nemestrina	Of wild origin	China	b
Macaca nemestrina pagensis	Of wild origin	Indonesia	b
Macaca nigra	Of wild origin	Indonesia	b
Macaca ochreata	Of wild origin	Indonesia	b
Macaca sylvanus	Of wild origin	Algeria, Morocco	b
Macaca tonkeana	Of wild origin	Indonesia	b
Miopithecus talapoin (synonym *Cercopithecus talapoin*)	Of wild origin	Angola	b
Papio hamadryas	Of wild origin	Central African Republic, Chad, Congo, Guinea, Guinea-Bissau, Liberia, Libya, Mauritania, Niger, Sierra Leone, Somalia	b
Presbytis femoralis (synonym *P. melalophos femoralis*)	Of wild origin	Singapore, Thailand	b
Presbytis frontata	Of wild origin	Malaysia	b
Presbytis hosei	Of wild origin	Brunei, Malaysia	b
Presbytis rubicunda	Of wild origin	Brunei, Malaysia	b
Procolobus badius (synonym *Colobus badius*)	Of wild origin	All range States	b
Procolobus verus (synonym *Colobus verus*)	Of wild origin	Benin, Côte d'Ivoire, Ghana, Guinea, Nigeria, Sierra Leone, Togo	b
Theropithecus gelada	Of wild origin	Eritrea	b
Trachypithecus cristatus (synonym *Presbytis cristata*)	Of wild origin	Malaysia, Thailand	b
Trachypithecus obscurus (synonym *Presbytis obscura*)	Of wild origin	Bangladesh, Myanmar	b
Trachypithecus phayrei (synonym *Presbytis phayrei*)	Of wild origin	Cambodia, China, India	b
Trachypithecus vetulus (synonym *Presbytis senex*)	Of wild origin	Sri Lanka	b
XENARTHRA			
Myrmecophagidae			
Myrmecophaga tridactyla	Of wild origin	Belize, Uruguay	b
PHOLIDOTA			
Manidae			
Manis crassicaudata	Of wild origin	China	b
Manis javanica	Of wild origin	Bangladesh, China, Laos, Singapore	b
Manis pentadactyla	Of wild origin	Bangladesh, Thailand	b
Manis temminckii	Of wild origin	South Africa	b
Manis tetradactyla	Of wild origin	Nigeria	b
RODENTIA			
Sciuridae			
Ratufa affinis	Of wild origin	Singapore	b
Ratufa bicolor	Of wild origin	China	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
CARNIVORA			
Canidae			
Chrysocyon brachyurus	Of wild origin	Argentina, Bolivia, Peru	b
Viverridae			
Cynogale bennettii	Of wild origin	Brunei, China, Indonesia, Malaysia, Singapore, Thailand, Vietnam	b
Eupleres goudotii	Of wild origin	Madagascar	b
Fossa fossana	Of wild origin	Madagascar	b
Felidae			
Leptailurus serval	Of wild origin	Algeria, Burkina Faso, Côte d'Ivoire, Djibouti, Eritrea, Ethiopia, Guinea, Lesotho, Mauritania, Mozambique	b
Oncifelis colocolo	Of wild origin	Argentina, Chile	b
Prionailurus bengalensis	Of wild origin	Macao	b
PERISSODACTYLA			
Equidae			
Equus zebra hartmannae	Of wild origin	Angola	b
ARTIODACTYLA			
Hippopotamidae			
Hexaprotodon liberiensis (synonym *Choeropsis liberiensis*)	Of wild origin	Côte d'Ivoire, Guinea, Guinea-Bissau, Nigeria, Sierra Leone	b
Hippopotamus amphibius	Of wild origin	Angola, Benin, Burundi, Central African Republic, Chad, Côte d'Ivoire, Equatorial Guinea, Eritrea, Ethiopia, Gambia, Ghana, Guinea-Bissau, Liberia, Namibia, Niger, Nigeria, Rwanda, Senegal, Sierra Leone, Togo	b
Cervidae			
Pudu mephistophiles	Of wild origin	Colombia, Ecuador	b
Bovidae			
Ovis ammon	Of wild origin	All range States	b
AVES			
ANSERIFORMES			
Anatidae			
Anas bernieri	Of wild origin	Madagascar	b
FALCONIFORMES			
Accipitridae			
Accipiter brachyurus	Of wild origin	Papua New Guinea	b
Accipiter gundlachi	Of wild origin	Cuba	b
Accipiter imitator	Of wild origin	Papua New Guinea, Solomon Islands	b
Buteo galapagoensis	Of wild origin	Ecuador	b
Buteo ridgwayi	Of wild origin	Dominican Republic, Haiti	b
Erythrotriorchis radiatus	Of wild origin	Australia	b
Gyps coprotheres	Of wild origin	Mozambique, Namibia, Swaziland	b
Harpyopsis novaeguineae	Of wild origin	Indonesia, Papua New Guinea	b
Leucopternis lacernulata	Of wild origin	Brazil	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Leucopternis occidentalis	Of wild origin	Ecuador, Peru	b
Lophoictinia isura	Of wild origin	Australia	b
Spizaetus bartelsi	Of wild origin	Indonesia	b
Falconidae			
Falco deiroleucus	Of wild origin	Belize, Guatemala	b
Falco fasciinucha	Of wild origin	Botswana, Ethiopia, Kenya, Malawi, Mozambique, South Africa, Sudan, Tanzania, Zambia, Zimbabwe	b
Falco hypoleucos	Of wild origin	Australia, Papua New Guinea	b
Micrastur plumbeus	Of wild origin	Colombia, Ecuador	b
GALLIFORMES			
Cracidae			
Crax rubra	Of wild origin	Costa Rica, Guatemala, Honduras, Mexico, Nicaragua, Panama	b
Penelopina nigra	Of wild origin	Guatemala, Honduras, Mexico	b
Phasianidae			
Polyplectron schleiermacheri	Of wild origin	Indonesia, Malaysia	b
COLUMBIFORMES			
Columbidae			
Goura cristata	Of wild origin	Indonesia	b
Goura scheepmakeri	Of wild origin	Indonesia	b
Goura victoria	Of wild origin	Indonesia	b
PSITTACIFORMES			
Psittacidae			
Agapornis fischeri	Of wild origin	Burundi, Rwanda, Tanzania	b
Agapornis lilianae	Of wild origin	Mozambique, Tanzania, Zimbabwe	b
	Of ranched origin	Mozambique	b
Agapornis nigrigenis	Of wild origin	All range States	b
Agapornis personatus	Of wild origin	Kenya	b
Agapornis pullarius	Of wild origin	Angola, Benin, Burundi, Chad, Côte d'Ivoire, Ethiopia, Guinea, Kenya, Nigeria, Tanzania	b
Agapornis roseicollis	Of wild origin	Botswana, South Africa	b
Agapornis swindernianus	Of wild origin	All range States	b
Amazona agilis	Of wild origin	Jamaica	b
Amazona albifrons	Of wild origin	Mexico	b
Amazona amazonica	Of wild origin	Bolivia, Peru	b
Amazona auropalliata	Of wild origin	Costa Rica, El Salvador, Guatemala, Honduras	b
Amazona autumnalis	Of wild origin	Brazil, Ecuador, Guatemala	b
Amazona collaria	Of wild origin	Jamaica	b
Amazona dufresniana	Of wild origin	Venezuela	b
Amazona farinosa	Of wild origin	Belize, Honduras, Mexico	b
Amazona festiva festiva	Of wild origin	Ecuador, Guyana	b
Amazona finschi	Of wild origin	All range States	b
Amazona kawalli	Of wild origin	Brazil	b
Amazona mercenaria	Of wild origin	Colombia, Venezuela	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Amazona ochrocephala	Of wild origin	Bolivia, Ecuador, Honduras, Peru, Trinidad and Tobago	b
Amazona oratrix	Of wild origin	All range States	b
Amazona ventralis	Of wild origin	All range States	b
Amazona xantholora	Of wild origin	Honduras	b
Amazona xanthops	Of wild origin	Bolivia, Paraguay	b
Aprosmictus erythropterus	Of wild origin	Indonesia, Papua New Guinea	b
Ara ararauna	Of wild origin	Panama, Peru, Trinidad and Tobago	b
Ara chloropterus	Of wild origin	Argentina, Panama, Peru	b
Ara couloni	Of wild origin	Bolivia, Brazil	b
Ara nobilis	Of wild origin	Bolivia	b
Ara severa	Of wild origin	Ecuador, Guyana, Panama	b
Aratinga acuticaudata	Of wild origin	Uruguay	b
Aratinga aurea	Of wild origin	Argentina, Paraguay	b
Aratinga auricapilla	Of wild origin	All range States	b
Aratinga erythrogenys	Of wild origin	Ecuador, Peru	b
Aratinga euops	Of wild origin	Cuba	b
Aratinga mitrata	Of wild origin	Peru	b
Aratinga solstitialis	Of wild origin	Suriname, Venezuela	b
Aratinga wagleri	Of wild origin	Peru	b
Bolborhynchus aurifrons	Of wild origin	Peru	b
Bolborhynchus aymara	Of wild origin	Chile	b
Bolborhynchus ferrugineifrons	Of wild origin	Colombia	b
Bolborhynchus orbygnesius	Of wild origin	Peru	b
Brotogeris pyrrhopterus	Of wild origin	Ecuador, Peru	b
Brotogeris sanctithomae	Of wild origin	Ecuador	b
Brotogeris versicolurus	Of wild origin	Ecuador, Suriname	b
Cacatua ducorpsi	Of wild origin	Solomon Islands	b
Cacatua galerita	Of wild origin	Indonesia, Papua New Guinea	b
Cacatua sanguinea	Of wild origin	Indonesia	b
Cacatua sulphurea	Of wild origin	Indonesia	b
Chalcopsitta cardinalis	Of wild origin	Solomon Islands	b
Charmosyna amabilis	Of wild origin	Fiji	b
Charmosyna diadema	Of wild origin	All range States	b
Charmosyna margarethae	Of wild origin	Solomon Islands	b
Charmosyna meeki	Of wild origin	Solomon Islands	b
Charmosyna palmarum	Of wild origin	Solomon Islands	b
Coracopsis vasa	Of wild origin	Madagascar	b
Cyanoliseus patagonus	Of wild origin	Chile, Uruguay	b
Cyanoramphus unicolor	Of wild origin	New Zealand	b
Deroptyus accipitrinus	Of wild origin	Brazil, Peru	b
Eclectus roratus	Of wild origin	Indonesia, Solomon Islands	b
Enicognathus leptorhynchus	Of wild origin	Chile	b
Eos cyanogenia	Of wild origin	Indonesia	b
Eos reticulata	Of wild origin	Indonesia	b
Eunymphicus cornutus	Of wild origin	New Caledonia	b
Forpus xanthops	Of wild origin	Peru	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Geoffroyus heteroclitus	Of wild origin	Solomon Islands	b
Hapalopsittaca amazonina	Of wild origin	All range States	b
Hapalopsittaca fuertesi	Of wild origin	Colombia	b
Hapalopsittaca pyrrhops	Of wild origin	All range States	b
Leptosittaca branickii	Of wild origin	All range States	b
Loriculus flosculus	Of wild origin	Indonesia	b
Lorius albidinuchus	Of wild origin	Papa New Guinea	b
Lorius chlorocercus	Of wild origin	Solomon Islands	b
Lorius domicella	Of wild origin	Indonesia	b
Lorius garrulus	Of wild origin	Indonesia	b
Lorius lory	Of wild origin	Indonesia	b
Micropsitta bruijnii	Of wild origin	Solomon Islands	b
Micropsitta finschii	Of wild origin	Solomon Islands	b
Nannopsittaca dachilleae	Of wild origin	Bolivia, Peru	b
Nannopsittaca panychlora	Of wild origin	Brazil, Guyana	b
Neophema splendida	Of wild origin	Australia	b
Pionites leucogaster	Of wild origin	Brazil, Ecuador	b
Pionopsitta pulchra	Of wild origin	All range States	b
Pionopsitta pyrilia	Of wild origin	All range States	b
Pionus chalcopterus	Of wild origin	Peru	b
Pionus senilis	Of wild origin	Guatemala, Honduras, Panama	b
Pionus tumultuosus	Of wild origin	Colombia, Ecuador, Venezuela	b
Poicephalus crassus	Of wild origin	All range States	b
Poicephalus cryptoxanthus	Of wild origin	Tanzania	b
	Of ranched origin	Mozambique	b
Poicephalus gulielmi	Of wild origin	Equatorial Guinea	b
Poicephalus meyeri	Of wild origin	Eritrea, Ethiopia, Tanzania	b
	Of ranched origin	Mozambique	b
Poicephalus robustus	Of wild origin	Botswana, Côte d'Ivoire, Gambia, Ghana, Guinea-Bissau, Namibia, Nigeria, Senegal, South Africa, Swaziland, Togo	b
Poicephalus rufiventris	Of wild origin	Tanzania	b
Poicephalus senegalus	Of wild origin	Burkina Faso, Chad, Liberia, Mali, Mauritania, Niger, Sierra Leone	b
Polytelis alexandrae	Of wild origin	Australia	b
Prioniturus luconensis	Of wild origin	Philippines	b
Prosopeia personata	Of wild origin	Fiji	b
Prosopeia splendens	Of wild origin	Fiji	b
Prosopeia tabuensis	Of wild origin	All range States	b
Psittacula alexandri	Of wild origin	Indonesia	b
Psittacula cyanocephala	Of wild origin	Bangladesh	b
Psittacula finschii	Of wild origin	Bangladesh, Cambodia	b
Psittacula intermedia	Of wild origin	India	b
Psittacula roseata	Of wild origin	China, Vietnam	b
Psittaculirostris desmarestii	Of wild origin	Indonesia	b
Psittaculirostris edwardsii	Of wild origin	Indonesia	b
Psittaculirostris salvadorii	Of wild origin	Indonesia	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Psittacus erithacus	Of wild origin	Angola, Benin, Burundi, Cameroon, Central African Republic, Côte d'Ivoire, Equatorial Guinea, Liberia, Mali, São Tomé and Príncipe, Sierra Leone, Tanzania, Togo	b
Psitteuteles goldiei	Of wild origin	Indonesia	b
Psitteuteles iris	Of wild origin	All range States	b
Psittinus cyanuras	Of wild origin	Vietnam	b
Psittrichas fulgidus	Of wild origin	All range States	b
Pyrrhura albipectus	Of wild origin	Ecuador	b
Pyrrhura calliptera	Of wild origin	Colombia	b
Pyrrhura hoematotis	Of wild origin	Venezuela	b
Pyrrhura leucotis	Of wild origin	Brazil	b
Pyrrhura molinae	Of wild origin	Paraguay	b
Pyrrhura orcesi	Of wild origin	Ecuador	b
Pyrrhura picta	Of wild origin	Bolivia, Colombia	b
Pyrrhura viridicata	Of wild origin	Colombia	b
Tanygnathus gramineus	Of wild origin	Indonesia	b
Tanygnathus sumatranus	Of wild origin	Indonesia	b
Touit melanonotus	Of wild origin	Brazil	b
Touit surda	Of wild origin	Brazil	b
Trichoglossus euteles	Of wild origin	Indonesia	b
Trichoglossus haematodus	Of wild origin	Solomon Islands	b
Trichoglossus johnstoniae	Of wild origin	Philippines	b
Trichoglossus ornatus	Of wild origin	Indonesia	b
Trichoglossus rubiginosus	Of wild origin	Federated States of Micronesia	b
Triclaria malachitacea	Of wild origin	Argentina, Brazil	b
STRIGIFORMES			
Tytonidae			
Phodilus prigoginei	Of wild origin	Democratic Republic of Congo	b
Tyto aurantia	Of wild origin	Papua New Guinea	b
Tyto inexspectata	Of wild origin	Indonesia	b
Tyto manusi	Of wild origin	Papua New Guinea	b
Tyto nigrobrunnea	Of wild origin	Indonesia	b
Tyto sororcula	Of wild origin	Indonesia	b
Strigidae			
Bubo philippensis	Of wild origin	Philippines	b
Bubo vosseleri	Of wild origin	Tanzania	b
Glaucidium albertinum	Of wild origin	Rwanda, Zaire	b
Ketupa blakistoni	Of wild origin	China, Japan, Russian Federation	b
Ketupa ketupu	Of wild origin	Singapore	b
Nesasio solomonensis	Of wild origin	Papua New Guinea, Solomon Islands	b
Ninox affinis	Of wild origin	India	b
Ninox rudolfi	Of wild origin	Indonesia	b
Otus angelinae	Of wild origin	Indonesia	b
Otus fuliginosus	Of wild origin	Philippines	b
Otus longicornis	Of wild origin	Philippines	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Otus magicus	Of wild origin	Seychelles	b
Otus mindorensis	Of wild origin	Philippines	b
Otus mirus	Of wild origin	Philippines	b
Otus pauliani	Of wild origin	Comoros	b
Otus rutilus	Of wild origin	Comoros	b
Scotopelia ussheri	Of wild origin	Côte d'Ivoire, Ghana, Guinea, Liberia, Sierra Leone	b
Strix davidi	Of wild origin	China	b
CORACIIFORMES			
Bucerotidae			
Buceros rhinoceros	Of wild origin	Thailand	b
PASSERIFORMES			
Pittidae			
Pitta nympha	Of wild origin	All range States	b
REPTILIA			
TESTUDINES			
Emydidae			
Trachemys scripta elegans	All live, including captive-bred	All countries of origin	d
Testudinidae			
Geochelone carbonaria	Of wild origin	Argentina, Panama	b
Geochelone chilensis	Of wild origin	Argentina	b
Geochelone denticulata	Of wild origin	Bolivia, Ecuador	b
Geochelone elegans	Of wild origin	Bangladesh, Pakistan	b
Geochelone pardalis	Of wild origin	Mozambique, Namibia, Swaziland, Tanzania	b
	Of ranched origin	Mozambique	b
Geochelone sulcata	Of wild origin	Djibouti, Eritrea, Guinea, Niger, Togo	b
Gopherus agassizii	Of wild origin	All range States	b
Gopherus berlandieri	Of wild origin	All range States	b
Gopherus polyphemus	Of wild origin	United States of America	b
Homopus signatus	Of wild origin	Namibia	b
Indotestudo elongata	Of wild origin	Bangladesh, India	b
Indotestudo forstenii	Of wild origin	All range States	b
Kinixys belliana	Of wild origin	Burundi, Central African Republic, Côte d'Ivoire, Djibouti, Liberia, Madagascar, Mauritania, Mozambique	b
	Of ranched/captive-bred origin	Benin, Mozambique	b
Kinixys erosa	Of wild origin	Benin, Guinea-Bissau, Togo	b
Kinixys homeana	Of ranched/captive-bred origin	Benin	b
Kinixys natalensis	Of wild origin	Mozambique, South Africa, Swaziland	b
Manouria emys	Of wild origin	All range States	b
Manouria impressa	Of wild origin	All range States	b
Pyxis arachnoides	Of wild origin	All range States	b
Testudo horsfieldii	Of wild origin	China, Pakistan	b
Pelomedusidae			
Erymnochelys madagascariensis	Of wild origin	Madagascar	b
Peltocephalus dumerilianus	Of wild origin	Peru	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Podocnemis erythrocephala	Of wild origin	Colombia, Venezuela	b
Podocnemis expansa	Of wild origin	Colombia, Ecuador, Guyana, Peru, Trinidad and Tobago, Venezuela	b
Podocnemis lewyana	Of wild origin	All range States	b
Podocnemis sextuberculata	Of wild origin	Peru	b
CROCODYLIA			
Alligatoridae			
Caiman crocodilus crocodilus	Of wild origin	Bolivia, Ecuador, Peru, Trinidad and Tobago	b
Caiman crocodilus fuscus	Of wild origin	Belize, Costa Rica, Ecuador, El Salvador, Guatemala, Mexico, Panama, Venezuela	b
Caiman yacare	Of wild origin	Argentina, Bolivia	b
Palaeosuchus trigonatus	Of wild origin	Guyana	b
SAURIA			
Agamidae			
Uromastyx acanthinurus	Of wild origin	Egypt	b
Uromastyx aegyptius	Of wild origin	Egypt	b
Uromastyx maliensis	Of wild origin	All range States	b
Uromastyx ocellatus	Of wild origin	Djibouti, Egypt, Ethiopia, Saudi Arabia, Yemen	b
Uromastyx thomasi	Of wild origin	Oman	b
Gekkonidae			
Phelsuma abbotti	Of wild origin	Madagascar	b
Phelsuma antanosy	Of wild origin	Madagascar	b
Phelsuma barbouri	Of wild origin	Madagascar	b
Phelsuma befotakensis	Of wild origin	Madagascar	b
Phelsuma breviceps	Of wild origin	Madagascar	b
Phelsuma chekei	Of wild origin	Madagascar	b
Phelsuma dubia	Of wild origin	Madagascar, Mozambique, Tanzania	b
Phelsuma edwardnewtonii	Of wild origin	Mauritius	b
Phelsuma flavigularis	Of wild origin	Madagascar	b
Phelsuma guimbeaui	Of wild origin	Mauritius	b
Phelsuma guttata	Of wild origin	Madagascar	b
Phelsuma klemmeri	Of wild origin	Madagascar	b
Phelsuma minuthi	Of wild origin	Madagascar	b
Phelsuma modesta	Of wild origin	Madagascar	b
Phelsuma mutabilis	Of wild origin	Madagascar	b
Phelsuma pronki	Of wild origin	Madagascar	b
Phelsuma pusilla	Of wild origin	Madagascar	b
Phelsuma seippi	Of wild origin	Madagascar	b
Phelsuma serraticauda	Of wild origin	Madagascar	b
Phelsuma standingi	Of wild origin	Madagascar	b
Phelsuma trilineata	Of wild origin	Madagascar	b
Iguanidae			
Conolophus pallidus	Of wild origin	Ecuador	b
Conolophus subcristatus	Of wild origin	Ecuador	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Helodermatidae			
Heloderma horridum	Of wild origin	Guatemala, Mexico	b
Heloderma suspectum	Of wild origin	Mexico, United States of America	b
Varanidae			
Varanus albigularis	Of wild origin	Djibouti, Eritrea, Kenya, Lesotho, Mozambique, Swaziland, Uganda, Democratic Republic of Congo	b
Varanus baritji	Of wild origin	Australia	b
Varanus beccarii	Of wild origin	Indonesia	b
Varanus bogerti	Of wild origin	Papa New Guinea	b
Varanus dumerilii	Of wild origin	Brunei	b
Varanus exanthematicus	Of wild origin	Angola, Benin, Burkina Faso, Burundi, Djibouti, Kenya, Liberia, Malawi, Niger, Rwanda, Democratic Republic of Congo	b
	Of ranched origin	Benin, Togo	b
Varanus glauerti	Of wild origin	Australia	b
Varanus indicus	Of wild origin	Australia, Marshall Islands, Solomon Islands	b
Varanus irrawadicus	Of wild origin	China	b
Varanus jobiensis (synonym *V. karlschmidti*)	Of wild origin	Papua New Guinea	b
Varanus kingorum	Of wild origin	Australia	b
Varanus niloticus	Of wild origin	Burkina Faso, Burundi, Djibouti, Egypt, Equatorial Guinea, Lesotho, Mauritania, Mozambique, Rwanda, Swaziland	b
	Of ranched origin	Benin, Togo	b
Varanus pilbarensis	Of wild origin	Australia	b
Varanus rudicollis	Of wild origin	Philippines	b
Varanus salvadorii	Of wild origin	Papua New Guinea	b
Varanus salvator	Of wild origin	Bangladesh, Brunei, Cambodia, China, India, Myanmar, Philippines, Singapore, Vietnam	b
Varanus similis	Of wild origin	Papua New Guinea	b
Varanus telenestes	Of wild origin	Papua New Guinea	b
Varanus teriae	Of wild origin	Australia	b
Varanus yemenensis	Of wild origin	Saudi Arabia, Yemen	b
SERPENTES			
Boidae			
Boa constrictor	Of wild origin	Costa Rica, El Salvador, Honduras, Peru	b
Eunectes barbouri	Of wild origin	Brazil	b
Eunectes deschauenseei	Of wild origin	Brazil	b
Eunectes murinus	Of wild origin	Paraguay	b
Eunectes notaeus	Of wild origin	Bolivia, Uruguay	b
Python anchietae	Of wild origin	All range States	b
Python curtus	Of wild origin	Brunei	b
Python molurus	Of wild origin	China, Laos, Vietnam	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Python regius	Of wild origin	Central African Republic, Congo, Equatorial Guinea, Gabon, Liberia	b
	Of ranched origin	Benin	b
	Of ranched/captive-bred origin	Togo	b
Python reticulatus	Of wild origin	Bangladesh, Cambodia, India, Singapore	b
Python sebae	Of wild origin	Mauritania, South Africa	b
	Of ranched origin	Benin, Mozambique	b
AMPHIBIA			
ANURA			
Ranidae			
Rana catesbeiana	All live, including captive-bred	All countries of origin	d
FLORA			
Orchidaceae			
Aceras anthropophorum	Of wild origin	Turkey	b
Anacamptis pyramidalis	Of wild origin	Estonia, Slovakia, Switzerland, Turkey	b
Barlia robertiana	Of wild origin	Malta, Turkey	b
Cephalanthera damasonium	Of wild origin	Poland, Slovakia	b
Cephalanthera rubra	Of wild origin	Latvia, Lithuania, Norway, Poland, Slovakia	b
Dactylorhiza fuchsii	Of wild origin	Czech Republic, Poland	b
Dactylorhiza incarnata	Of wild origin	Norway, Slovakia	b
Dactylorhiza latifolia	Of wild origin	Norway, Poland, Slovakia	b
Dactylorhiza maculata	Of wild origin	Czech Republic, Lithuania, Norway	b
Dactylorhiza romana	Of wild origin	Turkey	b
Dactylorhiza russowii	Of wild origin	Czech Republic, Lithuania, Norway, Poland	b
Dactylorhiza traunsteineri	Of wild origin	Liechtenstein, Poland	b
Gymnadenia conopsea	Of wild origin	Czech Republic, Lithuania, Slovakia	b
Himantoglossum hircinum	Of wild origin	Czech Republic, Hungary, Switzerland	b
Nigritella nigra	Of wild origin	Norway	b
Ophrys apifera	Of wild origin	Hungary	b
Ophrys holoserica	Of wild origin	Turkey	b
Ophrys insectifera	Of wild origin	Czech Republic, Hungary, Latvia, Liechtenstein, Norway, Romania, Slovakia	b
Ophrys pallida	Of wild origin	Algeria	b
Ophrys scolopax	Of wild origin	Hungary, Romania	b
Ophrys sphegodes	Of wild origin	Hungary, Romania, Switzerland	b
Ophrys tenthredinifera	Of wild origin	Malta, Turkey	b
Ophrys umbilicata	Of wild origin	Turkey	b
Orchis coriophora	Of wild origin	Poland, Russian Federation, Switzerland	b
Orchis italica	Of wild origin	Malta, Turkey	b
Orchis laxiflora	Of wild origin	Switzerland	b
Orchis mascula	Of wild origin	Estonia, Lithuania, Poland	b
Orchis militaris	Of wild origin	Lithuania, Poland, Slovakia	b

Species	Specimens	Countries of origin	Basis in Article 4 (6), point:
Orchis morio	Of wild origin	Estonia, Lithuania, Poland, Slovakia, Turkey	b
Orchis pallens	Of wild origin	Hungary, Poland, Russian Federation, Slovakia	b
Orchis papilionacea	Of wild origin	Romania, Slovenia	b
Orchis provincialis	Of wild origin	Switzerland	b
Orchis punctulata	Of wild origin	Turkey	b
Orchis purpurea	Of wild origin	Poland, Slovakia, Switzerland, Turkey	b
Orchis simia	Of wild origin	Bosnia and Herzegovina, Croatia, Macedonia, Romania, Slovenia, Switzerland, Turkey, Yugoslavia	b
Orchis tridentata	Of wild origin	Czech Republic, Slovakia, Turkey	b
Orchis ustulata	Of wild origin	Estonia, Latvia, Lithuania, Poland, Russian Federation, Slovakia	b
Serapias cordigera	Of wild origin	Turkey	b
Serapias lingua	Of wild origin	Malta	b
Serapias parviflora	Of wild origin	Turkey	b
Serapias vomeracea	Of wild origin	Malta, Switzerland, Turkey	b
Spiranthes spiralis	Of wild origin	Czech Republic, Liechtenstein, Poland, Switzerland	b
Primulaceae			
Cyclamen intaminatum	Of wild origin	Turkey	b
Cyclamen mirabile	Of wild origin	Turkey	b
Cyclamen parviflorum	Of wild origin	Turkey	b
Cyclamen persicum	Of wild origin	Turkey	b
Cyclamen pseudibericum	Of wild origin	Turkey	b
Cyclamen trochopteranthum	Of wild origin	Turkey	b