This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

►**B**

COMMISSION REGULATION (EC) No 255/2005

of 15 February 2005

concerning the permanent authorisations of certain additives in feedingstuffs

(Text with EEA relevance)

(OJ L 45, 16.2.2005, p. 3)

Amended by:

		Official Journal		
		No	page	date
►**M1**	Commission Regulation (EU) No 171/2011 of 23 February 2011	L 49	11	24.2.2011
►**M2**	Commission Implementing Regulation (EU) 2015/1053 of 1 July 2015	L 171	8	2.7.2015
►**M3**	Commission Implementing Regulation (EU) 2015/1399 of 17 August 2015	L 217	1	18.8.2015
►**M4**	Commission Implementing Regulation (EU) 2017/1145 of 8 June 2017	L 166	1	29.6.2017

▼B

COMMISSION REGULATION (EC) No 255/2005

of 15 February 2005

concerning the permanent authorisations of certain additives in feedingstuffs

(Text with EEA relevance)

Article 1

The preparations belonging to the group ‘Micro-organisms’ are authorised for use without a time limit as additives in animal nutrition under the conditions laid down in Annex I.

Article 2

The preparations belonging to the group ‘Enzymes’ are authorised for use without a time limit as additives in animal nutrition under the conditions laid down in Annex II.

Article 3

This Regulation shall enter into force on the third day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼B

ANNEX I

	EC No	Additive	Chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						CFU/kg of complete feeding-stuff			
	Micro-organisms								
▼M3	_____								
▼M2	_____								

▼B

ANNEX II

EC No	Additive	Chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					Units of activity/kg of complete feedingstuff			
Enzymes								
‘E 1601	Endo-1,3(4)-beta-glucanase EC 3.2.1.6 Endo-1,4-beta-xylanase EC 3.2.1.8	Preparation of endo-1,3(4)-beta-glucanase and endo-1,4-beta-xylanase produced by *Aspergillus niger* (NRRL 25541) having a minimum activity of: Endo-1,3(4)-beta-glucanase: 1 100 U ([1])/g Endo-1,4-beta-xylanase: 1 600 U ([2])/g	Laying hens	—	endo-1,3(4)-beta-glucanase: 138 U endo-1,4-beta-xylanase: 200 U	— —	1. In the directions for use of the additive and premixture, indicate the storage temperature, storage life, and stability to pelletting. 2. Recommended dose per kilogram of complete feedingstuff: endo-1,3(4)-beta-glucanase: 138 U endo-1,4-beta-xylanase: 200 U. 3. For use in compound feeds rich in non-starch polysaccharides (mainly arabinoxylans and beta-glucans), for example mixed diets containing cereals (e.g. barley, wheat, rye, triticale).	Without a time limit
▼M1 ———								
▼B			Laying hens	—	300 FYT	—	1. In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting. 2. Recommended dose per kg of complete feedingstuff: 450-1 000 FYT. 3. For use in compound feed containing more than 0,25 % phytin bound phosphorus.	Without a time limit

▼B

EC No	Additive	Chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					Units of activity/kg of complete feedingstuff			
			Turkeys for fattening	—	250 FYT	—	1. In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting. 2. Recommended dose per kg of complete feedingstuff: 500-1 000 FYT. 3. For use in compound feed containing more than 0,25 % phytin bound phosphorus.	Without a time limit
			Piglets	—	250 FYT	—	1. In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting. 2. Recommended dose per kg of complete feedingstuff: 500-1 000 FYT. 3. For use in compound feed containing more than 0,25 % phytin bound phosphorus. 4. For use in weaned piglets until approximately 35 kg.	Without a time limit
			Pigs for fattening	—	250 FYT	—	1. In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting. 2. Recommended dose per kg of complete feedingstuff: 500-1 000 FYT. 3. For use in compound feed containing more than 0,25 % phytin bound phosphorus.	Without a time limit

▼B

EC No	Additive	Chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					Units of activity/kg of complete feedingstuff			
			Sows	—	750 FYT	—	1. In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting. 2. Recommended dose per kg of complete feedingstuff: 750-1 000 FYT. 3. For use in compound feed containing more than 0,25 % phytin bound phosphorus.	Without a time limit
▼M4 ———								

▼B

([1]) 1 U is the amount of enzyme which liberates 1 micromole of reducing sugars (glucose equivalents) from oat beta-glucan per minute at pH 4,0 and 30 °C.
([2]) 1 U is the amount of enzyme which liberates 1 micromole of reducing sugars (xylose equivalents) from oat xylan per minute at pH 4,0 and 30 °C.