This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

►B

COMMISSION REGULATION (EC) No 521/2005

of 1 April 2005

concerning the permanent authorisation of an additive and the provisional authorisation of new uses of certain additives already authorised in feedingstuffs

(Text with EEA relevance)

(OJ L 84, 2.4.2005, p. 3)

Amended by:

		Official Journal		
		No	page	date
►M1	Commission Regulation (EC) No 1812/2005 of 4 November 2005	L 291	18	5.11.2005
►M2	Commission Regulation (EU) No 221/2011 of 4 March 2011	L 60	3	5.3.2011
►M3	Commission Implementing Regulation (EU) 2017/1145 of 8 June 2017	L 166	1	29.6.2017

▼B

COMMISSION REGULATION (EC) No 521/2005

of 1 April 2005

concerning the permanent authorisation of an additive and the provisional authorisation of new uses of certain additives already authorised in feedingstuffs

(Text with EEA relevance)

▼M3

_____

▼M2

_____

▼B

Article 3

The preparation belonging to the group ‘Micro-organisms’, as specified in Annex III, is authorised provisionally for four years as an additive in animal nutrition under the conditions laid down in that Annex.

Article 4

This Regulation shall enter into force on the third day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼M3

———————

▼M2

———————

▼B

ANNEX III

No (or EC No)	Additive	Chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					CFU/kg of complete feedingstuff			
Micro-organisms								
‘22	*Enterococcus faecium* DSM 7134	Preparation of *Enterococcus faecium* containing a minimum of: Powder: 1×10^{10} CFU/g additive Granules (micro-encapsulated form): 1×10^{10} CFU/g additive	Chickens for fattening	—	$0{,}2 \times 10^{9}$	2×10^{9}	In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting.	5.4.2009’