This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

►**B**

COMMISSION REGULATION (EU) No 1270/2009

of 21 December 2009

concerning the permanent authorisations of certain additives in feedingstuffs

(Text with EEA relevance)

(OJ L 339, 22.12.2009, p. 28)

Amended by:

		Official Journal		
		No	page	date
►**M1**	Commission Implementing Regulation (EU) 2017/963 of 7 June 2017	L 145	18	8.6.2017

▼B

COMMISSION REGULATION (EU) No 1270/2009

of 21 December 2009

concerning the permanent authorisations of certain additives in feedingstuffs

(Text with EEA relevance)

Article 1

The preparation belonging to the group ‘Enzymes’, as specified in Annex I, is authorised without a time limit as additive in animal nutrition under the conditions laid down in that Annex.

▼M1

_____

▼B

Article 3

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼B

ANNEX I

EC No	Additive	Chemical formula, description	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
					Units of activity/kg of complete feedingstuff			
Enzymes								
E 1636	Endo-1,3(4)-beta-glucanase EC 3.2.1.6	Preparation of endo-1,3(4)-beta-glucanase produced by *Trichoderma reesei* (CBS 526.94) having a minimum activity of: Solid form: 700 000 BU (1)/g Liquid form: 300 000 BU/g	Piglets (weaned)	—	17 500 BU	—	1. In the directions for use of the additive and premixture, indicate the storage temperature, storage life and stability to pelleting. 2. For use in weaned piglets up to 35 kg. 3. Recommended dose per kilogram of complete feedingstuff: 17 500-50 000 BU. 4. For use in compound feed rich in non-starch polysaccharides (mainly glucans), e.g. containing more than 60 % barley or wheat.	Without a time limit

(1) 1 BU is the amount of enzyme which liberates 0,06 micromole of reducing sugars (glucose equivalents) from barley beta-glucan per minute at pH 4,8 and 50 °C.

▼M1

—————