This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

►**B**

COMMISSION REGULATION (EU) No 1118/2010

of 2 December 2010

concerning the authorisation of diclazuril as a feed additive for chickens for fattening (holder of authorisation Janssen Pharmaceutica NV) and amending Regulation (EC) No 2430/1999

(Text with EEA relevance)

(OJ L 317, 3.12.2010, p. 5)

Amended by:

		Official Journal		
		No	page	date
►**M1**	Commission Implementing Regulation (EU) No 160/2013 of 21 February 2013	L 49	50	22.2.2013
►**M2**	Commission Implementing Regulation (EU) 2019/138 of 29 January 2019	L 26	1	30.1.2019

▼B

COMMISSION REGULATION (EU) No 1118/2010

of 2 December 2010

concerning the authorisation of diclazuril as a feed additive for chickens for fattening (holder of authorisation Janssen Pharmaceutica NV) and amending Regulation (EC) No 2430/1999

(Text with EEA relevance)

Article 1

The preparation specified in the Annex, belonging to the additive category ‘coccidiostats and histomonostats’ is authorised as an additive in animal nutrition subject to the conditions laid down in that Annex.

Article 2

In Annex I to Regulation (EC) No 2430/1999, the entry under the registration number of additive E 771, concerning diclazuril for chickens for fattening, is deleted.

Article 3

Premixtures and compound feed containing diclazuril labelled in accordance with Directive 70/524/EEC may continue to be placed on the market and used until stocks are exhausted.

Article 4

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼B

ANNEX

Identification number of the additive	Name of the holder of authorisation	Additive (Trade name)	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation	Maximum Residue Limits (MRLs) in the relevant foodstuffs of animal origin
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %				
Coccidiostats and histomonostats										
5 1 771	►**M2** Elanco GmbH ◄	Diclazuril 0,5 g/ 100 g (Clinacox 0,5 %)	*Additive composition* Diclazuril: 0,50 g/100 g. Protein-poor soybean meal: 99,25 g/100 g Polyvidone K 30: 0,20 g/100 g Sodium hydroxide: 0,05 g/100 g *Characterisation of the active substance* Diclazuril, $C_{17}H_9Cl_3N_4O_2$, (±)-4-chlorophenyl[2,6-dichloro4- (2,3,4,5-tetrahydro-3,5-dioxo-1,2,4-triazin-2-yl)phenyl]acetonitrile, CAS number: 101831-37-2 Related impurities: Degradation compound (R064318): ≤ 0,1 %	Chickens for fattening	—	1	1	1. The additive shall be incorporated in compound feed in form of a premixture. 2. Diclazuril shall not be mixed with other coccidiostats. 3. For safety: breathing protection, glasses and gloves shall be used during handling. 4. A post-market monitoring program on the resistance to bacteria and *Eimeria* spp. shall be planned and executed by the holder of authorisation.	23 December 2020	1 500 µg diclazuril/kg of wet liver 1 000 µg diclazuril/kg of wet kidney 500 µg diclazuril/kg of wet muscle 500 µg diclazuril/kg of wet skin/fat

▼B

Identification number of the additive	Name of the holder of authorisation	Additive (Trade name)	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation	Maximum Residue Limits (MRLs) in the relevant foodstuffs of animal origin
						mg of active substance/kg of complete feedingstuff with a moisture content of 12 %				
			Other related impurities (T001434, R066891, R068610, R070156, R070016): ≤ 0,5 % individually Total impurities: ≤ 1,5 % *Analytical method* ([1]) For determination of diclazuril in feed: reversed-phase high performance liquid chromatography (HPLC) using Ultraviolet detection at 280nm (Regulation (EC) No 152/2009) For determination of diclazuril in poultry tissues: HPLC coupled to triple quadrupole mass spectrometer (MS/MS) using one precursor ion and two product ions.							

([1]) Details of the analytical methods are available at the following address of the Community Reference Laboratory: www.irmm.jrc.be/crl-feed-additives