This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

►B

COMMISSION REGULATION (EU) No 335/2010

of 22 April 2010

concerning the authorisation of zinc chelate of hydroxy analogue of methionine as a feed additive for all animal species

(Text with EEA relevance)

(OJ L 102, 23.4.2010, p. 22)

Amended by:

		Official Journal		
		No	page	date
►M1	Commission Implementing Regulation (EU) 2016/1095 of 6 July 2016	L 182	7	7.7.2016

▼B

COMMISSION REGULATION (EU) No 335/2010

of 22 April 2010

concerning the authorisation of zinc chelate of hydroxy analogue of methionine as a feed additive for all animal species

(Text with EEA relevance)

Article 1

The preparation specified in the Annex, belonging to the additive category ‘nutritional additives’ and to the functional group ‘compounds of trace elements’, is authorised as an additive in animal nutrition subject to the conditions laid down in that Annex.

Article 2

Regulation (EC) No 888/2009 is repealed.

Article 3

This Regulation shall enter into force on the 20th day following its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

▼B

ANNEX

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						Content of element (Zn) in mg/kg of complete feedingstuff with a moisture content of 12 %			
Category of nutritional additives. Functional group: compounds of trace elements									
3b6.10	—	Zinc chelate of hydroxy analogue of methionine	Characterisation of the additive: Zinc chelate of hydroxy analogue of methionine containing 17,5 %-18 % zinc and 81 % (2-hydroxy-4-methylthio) butanoic acid Mineral oil: ≤ 1 % Analytical method ([1]): Inductively coupled plasma atomic emission spectrometry (ICP-AES) according to EN 15510:2007	All species	—		►**M1** Dogs and cats: 200 (total) Salmonids and milk replacers for calves: 180 (total) Piglets, sows, rabbits and all fish species other than salmonids: 150 (total) Other species and categories: 120 (total) ◄	1. The additive shall be incorporated into feed in the form of a premixture. 2. For user safety: breathing protection, safety glasses and gloves shall be worn during handling.	13 May 2020

([1]) Details of the analytical methods are available at the following address of the Community Reference Laboratory: http://irmm.jrc.ec.europa.eu/crl-feed-additives

02010R0335 — EN — 27.07.2016 — 001.001 — 3