This text is meant purely as a documentation tool and has no legal effect. The Union's institutions do not assume any liability for its contents. The authentic versions of the relevant acts, including their preambles, are those published in the Official Journal of the European Union and available in EUR-Lex. Those official texts are directly accessible through the links embedded in this document

►B

COMMISSION IMPLEMENTING REGULATION (EU) 2016/329

of 8 March 2016

concerning the authorisation of 6-phytase as a feed additive for all avian species and for weaned piglets, pigs for fattening, sows and minor porcine species (►M1 holder of the authorisation Kaesler Nutrition GmbH ◄)

(Text with EEA relevance)

(OJ L 62, 9.3.2016, p. 5)

Amended by:

		Official Journal		
		No	page	date
►M1	Commission Implementing Regulation (EU) 2017/2231 of 4 December 2017	L 319	28	5.12.2017

▼B

COMMISSION IMPLEMENTING REGULATION (EU) 2016/329

of 8 March 2016

concerning the authorisation of 6-phytase as a feed additive for all avian species and for weaned piglets, pigs for fattening, sows and minor porcine species (►M1 holder of the authorisation Kaesler Nutrition GmbH ◄)

(Text with EEA relevance)

Article 1

The preparation specified in the Annex, belonging to the additive category ‘zootechnical additives’ and to the functional group ‘digestibility enhancers’, is authorised as an additive in animal nutrition, subject to the conditions laid down in that Annex.

Article 2

This Regulation shall enter into force on the twentieth day following that of its publication in the *Official Journal of the European Union*.

This Regulation shall be binding in its entirety and directly applicable in all Member States.

ANNEX

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content / Maximum content (Units of activity/kg of complete feedingstuff with a moisture content of 12 %)		Other provisions	End of period of authorisation
Category of zootechnical additives. Functional group: digestibility enhancers									
4a23	►**M1** Kaesler Nutrition GmbH ◄	6-phytase EC 3.1.3.26	*Additive composition* Preparation of 6-phytase produced by *Komagataella pastoris* (DSM 25375) having a minimum activity of: 40 000 U ([1])/g Liquid and solid form *Characterisation of the active substance* 6-phytase (EC 3.1.3.26) produced by *Komagataella pastoris* (DSM 25375) *Analytical method* ([2]) For the quantification of 6-phytase activity in the feed additive: colorimetric method based on the enzymatic reaction of phytase on the phytate — VDLUFA Method Book, Vol. III, 27.1.1 For the quantification of 6-phytase activity in premixtures and mineral feeds: colorimetric method based on the enzymatic reaction of phytase on the phytate — VDLUFA Method Book, Vol. III, 27.1.3	Chickens for fattening and reared for laying, all avian species for fattening and reared for laying other than turkeys for fattening and reared for breeding	—	250 U	—	1. In the directions for use of the additive and premixture, indicate the storage conditions and stability to heating treatment. 2. For safety: breathing protection, safety glasses and gloves shall be used during handling.	29 March 2026
				All avian species for laying		125 U			
				Turkeys for fattening and reared for breeding		500 U			
				Piglets (weaned), pigs for fattening, sows and minor porcine species		250 U			

▼B

Identification number of the additive	Name of the holder of authorisation	Additive	Composition, chemical formula, description, analytical method	Species or category of animal	Maximum age	Minimum content	Maximum content	Other provisions	End of period of authorisation
						Units of activity/kg of complete feedingstuff with a moisture content of 12 %			
			For the quantification of 6-phytase activity in feedingstuffs: colorimetric method based on the enzymatic reaction of phytase on the phytate — EN ISO 30024.						

([1]) 1 U is the amount of enzyme which liberates 1 micromole of inorganic phosphate per minute from a sodium phytate substrate at pH 5,5 and 37 °C.
([2]) Details of the analytical methods are available at the following address of the Reference Laboratory: http://irmm.jrc.ec.europa.eu/EURLs/EURL_feed_additives/Pages/index.aspx