STATUTORY INSTRUMENTS

1967 No. 979

CUSTOMS AND EXCISE

The Import Duties (Temporary Exemptions) (No. 5) Order 1967

Made - - - -	28*th June* 1967
Laid before the House of Commons -	4*th July* 1967
Coming into operation -	6*th July* 1967

The Lords Commissioners of Her Majesty's Treasury, by virtue of the powers conferred on them by sections 3(6) and 13 of the Import Duties Act 1958(a), and of all other powers enabling them in that behalf, on the recommendation of the Board of Trade hereby make the following Order:—

1.—(1) Until the beginning of 30th December 1967, or, in the case of goods in relation to which an earlier day is specified in Schedule 1 to this Order, until the beginning of that day, any import duty which is for the time being chargeable on goods of a heading of the Customs Tariff 1959 specified in that Schedule shall not be chargeable in respect of goods of any description there specified in relation to that heading.

(2) The period for which the goods of the headings of the Customs Tariff 1959 and descriptions specified in Schedule 2 to this Order are exempt from import duty shall be extended until the beginning of 30th December 1967 or, in the case of goods in relation to which an earlier day is specified in that Schedule, until the beginning of that day.

(3) Any entry in column 2 in Schedule 1 or 2 to this Order is to be taken to comprise all goods which would be classified under an entry in the same terms constituting a subheading (other than the final subheading) in the relevant heading in the Customs Tariff 1959.

(4) For the purposes of classification under the Customs Tariff 1959, in so far as that depends on the rate of duty, any goods to which paragraph (1) or (2) above applies shall be treated as chargeable with the same duty as if this Order had not been made.

2.—(1) This Order may be cited as the Import Duties (Temporary Exemptions) (No. 5) Order 1967.

(2) The Interpretation Act 1889(b), shall apply for the interpretation of this Order as it applies for the interpretation of an Act of Parliament.

(3) This Order shall come into operation on 6th July 1967.

B. K. O'Malley.
Harry Gourlay.
Two of the Lords Commissioners of Her Majesty's Treasury.

28th June 1967.

(a) 1958 c. 6. (b) 1889 c. 63.

SCHEDULE 1

GOODS TEMPORARILY EXEMPT FROM IMPORT DUTY

Tariff Heading	*Description*
28.14	Phosphorus pentabromide
28.52	Compounds of uranium depleted in uranium-235, the following:— Uranium hexafluoride Uranium tetrafluoride
28.57	Aluminium sodium hydride
29.04	D-Arabitol
29.06	2-Naphthol (until 2nd November 1967) Salicyl alcohol
29.07	*di*Sodium 1,8-dihydroxynaphthalene-3,6-disulphonate (until 2nd November 1967)
29.08	13β-Ethyl-17α-ethynyl-3-methoxygona-2,5(10)-dien-17β-ol 1,1,1-Trichlorodi-(4-methoxyphenyl)ethane
29.10	1,3-Dioxolan containing not more than 0·02 per cent. by weight of water
29.13	Benzoin
29.14	Ammonium 8-chlorohexadecafluoro-7-methyloctanoate Ethyl chloroformate Palmitoyl chloride containing not more than 10 parts per million by weight of heavy metals calculated as Pb (until 7th September 1967)
29.16	3,7,12-Trioxo-5β-cholanic acid
29.21	4,4′-*iso*Propylidenedicyclohexyl di-(4-[1-(4-hydroxycyclohexyl)-1-methylethyl]cyclohexyl phenyl phosphite) Tri-(2-ethylhexyl) phosphite Triethyl phosphite
29.22	Mephentermine *N*-(2-Methyl-2-nitropropyl)-4-nitrosoaniline
29.23	2-Amino-5,2′-dichlorobenzophenone
29.25	Chlorphenesin carbamate 1,2-Di(diacetylamino)ethane Methyl 4-acetamido-2-ethoxybenzoate Methyl 4-acetamido-5-chloro-2-methoxybenzoate
29.26	*N*-Phosphonocreatine, sodium salt
29.27	Ethyl 2-cyano-3-ethoxyacrylate
29.28	4-Anilinophenyldiazonium hydrogen sulphate
29.31	Di-(2-carboxyphenyl) disulphide
29.35	Adenosine 5′-(trilithium pyrophosphate) α-(4-[4,4-Di-(4-fluorophenyl)butyl]piperazin-1-yl)acet-2′,6′-xylidide 1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-*c*]pyran 1,6-Hexanolactone 3-Picoline (until 7th September 1967) Tetra(dichloro-1,3,5-triazinetrione)-trichloro-1,3,5-triazinetrione complex,tetrapotassium derivative 2-(3-Trifluoromethylanilino)nicotinic acid
73.19	Cold formed, longitudinally butt welded, circular steel pipes, of an outside diameter of not less than 35.812 inches and not more than 36.188 inches, and of a wall thickness of not less than 0.575 inch and not more than 0.719 inch, or not less than 0.632 inch and not more than 0.792 inch, or not less than 0.690 inch and not more than 0.863 inch, not painted or otherwise coated (until 7th September 1967).

SCHEDULE 2

GOODS FOR WHICH EXEMPTION FROM IMPORT DUTY EXTENDED

Tariff Heading	*Description*
12.01	Castor seed
28.18	Barium oxide (until 7th September 1967)
28.23	γ-Ferric oxide
28.29	Potassium fluorosilicate
28.33	Sodium bromide which, in the form in which it is imported, loses not more than 1 per cent. of its weight on drying at 105° centigrade, contains (*a*) not less than 92 per cent. by weight and not more than 96 per cent. by weight of total bromides estimated as NaBr, (*b*) aluminosiliceous material equivalent to not less than 0·3 per cent. by weight and not more than 0·5 per cent. by weight of Al_2O_3 and to not less than 1·5 per cent. by weight and not more than 2·5 per cent. by weight of SiO_2 and of which not less than 90 per cent. by weight passes a sieve having a nominal width of aperture of 150 microns and conforming to British Standard 410:1962 (until 7th September 1967)
28.42	Nickel carbonate, basic
28.43	Sodium nitroprusside
29.01	But-2-ene, mixed isomers
29.06	2-*sec*Butylphenol (until 7th September 1967)
29.14	Methyl chloroacetate (until 7th September 1967) Propionic acid (until 7th September 1967) Vinyl acetate (until 7th September 1967)
29.15	Oxalic acid Phthalic anhydride (until 2nd November 1967)
29.16	Calcium glucoheptonate, pyrogen free (until 7th September 1967) Ethyl sodioacetoacetate
29.25	Barbituric acid (until 7th September 1967)
29.27	Acrylonitrile
29.31	L-Cysteine (until 7th September 1967) L-Cysteine hydrochloride (until 7th September 1967) L-Cystine (until 7th September 1967)
29.32	*di*Sodium methylarsonate (until 2nd November 1967)
29.35	1,6-Hexanolactam (until 7th September 1967) 2-Picoline
31.02	Mixtures consisting of ammonium nitrate and ammonium sulphate and containing not less than 25 per cent. by weight and not more than 27 per cent. by weight of nitrogen expressed as N (until 7th September 1967)
38.11	Preparations, in powder form, containing not less than 17 per cent. by weight of triphenyltin hydroxide
38.19	Cultured crystals, weighing not less than two and a half grammes of barium fluoride Prepared catalysts, in the form of spheres, containing silver or silver oxide dispersed with alumina or silica or compounds thereof, and which contain not less than 7 per cent. by weight and not more than 20 per cent. by weight of total silver calculated as Ag

Tariff Heading	*Description*
39.01	Nylon 6 in the forms covered by Note 3(*b*) of Chapter 39, containing not more than 2 per cent. by weight of titanium dioxide and not more than 2·5 per cent. by weight of carbon black, but not otherwise compounded
39.02	Polystyrene sheet, in rolls, colourless, of a thickness not less than 0·1 millimetre and not greater than 0·9 millimetre and having a light transmission not less than 85 per cent.
69.09	Catalyst carriers in the form of pellets, rings, saddles or spheres consisting of aluminium oxide and silica, whether or not combined together, and containing not more than 10 per cent. by weight of total silica and having (*a*) a bulk density of not more than 75 pounds per cubic foot (*b*) a porosity of not less than 39 per cent. and (*c*) no axial dimension greater than 0.5 inch (until 7th September 1967)
70.01	Glass in the mass (other than optical glass) containing not less than 5 per cent. and not more than 11 per cent. by weight of fluorine calculated as F
70.18	Optical glass, in the form of sheets or slabs, containing not less than 50 per cent. by weight and not more than 70 per cent. by weight of the oxides of lanthanum, tantalum, and thorium, and containing not more than 10 per cent. by weight of silicon dioxide Optical glass in the mass containing not less than 5 per cent. by weight and not more than 11 per cent. by weight of fluorine calculated as F Optical glass in the mass or in the form of slabs or moulded lens blanks, containing not more than 56·9 per cent. by weight nor less than 55·9 per cent. by weight of lead expressed as Pb, having a density of not more than 4·65 grammes nor less than 4·25 grammes per cubic centimetre and having a light transmission for a 1 inch path of not less than 40 per cent. at a wavelength of 4,500 ångströms Optical glass in the mass or in the form of slabs or moulded lens blanks, containing not more than 60·7 per cent. by weight nor less than 59·7 per cent. by weight of lead expressed as Pb, having a density of not more than 4·93 grammes nor less than 4·53 grammes per cubic centimetre and having a light transmission for a 1 inch path of not less than 40 per cent. at a wavelength of 4,500 ångströms Optical glass in the mass or in the form of slabs or moulded lens blanks, containing not more than 63·1 per cent. by weight nor less than 62·1 per cent. by weight of lead expressed as Pb, having a density of not more than 5·11 grammes nor less than 4·71 grammes per cubic centimetre and having a light transmission for a 1 inch path of not less than 40 per cent. at a wavelength of 4,500 ångströms
73.02	Ferro-nickel
73.11	Steel sections in coils having a thickness of not more than 0·3 inch and (*a*) a base width of not less than 0·372 inch and not more than 0·5 inch and an upper width of not less than 0·272 inch and not more than 0·370 inch, or (*b*) a base width of not less than 0·678 inch and not more than 0·8 inch and an upper width of not less than 0·475 inch and not more than 0·6 inch (until 7th September 1967)
73.14	Iron or steel wire of a diameter not less than 0·019 inch nor more than 0·200 inch, and having a coating of nickel of not less than 0·0001 inch in thickness
73.15	Cold-rolled steel strip, with dressed edges, in coils, the strip being not less than 0·002 inch nor more than 0·040 inch in thickness and not less than $\frac{1}{16}$ inch nor more than 4 inches in width, containing not less than 16 per cent. by weight nor more than 18 per cent. by weight of chromium, and not less than 6 per cent. by weight nor more than 8 per cent. by weight of nickel, and being of a tensile strength of not less than 115 tons per square inch

Tariff Heading	*Description*
76.03	Aluminium discs of a minimum value of 8s. per lb., not less than 6 inches nor more than 18 inches in diameter and not less than 0·033 inch nor more than 0·036 inch in thickness and which, when either face is placed on a flat surface, do not deviate from the flat by more than 0·010 inch at any point
84.17	Parts of machines for drying hide, skin or leather, being rectangular steel plates coated with vitreous enamel on both faces, not less than 11 feet in length and not less than 5 feet in width, and having a series of holes near one or more of the edges (until 7th September 1967)
85.14	Microphones, of a kind for incorporation in deaf aids, approximately rectangular in shape, with a maximum thickness not exceeding 0·165 inch and a total of the length and width not exceeding 0·675 inch, exclusive of sound tube
85.18	Tantalum capacitors greater than 10 microfarads in capacitance, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 14 millimetres (until 7th September 1967)
	Tantalum capacitors, of a kind for incorporation in deaf aids, with a maximum length not exceeding 7 millimetres exclusive of leads and with a transverse cross section having a circumference not exceeding 10 millimetres (until 7th September 1967)
85.19	Carbon track volume controls of a kind for incorporation in deaf aids, being of drum type with a cylindrical drum not exceeding 12 millimetres in diameter and 4 millimetres in thickness
90.01	Lenses, prisms, mirrors and other optical elements, not optically worked, of barium fluoride
90.17	Endoradiosondes for the measurement of pH; and specialised receiving and recording apparatus therefor
90.19	Earphones, of a kind for incorporation in deaf aids, approximately rectangular in shape, with a maximum thickness not exceeding 0·165 inch and a total of the length and width not exceeding 0·675 inch exclusive of sound tube

EXPLANATORY NOTE

(*This Note is not part of the Order*)

This Order provides that the goods listed in Schedule 1 shall be temporarily exempt from import duty, and those listed in Schedule 2 shall continue to be exempt from import duty, both until 30th December 1967, unless a shorter period is indicated against any item.