STATUTORY INSTRUMENTS

1972 No. 951

CUSTOMS AND EXCISE

The Import Duties (Temporary Exemptions) (No. 6) Order 1972

Made - - - -	*27th June* 1972
Laid before the House of Commons	*28th June* 1972
Coming into Operation	*4th July* 1972

The Lords Commissioners of Her Majesty's Treasury, by virtue of the powers conferred on them by sections 3(6) and 13 of the Import Duties Act 1958(**a**), and of all other powers enabling them in that behalf, on the recommendation of the Secretary of State, hereby make the following Order:—

1.—(1) This Order may be cited as the Import Duties (Temporary Exemptions) (No. 6) Order 1972.

(2) The Interpretation Act 1889(**b**) shall apply for the interpretation of this Order as it applies for the interpretation of an Act of Parliament.

(3) This Order shall come into operation on 4th July 1972.

2.—(1) Until the beginning of 1st January 1973 or, in the case of goods in relation to which an earlier day is specified in Schedule 1 to this Order, until the beginning of that day, any import duty which is for the time being chargeable on goods of a heading of the Customs Tariff 1959 specified in that Schedule shall not be chargeable in respect of goods of any description there specified in relation to that heading.

(2) The period for which goods of headings of the Customs Tariff 1959 and descriptions specified in Schedule 2 to this Order are exempt from import duty shall be extended until the beginning of 1st January 1973 or, in the case of goods in relation to which an earlier day is specified in that Schedule, until the beginning of that day.

(3) Any entry in column 2 in Schedule 1 or Schedule 2 to this Order shall be taken to comprise all goods which would be classified under an entry in the same terms constituting a subheading (other than the final subheading) in the relevant heading in the Customs Tariff 1959.

(4) For the purposes of classification under the Customs Tariff 1959, in so far as that depends on the rate of duty, any goods to which paragraph (1) or paragraph (2) above applies shall be treated as chargeable with the same duty as if this Order had not been made.

Tim Fortescue,
P. L. Hawkins,

Two of the Lords Commissioners of Her Majesty's Treasury.

27th June 1972.

(**a**) 1958 c. 6. (**b**) 1889 c. 63.

SCHEDULE 1

GOODS TEMPORARILY EXEMPT FROM IMPORT DUTY

Tariff Heading	*Description*
07.04	Dried onions
28.40	Sodium hypophosphite *mono*hydrate
29.02	1,1,2,2-Tetrabromoethane 1,1,1-Trichloro-2,2-di(chlorophenyl)ethane, mixed isomers
29.07	4-Chloro-*m*-cresol (-OH at 1) 4-Chloro-*m*-cresol (-OH at 1), sodium salt 4-Chloro-2-cyclopentylphenol (until 1st September 1972) Sodium 4-hydroxybenzenesulphonate
29.14	Ethyl 2-chloropropionate (until 1st September 1972)
29.15	Dodecenylsuccinic anhydride, mixed isomers Potassium 3,5-di(methoxycarbonyl)benzenesulphonate
29.16	Octyl 2,4,5-trichlorophenoxyacetate, mixed isomers (until 1st September 1972)
29.19	Dimethyl *cis*-1-methyl-2-(1-phenylethoxycarbonyl)vinyl phosphate
29.22	*N*-Ethyl-*m*-toluidine 4-Nitroaniline which contains not more than 1 per cent. by weight of water and of which not more than 10 per cent. by weight is retained by a sieve having a nominal width of aperture of 1·00 millimetre Sodium sulphanilate
29.23	*N*-2-Hydroxyethylaniline
29.26	Di-[2-(1,3-dimethylbutylideneamino)ethyl]amine (until 1st September 1972) 1-(Di-[2-(1,3-dimethylbutylideneamino)ethyl]amino)-3-phenoxypropan-2-ol (until 1st September 1972)
29.27	Dichlobenil (until 1st September 1972)
29.28	α-Azo-2,4-dimethylvaleronitrile
29.30	Schradan
29.35	1-Acetylaziridine Acriflavine (until 1st September 1972) 2-Aminomethyl-1-ethylpyrrolidine Cytidine dihydrogen phosphate, mixed 2′- and 3′- isomers Diethyl 4-methyl-1,3-dithiolan-2-ylidenephosphoramidate 4-Di*iso*propylamino-2-phenyl-2-(2-pyridyl)butyramide Isoquinoline 6-[2-(5-Nitro-2-furyl)vinyl]pyridazin-3-ylammonium chloride (until 1st September 1972)
29.39	Formocortal Thyrocalcitonin, porcine (until 1st September 1972)
29.43	P^1-Uridine-5′ P^2-glucose-1 disodium pyrophosphate
37.01	Photographic plates on a glass base of flatness 0·001 inch or less per linear inch, of thickness between 0·058 inch and 0·092 inch, of a length and width between 2 and 4 inches, with an emulsion on one side and an anti-halation layer either incorporated in the emulsion or on the reverse side: the emulsion being between 5 and 7 micrometres thick, having a spectral sensitivity peak at about 520 nanometres and capable of resolving in excess of 2,000 line pairs per millimetre, and having an average surface contamination per square centimetre of less than 5 particles of a diameter greater than 2 micrometres (until 1st September 1972)

Tariff Heading	*Description*
39.01	Polyimide film, not exceeding 46 centimetres in width, uncoated or coated with fluorocarbon resin and having a total thickness not greater than 0·2 millimetre (until 1st September 1972)
39.03	Cellulose acetate propionate in the forms covered by Note 3(*b*) of Chapter 39 (until 1st September 1972)
44.09	Cleft pales, stub-pointed, not less than 914 millimetres nor more than 1·83 metres in length, split from stems or branches of sweet chestnut of not less than 101 millimetres girth (until 1st September 1972)
48.07	Paper, coated, of a substance not less than 68 nor more than 73 grammes per square metre, being resistant to toluene solvent on the one coated side, which, when subjected for 24 hours to 50 per cent. relative humidity at 17° centigrade, has an apparent surface resistance of not less than 10 megaohms and not more than 5,000 megaohms, measured under the same conditions between two electrodes 1 inch wide and 1 inch apart and using a Keithley model 600B electrometer (until 1st September 1972)
73.14	Iron-nickel alloy wire, copper-clad and nickel-plated, having an overall diameter of not less than 200 micrometres and not more than 450 micrometres, the nickel plating being not less than 2 micrometres and not more than 15 micrometres in thickness; the whole containing not less than 18 per cent. by weight of copper, not less than 25 per cent. by weight of nickel and not less than 40 per cent. by weight of iron, and having, when measured on an 0·20 metre length, a percentage elongation not less than 16 and not more than 25 and a tensile strength not less than 430 newtons per square millimetre and not more than 590 newtons per square millimetre, the rate of straining being 50 millimetres per minute
73.15	Heat resisting wire, not plated, coated or covered, of metal alloy containing by weight the following:

	Not less than (per cent.)	Not more than (per cent.)
Chromium	19·0	26·0
Aluminium	4·0	5·5
Manganese	0·10	0·50
Iron	Balance	Balance

and not more than a total of 2 per cent. by weight of substances other than chromium, aluminium and manganese (until 1st September 1972)

73.19	Hot rolled seamless circular steel tubes of an outside diameter of not less than 49·5 centimetres and not more than 62·25 centimetres, and of a wall thickness of not less than 8·3 millimetres and not more than 17·9 millimetres
74.01	Copper alloy containing not less than 99·8 per cent. by weight of copper and not less than 0·08 per cent. nor more than 0·11 per cent. by weight of silver as the major alloying element, in the form of billets of a diameter of not less than 149 millimetres nor more than 156 millimetres and of a length of not less than 1,358 millimetres nor more than 2,480 millimetres (until 1st September 1972)
81.02	Molybdenum alloy sheet containing not less than 98 per cent. by weight of molybdenum and not more than 1 per cent. by weight of titanium as the major alloying element, of a thickness not less than 1 millimetre nor more than 5 millimetres, and of such dimensions that the top surface area of the sheet is not less than 7,000 square millimetres and not more than 185,000 square millimetres (until 1st September 1972)

Tariff Heading	*Description*
81.02	Molybdenum alloy slabs containing not less than 98 per cent. by weight of molybdenum and not more than 1 per cent. by weight of titanium as the major alloying element, of a thickness of not less than 12 millimetres nor more than 51 millimetres, and of such dimensions that the top surface area of the slab is not less than 7,000 square millimetres and not more than 185,000 square millimetres (until 1st September 1972)
81.04	Titanium alloy containing not less than 5 per cent. nor more than 7 per cent. by weight of aluminium, not less than 3 per cent. nor more than 5 per cent. by weight of vanadium as the major alloying elements, being in the form of blooms not less than 152 centimetres nor more than 191 centimetres in length, not less than 38 centimetres nor more than 41 centimetres in width and not less than 30 centimetres nor more than 36 centimetres in thickness (until 1st September 1972)

SCHEDULE 2

GOODS FOR WHICH EXEMPTION FROM IMPORT DUTY IS EXTENDED

25.19	Magnesite, dead-burned, containing (*a*) not less than 94 per cent. by weight of magnesium compounds expressed as MgO, (*b*) a total of not more than 1·0 per cent. by weight of aluminium compounds and iron compounds expressed as Al_2O_3 and Fe_2O_3, (*c*) a total of not less than 2·5 per cent. by weight and not more than 5·0 per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO_2, and in which the weight of calcium compounds expressed as CaO is not less than 1·5 times the weight of silicon compounds expressed as SiO_2 (until 1st September 1972)
28.15	Phosphorus pentasulphide, containing less than 15 parts per million by weight of arsenic calculated as As_2O_3, and containing less than 35 parts per million by weight of iron calculated as Fe
28.18	Magnesium oxide, dead-burned but not fused, of a purity not less than 96 per cent., which contains (*a*) not more than 0·05 per cent. by weight of boron compounds expressed as B_2O_3, (*b*) a total of not more than 0·5 per cent. by weight of aluminium compounds and iron compounds expressed as Al_2O_3 and Fe_2O_3, and (*c*) a total of not less than 1·0 per cent. by weight and not more than 3·5 per cent. by weight of calcium compounds and silicon compounds expressed as CaO and SiO_2, the weight of calcium compounds being not less than 1·5 times and not more than 2·5 times the weight of silicon compounds; and (*d*) of which not less than 35 per cent. by weight is retained by a sieve having a nominal width of aperture of $\frac{3}{16}$ inch (until 1st September 1972)
28.51	Deuterated potassium dihydrogen orthophosphate in the form of single crystals
29.08	Ethyldigol, containing not more than 1 per cent. by weight of ethanediol (until 1st September 1972) Methyltrigol (until 1st September 1972)
29.14	Ethyl methacrylate Methyl 1-methyl-4-*iso*propylbicyclo[2,2,2]oct-2-ene-6-carboxylate Undec-10-enoic acid (until 1st September 1972)
29.22	3,4-Dichloroaniline
29.23	7-Anilino-4-hydroxynaphthalene-2-sulphonic acid
29.25	3,4,4′-Trichloro-*NN′*-diphenylurea (until 1st September 1972)
29.26	DL-Arginine *mono*hydrochloride
29.30	1-Chloro-4-*iso*cyanatobenzene (until 2nd November 1972) 1,2-Dichloro-4-*iso*cyanatobenzene (until 2nd November 1972)

Tariff Heading	*Description*
29.31	2-Mercaptoethanol (until 1st September 1972) 2-Methylpropane-2-thiol (until 1st September 1972)
29.32	4-Hydroxy-3-nitrophenylarsonic acid (until 1st September 1972)
29.34	1-Hydroxyethylidenediphosphonic acid (until 2nd November 1972)
29.35	3-Amino-1,2,4-triazole 1-(3-Chlorophenyl)-3-methyl-5-pyrazolone Cyanuric acid (until 1st September 1972) Thonzylamine hydrochloride
39.01	Resins, being products of the condensation of adipic acid with a mixture of propane-1,2-diol and ethanediol of which the ethanediol content is not less than 50 per cent. by weight, and having:— (*a*) an acetyl value not less than 34 and not more than 38, (*b*) an acid value not more than 1, (*c*) a colour not deeper than 50 Hazen units, and (*d*) a viscosity at 40° centigrade of not less than 70 seconds and not more than 125 seconds, for a free fall of 20 centimetres of a steel sphere $\frac{1}{8}$ inch in diameter, in a tube of internal diameter 3·5 centimetres, when determined by the method of British Standard 188:1957, part 3, as amended up to and including September 1964 (until 1st September 1972)
39.03	Regenerated cellulose in the form of sheets not exceeding 430 millimetres by 1,020 millimetres in size, 18 grammes per square metre in weight or 12 micrometres in thickness (until 1st September 1972)
68.13	Asbestos paper, rubber impregnated, in rolls, being not less than 0·55 millimetre and not more than 0·85 millimetre in thickness, weighing not less than 500 grammes and not more than 780 grammes per square metre, and having a loss on ignition at 1,000° centigrade of not less than 24 per cent. by weight and not more than 32 per cent. by weight
81.04	Chromium, in the form of cathode chips or pellets, which contains not more than 0·10 per cent. by weight of total oxygen, not more than 0·015 per cent. by weight of total aluminium, and not more than 0·001 per cent. by weight of aluminium compounds insoluble in boiling 5N hydrochloric acid and in boiling fuming perchloric acid, and estimated as Al
85.15	The following apparatus for use in aircraft: (*a*) very high frequency omni-directional radio range apparatus (VOR), instrument landing system localiser apparatus (ILS/LOC), instrument landing system glide path apparatus (ILS/G.PATH); (*b*) very high frequency communication apparatus (VHF/COM) (transmitters, receivers, or combined transmitter/receivers) covering a frequency band of at least 118 to 135·95 MHz, with not less than 180 channels and capable of operating in areas where 50 kHz channel spacing is in force; (*c*) apparatus combining the functions and capabilities of any of the apparatus specified in (*a*) and (*b*) above but excluding apparatus combining any of those functions and capabilities with any other function or capability; being in each case apparatus of a type approved by the Civil Aviation Authority, at the date of this Order, under Article 14(5) of the Air Navigation Order 1972, for use in aircraft of not more than 5,700 kilogrammes maximum total weight authorised, flying in controlled airspace in accordance with the Instrument Flight Rules as defined in the said Air Navigation Order, but not for use in other aircraft (until 1st September 1972)

Tariff Heading	*Description*
85.21	Containers for electronic micro-circuits, consisting of square or rectangular laminations, built up from a bottom sheet of glass, metal, or ceramic composition; from a middle frame of glass with embedded metal alloy leads extending to a lead frame along one, two or all four sides; and from a top sealing frame of glass, metal, or ceramic composition, all three laminae being fused together: each container being provided with a separate solder frame and metal alloy lid for subsequent sealing to the top sealing frame
91.03	Electric clocks of the instrument panel type designed to be permanently mounted in a motor vehicle and to be operated only by a current of not less than 12 volts provided by the battery of the vehicle (until 1st September 1972)

EXPLANATORY NOTE

(*This Note is not part of the Order*)

This Order provides that the goods listed in Schedule 1 shall be temporarily exempt from import duty, and those listed in Schedule 2 shall continue to be exempt from import duty, both until 1st January 1973 or, in the case of certain items, until such earlier day as is specified.

As regards the exemption for equipment for use in aircraft under heading 85.15, apparatus of a type approved by the Civil Aviation Authority is listed in Civil Aviation Publication CAP 208, Airborne Radio Apparatus Vol. 2, published by Her Majesty's Stationery Office. This publication is subject to amendment, and confirmation that apparatus is of a type approved at the date of this Order should be obtained from the Civil Aviation Authority, Controllerate of National Air Traffic Services, Tels. N2(c), 19–29 Woburn Place, London, WC1H 0LX.

SI 1972/951
ISBN 0-11-020951-6

