STATUTORY INSTRUMENTS

1974 No. 1007

CUSTOMS AND EXCISE

The Import Duties (Temporary Reductions and Exemptions) (No. 8) Order 1974

Made - - - -	11*th June* 1974
Laid before the House of Commons	22*nd June* 1974
Coming into Operation	2*nd July* 1974

The Lords Commissioners of Her Majesty's Treasury, by virtue of the powers conferred on them by sections 1, 3(6) and 13 of the Import Duties Act 1958**(a)**, as amended**(b)**, and of all other powers enabling them in that behalf, on the recommendation of the Secretary of State**(c)**, hereby make the following Order:

Citation, operation, interpretation

1.—(1) This Order may be cited as the Import Duties (Temporary Reductions and Exemptions) (No. 8) Order 1974 and shall come into operation on 2nd July 1974.

(2) In this Order, other than Article 5(3), "the relevant date" in relation to goods of a description specified in column 2 of any Schedule hereto means 31st December 1974 or, if an earlier date is there specified in relation to the description, the date so specified.

(3) In this Order references to a heading or subheading are references to a heading or subheading of the Customs Tariff 1959.

(4) The Interpretation Act 1889**(d)** shall apply for the interpretation of this Order as it applies for the interpretation of an Act of Parliament.

Intra-Community trade

2. Up to and including the relevant date no import duty shall be charged on goods of a heading specified in column 1 of Schedules 1, 2 or 3 hereto which are of a description specified in column 2 thereof if they satisfy the requisite conditions to benefit from Regulation (EEC) 385/73**(e)** (relating to goods entitled to benefit from the eventual abolition of customs duties in trade between member States of the European Communities).

(a) 1958 c. 6.
(b) *See* section 5(5) of, and paragraph 1 of Schedule 4 to, the European Communities Act 1972 (c.68).
(c) *See* S.I. 1970/1537 (1970 III, p. 5293).
(d) 1889 c. 63.
(e) O.J. No. L 42, 14.2.1973, p. 1.

The full rate

3.—(1) Up to and including the relevant date, in the case of goods which fall within a heading specified in column 1 of Schedules 1 or 2 hereto which are of a description specified in column 2 thereof, if a rate of duty is shown in column 3 thereof in relation to the goods, import duty shall be charged at the rate so shown instead of any higher rate which would otherwise apply, and if the entry "Free" appears in any said column 3 in relation to them, no import duty shall be charged.

(2) If no entry appears in column 3 of Schedule 1 hereto in relation to goods of a description specified in column 2 thereof, no exemption from or reduction in duty applies to such goods by virtue of this Article.

(3) Paragraph (1) above shall operate without prejudice to the exemptions provided for by Article 2 above or to the exemptions or any greater reductions provided for by Articles 4 and 5 below in the case of goods originating in Cyprus, Egypt, Morocco or Turkey.

Cyprus and Egypt

4.—(1) Up to and including the relevant date, any import duty for the time being chargeable on goods of a heading specified in column 1 of Schedules 1 or 2 hereto which are of a description specified in column 2 thereof shall be charged:

(*a*) at the rate, if any, shown in column 4 thereof in relation to the description if the goods originate in Cyprus and

(*b*) at the rate, if any, shown in column 5 thereof in relation to the description if the goods originate in Egypt.

(2) For the purposes of paragraph (1) above goods shall be regarded as originating:

(*a*) in Cyprus if they are to be so regarded under the Agreement, signed on 19th December 1972, between the European Economic Community and Cyprus**(a)** and

(*b*) in Egypt if they are to be so regarded under the Agreement, signed on 18th December 1972, between the Community and Egypt**(b)**.

(3) If no entry appears in column 4 or 5 of Schedule 1 hereto in relation to goods of a description specified in column 2 thereof, no reduction in duty applies by virtue of this Article to goods of that description originating in Cyprus or Egypt.

(4) This Article shall operate without prejudice to any greater reduction in, or to any exemption from, import duties which may be available apart from this Order in the case of goods herein referred to by virtue of their being goods of a developing country or goods qualifying for Commonwealth preference or otherwise.

Morocco and Turkey

5.—(1) Subject to the provisions of paragraph (2) of this Article, up to and including the relevant date, no import duty shall be charged on goods of a heading specified in column 1 of Schedules 1 or 4 hereto which are of a description specified in column 2 thereof if the goods originate in Morocco or Turkey.

(a) The Agreement is annexed to Regulation (EEC) 1246/73 (O.J. No. L 133, 21.5.1973, p.1).

(b) The Agreement is annexed to Regulation (EEC) 2409/73 (O.J. No. L 251, 7.9.1973, p.1).

(2) The exemptions provided for by paragraph (1) of this Article shall not apply to goods which are of a description specified in column 2 of Schedule 1 hereto followed by the letters "ECSC".

(3) Subject to the provisions of paragraph (4) of this Article, up to and including "the relevant date" as defined by the Import Duties (Temporary Reductions and Exemptions) (No. 2) Order 1973**(a)**, no import duty shall be charged on goods of a heading specified in column 1 of the Schedule to the said Order which are of a description specified in column 2 thereof if the goods originate in Morocco or Turkey.

(4) The exemptions provided for by paragraph (3) of this Article shall not apply to goods of the heading specified in column 1 of Schedule 5 hereto which are of a description specified in column 2 thereof.

(5) Up to and including the relevant date, in the case of goods which fall within the heading specified in column 1 of Schedule 6 hereto which are of a description specified in column 2 thereof import duty shall be charged at the rate shown in column 3 thereof instead of any higher rate which would otherwise apply if the goods originate in Turkey.

(6) For the purposes of this Article goods shall be regarded as originating:

(*a*) in Morocco if they are to be so regarded under the Protocol, signed on 2nd March 1973, to the Agreement between the European Economic Community and Morocco**(b)**.

(*b*) in Turkey if they are to be so regarded, or are to be regarded as in free circulation in Turkey, under the provisions of the Additional Protocol to the Agreement establishing an Association between the Community and Turkey**(c)** or the Decision of the Association Council No. 4/72 of 29th September 1972 annexed to Regulation (EEC) 428/73**(d)**.

(7) This Article shall operate without prejudice to any greater reduction in, or to any exemption from, import duties, which may be available apart from this Order or the Import Duties (Temporary Reductions and Exemptions) (No. 2) Order 1973 in the case of goods herein referred to by virtue of their being goods of a developing country or otherwise.

6.—(1) Any description of goods in column 2 of any Schedule hereto shall be taken to comprise all goods which would be classified under an entry in the same terms constituting a subheading (other than the final subheading) in the relevant heading in the Customs Tariff 1959.

(2) For the purposes of classification under the Customs Tariff 1959, insofar as that depends on the rate of duty, any goods to which this Order applies shall be treated as chargeable with the same duty as if this Order had not been made.

(3) The Schedule to the Import Duties (Temporary Reductions and Exemptions) (No. 2) Order 1973 shall be amended by the deletion of the entries in columns 1 to 5 thereof in relation to goods of headings 32.07, 73.18 and 73.19.

(a) S.I. 1973/2210 (1973 III, p. 7777).
(b) The Protocol is annexed to Regulation (EEC) 2285/73 (O.J. No. L239 27.8.1972, p. 1).
(c) The Protocol is annexed to Regulation (EEC) 2760/72 (O.J. No. L 293 29.12.72 p.1).
(d) O.J. No. L 59 5.3.1973, p.73.

(4) The Schedule to the Import Duties (Temporary Reductions and Exemptions) (No. 5) Order 1974(a) shall be amended by the deletion of the entries in columns 1, 2, 4 and 5 thereto in relation to goods of heading 30.03.

James A. Dunn,
Donald R. Coleman,
Two of the Lords Commissioners of Her Majesty's Treasury.

11th June 1974.

Articles *2-5*

Note: *Where no rate of duty is shown in column* 3 *there is no reduction in the full rate and where no rate is shown in columns* 4 *and* 5 *there is no reduction in the case of goods of Cyprus or Egypt as such.*

SCHEDULE 1

GOODS SUBJECT TO TEMPORARY REDUCTION IN OR EXEMPTION FROM IMPORT DUTY

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
28.16	Ammonia anhydrous	11·2	3·3	5·0
28.33	Sodium bromide containing not more than 0·10 per cent. by weight of chlorides expressed as Cl (up to and including 2nd September 1974)	12	3·6	5·4
28.51	Deuterated potassium dihydrogen orthophosphate in the form of single crystals ...	9·6	2·8	4·3
29.04	Propane-1,2-diol	16·4	4·9	7·3
29.06	Phenol (up to and including 2nd September 1974)	3·2	0·9	1·4
	Quinol	14·4	4·3	6·4
29.09	Propylene oxide...	15·8	4·7	7·1
29.11	Cinnamaldehyde	14.4	4.3	6·4
29.13	1,4-Dihydroxyanthraquinone	13·6	4	6·1
29.14	Benzoyl chloride	14·4	4·3	6·4
	n-Butyl acrylate	12	3·6	5·4
	Chloroacetic acid (up to and including 31st October 1974)	12·8	3·8	5·7
	2-Ethylhexyl acrylate	12	3·6	5·4
	Sodium chloroacetate (up to and including 31st October 1974)	12·8	3·8	5·7
	2,2,4-Trimethylpentane-1,3-diol*monoiso*-butyrate, mixed isomers	12	3·6	5·4
29.15	Di-(2-ethylhexyl) phthalate (up to and including 2nd September 1974)	14.4	4·3	6·4

(a) S.I. 1974/682 (1974 I, p. 2675).

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
29.22	4-Chloroaniline	12·8	3·8	5·7
	1,2-Diaminoethane	9·6	2·8	4·3
	Di-(2-aminoethyl)amine	9·6	2·8	4·3
	o-Phenylenediamine (up to and including 2nd September 1974)	11·2	3·3	5
29.35	1,6-Hexanolactone	10·4	3·1	4·6
	8-Hydroxyquinoline	10·4	3·1	4·6
31.02	Ammonium sulphate (up to and including 31st October 1974)	8	2·4	3·6
	Urea containing more than 45 per cent. by weight of nitrogen on the dry anhydrous product	12·8	3·8	5·7
32.07	Pigments white, dry, containing not less than 90 per cent. but less than 96 per cent. by weight of titanium dioxide, and which, when dispersed in four times their weight of a solution containing 50 per cent. by weight of melamine formaldehyde resin having a mole ratio of 0·5 to 1 cause no visible greying on a filter paper which has been dipped in the dispersion, dried, cured and exposed to ultra violet radiation sufficient to initiate fading of the number 5 reference standard of British Standard 1000:1953	9·6	2·8	4·3
38.19	Halquinol	—	3·1	4·7
39.01	Poly(ethylene terephthalate) film, in rolls, uncoated, not more than 0·02 millimetre in thickness, not less than 20 centimetres in width and having an insulation resistance at 125° centigrade of not less than 200 ohm farads	—	3·7	5·5
39.02	Hydrogenated copolymerisation products of butadiene and styrene in forms covered by Note 3(*b*) to Chapter 39, of which a 3 per cent. mass/mass solution in a paraffinic solvent of kinematic viscosity 4·7 centistokes at 99° centigrade and of viscosity index 97 as measured by the Institute of Petroleum method 226/68 has a kinematic viscosity of not less than 13 centistokes at 99° centigrade and, when tested for sheer stability in accordance with the Institute of Petroleum method 294/73T, undergoes a reduction of kinematic viscosity at 99° centigrade of not more than 0·25 centistokes	—	4·8	7·2
	Polymerisation and copolymerisation products of ethylene, of natural colour, in the forms covered by Note 3(*b*) to Chapter 39, and having a density of not less than 0·940 gramme per cubic centimetre when determined by Method B2 of British Standard 3412:1966 ...			
	—falling within subheading CIa)2	—	3·7	5·5

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
	—falling within subheading CXIVa)3bb) (up to and including 2nd Spetember 1974) ...	—	3·8	5·7
	Polystyrene film, uncoated, having a thickness exceeding 0·04 millimetre but not exceeding 1 millimetre	—	5·5	8·2
	Poly(vinyl chloride), in powder form and of natural colour, unplasticised (up to and including 30th September 1974)	—	5·5	3·7
	Poly(vinyl chloride), plasticised, in forms covered by Chapter 39, Note 3(*b*)(up to and including 30th Spetember 1974)	—	5·5	3·7
39.03	Hydroxypropylmethylcellulose, of which the hydroxypropyl content calculated as propanediol is not less than 7 per cent by weight, and of which an aqueous solution containing 20 grammes per litre has a dynamic viscosity at 20° centigrade of not more than 20 centipoises			
	—not plasticised	15·2	4·5	6·8
	—plasticised ... ... (up to and including 2nd September 1974)	16	4·8	7·2
	Regenerated cellulose in the form of sheets not exceeding 430 millimetres by 1,020 millimetres in size, 18 grammes per square metre in weight or 12 micrometres in thickness (up to and including 2nd September 1974)	—	5·5	8·2
48.01	Unfinished stereo matrix board (flong), not coated or moulded, in rectangular sheets, weighing more than 220 grammes per square metre, of a thickness of not less than 0·75 millimetre and not more than 1·65 millimetres and being not less then 2600 square centimtres and not more than 3700 square centimetres in area	12	3·6	5·4
48.07	Electrophotographic base paper, barrier coated, of a substance not less than 50 grammes per square metre, being resistant to toluene solvent on either or both sides which, when subjected for 24 hours to 50 per cent. relative humidity at 17° centigrade, has an apparent surface resistance of not less than 10 megaohms and not more than 5,000 megaohms, measured under the same conditions between two electrodes 1 inch wide and 1 inch apart and using a Keithley model 600B electrometer	12	3·6	5·4
55·02	Bleached cotton linters	Free	—	—
68.13	Asbestos paper, rubber impregnated, in rolls, being not less than 0·55 millimetre and not more than 0·85 millimetre in thickness, weighing not less than 500 grammes and not more than 780 grammes per square metre, and having a loss on ignition at 1,000° centigrade of not less than 24 per cent. by weight and not more than 32 per cent. by weight (up to and including 31st October 1974)	—	2·7	4·1

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
73.07	Blooms, billets, slabs and sheet bars of iron or steel, rolled but not forged (ECSC) (up to and including 30th September 1974) ...	4	—	—
73.08	Iron or steel coils for re-rolling —less than 1·5 metres in width for re-rolling (ECSC)	5	—	—
	—other (ECSC)	6	—	—
73·09	Universal plates of iron or steel (ECSC) ... (up to and including 30th September 1974)	6	—	—
73.10	Bars and rods of iron or steel, not further worked than hot-rolled or extruded, in straight lengths and having a rectangular cross-section of which the width is not less than 10 millimetres nor more than 210 millimetres and the thickness is not less than 6 millimetres (ECSC) (up to and including 30th September 1974)...	6	—	—
	Bars and rods of iron or steel, not further worked than hot-rolled or extruded, in straight lengths or in coils, of circular, square or hexagonal cross-section, or ribbed and of which the greatest cross-sectional dimension does not exceed 156 millimetres; in the case of square cross-section the corners may be either square or rounded (ECSC) (up to and including 30th September 1974)	6	—	—
	Wire rod, of iron or steel and of round section (ECSC) (up to and including 30th September 1974)	7	—	—
73.11	Angles, shapes and sections of iron or steel, not further worked than hot-rolled or extruded, and not clad, in the case of I,U,H and Z sections the distance between the outer surfaces of the two parallel planes is to be not less than 70 millimetres, in the case of angles the outer length of the leg or of the longest leg is to be not less than 70 millimetres and in all other cases the greatest dimension of the cross-section is to be not less than 70 millimetres ...			
	—drilled, punched or otherwise fabricated (ECSC)	6	—	—
	—other (ECSC) ... ... (up to and including 30th September 1974)	6	—	—
	Sheet piling of iron or steel, whether or not drilled, punched or made from assembled elements (ECSC) (up to and including 30th September 1974)	6	—	—
73.12	Hoop and strip of iron or steel, zinc coated, of a thickness of —3 millimetres or more	—	£0·9920 per tonne or 1·4% whichever is the greater +0·9%	£1·4881 per tonne or 2·1% whichever is the greater +1·4%

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
	—other ... ... (up to and including 30th September 1974) ...	—	£0·9920 per tonne or 1·4% whichever is the greater +0·9%	£1·4881 per tonne or 2·1% whichever is the greater +1·4%
	Strip of iron or steel, coated with tin, of a width not less than 304 millimetres and not more than 500 millimetres, of a thickness of not less than 0·12 millimetre and not more than 0·5 millimetre, and of a length of not more than 1016 millimetres			
	—tinplate (ECSC)	7	—	—
	—other ... ... (up to and including 30th September 1974)	—	£0·9920 per tonne or 1·4% whichever is the greater +0·9%	£1·4881 per tonne or 2·1% whichever is the greater +1·4%
	Strip of iron or steel, in coil form, coated with tin, of a width of not less than 140 millimetres, and not more than 500 millimetres, and of a thickness of not less than 0·12 millimetre and not more than 0·5 millimetre			
	—tinplate (ECSC)	7	—	—
	—other ... ... (up to and including 30th September 1974)	—	£0·9920 per tonne or 1·4% whichever is the greater +0·9%	£1·4881 per tonne or 2·1% whichever is the greater +1·4%
73.13	"Electrical" sheets and plates, of iron or steel, hot-rolled or cold-rolled but not plated, coated or clad or otherwise worked			
	—with a watt-loss, regardless of thickness, of 0·75 watt or less (ECSC)	6	—	—
	—other (ECSC) ... ... (up to and including 30th September 1974)	7	—	—
	Sheets and plates of iron or steel, cold-rolled but not coated or otherwise worked, of a thickness of			
	—3 millimetres or more	7	2·1	3·1
	—more than 1 millimetre but less than 3 millimetres (ECSC)	6	—	—
	—1 millimetre or less (ECSC)... ... ... (up to and including 30th September 1974)	—	—	—
	Sheets and plates of iron or steel, hot-rolled but not coated or otherwise worked, of a thickness of			
	—2 millimetres or more (ECSC)	7	—	—
	—less than 2 millimetres (ECSC) ... ... (up to and including 30th September 1974)	6	—	—

Tariff Heading (1)	*Description* (2)	Rates of Duty *Full* (3)	*Cyprus* (4)	% *Egypt* (5)
	Sheets and plates of iron or steel, zinc coated of a thickness of			
	—3 millimetres or more (ECSC)	—	—	—
	—other (ECSC) ... ... (up to and including 30th September 1974)	—	—	—
	Sheets of iron or steel, coated with tin, of a width exceeding 500 millimetres but not more than 966 millimetres, of a thickness of not less than 0·12 millimetre and not more than 0·5 millimetre, and of a length of not more than 1016 millimetres (ECSC) (up to and including 30th September 1974)...	7	—	—
	Sheets of iron or steel in coil form, coated with tin, of a width exceeding 500 millimetres but not more than 966 millimetres and of a thickness of not less than 0·12 millimetre and not more than 0·5 millimetre (ECSC) (up to and including 30th September 1974)... ...	7	—	—
73.14	Iron or steel wire, galvanised or coated with polyvinyl chloride; of circular cross-section and having a diameter of not less than 0·3 millimetre and not more than 5·0 millimetres, containing not more than 0·2 per cent. by weight of carbon and not less than 0·1 per cent. and not more than 0·4 per cent. by weight of manganese; having a tensile strength not greater than 55 kg/mm² (up to and including 30th September 1974)	8	2·4	3·6
	Iron or steel wire of circular cross-section and of which the diameter is not less than 0·8 millimetre and not more than 13 millimetres; containing not less than 0·05 per cent. and not more than 0·25 per cent. by weight of carbon, not less than 0·20 per cent. and not more than 1·7 per cent. by weight of manganese, not more than 0·07 per cent. by weight of phosphorus, not more than 1·0 per cent. by weight of silicon and not more than 0·07 per cent. by weight of sulphur; having a tensile strength not greater than 600 newtons per square millimetre (up to and including 30th September 1974)	8	2·4	3·6
73.15	Alloy steel bars, containing not less than 0·40 per cent. and not more than 0·70 per cent. by weight of nickel; not less than 0·40 per cent. and not more than 0·60 per cent. by weight of chromium; not less than 0·20 per cent. and not more than 0·30 per cent. by weight of molybdenum as the major alloying elements; being not less than 76 millimetres and not more than 215 millimetres in diameter and not less than 5 metres and not more than 8 metres in length			
	—not further worked than forged	7	2·1	3·1
	—not further worked than hot rolled or extruded (ECSC)	6	—	—

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
	—not further worked than cold-formed or cold-finished ... ... (up to and including 30th Setepmber 1974)	—	£0·9920 per tonne or 1·4% whichever is the greater +0·9%	£1·4881 per tonne or 2·1% whichever is the greater +1·4%
	Alloy steel bars, containing not less than 0·90 per cent. and not more than 1·20 per cent. by weight of nickel; not less than 0·30 per cent. and not more than 0·60 per cent. by weight of chromium; not less than 0·20 per cent. and not more than 0·30 per cent. by weight of molybdenum as the major alloying elements; being not less than 76 millimetres and not more than 215 millimetres in diameter and not less than 5 metres and not more than 8 metres in length			
	—not further worked than forged	7	2·1	3·1
	—not further worked than hot rolled or extruded (ECSC)	6	—	—
	—not further worked than cold-formed or cold-finished ... ... (up to and including 30th September 1974)	—	£0·9920 per tonne or 1·4% whichever is the greater +0·9%	£1·4881 per tonne or 2·1% whichever is the greater +1·4%
	Alloy steel bars, containing not less than 0·90 per cent. and not more than 1·20 per cent. by weight of carbon; not less than 1·30 per cent. and not more than 1·60 per cent. by weight of chromium as the major alloying elements; being not less than 76 millimetres and not more than 215 millimetres in diameter and not less than 5 metres and not more than 8 metres in length			
	—not further worked than forged	7	2·1	3·1
	—not further worked than hot rolled or extruded (ECSC)	6	—	—
	—not further worked than cold-formed or cold-finished ... ... (up to and including 30th September 1974)	—	£0·9920 per tonne or 1·4% whichever is the greater +0·9%	£1·4881 per tonne or 2·1% whichever is the greater +1·4%
	Alloy steel billets containing not less than 0·3 per cent. and not more than 1·7 per cent. by weight of manganese and containing two or more of the following elements, by weight in the proportions indicated:—			
		Not less than (per cent)	Not more than (per cent)	
	Chromium	0·3	5·0	
	Nickel	0·4	5·0	
	Molybdenum	0·2	2·5	

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
	and having a cross-section of which neither the width nor the thickness is less than 50 millimetres nor more than 250 millimetres			
	—forged	5	1·5	2·2
	—other than forged (ECSC) ... ... (up to and including 30th September 1974)	4	—	—
	Alloy steel billets, containing not less than 0·50 per cent. nor more than 0·60 per cent. by weight of carbon, not less than 0·70 per cent. nor more than 1·00 per cent. by weight of manganese and not less than 1·50 per cent. nor more than 2·00 per cent. by weight of silicon as the alloying elements; having a cross-section of which neither width nor thickness is less than 55 millimetres nor more than 80 millimetres			
	—forged	5	1·5	2·2
	—other than forged (ECSC) ... ... (up to and including 30th September 1974)	4	—	—
	Alloy steel coils for re-rolling, which contain not less than 14 per cent. nor more than 18 per cent. by weight of chromium as the major alloying element, and not more than 0·5 per cent. by weight of nickel, and having a width exceeding 500 millimetres but not more than 1,372 millimetres, and a thickness of not less than 3 millimetres nor more than 6 millimetres (ECSC) (up to and including 30th September 1974)	6	—	—
	Alloy steel coils for re-rolling, containing not less than 16·0 per cent. nor more than 26·0 per cent. by weight of chromium, and not less than 6·0 per cent. nor more than 22·0 per cent. by weight of nickel as the major alloying elements, and having a width exceeding 500 millimetres but not more than 1,372 millimetres, and a thickness of not less than 2·5 millimetres nor more than 6 millimetres (ECSC) (up to and including 30th September 1974)	6	—	—
	Bars and rods of alloy steel, not further worked than hot-rolled or extruded and in coils, having a circular, square or hexagonal cross-section of which no cross-sectional dimension exceeds 46 millimetres and containing either (*a*) not less than 0·10 per cent. lead; or (*b*) not less than 0·10 per cent. sulphur as the major alloying element other than carbon			
	—wire rod (ECSC)	7	—	—
	—other (ECSC) ... ... (up to and including 30th September 1974)	6	—	—
	Bars and rods of alloy steel, not further worked than hot-rolled or extruded and in straight lengths, having a circular, square or hexagonal cross-section of which no cross-sectional dimension exceeds 156 millimetres and containing either (*a*) not less than 0·10 per cent. lead; or (*b*) not less than 0·10 per cent. sulphur as the major alloying element other than carbon			

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
	—wire rod (ECSC)	7	—	—
	—other (ECSC)... ... ... (up to and including 30th September 1974)	6	—	—
	Bars and rods of high carbon steel, in coils, not further worked than hot-rolled, of circular cross-section and having a diameter of not less than 13 millimetres and not more than 28·5 millimetres (ECSC) (up to and including 30th September 1974)	6	—	—
	Hot rolled alloy steel strip in coils, containing not less than 14 per cent. by weight nor more than 18 per cent. by weight of chromium as the major alloying element, and not more than 0·5 per cent by weight of nickel, of a width of not less than 400 millimetres nor more than 500 millimetres and of a thickness of not less than 3 millimetres nor more than 6 millimetres (ECSC) (up to and including 30th September 1974)	7	—	—
	Hot rolled alloy steel strip in coils, containing not less than 16·0 per cent. nor more than 26·0 per cent. by weight of chromium, and not less than 6·0 per cent. nor more than 22·0 per cent. by weight of nickel as the major alloying elements, and not less than 0·5 per cent. nor more than 2·0 per cent. by weight of manganese; of a width of not less than 400 millimetres no more than 500 millimetres and of a thickness of not less than 3 millimetres nor more than 6 millimetres (ECSC) (up to and including 30th September 1974)	7	—	—
	Steel sheets, rectangular or in coils, being steel containing not less than 2 per cent. nor more than 3·5 per cent. by weight of silicon as the major alloying element; with a manganese content exceeding 0·1 per cent. and an aluminium content exceeding 0·01 per cent. whether or not coated and of a width not exceeding 1250 millimetres and a thickness not exceeding 1·6 millimetres (ECSC) (up to and including 30th September 1974)	7	—	—
	Wire rod, of high carbon steel and of round section (ECSC) (up to and including 30th September 1974)	7	—	—
73.18	Longitudinally welded steel tubes in lengths of not less than 1·5 metres and not more than 8 metres having an outside diameter of not less than 47·98 millimetres and not more than 50 millimetres; with a wall thickness of not less than 3·5 millimetres and not more than 5 millimetres; containing not more than 0·06 per cent. sulphur and not more than 0·06 per cent. phosphorous; having a tensile strength of not less than 34 Kgf/mm^2 and not more than 48 Kgf/mm^2 and a minimum yield stress of 21·3 Kgf/mm^2 (up to and including 30th September 1974)	10	3	4·5

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
73.20	Forged carbon steel butt welding pipe fittings, the following:	10	3	4·5
	(*a*) elbows, having an outside diameter, at the welding ends, of not less than 1061 millimetres and not more than 1379 millimetres and a wall thickness of not less than 8 millimetres and not more than 15 millimetres;			
	(*b*) concentric reducers, of which at least one orifice has an outside diameter at the welding end, of not less than 1214 millimetres and not more than 1379 millimetres and of which the wall thickness is not less than 8 millimetres and not more than 15 millimetres			
	for use in the transmission of North Sea oil (up to and including 2nd September 1974)			
76.03	Sheets of aluminium alloy, in coils; of a width of not less than 1,200 millimetres and not more than 2,471 millimetres and a thickness of not less than 2·5 millimetres and not more than 8 millimetres; containing not less than 0·5 per cent. and not more than 6 per cent. by weight of magnesium as the major alloying element	—	2·8	5·6
	Sheets of aluminimum, unalloyed, in coils; of a width of not less than 1,200 millimetres and not more than 2,471 millimetres and a thickness of not less than 2·5 millimetres and not more than 8 millimetres	—	2·8	5·6
81.04	Titanium sponge	6	1·8	2·7
85.01	Rotors, unwound, being parts of electric motors and weighing not less than 0·33 kilogrammes and not more than 1·82 kilogrammes (up to and including 2nd September 1974) ...	—	1·6	2·4
	Stators, wound, being parts of electric motors and weighing not less than 1·35 kilogrammes and not more than 6·80 kilogrammes (up to and including 2nd September 1974)	6	1·8	2·7
85.15	The following apparatus for use in aircraft:			
	(*a*) automatic radio direction finding apparatus covering a frequency range of at least 200 KHz to 850KHz;	10	3	4·5
	(*b*) distance measuring apparatus for determining the slant range from aircraft to ground transponder and operating within the frequency range of 960MHz to 1,215 MHz;	10	3	4·5
	(*c*) panel-mounted secondary surveillance radar transponder apparatus, operating within a 12 or 24 volt electrical power system, having an integral control panel and capable of interrogation at a frequency of 1,030 MHz on each of the modes A and C and replying on these modes at a frequency of 1,090 MHz;	10	3	4·5

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
	(*d*) very high frequency omni-directional radio range apparatus (VOR), instrument landing system localiser apparatus (ILS/LOC), instrument landing system glide path apparatus (ILS/G.PATH);	10	3	4·5
	(*e*) very high frequency communication apparatus (VHF/COM) (transmitters, receivers, or combined transmitter/receivers) covering a frequency band of at least 118 to 135·95 MHz, with not less than 180 channels and capable of operating in areas where 50 KHz channel spacing is in force:			
	—transmitters	7	2·1	3·1
	—transmitter-receivers	11	3·3	4·9
	—receivers, whether or not combined with a sound recorder or reproducer;	—	4·2	6·3
	(*f*) apparatus combining the functions and capabilities of any of the apparatus specified in (*d*) and (*e*) above but excluding apparatus combining any of those functions and capabilities with any other function or capabilitiy;	10	3	4·5
	being apparatus of a type approved by the Civil Aviation Authority, at the date of this Order, under Article 14(5) of the Air Navigation Order 1972, for use in aircraft of not more than 5,700 kilogrammes maximum total weight authorised, flying in controlled airspace in accordance with the Instrument Flight Rules as defined in the said Air Navigation Order, but not for use in other aircraft (up to and including 2nd September 1974)			
85·21	Digital displays consisting of a printed circuit board of a size not exceeding 30 millimetres by 90 millimeters with a single line of digits, not less than 3 in number, comprising light emitting diodes manufactured from gallium based semi-conductor compounds mounted thereon; the line of digits having a protective cover of translucent plastic	17	5·1	7·6
	Light emitting diodes manufactured from gallium based semi-conductor compounds, mounted to form a single character numeric or alpha-numeric display, cast within clear or red translucent plastic. Height of character approximately 6·5 millimetres. Overall length of mount between 19 millimetres and 26 millimetres. Overall width of mount approximately 10 millimetres. Each display containing its drive circuitry....	17	5·1	7·6
91·03	Electric clocks of the instrument panel type designed to be permanently mounted in a motor vehicle with the power source provided by the battery of the vehicle	9	2·7	4
91.08	Movements for electric clocks of the intrument panel type designed to be permanently mounted in a motor vehicle with the power source provided by the battery of the vehicle	—	3	4·5

Articles 2-4

SCHEDULE 2

GOODS HITHERTO SUBJECT TO TEMPORARY REDUCTION IN OR EXEMPTION FROM DUTY UNDER THE IMPORT DUTIES (TEMPORARY REDUCTIONS AND EXEMPTIONS) (NO. 2) ORDER 1973 AND THE IMPORT DUTIES (TEMPORARY REDUCTIONS AND EXEMPTIONS) (NO. 5) ORDER 1974.

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
30·03	Bleomycin sulphate	7·8	2·3	3·5
32.07	Pigments, white, dry, containing not less than 90·0% but less than 94·0% by weight of titanium dioxide, and which, when dispersed in four times their weight of a solution containing 50·0% by weight of a melamine formaldehyde resin having a mole ratio of 0·5 to 1, cause no visible greying on a filter paper which has been dipped in the dispersion, dried, cured and exposed to ultra-violet radiation sufficient to initiate fading of the number 5 reference standard of British Standard 1006: 1953	9·6	2·8	4·3
73.18 and 73.19	Steel pipes, longitudinally butt welded, in lengths of not less than 6 m and not more than 13 m with an outside diameter of not less than 606 mm and not more than 613 mm and a wall thickness of not less than 9 mm and not more than 11 mm; for use in the transmission of natural gas	10	3	4·5
73.18 and 73.19	Hot rolled seamless circular steel tubes of an outside diameter of not less than 49·5 cm and not more than 62·25 cm, and of a wall thickness of not less than 8·3 mm and not more than 17·9 mm	10	3	4·5
73.19	Spirally double welded steel linepipe, in lengths of not less than 10 m and not more than 14 m, of a diameter of not less than 504 mm and not more than 512 mm and having a wall thickness of not less than 12 mm and not more than 14 mm (up to and including 2nd September 1974)	10	3	4·5
	Steel pipes, longitudinally butt welded, in lengths of not less than 6 m and not more than 13 m with an outside diamter of not less than 911 mm and not more than 918 mm and a a wall thickness of not less than 12 mm and not more than 14 mm; for use in the transmission of natural gas	10	3	4·5
	Steel pipes, longitudinally butt welded, in lengths of not less than 6 m and not more than 13 m with an outside diameter of not less than 1,062 mm and not more than 1,072 mm and a wall thickness of not less than 12 mm and not more than 14 mm; for use in the transmission of natural gas	10	3	4·5

Tariff Heading (1)	*Description* (2)	Rates of Duty % *Full* (3)	*Cyprus* (4)	*Egypt* (5)
	Steel pipes, longitudinally butt welded, in lengths of not less than 6 m and not more than 13 m with an outside diameter of not less than 911 mm and not more than 918 mm and a wall thickness of not less than 15 mm and not more than 18 mm; for use in the transmission of natural gas	10	3	4·5
	Steel pipes, longitudinally butt welded, in lengths of not less than 6 m and not more than 13 m with an outside diameter of not less than 759 mm and not more than 765 mm and a wall thickness of not less than 15 mm and not more than 18 mm for; use in the transmission of natural gas.	10	3	4·5

Article 2

SCHEDULE 3

TEMPORARY EXEMPTION FROM IMPORT DUTY ONLY IN THE CASE OF GOODS IN INTRA-COMMUNITY TRADE

Tariff Heading (1)	*Description* (2)
07·04	Dried onions
54·01	Flax sliver

Article 5

SCHEDULE 4

TEMPORARY EXEMPTION FROM IMPORT DUTY ONLY IN THE CASE OF GOODS ORIGINATING IN MOROCCO OR TURKEY

Tariff Heading (1)	Description (2)
27.11	Propene of a purity not less than 90 per cent. but less than 95 per cent. (up to and including 2nd September 1974)
28.33	Ammonium bromide (up to and including 2nd September 1974)
28.52	Europium oxide Yttrium oxide
29.01	*iso*Butene of a purity not less than 99·0 per cent.
29.02	Carbon tetrachloride
	Chlorobenzene
29.04	*n*-Butan-1-ol
	2-Ethylhexan-1-ol
	2,2,4-Trimethylpentane-1,3-diol
29.06	*o*-Cresol (up to and including 2nd September 1974)
29.08	Digol
29.13	Isoviolanthrene-9,18-dione 4′-Methoxyacetophenone Tetrabromopyranthrene-8,16-dione
29.14	Acrylic acid Methyl acrylate Undec-10-enoic acid of a purity not less than 98·0 per cent.
29.15	Adipic acid (up to and including 2nd September 1974)
29.16	Ethyl acetoacetate
29.22	2-Chloro-*m*-phenylenediamine-5-sulphonic acid
	Sodium hydrogen 3-aminonaphthalene-1,5-disulphonate
29.23	5-Amino-4-hydroxynaphthalene-2-sulphonic acid 3-Amino-2-hydroxy-5-nitrobenzenesulphonic acid Aminoviolanthrene-5,10-dione 1-Methylaminoanthraquinone
29.25	2-Acetamidophenol
	N-(Hydroxymethyl)acrylamide
29.27	Malononitrile

Tariff Heading (1)	Description (2)
29.29	1-(2-*N*-Ethylanilinoethyl,-1,1-dimethylhydrazinium chloride
29.31	2-Chloro-1-phthalimidoethyl *OO*-diethyl phosphorodithioate
29.35	6-Amino-13*H*-naphth[2,3-*c*]acridine-5,8,14-trione 2-Chloropyridine Temazepam
29.39	21-Chloro-9α-fluoro-11β-hydroxy-16α,17α-*iso*propylidenedioxypregn-4-ene-3,20-dione.
30.03	Bleomycin sulphate
38.19	Mixtures of iminoethylene oligomers containing not less than 20 per cent. by weight and not more than 50 per cent. by weight of tetraethylenepentamine
39.02	Copolymerisation products, in powder form, containing not more than 0·1 per cent. by weight of total nitrogen, phosphorus and sulphur expressed as the elements, and of which, when 1 gramme is dissolved in water at 25° centigrade, adjusted to pH 9 with ammonia and made up to 100 millilitres, the solution shows no turbidity on the addition of 10 millilitres of 0·2M ferric chloride solution. Polystyrene film, uncoated, having a thickness not greater than 0·04 millimetre
70.10	Carboys, bottles, jars, pots and similar containers, of glass, of a kind commonly used for the conveyance and packing of goods, excluding tubular containers (up to and including 2nd September 1974)
79.01	Unwrought zinc, other than alloys of zinc
81.02	Molybdenum alloy slabs containing not less than 98 per cent. by weight of molybdenum, not less than 0·40 per cent. by weight and not more than 1·0 per cent. by weight of titanium and not less than 0·06 per cent. by weight and not more than 0·20 per cent. by weight of zirconium as the major alloying elements.
85.21	Containers for electronic micro-circuits consisting of metal (Kovar) eyelets with an overall diameter not greater than 5·46 millimetres, glass filled and fused to form an hermetic seal with 2 or more lead/wire attachments-leads isolated by glass from metal eyelet, all metal parts nickel or gold plated—one lead/wire may be attached to metal eyelet to form earth Containers for electronic micro-circuits, consisting of square or rectangular laminations, built up from a bottom sheet of glass, metal, or ceramic composition; from a middle frame of glass with embedded metal alloy leads extending to a lead frame along one, two or all four sides; and from a top sealing frame of glass, metal, or ceramic composition, all three laminae being fused together. Separate solder frames and metal alloy lids for subsequent sealing to the top sealing frame Containers for electronic micro-circuits, consisting of square or rectangular plastic mouldings with a central metal circuit pad and with embedded metal alloy leads extending to a lead frame along one, two or all four sides. Separate epoxy adhesive frames and metal alloy lids for subsequent sealing to the top sealing frame

Article 5(4)

SCHEDULE 5

GOODS ORIGINATING IN MOROCCO OR TURKEY NOT EXEMPTED FROM IMPORT DUTY

Tariff Heading (1)	*Description* (2)
73.12	Strip of iron or steel, in coil form, coated with tin, whether or not lacquered, of a width of not less than 140 millimetres and not more than 155 millimetres and of a thickness of not less than 0·20 millimetre and not more than 0·5 millimetre —tinplate (ECSC)

Article 5(5)

SCHEDULE 6

TEMPORARY REDUCTION IN IMPORT DUTY ONLY IN THE CASE OF GOODS ORIGINATING IN TURKEY

Tariff Heading (1)	*Description* (2)	*Rate of Duty* % (3)
08.12 AII	Apricots (up to and including 30th November 1974)	£0·1280 per cwt + 0·4% or £0·3200 per cwt whichever is the greater

EXPLANATORY NOTE

(This Note is not part of the Order.)

This Order provides for exemption from or reductions in import duty in the case of goods specified in the Schedules (other than Schedule 5) to the Order as from 2nd July 1974 until 31st December 1974 or any earlier date appearing in the Schedules.

There is exemption from import duties in the case of goods specified in Schedules 1, 2 and 3 to the Order if the goods satisfy the requisite conditions to benefit from the eventual abolition of customs duties in trade between member States of the European Communities.

In the case of other goods, where a rate of duty is specified in column 3 of Schedules 1 or 2, duty is reduced to that rate, instead of any higher rate which would otherwise apply, and where "free" appears in column 3 in relation to the goods, they are exempt from duty.

In the case of goods originating in Cyprus or Egypt greater reductions in duty are available in a number of cases than those referred to above. These are shown respectively in columns 4 and 5 of Schedules 1 and 2.

Except for goods specified in Schedule 5 or whose description in Schedule 1 is followed by the letters "ECSC" there is exemption from import duties in the case of goods specified in Schedules 1 or 4 to the Order and in the Schedule to the Import Duties (Temporary Reductions and Exemptions) (No. 2) Order 1973 if the goods originate in Morocco or Turkey. In the case of goods specified in Schedule 6 duty is reduced to the rate specified in column 3 thereof if the goods originate in Turkey.

As regards the exemption for equipment for use in aircraft under heading 85.15 apparatus of a type approved by the Civil Aviation Authority is listed in Civil Aviation Publication CAP 208, Airborne Radio Apparatus Volume 2, published by Her Majesty's Stationery Office. This publication is subject to amendment, and confirmation that apparatus is of a type approved at the date of this Order should be obtained from the Civil Aviation Authority, Controllerate of National Air Traffic Services, Tels.N2(*c*), 19-29 Woburn Place, London WC1H OLX.

SI 1974/1007
ISBN 0-11-041007-6

