STATUTORY INSTRUMENTS

1977 No. 1400

MERCHANDISE MARKS

The Motor Vehicles (Designation of Approval Marks) (Amendment) Regulations 1977

Made - - -	8*th August* 1977
Laid before Parliament	22*nd August* 1977
Coming into Operation	1*st October* 1977

The Secretary of State for Transport, in exercise of his powers under section 63(1) of the Road Traffic Act 1972(**a**), as amended by the Designation of Approval Marks (European Communities) Regulations 1973(**b**), and of all other enabling powers, and after consultation with representative organisations in accordance with the provisions of section 199(2) of that Act, hereby makes the following Regulations:—

1. These Regulations shall come into operation on 1st October 1977, and may be cited as the Motor Vehicles (Designation of Approval Marks) (Amendment) Regulations 1977.

2. The Motor Vehicles (Designation of Approval Marks) Regulations 1976(**c**) shall be amended so as to have effect in accordance with the following provisions of these Regulations.

3. In Schedule 2—

(*a*) in column 5(*b*) at item 42, for the words "11th March 1970" there shall be substituted the words "14th August 1970 for the Regulation and 22nd April 1971 for the Corrigendum";

(*b*) after items 39, 41, 48, 49, 50, 51, 52, 53 and 54 there shall be inserted respectively items 39A, 41A, 48A, 49A, 50A, 51A, 52A, 53A and 54A in Schedule 1 to these Regulations; and

(*c*) in column 3 at item 53, for the words "with a filament lamp" there shall be substituted the words "with a halogen filament lamp".

4. In Schedule 3, in paragraph 6, for the words "relating to the items numbered 25, 27, 29, 34, 48, 49, 50, 54, 66, 67 and 70 in Schedule 2" there shall be substituted the words "relating to the items numbered 25, 27, 29, 34, 48, 48A, 49, 49A, 50, 50A, 54, 54A, 66, 67 and 70 in Schedule 2".

(**a**) 1972 c. 20.
(**b**) S.I. 1973/1193 (1973 II, p. 3571).
(**c**) S.I. 1976/2226 (1976 III, p. 6233).

5. For Schedule 4 there shall be substituted the new Schedule 4 specified in Schedule 2 to these Regulations.

6. In Schedule 5—

(*a*) in paragraph 3, for the words "item No. 2" there shall be substituted the words "items No. 2 and 4"; and

(*b*) after paragraph 4 there shall be added the following paragraphs:—

"5. The arrow shown outside and immediately below the rectangle in the markings relating to item Nos. 5 and 8 in Schedule 4 indicate the side on which the photometric specifications are satisfied up to an angle of 80°H on front position (side) lamps or rear position (side) lamps whose geometric angles of visibility are asymmetrical in relation to the reference axis in a horizontal direction. The absence of an arrow means that, both left and right, the photometric specifications are satisfied up to an angle of 80°H on such lamps.



6. The absence of an arrow immediately below the rectangle in the marking relating to item No. 6 in Schedule 4 indicates that, both left and right, the photometric specifications are satisfied up to an angle of 80°H on rear position (side) lamps whose geometric angles of visibility are asymmetrical in relation to the reference axis in a horizontal direction. In cases where such lamps satisfy the said specifications up to an angle of 80°H only to the left or only to the right an arrow indicating the side to which the said specifications are so satisfied shall be added immediately below the rectangle in the said marking.

7. The number shown outside and immediately above the rectangle in the marking relating to item 9 in Schedule 4 will be varied, where appropriate, to be the numbers 1 or 2 where the direction indicator to which the marking relates belongs to category 1 or category 2, as the case may be, specified in the Community Instrument referred to in column (5) in relation to that item. The arrow shown outside and immediately below the said rectangle indicates in what position such of the direction indicators to which the said marking relates as can be mounted on one side of the vehicle shall be placed. The arrow shall be directed outwards from the vehicle in the case of a direction indicator in category 1 or category 2 specified in the said Community Instrument, and towards the front of the vehicle in the case of a direction indicator in category 5 specified in the said Community Instrument.".

William Rodgers,
Secretary of State for Transport.

8th August 1977.

SCHEDULE 1

(1) Item number	(2) Diagram showing marking	(3) Motor vehicle or motor vehicle part to which the marking relates	(4) Place where the marking is applied	(5) ECE Regulation (a) Number	(5) ECE Regulation (b) Date of ECE Regulation or of ECE Regulation as amended in respect of the marking requirements	(6) Paragraphs in Schedule 3 relating to requirements or variations with respect to the markings
39A		Motor vehicle approved in respect of the safety-belt anchorages.	The vehicle	14	(as amended) 19th August 1976	1 and 2
41A		Motor vehicle with a spark-ignition engine approved in respect of the emission of gaseous pollutants by the engine.	The vehicle	15	(as amended) 1st March 1977	1
48A		Halogen (H_4) headlamp emitting both a driving beam and an asymmetrical passing beam and fitted with a halogen filament lamp (H_4) designed for right-hand traffic only.	The headlamp	20	(as amended) 1st September 1976	1, 2 and 6
49A		Halogen (H_4) headlamp emitting both a driving beam and an asymmetrical passing beam and fitted with a halogen filament lamp (H_4) designed for left-hand traffic only.	The headlamp	20	(as amended) 1st September 1976	1, 2 and 6

(1) Item number	(2) Diagram showing marking	(3) Motor vehicle or motor vehicle part to which the marking relates	(4) Place where the marking is applied	(5) ECE Regulation (a) Number	(5) ECE Regulation (b) Date of ECE Regulation, or of ECE Regulation as amended in respect of the marking requirements	(6) Paragraphs in Schedule 3 relating to requirements or variations with respect to the markings
50A	HCR E 11 30 ↔ 2439	Halogen (H_4) headlamp emitting both a driving beam and an asymmetrical passing beam and fitted with a halogen filament lamp (H_4) designed for left- or right-hand traffic.	The headlamp	20	(as amended) 1st September 1976	1, 2 and 6
51A	HC E 11 ↔ 2439	Headlamp emitting an asymmetrical passing beam and fitted with a halogen filament lamp (H_4) designed for left- or right-hand traffic.	The headlamp	20	(as amended) 1st September 1976	1 and 2
52A	HC E 11 2439	Headlamp emitting an asymmetrical passing beam and fitted with a halogen filament lamp (H_4) designed for right-hand traffic only.	The headlamp	20	(as amended) 1st September 1976	1 and 2
53A	HC E 11 → 2439	Headlamp emitting an asymmetrical passing beam and fitted with a halogen filament lamp (H_4) designed for left-hand traffic only.	The headlamp	20	(as amended) 1st September 1976	1 and 2

54A	HR E 11 30 2439	Headlamp emitting a driving beam and fitted with a halogen filament lamp (H_4).	The headlamp	20	(as amended) 1st September 1976	1, 2 and 6

SCHEDULE 2

"SCHEDULE 4

APPROVAL MARKS REQUIRED BY COMMUNITY INSTRUMENTS—LIST

(1)	(2)	(3)	(4)	(5) Community Instrument		(6)
Item number	Diagram showing marking	Motor vehicle part to which the marking relates	Place where the marking is applied	(*a*) Description	(*b*) Official Journal reference	Paragraphs in Schedule 5 relating to requirements or variations with respect to the marking
1	e11 1471	Audible warning device.	The audible warning device	Council Directive 70/388/ EEC of 27th July 1970	O.J. L176, 10.8.70, p. 12 (S.E. 1970 (II), p. 571)	1 and 2
2	e 11 1471	Rear-view mirror.	The rear-view mirror	Council Directive 71/127/ EEC of 1st March 1971	O.J. L68, 22.3.71, p. 1 (S.E. 1971 (I), p. 136)	1, 2, 3 and 4

(1) Item number	(2) Diagram showing marking	(3) Motor vehicle part to which the marking relates	(4) Place where the marking is applied	(5) Community Instrument (a) Description	(5) Community Instrument (b) Official Journal reference	(6) Paragraphs in Schedule 5 relating to requirements or variations with respect to the marking
3		Road transport recording equipment and the model record sheet.	The road transport recording equipment and the model record sheet	Council Regulation (EEC) No. 1463/70 of 20th July 1970	O.J. L164, 22.7.70, p. 102	1 and 2
4		Reflex reflector.	The reflex reflector	Council Directive 76/757/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 32	1, 2, 3 and 4
5		Front position (side) lamp.	The lamp	Council Directive 76/758/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 54	1, 2 and 5
6		Rear position (side) lamp.	The lamp	Council Directive 76/758/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 54	1, 2 and 6

7	S e 11 1471	Stop lamp.	The lamp	Council Directive 76/758/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 54	1 and 2
8	R-S e 11 → 1471	Both rear position (side) lamp and stop lamp.	The lamps	Council Directive 76/758/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 54	1, 2 and 5
9	5 e 11 → 1471	Direction indicator for motor vehicles (except motor cycles) and their trailers.	The direction indicator	Council Directive 76/759/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 71	1, 2 and 7
10	e 11 1471	Device for the illumination of rear registration plates of motor vehicles (except motor cycles) and their trailers.	The device	Council Directive 76/760/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 85	1 and 2
11	CR e 11 1471	Headlamp emitting both a dipped beam and a main beam and designed for right-hand traffic only.	The headlamp	Council Directive 76/761/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 96	1 and 2
12	CR e 11 → 1471	Headlamp emitting both a dipped beam and a main beam and designed for left-hand traffic only.	The headlamp	Council Directive 76/761/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 96	1 and 2

(1) Item number	(2) Diagram showing marking	(3) Motor vehicle part to which the marking relates	(4) Place where the marking is applied	(5) Community Instrument (a) Description	(5) Community Instrument (b) Official Journal reference	(6) Paragraphs in Schedule 5 relating to requirements or variations with respect to the marking
13		Headlamp emitting both a dipped beam and a main beam and designed for both left-hand traffic and right-hand traffic.	The headlamp	Council Directive 76/761/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 96	1 and 2
14		Headlamp emitting a dipped beam only and designed for both left-hand traffic and right-hand traffic.	The headlamp	Council Directive 76/761/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 96	1 and 2
15		Headlamp emitting a dipped beam only and designed for right-hand traffic only.	The headlamp	Council Directive 76/761/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 96	1 and 2
16		Headlamp emitting a dipped beam only and designed for left-hand traffic only.	The headlamp	Council Directive 76/761/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 96	1 and 2

17	R e 11 1471	Headlamp emitting a main beam only.	The headlamp	Council Directive 76/761/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 96	1 and 2
18	e 11 1471	Filament lamp for a headlamp emitting either a dipped beam only, or a main beam only, or both a dipped beam and a main beam.	The filament lamp	Council Directive 76/761/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 96	1 and 2
19	B e 11 1471	Front fog lamp.	The lamp	Council Directive 76/762/ EEC of 27th July 1976	O.J. L262, 27.9.76, p. 122	1 and 2"

EXPLANATORY NOTE

(This Note is not part of the Regulations.)

These Regulations amend the Motor Vehicles (Designation of Approval Marks) Regulations 1976—

(1) by correcting minor errors in Schedule 2 (Regulation 3(*a*) and (*c*));

(2) by adding to the markings which are designated as approval marks by virtue of Regulation 4 of the Regulations of 1976 (Regulation 3(*b*)) and by making an amendment to Schedule 3 of those Regulations as a result of that addition (Regulation 4);

(3) by substituting a new Schedule 4 to the Regulations of 1976 which contains new markings which are designated as approval marks by virtue of Regulation 5 of those Regulations (Regulation 5); and

(4) by adding to the requirements or permitted variations specified in Schedule 5 to the Regulations of 1976 (Regulation 6).

Copies of the ECE Regulations referred to in the Regulations of 1976 and in these amending Regulations, may be obtained from Her Majesty's Stationery Office.

SI 1977/1400
ISBN 0-11-071400-8

