S C O T T I S H S T A T U T O R Y I N S T R U M E N T S

2003 No. 118

AGRICULTURE

PESTICIDES

The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2003

Made	*27th February 2003*
Laid before the Scottish Parliament	*28th February 2003*
Coming into force	*31st March 2003*

The Scottish Ministers, in exercise of the powers conferred by section 2(2) of the European Communities Act 1972(**a**) and of all other powers enabling them in that behalf, hereby make the following Regulations:

Citation and commencement

1. These Regulations may be cited as the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment Regulations 2003 and shall come into force on 31st March 2003.

Amendment to the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000

2.—(1) The Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000(**b**) are amended in accordance with this regulation.

(2) In Schedule 1(**c**), with effect from 1st July 2003, at the appropriate places in alphabetical order in column 1, there are inserted, together with the corresponding entries in column 2, the following entries:–

Column 1 *Pesticide*	*Column 2* *Residues*
Thifensulfuron methyl	Thifensulfuron methyl
Triasulfuron	Triasulfuron
2,4-D	(1) For cereals, fruit and certain products of plant origin, including fruit and vegetables – 2,4-D (sum of 2,4-D and its esters) expressed as 2,4-D (2) For products of animal origin – 2,4-D

(a) 1972 c.68; section 2(2) was amended by the Scotland Act 1998 (c.46), Schedule 8, paragraph 15. The function conferred upon the Minister of the Crown under section 2(2) of the European Communities Act 1972, insofar as within devolved competence, was transferred to the Scottish Ministers by virtue of section 53 of the Scotland Act 1998.
(b) S.S.I. 2000/22 amended by S.S.I. 2001/84, 221 and 435 and 2002/271 and 489.
(c) Schedule 1 was amended by S.S.I. 2001/84 and 221 and 2002/271 and 489.

(3) In Schedule 1, with effect from 1st August 2003, at the appropriate places in alphabetical order in column 1, there are inserted, together with the corresponding entries in column 2, the following entries:–

Column 1 *Pesticide*	*Column 2* *Residues*
Abamectin	Abamectin (sum of avermectin B1a, avermectin B1b and delta-8,9 isomer of avermectin B1a)
Azocyclotin and Cyhexatin	Azocyclotin and Cyhexatin (sum of azocyclotin and cyhexatin expressed as cyhexatin)
Bifenthrin	Bifenthrin
Bitertanol	Bitertanol
Bromopropylate	Bromopropylate
Clofentezine	Clofentezine (sum of all compounds containing the 2 – chlorobenzoyl moiety expressed as clofentezine)
Cyromazine	Cyromazine
Fenpropimorph	(1) For cereals, fruit and certain products of plant origin, including fruit and vegetables – fenpropimorph (2) For products of animal origin – fenpropimorph carboxylic acid (BF 421-2) expressed as fenpropimorph
Flucythrinate	Flucythrinate (expressed as flucythrinate, sum of isomers)
Hexaconazole	Hexaconazole
Myclobutanil	(1) For cereals, fruit and certain products of plant origin, including fruit and vegetable – myclobutanil (2) For products of animal origin – Alpha-(3-hyroxybutyl) – alpha-(4-chlore-phenyl) – 1H – 1, 2, 4 – triazole –1 – propanenitrile (RH 9090) expressed as myclobutanil
Penconazole	Penconazole
Prochloraz	Prochloraz (sum of prochloraz and its metabolites containing the 2, 4, 6 – Trichlorophenol moiety expressed as prochloraz)
Profenofos	Profenofos
Resmethrin	Resmethrin, including other mixtures of constituent isomers (sum of isomers)
Tridemorph	Tridemorph
Triadimefon and Triadimenol	Triadimefon and Triadimenol (sum of triadimefon and triadimenol)

(4) In Part 1 of Schedule 2, with effect from 1st August 2003, the entry relating to Bitertanol together with all residue levels relevant thereto is omitted.

(5) For Part 2 of Schedule 2(**a**), there is substituted the Part set out in Schedule 1 to these Regulations.

(6) For Schedule 5(**b**), there is substituted the Schedule set out in Schedule 2 to these Regulations.

Consequential amendments

3. Regulation 2(6) and (7) of, and Schedules 1 and 2 to, the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Amendment (No. 2) Regulations 2002(**c**) are hereby revoked.

ROSS FINNIE
A member of the Scottish Executive

St Andrew's House,
Edinburgh
27th February 2003

(a) Part 2 of Schedule 2 was substituted by S.S.I. 2002/489.
(b) Schedule 5 was inserted by S.S.I. 2002/271 and substituted by S.S.I. 2002/489.
(c) S.S.I. 2002/489.

Regulation 2(5)

SCHEDULE 1

"SCHEDULE 2

Part 2

Group to which food belongs	Groups include the following products	Abamectin	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azocyclotin and Cyhexatin
		Applying from 1 August 2003										Applying from 1 August 2003
1. Fruit, fresh, dried or uncooked, preserved by freezing not containing added sugar: nuts												
i) CITRUS FRUIT												
	Grapefruit	0.01*	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
	Lemons	0.01*	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
	Limes	0.01*	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
	Mandarins (inc clementines & similar hybrids)	0.01*	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
	similar hybrids											
	Oranges	0.01*	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
	Pomelos	0.01*	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
	Others	0.01*	1	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.2
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Brazil nuts	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Cashew nuts	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Chestnuts	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Coconuts	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Hazelnuts	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Macadamia nuts	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Pecans	0.02*	0.02*	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Pine nuts	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Pistachios	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Walnuts	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
	Others	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.1*
iii) POME FRUIT												
	Apples	0.01*	1	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	0.2
	Pears	0.01*	1	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	0.1

Group to which food belongs	Groups include the following products	Abamectin	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azocyclotin and Cyhexatin
		Applying from 1 August 2003										Applying from 1 August 2003
	Quinces	0.01*	1	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	1	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	0.05*
iv) STONE FRUIT												
	Apricots	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Cherries	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.01*	0.2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Plums	0.01*	2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.3
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Wine grapes	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.3
	b) Strawberries (other than wild)	0.1	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	c) Cane Fruit (other than wild)											
	Blackberries	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Dewberries	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Loganberries	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Raspberries	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Cranberries	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Currants (red, black & white)	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Gooseberries	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	e) Wild berries & wild fruit	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT												
	Avocados	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Bananas	0.01*	0.02*	0.1		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Dates	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Abamectin	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azocyclotin and Cyhexatin
		Applying from 1 August 2003										Applying from 1 August 2003
	Figs	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Kiwi fruit	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Kumquats	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Litchis	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Mangoes	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Olives (table consumption)	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Olives (oil extract)	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Papaya	0.01*	0.02*	0.05*		0.05*	0.05*	0.05*	0.1*	0.02*	0.05*	0.05*
	Passion fruit	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Pineapples	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Pomegranates	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Carrots	0.01*	0.02*	0.1		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Celeriac	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Horseradish	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Jerusalem artichokes	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Parsnips	0.01*	0.02*	0.1		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Parsley root	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Radishes	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Salsify	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Sweet potatoes	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Swedes	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Turnips	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Yams	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
ii) BULB VEGETABLES												
	Garlic	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Onions	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Abamectin	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azocyclotin and Cyhexatin
		Applying from 1 August 2003										Applying from 1 August 2003
	Shallots	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Spring onions	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes	0.02	0.5	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	0.05*
	Peppers	0.05	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Chilli peppers	0.05	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Aubergines	0.02	0.5	0.05*		0.05*	0.5	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	b) Cucurbits-edible peel											
	Cucumbers	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Gherkins	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Courgettes	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	c) Cucurbits-inedible peel											
	Melons	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Squashes	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Watermelons	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	d) Sweet corn	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli	0.01*	2	0.05*		0.05*	0.05*(37)	0.01*	0.1*	0.02*	0.05*(37)	0.05*
	Cauliflower	0.01*	2	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	b) Head Brassicas											
	Brussels sprouts	0.01*	2	0.2		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Head cabbage	0.01*	2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Abamectin	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azocyclotin and Cyhexatin
		Applying from 1 August 2003										Applying from 1 August 2003
c) Leafy Brassicas												
	Chinese cabbage	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Kale	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
d) Kohlrabi		0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS												
a) Lettuce & similar												
	Cress	0.1	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Lamb's lettuce	0.1	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Lettuce	0.1	1	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Scarole	0.1	0.02*	0.05*		0.05*	0.05*(35)	0.01*(35)	0.1*	0.02*	0.05*(35)	0.05*
	Others	0.1	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
b) Spinach & similar												
	Spinach	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Beet leaves (chard)	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
c) Watercress		0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
d) Witloof		0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
e) Herbs												
	Chervil	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Chives	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Parsley	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Celery leaves	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.01*	3	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.5
	Beans (without pods)	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Peas (with pods)	0.01*	3	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Peas (without pods)	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*		0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
vii) STEM VEGETABLES												
	Asparagus	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Abamectin	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azocyclotin and Cyhexatin
		Applying from 1 August 2003										Applying from 1 August 2003
	Cardoons	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Celery	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Fennel	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Globe artichokes	0.01*	0.2	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Leeks	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Rhubarb	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
viii) FUNGI												
	a) Cultivated mushrooms	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	b) Wild mushrooms	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
3. PULSES												
	Beans	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Lentils	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Peas	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Others	0.01*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
4. OILSEEDS												
	Linseed	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Peanuts	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Poppy seed	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Sesame seed	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Sunflower seed	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Rape seed	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Soya bean	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Mustard seed	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
	Cotton seed	0.02*	0.02*	0.05*		0.05*	1	0.01*	0.1*	0.1*	0.05*	0.05*
	Others	0.02*	0.02*	0.05*		0.05*	0.05*	0.01*	0.1*	0.1*	0.05*	0.05*
5. POTATOES												
	Early potatoes	0.01*	0.02*	0.5		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*
	Ware potatoes	0.01*	0.02*	0.5		0.05*	0.05*	0.01*	0.1*	0.02*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Abamectin	Acephate	Aldicarb	Aldrin & dieldrin	Aminotriazole (Amitrole)	Amitraz	Aramite	Atrazine	Azimsulfuron	Azinphos-ethyl	Azocyclotin and Cyhexatin
		Applying from 1 August 2003										Applying from 1 August 2003
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.02*	0.1*	0.05*	0.02	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05	0.1*	0.05*		0.1*	20	0.1*	0.1*	0.1*	0.1*	0.1*
8. CEREALS												
	Wheat	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
	Rye	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
	Barley	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
	Sorghum	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
	Oats	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
	Triticale	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
	Maize	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
	Buckwheat	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
	Millet	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
	Rice [1]	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
	Other cereals [2]	0.01*	0.02*	0.05*	0.01		0.02*	0.01*		0.02*	0.05*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)	0.02 (12) 0.01* (17)	0.02*	0.01*	0.2		0.02* (9)	0.01*			0.05*	0.2 (45) 0.05* (17)
	Milk [4] &	0.005*	0.02*	0.01*	0.006			0.01*			0.05*	0.05*
	Dairy produce [5]			0.01*								
	Eggs [6]	0.01*	0.02*	0.01*	0.02		0.02*	0.01* (7)			0.05* (7)	0.05*

Group to which food belongs	Groups include the following products	Azoxystrobin	Barban	Benalaxyl	Benfuracarb	Bentazone	Bifenthrin	Binapacryl	Bitertanol	Bromophos- ethyl	Bromopropylate	Campheclor (Toxaphene)
		Applying from 1 April 2003					Applying from 1 August 2003		Applying from 1 August 2003		Applying from 1 August 2003	
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.05*	0.05*	0.05*	0.1*
	Lemons	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.05*	0.05*	0.05*	0.1*
	Limes	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.05*	0.05*	0.05*	0.1*
	Mandarins (inc clementines & similar hybrids)	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.05*	0.05*	0.05*	0.1*
	similar hybrids											
	Oranges	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.05*	0.05*	0.05*	0.1*
	Pomelos	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.05*	0.05*	0.05*	0.1*
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Brazil nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Cashew nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Chestnuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Coconuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Hazelnuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Macadamia nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Pecans	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Pine nuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Pistachios	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Walnuts	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
	Others	0.1*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*	0.05*	0.05*	0.1*
iii) POME FRUIT												
	Apples	0.05*	0.05*	0.05*	0.05*	0.1*	0.3	0.05*	2	0.05*	0.05*	0.1*
	Pears	0.05*	0.05*	0.05*	0.05*	0.1*	0.3	0.05*	2	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Azoxystrobin	Barban	Benalaxyl	Benfuracarb	Bentazone	Bifenthrin	Binapacryl	Bitertanol	Bromophos- ethyl	Bromopropylate	Campheclor (Toxaphene)
		Applying from 1 April 2003					Applying from 1 August 2003		Applying from 1 August 2003		Applying from 1 August 2003	
	Quinces	0.05*	0.05*	0.05*	0.05*	0.1*	0.3	0.05*	2	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.3	0.05*	2	0.05*	0.05*	0.1*
iv) STONE FRUIT												
	Apricots	0.05*	0.05*	0.05*	0.05*	0.1*	0.2	0.05*	1	0.05*	0.05*	0.1*
	Cherries	0.05*	0.05*	0.05*	0.05*	0.1*	0.2	0.05*	1	0.05*	0.05*	0.1*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.05*	0.1*	0.2	0.05*	1	0.05*	0.05*	0.1*
	Plums	0.05*	0.05*	0.05*	0.05*	0.1*	0.2	0.05*	2	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	2	0.05*	0.2	0.05*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
	Wine grapes	2	0.05*	0.2	0.05*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
	b) Strawberries (other than wild)	2	0.05*	0.05*	0.05*	0.1*	0.5	0.05*	0.05*	0.05*	0.05*	0.1*
	c) Cane Fruit (other than wild)											
	Blackberries	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Dewberries	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Loganberries	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Raspberries	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Cranberries	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Gooseberries	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
vi) MISCELLANEOUS FRUIT												
	Avocados	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Bananas	2	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	3	0.05*	0.05*	0.1*
	Dates	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Azoxystrobin	Barban	Benalaxyl	Benfuracarb	Bentazone	Bifenthrin	Binapacryl	Bitertanol	Bromophos- ethyl	Bromopropylate	Campheclor (Toxaphene)
		Applying from 1 April 2003					Applying from 1 August 2003		Applying from 1 August 2003		Applying from 1 August 2003	
	Figs	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kiwi fruit	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kumquats	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Litchis	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Mangoes	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Olives (table consumption)	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Olives (oil extract)	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Papaya	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Passion fruit	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Pineapples	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Pomegranates	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Carrots	0.2	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Celeriac	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Horseradish	0.2	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Parsnips	0.2	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Parsley root	0.2	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Radishes	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Salsify	0.2	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Sweet potatoes	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Swedes	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Turnips	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Yams	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
ii) BULB VEGETABLES												
	Garlic	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Onions	0.05*	0.05*	0.2	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Azoxystrobin	Barban	Benalaxyl	Benfuracarb	Bentazone	Bifenthrin	Binapacryl	Bitertanol	Bromophos- ethyl	Bromopropylate	Campheclor (Toxaphene)
		Applying from 1 April 2003					Applying from 1 August 2003		Applying from 1 August 2003		Applying from 1 August 2003	
	Shallots	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Spring onions	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes	2	0.05*	0.2	0.05*	0.1*	0.2	0.05*	3	0.05*	0.05*	0.1*
	Peppers	2	0.05*	0.2	0.05*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
	Chilli peppers	2	0.05*	0.2	0.05*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
	Aubergines	2	0.05*	0.2	0.05*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	b) Cucurbits-edible peel											
	Cucumbers	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.5	0.05*	0.05*	0.1*
	Gherkins	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.5	0.05*	0.05*	0.1*
	Courgettes	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.5	0.05*	0.05*	0.1*
	Others	1	0.05*	0.05*	0.05*	0.1*	0.1	0.05*	0.5	0.05*	0.05*	0.1*
	c) Cucurbits-inedible peel											
	Melons	0.5	0.05*	0.1	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Squashes	0.5	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Watermelons	0.5	0.05*	0.1	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.5	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	d) Sweet corn	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli	0.05*	0.05*	0.05*	0.05*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
	Cauliflower	0.05*	0.05*	0.05*	0.05*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.2	0.05*	0.05*	0.05*	0.05*	0.1*
	b) Head Brassicas											
	Brussels sprouts	0.05*	0.05*	0.05*	0.05*	0.1*	1	0.05*	0.05*	0.05*	0.05*	0.1*
	Head cabbage	0.05*	0.05*	0.05*	0.05*	0.1*	1	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	1	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Azoxystrobin	Barban	Benalaxyl	Benfuracarb	Bentazone	Bifenthrin	Binapacryl	Bitertanol	Bromophos- ethyl	Bromopropylate	Campheclor (Toxaphene)
		Applying from 1 April 2003					Applying from 1 August 2003		Applying from 1 August 2003		Applying from 1 August 2003	
	c) Leafy Brassicas											
	Chinese cabbage	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Kale	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	d) Kohlrabi	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	3	0.05*	0.05*	0.05*	0.1*	2	0.05*	0.05*	0.05*	0.05*	0.1*
	Lamb's lettuce	3	0.05*	0.05*	0.05*	0.1*	2	0.05*	0.05*	0.05*	0.05*	0.1*
	Lettuce	3	0.05*	0.05	0.05*	0.1*	2	0.05*	0.05*	0.05*	0.05*	0.1*
	Scarole	3	0.05*(35)	0.05*	0.05*	0.1*	2	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	3	0.05*	0.05*	0.05*	0.1*	2	0.05*	0.05*	0.05*	0.05*	0.1*
	b) Spinach & similar											
	Spinach	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Beet leaves (chard)	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	c) Watercress	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	d) Witloof	0.2	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	e) Herbs											
	Chervil	3	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Chives	3	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Parsley	3	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Celery leaves	3	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	3	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	1	0.05*	0.05*	0.05*	0.1*	0.5	0.05*	0.05*	0.05*	0.05*	0.1*
	Beans (without pods)	0.2	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Peas (with pods)	0.5	0.05*	0.05*	0.05*	0.5	0.1	0.05*	0.05*	0.05*	0.05*	0.1*
	Peas (without pods)	0.2	0.05*	0.05*	0.05*	0.2	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
vii) STEM VEGETABLES												
	Asparagus	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Azoxystrobin	Barban	Benalaxyl	Benfuracarb	Bentazone	Bifenthrin	Binapacryl	Bitertanol	Bromophos- ethyl	Bromopropylate	Campheclor (Toxaphene)
		Applying from 1 April 2003					Applying from 1 August 2003		Applying from 1 August 2003		Applying from 1 August 2003	
	Cardoons	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Celery	5	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Fennel	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Globe artichokes	1	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Leeks	0.1	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Rhubarb	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
viii) FUNGI												
a)	Cultivated mushrooms	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
b)	Wild mushrooms	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
3. PULSES												
	Beans	0.1	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Lentils	0.1	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Peas	0.1	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Others	0.1	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
4. OILSEEDS												
	Linseed	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Peanuts	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Poppy seed	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Sesame seed	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Sunflower seed	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Rape seed	0.5	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Soya bean	0.05*	0.05*	0.05*	0.05*	0.1	0.1	0.05*	0.1	0.05*	0.1*	0.1*
	Mustard seed	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Cotton seed	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
	Others	0.05*	0.05*	0.05*	0.05*	0.1*	0.1*	0.05*	0.1*	0.05*	0.1*	0.1*
5. POTATOES												
	Early potatoes	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*
	Ware potatoes	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.1*

Group to which food belongs	Groups include the following products	Azoxystrobin	Barban	Benalaxyl	Benfuracarb	Bentazone	Bifenthrin	Binapacryl	Bitertanol	Bromophos- ethyl	Bromopropylate	Campheclor (Toxaphene)
		Applying from 1 April 2003					Applying from 1 August 2003		Applying from 1 August 2003		Applying from 1 August 2003	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	0.1	5	0.1*	0.1*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	20	0.1*	0.1*	5	0.1*	10	0.1*	0.1*	0.1*	0.1*	0.1*
8. CEREALS												
	Wheat	0.3	0.05*	0.05*	0.05*	0.1*	0.5		0.05*		0.05*	
	Rye	0.3	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.05*	
	Barley	0.3	0.05*	0.05*	0.05*	0.1*	0.5		0.05*		0.05*	
	Sorghum	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.05*	
	Oats	0.3	0.05*	0.05*	0.05*	0.1*	0.5		0.05*		0.05*	
	Triticale	0.3	0.05*	0.05*	0.05*	0.1*	0.5		0.05*		0.05*	
	Maize	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.05*	
	Buckwheat	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.05*	
	Millet	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.05*	
	Rice [1]	5	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.05*	
	Other cereals [2]	0.05*	0.05*	0.05*	0.05*	0.1*	0.05*		0.05*		0.05*	
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)	0.05*	0.05*	0.05*	0.05*	0.05*	0.1 (41) 0.05* (17)		0.05*		0.05*	
	Milk [4] &	0.01*	0.05*	0.05*	0.05*	0.02*	0.01*		0.05*		0.05*	
	Dairy produce [5]											
	Eggs [6]	0.05*	0.05* (7)	0.05*	0.05*	0.05*	0.01*		0.05*		0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Cartap	Chlorbenside	Chlorbufam	Chlordane
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit	0.02*		5	0.3			0.05*		0.01*	0.05*	
	Lemons	0.02*		5	0.3			0.05*		0.01*	0.05*	
	Limes	0.02*		5	0.3			0.05*		0.01*	0.05*	
	Mandarins (inc clementines & similar hybrids)	0.02*		5	0.3			0.05*		0.01*	0.05*	
	similar hybrids											
	Oranges	0.02*		5	0.3			0.05*		0.01*	0.05*	
	Pomelos	0.02*		5	0.3			0.05*		0.01*	0.05*	
	Others	0.02*		5	0.3			0.05*		0.01*	0.05*	
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Brazil nuts	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Cashew nuts	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Chestnuts	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Coconuts	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Hazelnuts	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Macadamia nuts	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Pecans	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Pine nuts	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Pistachios	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Walnuts	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
iii) POME FRUIT												
	Apples	0.02*		2	0.1*			0.05*		0.01*	0.05*	
	Pears	0.02*		2	0.1*			0.05*		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Cartap	Chlorbenside	Chlorbufam	Chlordane
	Quinces	0.02*		2	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		2	0.1*			0.05*		0.01*	0.05*	
iv) STONE FRUIT												
	Apricots	0.02*		1	0.1*			0.05*		0.01*	0.05*	
	Cherries	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Peaches (incl nectarines & similar hybrids)	0.02*		1	0.1*			0.05*		0.01*	0.05*	
	Plums	0.02*		0.5	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	0.02*		2	0.1*			0.05*		0.01*	0.05*	
	Wine grapes	0.02*		2	0.1*			0.05*		0.01*	0.05*	
	b) Strawberries (other than wild)	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	c) Cane Fruit (other than wild)											
	Blackberries	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Dewberries	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Loganberries	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Raspberries	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Cranberries	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Currants (red, black & white)	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Gooseberries	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	e) Wild berries & wild fruit	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
vi) MISCELLANEOUS FRUIT												
	Avocados	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Bananas	0.02*		1	0.1*			0.05*		0.01*	0.05*	
	Dates	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Cartap	Chlorbenside	Chlorbufam	Chlordane
	Figs	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Kiwi fruit	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Kumquats	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Litchis	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Mangoes	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Olives (table consumption)	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Olives (oil extract)	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Papaya	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Passion fruit	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Pineapples	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Pomegranates	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Carrots	0.02*		0.1*	0.3			0.1		0.01*	0.05*	
	Celeriac	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Horseradish	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Jerusalem artichokes	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Parsnips	0.02*		0.1*	0.3			0.1		0.01*	0.05*	
	Parsley root	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Radishes	0.02*		0.1*	0.5			0.05*		0.01*	0.05*	
	Salsify	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Sweet potatoes	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Swedes	0.02*		0.1*	0.2			0.05*		0.01*	0.05*	
	Turnips	0.02*		0.1*	0.2			0.05*		0.01*	0.05*	
	Yams	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
ii) BULB VEGETABLES												
	Garlic	0.02*		0.1*	0.3			0.05*		0.01*	0.05*	
	Onions	0.02*		0.1*	0.3			0.05*		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Cartap	Chlorbenside	Chlorbufam	Chlordane
	Shallots	0.02*		0.1*	0.3			0.05*		0.01*	0.05*	
	Spring onions	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
iii) FRUITING VEGETABLES												
a) Solanacea												
	Tomatoes	0.02*		0.5	0.1*			0.05*		0.01*	0.05*	
	Peppers	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Chilli peppers	0.02*		0.1*	0.1*					0.01*	0.05*	
	Aubergines	0.02*		0.5	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
b) Cucurbits-edible peel												
	Cucumbers	0.02*		1	0.1*			0.05*		0.01*	0.05*	
	Gherkins	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Courgettes	0.02*		0.3	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
c) Cucurbits-inedible peel												
	Melons	0.02*		0.5	0.2			0.05*		0.01*	0.05*	
	Squashes	0.02*		0.5	0.2			0.05*		0.01*	0.05*	
	Watermelons	0.02*		0.1*	0.2			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.2			0.05*		0.01*	0.05*	
d) Sweet corn		0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
iv) BRASSICA VEGETABLES												
a) Flowering Brassicas												
	Broccoli	0.02*		0.1*	0.2			0.05*		0.01*	0.05*	
	Cauliflower	0.02*		0.1*	0.2			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.2			0.05*		0.01*	0.05*	
b) Head Brassicas												
	Brussels sprouts	0.02*		0.5	0.1*			0.05*		0.01*	0.05*	
	Head cabbage	0.02*		3	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		3	0.1*			0.05*		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Cartap	Chlorbenside	Chlorbufam	Chlordane
	c) Leafy Brassicas											
	Chinese cabbage	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Kale	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	d) Kohlrabi	0.02*		0.1*	0.2			0.05*		0.01*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Lamb's lettuce	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Lettuce	0.02*		5	0.1*			0.05*		0.01*	0.05*	
	Scarole	0.02*		0.1*	0.1*			0.05*		0.01*(35)	0.05*(35)	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	b) Spinach & similar											
	Spinach	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Beet leaves (chard)	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	c) Watercress	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	d) Witloof	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	e) Herbs											
	Chervil	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Chives	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Parsley	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Celery leaves	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Beans (without pods)	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Peas (with pods)	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Peas (without pods)	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
vii) STEM VEGETABLES												
	Asparagus	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Cartap	Chlorbenside	Chlorbufam	Chlordane
	Cardoons	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Celery	0.02*		2	0.1*			0.05*		0.01*	0.05*	
	Fennel	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Globe artichokes	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Leeks	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Rhubarb	0.02*		2	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
viii) FUNGI												
	a) Cultivated mushrooms	0.02*		1	0.1*			0.05*		0.01*	0.05*	
	b) Wild mushrooms	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
3. PULSES												
	Beans	0.02*		2	0.1*			0.05*		0.01*	0.05*	
	Lentils	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Peas	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
4. OILSEEDS												
	Linseed	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Peanuts	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Poppy seed	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Sesame seed	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Sunflower seed	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Rape seed	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Soya bean	0.02*		0.2	0.1*			0.05*		0.01*	0.05*	
	Mustard seed	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Cotton seed	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Others	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
5. POTATOES												
	Early potatoes	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	
	Ware potatoes	0.02*		0.1*	0.1*			0.05*		0.01*	0.05*	

Group to which food belongs	Groups include the following products	Captafol	Carbaryl	Carbendazim	Carbofuran	Carbon disulphide	Carbon tetrachloride	Carbosulfan	Cartap	Chlorbenside	Chlorbufam	Chlordane
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*		0.1*	0.2*			0.1*	0.1*	0.1*	0.1*	0.02*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*		0.1*	10			1		0.1*	0.1*	
8. CEREALS												
	Wheat	0.05*	0.5	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
	Rye	0.05*	0.5	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
	Barley	0.05*	0.5	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
	Sorghum	0.05*	0.5	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
	Oats	0.05*	0.5	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
	Triticale	0.05*	0.5	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
	Maize	0.05*	0.5	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
	Buckwheat	0.05*	0.5	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
	Millet	0.05*	0.5	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
	Rice [1]	0.05*	1	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
	Other cereals [2]	0.05*	0.5	0.1*	0.1*	0.1	0.1	0.05*			0.05*	0.02
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)			0.1*	0.1*			0.05*			0.05*	0.05
	Milk [4] &			0.1*	0.1*			0.05*			0.05*	0.002
	Dairy produce [5]											
	Eggs [6]			0.1*	0.1*			0.05*			0.05* (7)	0.005

Group to which food belongs	Groups include the following products	Chlorfenson	Chlormequat	Chlorobenside	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Clofentezine	Cyfluthrin
											Applying from 1 August 2003	
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit	0.01*	0.05*		0.02*	0.01*	0.05*	0.3	0.05*	0.05*	0.02*	0.02*
	Lemons	0.01*	0.05*		0.02*	0.01*	0.05*	0.2	0.3	0.05*	0.02*	0.02*
	Limes	0.01*	0.05*		0.02*	0.01*	0.05*	0.3	0.05*	0.05*	0.02*	0.02*
	Mandarins (inc clementines & similar hybrids)	0.01*	0.05*		0.02*	0.01*	0.05*	2	1	0.05*	0.02*	0.02*
	similar hybrids											
	Oranges	0.01*	0.05*		0.02*	0.01*	0.05*	0.3	0.5	0.05*	0.02*	0.02*
	Pomelos	0.01*	0.05*		0.02*	0.01*	0.05*	0.3	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.3	0.05*	0.05*	0.02*	0.02*
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Brazil nuts	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Cashew nuts	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Chestnuts	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Coconuts	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Hazelnuts	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Macadamia nuts	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Pecans	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Pine nuts	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Pistachios	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Walnuts	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Others	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
iii) POME FRUIT												
	Apples	0.01*	0.05*		0.02*	1	0.05*	0.5	0.5	0.05*	0.5	0.2
	Pears	0.01*	0.5		0.02*	1	0.05*	0.5	0.5	0.05*	0.5	0.2

Group to which food belongs	Groups include the following products	Chlorfenson	Chlormequat	Chlorobenside	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Clofentezine	Cyfluthrin
											Applying from 1 August 2003	
	Quinces	0.01*	0.05*		0.02*	1	0.05*	0.5	0.5	0.05*	0.5	0.2
	Others	0.01*	0.05*		0.02*	1	0.05*	0.5	0.5	0.05*	0.5	0.2
iv) STONE FRUIT												
	Apricots	0.01*	0.05*		0.02*	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.5
	Cherries	0.01*	0.05*		0.02*	0.01*	0.05*	0.3	0.05*	0.05*	0.02*	0.2
	Peaches (incl nectarines & similar hybrids)	0.01*	0.05*		0.02*	1	0.05*	0.2	0.5	0.05*	0.02*	0.5
	Plums	0.01*	0.05*		0.02*	0.01*	0.05*	0.2	0.05*	0.05*	0.2	0.2
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	0.01*	0.05*		0.02*	1	0.05*	0.5	0.2	0.05*	0.02*	0.3
	Wine grapes	0.01*	0.05*		0.02*	3	0.05*	0.5	0.2	0.05*	1	0.3
	b) Strawberries (other than wild)	0.01*	0.05*		0.02*	3	0.05*	0.2	0.5	0.05*	2	0.02*
	c) Cane Fruit (other than wild)											
	Blackberries	0.01*	0.05*		0.02*	10	0.05*	0.5	0.05*	0.05*	3	0.02*
	Dewberries	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.3	0.02*
	Loganberries	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.3	0.02*
	Raspberries	0.01*	0.05*		0.02*	10	0.05*	0.5	0.05*	0.05*	3	0.02*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.3	0.02*
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Cranberries	0.01*	0.05*		0.02*	2	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Currants (red, black & white)	0.01*	0.05*		0.02*	10	0.05*	1	0.05*	0.05*	0.5	0.02*
	Gooseberries	0.01*	0.05*		0.02*	10	0.05*	1	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	e) Wild berries & wild fruit	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
vi) MISCELLANEOUS FRUIT												
	Avocados	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Bananas	0.01*	0.05*		0.02*	0.2	0.05*	3	0.05*	0.05*	0.02*	0.02*
	Dates	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Chlorfenson	Chlormequat	Chlorobenside	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Clofentezine Applying from 1 August 2003	Cyfluthrin
	Figs	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Kiwi fruit	0.01*	0.05*		0.02*	0.01*	0.05*	2	0.05*	0.05*	0.02*	0.02*
	Kumquats	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Litchis	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Mangoes	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Olives (table consumption)	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Olives (oil extract)	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Papaya	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Passion fruit	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Pineapples	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Pomegranates	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Carrots	0.01*	0.05*		0.02*	1	0.05*	0.1	0.05*	0.05*	0.02*	0.02*
	Celeriac	0.01*	0.05*		0.02*	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Horseradish	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Jerusalem artichokes	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Parsnips	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Parsley root	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Radishes	0.01*	0.05*		0.02*	0.01*	0.05*	0.2	0.05*	0.05*	0.02*	0.02*
	Salsify	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Sweet potatoes	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Swedes	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Turnips	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Yams	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
ii) BULB VEGETABLES												
	Garlic	0.01*	0.05*		0.02*	0.5	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Onions	0.01*	0.05*		0.02*	0.5	0.05*	0.2	0.05*	0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Chlorfenson	Chlormequat	Chlorobenside	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Clofentezine Applying from 1 August 2003	Cyfluthrin
	Shallots	0.01*	0.05*		0.02*	0.5	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Spring onions	0.01*	0.05*		0.02*	5	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes	0.01*	0.05*		0.02*	2	0.05*	0.5	0.5	0.05*	0.3	0.05
	Peppers	0.01*	0.05*		0.02*	2	0.05*	0.5	0.5	0.05*	0.02*	0.3
	Chilli peppers	0.01*	0.05*		0.02*	2	0.05*	0.5	0.5	0.05*	0.02*	0.3
	Aubergines	0.01*	0.05*		0.02*	2	0.05*	0.5	0.5	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	2	0.05*	0.5	0.5	0.05*	0.02*	0.02*
	b) Cucurbits-edible peel											
	Cucumbers	0.01*	0.05*		0.02*	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.1
	Gherkins	0.01*	0.05*		0.02*	5	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Courgettes	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	c) Cucurbits-inedible peel											
	Melons	0.01*	0.05*		0.02*	1	0.05*	0.05*	0.05*	0.05*	0.1	0.02*
	Squashes	0.01*	0.05*		0.02*	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Watermelons	0.01*	0.05*		0.02*	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	d) Sweet corn	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli	0.01*	0.05*		0.02*	3	0.05*	0.05*	0.05*	0.05*(37)	0.02*	0.05
	Cauliflower	0.01*	0.05*		0.02*	3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05
	Others	0.01*	0.05*		0.02*	3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05
	b) Head Brassicas											
	Brussels sprouts	0.01*	0.05*		0.02*	0.5	0.05*	0.05*	0.05*	0.05*	0.02*	0.2
	Head cabbage	0.01*	0.05*		0.02*	3	0.05*	1	0.05*	0.05*	0.02*	0.2
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.2

Group to which food belongs	Groups include the following products	Chlorfenson	Chlormequat	Chlorobenside	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Clofentezine Applying from 1 August 2003	Cyfluthrin
	c) Leafy Brassicas											
	Chinese cabbage	0.01*	0.05*		0.02*	0.01*	0.05*	0.5	0.05*	0.05*	0.02*	0.3
	Kale	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.3
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.3
	d) Kohlrabi	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.5
	Lamb's lettuce	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.5
	Lettuce	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.5
	Scarole	0.01*(35)	0.05*		0.02*(35)	0.01*	0.05*(35)	0.05*	0.05*	0.05*(35)	0.02*	0.5
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.5
	b) Spinach & similar											
	Spinach	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Beet leaves (chard)	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	c) Watercress	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	d) Witloof	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	e) Herbs											
	Chervil	0.01*	0.05*		0.02*	5	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Chives	0.01*	0.05*		0.02*	5	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Parsley	0.01*	0.05*		0.02*	5	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Celery leaves	0.01*	0.05*		0.02*	5	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	5	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05
	Beans (without pods)	0.01*	0.05*		0.02*	0.05	0.05*	0.05*	0.05*	0.05*	0.02*	0.05
	Peas (with pods)	0.01*	0.05*		0.02*	2	0.05*	0.05*	0.05*	0.05*	0.02*	0.05
	Peas (without pods)	0.01*	0.05*		0.02*	0.3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05
vii) STEM VEGETABLES												
	Asparagus	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Chlorfenson	Chlormequat	Chlorobenside	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Clofentezine Applying from 1 August 2003	Cyfluthrin
	Cardoons	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Celery	0.01*	0.05*		0.02*	10	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Fennel	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Globe artichokes	0.01*	0.05*		0.02*	0.01*	0.05*	1	0.05*	0.05*	0.02*	0.02*
	Leeks	0.01*	0.05*		0.02*	10	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Rhubarb	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
viii) FUNGI												
	a) Cultivated mushrooms	0.01*	10		0.02*	2	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	b) Wild mushrooms	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
3. PULSES												
	Beans	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Lentils	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Peas	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Others	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
4. OILSEEDS												
	Linseed	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Peanuts	0.01*	0.1*		0.02*	0.05	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Poppy seed	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Sesame seed	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Sunflower seed	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Rape seed	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05
	Soya bean	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Mustard seed	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Cotton seed	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
	Others	0.01*	0.1*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*
5. POTATOES												
	Early potatoes	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*
	Ware potatoes	0.01*	0.05*		0.02*	0.01*	0.05*	0.05*	0.05*	0.05*	0.02*	0.02*

Group to which food belongs	Groups include the following products	Chlorfenson	Chlormequat	Chlorobenside	Chlorobenzilate	Chlorothalonil	Chloroxuron	Chlorpyrifos	Chlorpyrifos-methyl	Chlozolinate	Clofentezine	Cyfluthrin
											Applying from 1 August 2003	
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*		0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	0.1*		0.1*	50	0.1*	0.1*	0.1*	0.1*	0.05*	20
8. CEREALS												
	Wheat	0.01*	2	0.01*	0.02*	0.1	0.05*	0.05*	3	0.05*	0.02*	0.02*
	Rye	0.01*	2	0.01*	0.02*	0.1	0.05*	0.05*	3	0.05*	0.02*	0.02*
	Barley	0.01*	2	0.01*	0.02*	0.1	0.05*	0.2	3	0.05*	0.02*	0.02*
	Sorghum	0.01*	0.05*	0.01*	0.02*	0.01*	0.05*	0.05*	3	0.05*	0.02*	0.02*
	Oats	0.01*	5	0.01*	0.02*	0.1	0.05*	0.05*	3	0.05*	0.02*	0.02*
	Triticale	0.01*	2	0.01*	0.02*	0.1	0.05*	0.05*	3	0.05*	0.02*	0.02*
	Maize	0.01*	0.05*	0.01*	0.02*	0.01*	0.05*	0.05*	3	0.05*	0.02*	0.02*
	Buckwheat	0.01*	0.05*	0.01*	0.02*	0.01*	0.05*	0.05*	3	0.05*	0.02*	0.02*
	Millet	0.01*	0.05*	0.01*	0.02*	0.01*	0.05*	0.05*	3	0.05*	0.02*	0.02*
	Rice [1]	0.01*	0.05*	0.01*	0.02*	0.01*	0.05*	0.05*	3	0.05*	0.02*	0.02*
	Other cereals [2]	0.01*	0.05*	0.01*	0.02*	0.01*	0.05*	0.05*	3	0.05*	0.02*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)	0.05*	0.05 (10) 0.2 (11) 0.1 (12) 0.05* (33)	0.05*	0.01*	0.01*	0.05*	0.05* (9)	0.05*		0.1 (51) 0.05* (17)	0.05
	Milk [4] &	0.05*	0.05	0.05*	0.1*	0.01*	0.05*	0.01*	0.01*		0.05*	0.02*
	Dairy produce [5]											
	Eggs [6]	0.05* (7)	0.05*	0.05* (7)	0.1* (7)	0.01*	0.05* (7)	0.01*	0.01*		0.02*	0.02*

Group to which food belongs	Groups include the following products	Cypermethrin	Cyromazine	2,4-D	Daminozide	DDT	Deltamethrin	Diallate	Diazinon	1,2 - Dibromoethane	Dichlorprop	Dichlorvos
			Applying from 1 August 2003	Applying from 1 July 2003								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit	2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	1	0.01*	0.05*	
	Lemons	2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Limes	2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Mandarins (inc clementines & similar hybrids)	2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	similar hybrids											
	Oranges	2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	1	0.01*	0.05*	
	Pomelos	2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	1	0.01*	0.05*	
	Others	2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Brazil nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Cashew nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Chestnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Coconuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Hazelnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Macadamia nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Pecans	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Pine nuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Pistachios	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Walnuts	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
iii) POME FRUIT												
	Apples	1	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.3	0.01*	0.05*	
	Pears	1	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.3	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Cypermethrin	Cyromazine	2,4-D	Daminozide	DDT	Deltamethrin	Diallate	Diazinon	1,2 - Dibromoethane	Dichlorprop	Dichlorvos
			Applying from 1 August 2003	Applying from 1 July 2003								
	Quinces	1	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Others	1	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
iv) STONE FRUIT												
	Apricots	2	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Cherries	1	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.3	0.01*	0.05*	
	Peaches (incl nectarines & similar hybrids)	2	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Plums	1	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.1	0.01*	0.05*	
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	0.5	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Wine grapes	0.5	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	b) Strawberries (other than wild)	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	c) Cane Fruit (other than wild)											
	Blackberries	0.5	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Dewberries	0.5	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Loganberries	0.5	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Raspberries	0.5	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Others	0.5	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2	0.01*	0.05*	
	Cranberries	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.02*	0.05*	0.2	0.05*	0.2	0.01*	0.05*	
	Gooseberries	0.05*	0.05*	0.05*	0.02*	0.05*	0.2	0.05*	0.2	0.01*	0.05*	
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	e) Wild berries & wild fruit	2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
vi) MISCELLANEOUS FRUIT												
	Avocados	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Bananas	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Dates	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Cypermethrin	Cyromazine	2,4-D	Daminozide	DDT	Deltamethrin	Diallate	Diazinon	1,2 - Dibromoethane	Dichlorprop	Dichlorvos
			Applying from 1 August 2003	Applying from 1 July 2003								
	Figs	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Kiwi fruit	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2	0.01*	0.05*	
	Kumquats	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Litchis	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Mangoes	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Olives (table consumption)	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.05*	0.02*	0.01*	0.05*	
	Olives (oil extract)	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.05*	0.02*	0.01*	0.05*	
	Papaya	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Passion fruit	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Pineapples	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Pomegranates	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Carrots	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.2	0.01*	0.05*	
	Celeriac	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Horseradish	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Parsnips	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Parsley root	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Radishes	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Salsify	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Sweet potatoes	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Swedes	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Turnips	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Yams	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
ii) BULB VEGETABLES												
	Garlic	0.1	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Onions	0.1	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Cypermethrin	Cyromazine	2,4-D	Daminozide	DDT	Deltamethrin	Diallate	Diazinon	1,2 - Dibromoethane	Dichlorprop	Dichlorvos
			Applying from 1 August 2003	Applying from 1 July 2003								
	Shallots	0.1	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Spring onions	0.05*	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes	0.5	1	0.05*	0.02*	0.05*	0.2	0.05*	0.5	0.01*	0.05*	
	Peppers	0.5	0.05*	0.05*	0.02*	0.05*	0.2	0.05*	0.5	0.01*	0.05*	
	Chilli peppers	0.5	0.05*	0.05*	0.02*	0.05*	0.2	0.05*	0.5	0.01*	0.05*	
	Aubergines	0.5	1	0.05*	0.02*	0.05*	0.2	0.05*	0.5	0.01*	0.05*	
	Others	0.5	0.05*	0.05*	0.02*	0.05*	0.2	0.05*	0.5	0.01*	0.05*	
	b) Cucurbits-edible peel											
	Cucumbers	0.2	1	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Gherkins	0.2	1	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Courgettes	0.2	1	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Others	0.2	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	c) Cucurbits-inedible peel											
	Melons	0.2	0.3	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Squashes	0.2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Watermelons	0.2	0.3	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Others	0.2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	d) Sweet corn	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli	0.5	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Cauliflower	0.5	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Others	0.5	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	b) Head Brassicas											
	Brussels sprouts	0.5	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Head cabbage	0.5	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Others	0.5	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Cypermethrin	Cyromazine	2,4-D	Daminozide	DDT	Deltamethrin	Diallate	Diazinon	1,2 - Dibromoethane	Dichlorprop	Dichlorvos
			Applying from 1 August 2003	Applying from 1 July 2003								
	c) Leafy Brassicas											
	Chinese cabbage	1	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Kale	1	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Others	1	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	d) Kohlrabi	0.2	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	2	15	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Lamb's lettuce	2	15	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Lettuce	2	15	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Scarole	2	15	0.05*	0.02*	0.05*	0.5	0.05*(35)	0.02*	0.01*	0.05*	
	Others	2	15	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	b) Spinach & similar											
	Spinach	0.5	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Beet leaves (chard)	0.5	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Others	0.5	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	c) Watercress	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	d) Witloof	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	e) Herbs											
	Chervil	2	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Chives	2	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Parsley	2	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Celery leaves	2	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
	Others	2	0.05*	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.5	0.05*	0.05*	0.02*	0.05*	0.2	0.05*	0.02*	0.01*	0.05*	
	Beans (without pods)	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Peas (with pods)	0.5	0.05*	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Peas (without pods)	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
vii) STEM VEGETABLES												
	Asparagus	0.1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Cypermethrin	Cyromazine	2,4-D	Daminozide	DDT	Deltamethrin	Diallate	Diazinon	1,2 - Dibromoethane	Dichlorprop	Dichlorvos
			Applying from 1 August 2003	Applying from 1 July 2003								
	Cardoons	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Celery	0.05*	2	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Fennel	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Globe artichokes	2	2	0.05*	0.02*	0.05*	0.1	0.05*	0.02*	0.01*	0.05*	
	Leeks	0.5	0.05*	0.05*	0.02*	0.05*	0.2	0.05*	0.02*	0.01*	0.05*	
	Rhubarb	0.05*	0,05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
viii) FUNGI												
a)	Cultivated mushrooms	0.05*	5	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
b)	Wild mushrooms	1	0.05*	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
3. PULSES												
	Beans	0.05*	0.05*	0.05*	0.02*	0.05*	1	0.05*	0.02*	0.01*	0.05*	
	Lentils	0.05*	0.05*	0.05*	0.02*	0.05*	1	0.05*	0.02*	0.01*	0.05*	
	Peas	0.05*	0.05*	0.05*	0.02*	0.05*	1	0.05*	0.02*	0.01*	0.05*	
	Others	0.05*	0.05*	0.05*	0.02*	0.05*	1	0.05*	0.02*	0.01*	0.05*	
4. OILSEEDS												
	Linseed	0.2	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Peanuts	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Poppy seed	0.2	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Sesame seed	0.2	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Sunflower seed	0.2	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Rape seed	0.2	0.05*	0.1*	0.05*	0.05*	0.1	0.05*	0.05*	0.01*	0.05*	
	Soya bean	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Mustard seed	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Cotton seed	0.2	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
	Others	0.05*	0.05*	0.1*	0.05*	0.05*	0.05*	0.05*	0.05*	0.01*	0.05*	
5. POTATOES												
	Early potatoes	0.05*	1	0.05*	0.02*	0.05*	0.05*	0.05*	0.02*	0.01*	0.05*	
	Ware potatoes	0.05*	1	0.05*	0.02*	0.05*	0.5	0.05*	0.02*	0.01*	0.05*	

Group to which food belongs	Groups include the following products	Cypermethrin	Cyromazine	2,4-D	Daminozide	DDT	Deltamethrin	Diallate	Diazinon	1,2 - Dibromoethane	Dichlorprop	Dichlorvos
			Applying from 1 August 2003	Applying from 1 July 2003								
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.5	0.05*	0.1*	0.1*	0.2	5	0.1*	0.05*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	30	0.05*	0.1*	0.1*	0.05*	5	0.1*	0.05*	0.01*	0.1*	
8. CEREALS												
	Wheat	0.05*	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
	Rye	0.05*	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
	Barley	0.2	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
	Sorghum	0.05*	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
	Oats	0.2	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
	Triticale	0.05*	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
	Maize	0.05*	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
	Buckwheat	0.05*	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
	Millet	0.05*	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
	Rice [1]	0.05*	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
	Other cereals [2]	0.05*	0.05*	0.05*	0.02*	0.05	1	0.05*	0.02*	0.01*		2
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)	0.05* (9) 0.2 (17)	0.05* (50)	1 (31) 0.05* (17)	0.05*	1	0.05* (9)	0.2*				
	Milk [4] &	0.02	0.02*	0.01*	0.05*	0.04		0.2*	0.01*			
	Dairy produce [5]											
	Eggs [6]	0.05*	0.2	0.01*	0.05*	0.05	0.05*	0.2* (7)				

Group to which food belongs	Groups include the following products	Dicofol	1,1-Dichloro- 2,2- bis- (4-ethyl-phenyl-) ethane	Dimethoate	Dinoseb	Dinoterb	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit	2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	Lemons	2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	Limes	2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	Mandarins (inc clementines & similar hybrids)	2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	similar hybrids											
	Oranges	2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	Pomelos	2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	Others	2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Brazil nuts	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Cashew nuts	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Chestnuts	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Coconuts	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Hazelnuts	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Macadamia nuts	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Pecans	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Pine nuts	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Pistachios	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Walnuts	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
iii) POME FRUIT												
	Apples	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	5	0.02*	0.05*	0.3	0.01*
	Pears	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	10	0.02*	0.05*	0.3	0.01*

Group to which food belongs	Groups include the following products	Dicofol	1,1-Dichloro- 2,2- bis- (4-ethyl-phenyl-) ethane	Dimethoate	Dinoseb	Dinoterb	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin
	Quinces	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3	0.01*
iv) STONE FRUIT												
	Apricots	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Cherries	0.02*	0.01*	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	Plums	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	Wine grapes	2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	b) Strawberries (other than wild)	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	c) Cane Fruit (other than wild)											
	Blackberries	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Dewberries	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Loganberries	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Raspberries	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Cranberries	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Currants (red, black & white)	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Gooseberries	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	e) Wild berries & wild fruit	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
vi) MISCELLANEOUS FRUIT												
	Avocados	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Bananas	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Dates	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Dicofol	1,1-Dichloro- 2,2- bis- (4-ethyl-phenyl-) ethane	Dimethoate	Dinoseb	Dinoterb	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin
	Figs	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Kiwi fruit	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Kumquats	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Litchis	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Mangoes	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Olives (table consumption)	0.02*	0.01*	2	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Olives (oil extract)	0.02*	0.01*	2	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Papaya	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.05*	0.01*
	Passion fruit	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Pineapples	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Pomegranates	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Carrots	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Celeriac	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Horseradish	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Jerusalem artichokes	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Parsnips	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Parsley root	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Radishes	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Salsify	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Sweet potatoes	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Swedes	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Turnips	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Yams	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
ii) BULB VEGETABLES												
	Garlic	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Onions	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Dicofol	1,1-Dichloro- 2,2- bis- (4-ethyl-phenyl-) ethane	Dimethoate	Dinoseb	Dinoterb	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin
	Shallots	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Spring onions	0.02*	0.01*	2	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes	1	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	Peppers	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	1	0.01*
	Chilli peppers	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	1	0.01*
	Aubergines	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	b) Cucurbits-edible peel											
	Cucumbers	0.2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Gherkins	0.2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Courgettes	0.2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.2	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	c) Cucurbits-inedible peel											
	Melons	0.5	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3	0.01*
	Squashes	0.5	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3	0.01*
	Watermelons	0.5	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3	0.01*
	Others	0.5	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3	0.01*
	d) Sweet corn	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli	0.02*	0.01*	0.02*	0.05*	0.05*(37)	0.05*	0.05*	0.02*	0.05*(37)	0.05*	0.01*
	Cauliflower	0.02*	0.01*	0.2	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	b) Head Brassicas											
	Brussels sprouts	0.02*	0.01*	0.3	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Head cabbage	0.02*	0.01*	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Dicofol	1,1-Dichloro- 2,2- bis- (4-ethyl-phenyl-) ethane	Dimethoate	Dinoseb	Dinoterb	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin
	c) Leafy Brassicas											
	Chinese cabbage	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Kale	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	d) Kohlrabi	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Lamb's lettuce	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Lettuce	0.02*	0.01*	0.5	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Scarole	0.02*	0.01*(35)	0.02*(35)	0.05*	0.05*(35)	0.05*	0.05*	0.02*	0.05*(35)	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	b) Spinach & similar											
	Spinach	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Beet leaves (chard)	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	c) Watercress	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	d) Witloof	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	e) Herbs											
	Chervil	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Chives	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Parsley	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Celery leaves	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Beans (without pods)	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Peas (with pods)	0.02*	0.01*	1	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Peas (without pods)	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
vii) STEM VEGETABLES												
	Asparagus	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Dicofol	1,1-Dichloro- 2,2- bis- (4-ethyl-phenyl-) ethane	Dimethoate	Dinoseb	Dinoterb	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin
	Cardoons	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Celery	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Fennel	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Globe artichokes	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Leeks	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Rhubarb	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
viii) FUNGI												
	a) Cultivated mushrooms	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	b) Wild mushrooms	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
3. PULSES												
	Beans	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Lentils	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Peas	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Others	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
4. OILSEEDS												
	Linseed	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Peanuts	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Poppy seed	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Sesame seed	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Sunflower seed	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Rape seed	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Soya bean	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.5	0.01*
	Mustard seed	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
	Cotton seed	0.1	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.3	0.01*
	Others	0.05*	0.01*	0.05*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.1*	0.01*
5. POTATOES												
	Early potatoes	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*
	Ware potatoes	0.02*	0.01*	0.02*	0.05*	0.05*	0.05*	0.05*	0.02*	0.05*	0.05*	0.01*

Group to which food belongs	Groups include the following products	Dicofol	1,1-Dichloro- 2,2- bis- (4-ethyl-phenyl-) ethane	Dimethoate	Dinoseb	Dinoterb	Dioxathion	Diphenylamine	Disulfoton	DNOC	Endosulfan	Endrin
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	20	0.1*	0.2 0.05*	0.1*	0.1*	0.1*	0.05*	0.05*	0.1*	30	0.01*
7. HOPS (dried)	including hop pellets & unconcentrated powder	50	0.1*	0.05*	0.1*	0.1*	0.1*	0.05*	0.05*	0.1*	0.1*	0.1*
8. CEREALS												
	Wheat	0.02*	0.01*	0.3		0.05*			0.1	0.05*	0.05*	0.01
	Rye	0.02*	0.01*	0.3		0.05*			0.02*	0.05*	0.05*	0.01
	Barley	0.02*	0.01*	0.02*		0.05*			0.2	0.05*	0.05*	0.01
	Sorghum	0.02*	0.01*	0.02*		0.05*			0.2	0.05*	0.05*	0.01
	Oats	0.02*	0.01*	0.02*		0.05*			0.02*	0.05*	0.05*	0.01
	Triticale	0.02*	0.01*	0.3		0.05*			0.02*	0.05*	0.05*	0.01
	Maize	0.02*	0.01*	0.02*		0.05*			0.02*	0.05*	0.05*	0.01
	Buckwheat	0.02*	0.01*	0.02*		0.05*			0.02*	0.05*	0.05*	0.01
	Millet	0.02*	0.01*	0.02*		0.05*			0.02*	0.05*	0.05*	0.01
	Rice [1]	0.02*	0.01*	0.02*		0.05*			0.02*	0.05*	0.05*	0.01
	Other cereals [2]	0.02*	0.01*	0.02*		0.05*			0.02*	0.05*	0.05*	0.01
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)	0.5 (21) 0.1 (9) 0.05* (22) 1 (23)	0.01*			0.05			0.02*	0.05*	0.1 (8)	0.05
	Milk [4] &	0.02	0.01*			0.05*			0.02	0.05*	0.004	0.0008
	Dairy produce [5]	0.05*										
	Eggs [6]		0.01* (7)			0.05*(7)			0.02*	0.05*(7)	0.1* (7)	0.005

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fenpropimorph	Fentin	Fenvalerate and Esfenvalerate		Flucythrinate
										Sum of RR and SS isomers	Sum of RS and SR isomers	
								Applying from 1 August 2003				Applying from 1 August 2003
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit	0.05*		0.02*	5	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Lemons	0.05*		0.02*	5	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Limes	0.05*		0.02*	5	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.05*		0.02*	5	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	similar hybrids											
	Oranges	0.05*		0.02*	5	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Pomelos	0.05*		0.02*	5	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	5	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Brazil nuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Cashew nuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Chestnuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Coconuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Hazelnuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Macadamia nuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Pecans	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Pine nuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Pistachios	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Walnuts	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.1*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
iii) POME FRUIT												
	Apples	3		0.3	2	0.01*		0.05*	0.05*	0.05	0.02*	0.05*
	Pears	3		0.3	2	0.01*		0.05*	0.05*	0.05	0.02*	0.05*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fenpropimorph	Fentin	Fenvalerate and Esfenvalerate		Flucythrinate
										Sum of RR and SS isomers	Sum of RS and SR isomers	
								Applying from 1 August 2003				Applying from 1 August 2003
	Quinces	3		0.3	2	0.01*		0.05*	0.05*	0.05	0.02*	0.05*
	Others	3		0.3	2	0.01*		0.05*	0.05*	0.05	0.02*	0.05*
iv) STONE FRUIT												
	Apricots	0.05*		0.5	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Cherries	3		1	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*		0.5	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Plums	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	0.05*		0.3	2	0.01*		0.05*	0.05*	0.1	0.02*	0.05*
	Wine grapes	0.05*		0.3	2	0.01*		0.05*	0.05*	0.1	0.02*	0.05*
	b) Strawberries (other than wild)	0.05*		0.3	1	0.01*		1	0.05*	0.02*	0.02*	0.05*
	c) Cane Fruit (other than wild)											
	Blackberries	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Dewberries	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Loganberries	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Raspberries	0.05*		0.1	0.05*	0.01*		1	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Cranberries	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Currants (red, black & white)	5		1	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Gooseberries	0.05*		1	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	e) Wild berries & wild fruit	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
vi) MISCELLANEOUS FRUIT												
	Avocados	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Bananas	0.05*		0.3	3	0.01*		2	0.05*	0.02*	0.02*	0.05*
	Dates	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fenpropimorph	Fentin	Fenvalerate and Esfenvalerate		Flucythrinate
										Sum of RR and SS isomers	Sum of RS and SR isomers	
								Applying from 1 August 2003				Applying from 1 August 2003
	Figs	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Kiwi fruit	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Kumquats	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Litchis	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Mangoes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Olives (table consumption)	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Olives (oil extract)	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Papaya	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Passion fruit	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Pineapples	2		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Pomegranates	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Carrots	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Celeriac	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Horseradish	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Jerusalem artichokes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Parsnips	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Parsley root	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Radishes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Salsify	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Sweet potatoes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Swedes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Turnips	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Yams	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
ii) BULB VEGETABLES												
	Garlic	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Onions	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fenpropimorph	Fentin	Fenvalerate and Esfenvalerate		Flucythrinate
										Sum of RR and SS isomers	Sum of RS and SR isomers	
								Applying from 1 August 2003				Applying from 1 August 2003
	Shallots	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Spring onions	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes	3		0.5	1	0.01*		0.05*	0.05*	0.05	0.02*	0.05*
	Peppers	3		0.5	1	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Chilli peppers	3		0.5	1	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Aubergines	0.05*		0.02*	1	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	b) Cucurbits-edible peel											
	Cucumbers	0.05*		0.2	0.5*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Gherkins	0.05*		0.2	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Courgettes	0.05*		0.2	0.5	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.2	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	c) Cucurbits-inedible peel											
	Melons	0.05*		0.05	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Squashes	0.05*		0.05	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Watermelons	0.05*		0.05	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.05	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	d) Sweet corn	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Cauliflower	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	b) Head Brassicas											
	Brussels sprouts	0.05*		0.02*	0.05*	0.01*		0.5	0.05*	0.05	0.02*	0.05*
	Head cabbage	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.05	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fenpropimorph	Fentin	Fenvalerate and Esfenvalerate		Flucythrinate
										Sum of RR and SS isomers	Sum of RS and SR isomers	
								Applying from 1 August 2003				Applying from 1 August 2003
	c) Leafy Brassicas											
	Chinese cabbage	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Kale	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	d) Kohlrabi	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Lamb's lettuce	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Lettuce	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Scarole	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	b) Spinach & similar											
	Spinach	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Beet leaves (chard)	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	c) Watercress	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	d) Witloof	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	e) Herbs											
	Chervil	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Chives	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Parsley	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Celery leaves	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Beans (without pods)	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Peas (with pods)	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Peas (without pods)	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
vii) STEM VEGETABLES												
	Asparagus	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fenpropimorph	Fentin	Fenvalerate and Esfenvalerate		Flucythrinate
										Sum of RR and SS isomers	Sum of RS and SR isomers	
								Applying from 1 August 2003				Applying from 1 August 2003
	Cardoons	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Celery	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Fennel	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Globe artichokes	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Leeks	0.05*		0.02*	0.05*	0.01*		0.5	0.05*	0.02*	0.02*	0.05*
	Rhubarb	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
viii) FUNGI												
	a) Cultivated mushrooms	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	b) Wild mushrooms	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
3. PULSES												
	Beans	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Lentils	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Peas	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.02*	0.02*	0.05*
4. OILSEEDS												
	Linseed	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*	0.05*
	Poppy seed	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*	0.05*
	Rape seed	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*	0.05*
	Soya bean	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*	0.05*
	Cotton seed	2		0.02*	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*	0.05*
	Others	0.05*		0.02*	0.05*	0.01*		0.05*	0.05*	0.05*	0.05*	0.05*
5. POTATOES												
	Early potatoes	0.05*		0.02*	0.05*	0.01*		0.05*	0.1	0.02*	0.02*	0.05*
	Ware potatoes	0.05*		0.02*	0.05*	0.01*		0.05*	0.1	0.02*	0.02*	0.05*

Group to which food belongs	Groups include the following products	Ethephon	Ethion	Fenarimol	Fenbutatin Oxide	Fenchlorphos	Fenitrothion	Fenpropimorph	Fentin	Fenvalerate and Esfenvalerate		Flucythrinate
										Sum of RR and SS isomers	Sum of RS and SR isomers	
								Applying from 1 August 2003				Applying from 1 August 2003
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	3	0.05*	0.1*	0.1*	0.5	0.1*	0.1*	0.05*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*		5	0.1*	0.1*		0.1*	0.5	0.05*	0.05*	0.1*
8. CEREALS												
	Wheat	0.2		0.02*	0.05*			0.5(52)	0.05*	0.05	0.02*	0.05*
	Rye	0.5		0.02*	0.05*			0.5	0.05*	0.05	0.02*	0.05*
	Barley	0.5		0.02*	0.05*			0.5	0.05*	0.2	0.05	0.05*
	Sorghum	0.05*		0.02*	0.05*			0.05*	0.05*	0.02*	0.02*	0.05*
	Oats	0.05*		0.02*	0.05*			0.5	0.05*	0.2	0.05	0.05*
	Triticale	0.2		0.02*	0.05*			0.5	0.05*	0.05	0.02*	0.05*
	Maize	0.05*		0.02*	0.05*			0.05*	0.05*	0.02*	0.02*	0.05*
	Buckwheat	0.05*		0.02*	0.05*			0.05*	0.05*	0.02*	0.02*	0.05*
	Millet	0.05*		0.02*	0.05*			0.05*	0.05*	0.02*	0.02*	0.05*
	Rice [1]	0.05*		0.02*	0.05*			0.05*	0.05*	0.02*	0.02*	0.05*
	Other cereals [2]	0.05*		0.02*	0.05*			0.05*(53)	0.05*	0.02*	0.02*	0.05*
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)	0.05*		0.02* (13)	0.05*			0.3 (46) 0.05 (47) 0.01* (48) 0.02 (49) 0.01 (17)	0.05*	0.2 (8) 0.02* (9)	0.05 (8) 0.02* (9)	0.05*
	Milk [4] &	0.05*		0.02*	0.05*			0.01	0.05*	0.02*	0.02*	0.05*
	Dairy produce [5]											
	Eggs [6]	0.05*		0.02*	0.05*			0.01*	0.05*	0.02* (7)	0.02* (7)	0.05*

Group to which food belongs	Groups include the following products	Flupyrsulfuron-methyl	Fluroxypyr and its esters expressed as furoxypyr	Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro- cyclohexane (HCH)		Hexaconazole
										Alpha isomer	Beta isomer	
												Applying from 1 August 2003
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Lemons	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Limes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Mandarins (inc clementines & similar hybrids)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	similar hybrids											
	Oranges	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Pomelos	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Brazil nuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Cashew nuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Chestnuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Coconuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Hazelnuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Macadamia nuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Pecans	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Pine nuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Pistachios	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Walnuts	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.05*	0.05*	0.1*	0.01*				0.02*
iii) POME FRUIT												
	Apples	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Pears	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*

Group to which food belongs	Groups include the following products	Flupyrsulfuron-methyl	Fluroxypyr and its esters expressed as furoxypyr	Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro- cyclohexane (HCH)		Hexaconazole
										Alpha isomer	Beta isomer	Applying from 1 August 2003
	Quinces	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
iv) STONE FRUIT												
	Apricots	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Cherries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Peaches (incl nectarines & similar hybrids)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Plums	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Wine grapes	0.02*	0.05*	10	0.02*	0.05*	0.1*	0.01*				0.02*
	b) Strawberries (other than wild)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	c) Cane Fruit (other than wild)											
	Blackberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Dewberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Loganberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Raspberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Cranberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Currants (red, black & white)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Gooseberries	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	e) Wild berries & wild fruit	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
vi) MISCELLANEOUS FRUIT												
	Avocados	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Bananas	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Dates	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*

Group to which food belongs	Groups include the following products	Flupyrsulfuron-methyl	Fluroxypyr and its esters expressed as furoxypyr	Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro- cyclohexane (HCH)		Hexaconazole
										Alpha isomer	Beta isomer	Applying from 1 August 2003
	Figs	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Kiwi fruit	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Kumquats	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Litchis	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Mangoes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Olives (table consumption)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Olives (oil extract)	0.02*	0.05*		0.02*	0.05*	2	0.01*				0.02*
	Papaya	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Passion fruit	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Pineapples	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Pomegranates	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Carrots	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Celeriac	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Horseradish	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Jerusalem artichokes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Parsnips	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Parsley root	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Radishes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Salsify	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Sweet potatoes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Swedes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Turnips	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Yams	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
ii) BULB VEGETABLES												
	Garlic	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Onions	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*

Group to which food belongs	Groups include the following products	Flupyrsulfuron-methyl	Fluroxypyr and its esters expressed as furoxypyr	Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro- cyclohexane (HCH)		Hexaconazole
										Alpha isomer	Beta isomer	Applying from 1 August 2003
	Shallots	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Spring onions	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Peppers	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Chilli peppers	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Aubergines	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	b) Cucurbits-edible peel											
	Cucumbers	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Gherkins	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Courgettes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	c) Cucurbits-inedible peel											
	Melons	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Squashes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Watermelons	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	d) Sweet corn	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli	0.02*	0.05*		0.02*	0.1	0.1*	0.01*				0.02*
	Cauliflower	0.02*	0.05*		0.02*	0.1	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.1	0.1*	0.01*				0.02*
	b) Head Brassicas											
	Brussels sprouts	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Head cabbage	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*

Group to which food belongs	Groups include the following products	Flupyrsulfuron-methyl	Fluroxypyr and its esters expressed as furoxypyr	Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro- cyclohexane (HCH)		Hexaconazole
										Alpha isomer	Beta isomer	Applying from 1 August 2003
	c) Leafy Brassicas											
	Chinese cabbage	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Kale	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	d) Kohlrabi	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Lamb's lettuce	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Lettuce	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Scarole	0.02*	0.05*		0.02*(35)	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	b) Spinach & similar											
	Spinach	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Beet leaves (chard)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	c) Watercress	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	d) Witloof	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	e) Herbs											
	Chervil	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Chives	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Parsley	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Celery leaves	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Beans (without pods)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Peas (with pods)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Peas (without pods)	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
vii) STEM VEGETABLES												
	Asparagus	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*

Group to which food belongs	Groups include the following products	Flupyrsulfuron-methyl	Fluroxypyr and its esters expressed as furoxypyr	Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro- cyclohexane (HCH)		Hexaconazole
										Alpha isomer	Beta isomer	Applying from 1 August 2003
	Cardoons	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Celery	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Fennel	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Globe artichokes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Leeks	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Rhubarb	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
viii) FUNGI												
	a) Cultivated mushrooms	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	b) Wild mushrooms	0.02*	0.05*		0.02*	0.05*	50	0.01*				0.02*
3. PULSES												
	Beans	0.02*	0.05*		0.02*	0.05*	2	0.01*				0.02*
	Lentils	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Peas	0.02*	0.05*		0.02*	0.05*	3	0.01*				0.02*
	Others	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
4. OILSEEDS												
	Linseed	0.05*	0.05*		0.05*	0.05*	10	0.01*				0.05*
	Peanuts	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*				0.05*
	Poppy seed	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*				0.05*
	Sesame seed	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*				0.05*
	Sunflower seed	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*				0.05*
	Rape seed	0.05*	0.05*		0.05*	0.05*	10	0.01*				0.05*
	Soya bean	0.05*	0.05*		0.05*	0.05*	20	0.01*				0.05*
	Mustard seed	0.05*	0.05*		0.05*	0.05*	10	0.01*				0.05*
	Cotton seed	0.05*	0.05*		0.05*	0.05*	10	0.01*				0.05*
	Others	0.05*	0.05*		0.05*	0.05*	0.1*	0.01*				0.05*
5. POTATOES												
	Early potatoes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*
	Ware potatoes	0.02*	0.05*		0.02*	0.05*	0.1*	0.01*				0.02*

Group to which food belongs	Groups include the following products	Flupyrsulfuron-methyl	Fluroxypyr and its esters expressed as furoxypyr	Folpet	Formothion	Furathiocarb	Glyphosate	Heptachlor	Hexachloro-benzene (HCB)	Hexachloro- cyclohexane (HCH)		Hexaconazole
										Alpha isomer	Beta isomer	Applying from 1 August 2003
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*		0.05*	0.1*	0.1*	0.02*	0.01*	0.2	0.2	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.1*		0.05*	5	0.1*	0.01*				0.05*
8. CEREALS												
	Wheat	0.02*	0.1		0.02*	0.05*	5	0.01	0.01	0.02(40)		0.02*
	Rye	0.02*	0.1		0.02*	0.05*	5	0.01	0.01	0.02(40)		0.02*
	Barley	0.02*	0.1		0.02*	0.05*	20	0.01	0.01	0.02(40)		0.02*
	Sorghum	0.02*	0.05*		0.02*	0.05*	20	0.01	0.01	0.02(40)		0.02*
	Oats	0.02*	0.1		0.02*	0.05*	20	0.01	0.01	0.02(40)		0.02*
	Triticale	0.02*	0.1		0.02*	0.05*	5	0.01	0.01	0.02(40)		0.02*
	Maize	0.02*	0.05*		0.02*	0.05*	0.1*	0.01	0.01	0.02(40)		0.02*
	Buckwheat	0.02*	0.05*		0.02*	0.05*	0.1*	0.01	0.01	0.02(40)		0.02*
	Millet	0.02*	0.05*		0.02*	0.05*	0.1*	0.01	0.01	0.02(40)		0.02*
	Rice [1]	0.02*	0.05*		0.02*	0.05*	0.1*	0.01	0.01	0.02(40)		0.02*
	Other cereals [2]	0.02*	0.05*		0.02*	0.05*	0.1*	0.01	0.01	0.02(40)		0.02*
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)		0.05* 0.5 (16)			0.05*	2 (25)	0.5 (24) (17) 0.1*	0.2	0.2	0.2	0.1
	Milk [4] &		0.05*			0.05*	0.1*		0.004	0.01	0.004	0.003
	Dairy produce [5]											
	Eggs [6]		0.05* (7)			0.05*	0.1*		0.02	0.02	0.02	0.01

Group to which food belongs	Groups include the following products	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic- hydrazide	Maneb Mancozeb Metiram Propineb Zineb
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit			5		0.02*	0.05*	0.1	0.01*		1*	5
	Lemons			5		5	0.05*	0.02*	0.01*		1*	5
	Limes			5		0.02*	0.05*	0.02*	0.01*		1*	5
	Mandarins (inc clementines & similar hybrids)			5		2	0.05*	0.02*	0.01*		1*	5
	similar hybrids											
	Oranges			5		0.02*	0.05*	0.1	0.01*		1*	5
	Pomelos			5		0.02*	0.05*	0.1	0.01*		1*	5
	Others			5		0.02*	0.05*	0.02*	0.01*		1*	5
ii) TREE NUTS (shelled or unshelled)												
	Almonds			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
	Brazil nuts			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
	Cashew nuts			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
	Chestnuts			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
	Coconuts			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
	Hazelnuts			0.02*		0.2	0.1*	0.05*	0.01*		1*	0.1*
	Macadamia nuts			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
	Pecans			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
	Pine nuts			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
	Pistachios			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
	Walnuts			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
	Others			0.02*		0.02*	0.1*	0.05*	0.01*		1*	0.1*
iii) POME FRUIT												
	Apples			5		10	0.2	0.1	0.01*		1*	3
	Pears			5		10	0.2	0.1	0.01*		1*	3

Group to which food belongs	Groups include the following products	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic- hydrazide	Maneb Mancozeb Metiram Propineb Zineb
	Quinces			5		10	0.2	0.1	0.01*		1*	3
	Others			5		10	0.2	0.1	0.01*		1*	3
iv) STONE FRUIT												
	Apricots			0.02*		5	0.05*	0.2	0.01*		1*	2
	Cherries			0.02*		5	0.05*	0.1	0.01*		1*	1
	Peaches (incl nectarines & similar hybrids)			0.02*		5	0.05*	0.2	0.01*		1*	2
	Plums			0.02*		5	0.05*	0.1	0.01*		1*	1
	Others			0.02*		5	0.05*	0.1	0.01*		1*	0.05*
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes			0.02*		10	1	0.2	0.01*		1*	2
	Wine grapes			0.02*		10	1	0.2	0.01*		1*	2
	b) Strawberries (other than wild)			0.02*		10	0.2	0.5	0.01*		1*	2
	c) Cane Fruit (other than wild)											
	Blackberries			0.02*		5	0.05*	0.02*	0.01*		1*	0.05*
	Dewberries			0.02*		5	0.05*	0.02*	0.01*		1*	0.05*
	Loganberries			0.02*		5	0.05*	0.02*	0.01*		1*	0.05*
	Raspberries			0.02*		5	0.05*	0.02*	0.01*		1*	0.05*
	Others			0.02*		5	0.05*	0.02*	0.01*		1*	0.05*
	d) Other small fruit & berries (other than wild)											
	Bilberries			0.02*		10	0.05*	0.02*	0.01*		1*	0.05*
	Cranberries			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Currants (red, black & white)			0.02*		10	1	0.1	0.01*		1*	5
	Gooseberries			0.02*		10	1	0.1	0.01*		1*	5
	Others			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	e) Wild berries & wild fruit			0.02*		0.02*	0.05*	0.2	0.01*		1*	0.05*
vi) MISCELLANEOUS FRUIT												
	Avocados			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Bananas			2		3	0.05*	0.02*	0.01*		1*	0.05*
	Dates			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*

Group to which food belongs	Groups include the following products	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic- hydrazide	Maneb Mancozeb Metiram Propineb Zineb
	Figs			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Kiwi fruit			0.02*		5	0.05*	0.02*	0.01*		1*	0.05*
	Kumquats			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Litchis			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Mangoes			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Olives (table consumption)			0.02*		0.02*	0.2	0.02*	0.01*		1*	5
	Olives (oil extract)			0.02*		0.02*	0.2	0.02*	0.01*		1*	5
	Papaya			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Passion fruit			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Pineapples			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Pomegranates			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Others			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot			0.02*		0.5	0.05*	0.02*	0.01*		1*	0.05*
	Carrots			0.02*		0.3	0.05*	0.02*	0.01*		30	0.2
	Celeriac			0.02*		0.02*	0.05*	0.1	0.01*		1*	0.2
	Horseradish			0.02*		0.1	0.05*	0.02*	0.01*		1*	0.05*
	Jerusalem artichokes			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Parsnips			0.02*		0.1	0.05*	0.02*	0.01*		30	0.05*
	Parsley root			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Radishes			0.02*		0.3	0.05*	0.1	0.01*		1*	0.2
	Salsify			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.2
	Sweet potatoes			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Swedes			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Turnips			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Yams			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Others			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
ii) BULB VEGETABLES												
	Garlic			0.02*		5	0.05*	0.02*	0.01*		10	0.5
	Onions			0.02*		5	0.05*	0.02*	0.01*		10	0.5

Group to which food belongs	Groups include the following products	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic- hydrazide	Maneb Mancozeb Metiram Propineb Zineb
	Shallots			0.02*		5	0.05*	0.02*	0.01*		10	0.5
	Spring onions			0.02*		3	0.05*	0.02*	0.01*		1*	0.05*
	Others			0.02*		0.02*	0.05*	0.02*	0.01*		10	0.05*
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes			0.5		5	0.5	0.1	0.01*		1*	3
	Peppers			0.02*		5	1	0.1	0.01*		1*	2
	Chilli peppers			0.02*		5	1	0.1	0.01*		1*	2
	Aubergines			0.02*		5	0.5	0.5	0.01*		1*	2
	Others			0.02*		5	0.05*	0.02*	0.01*		1*	2
	b) Cucurbits-edible peel											
	Cucumbers			0.2		2	0.05*	0.1	0.01*		1*	0.5
	Gherkins			0.2		2	0.05*	0.1	0.01*		1*	2
	Courgettes			0.2		2	0.05*	0.1	0.01*		1*	2
	Others			0.2		2	0.05*	0.1	0.01*		1*	0.05*
	c) Cucurbits-inedible peel											
	Melons			2		0.3	0.2	0.05	0.01*		1*	0.5
	Squashes			0.02*		0.02*	0.2	0.05	0.01*		1*	0.5
	Watermelons			0.02*		0.02*	0.2	0.05	0.01*		1*	0.5
	Others			0.02*		0.02*	0.2*	0.05	0.01*		1*	0.5
	d) Sweet corn			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli			0.02*		0.05	0.05*	0.1(37)	0.01*		1*	1
	Cauliflower			0.02*		0.05	0.05*	0.1	0.01*		1*	1
	Others			0.02*		0.05	0.05*	0.1	0.01*		1*	1
	b) Head Brassicas											
	Brussels sprouts			0.02*		0.5	0.05*	0.05	0.01*		1*	1
	Head cabbage			0.02*		5	0.05*	0.2	0.01*		1*	1
	Others			0.02*		0.02*	0.05*	0.02*	0.01*		1*	1

Group to which food belongs	Groups include the following products	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic- hydrazide	Maneb Mancozeb Metiram Propineb Zineb
	c) Leafy Brassicas											
	Chinese cabbage			0.02*		5	0.05*	0.02*	0.01*		1*	0.5
	Kale			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.5
	Others			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.5
	d) Kohlrabi			0.02*		0.1	0.05*	0.02*	0.01*		1*	0.1*
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress			0.02*		10	0.05*	1	0.01*		1*	5
	Lamb's lettuce			0.02*		10	0.05*	1	0.01*		1*	5
	Lettuce			0.02*		10	0.05*	1	0.01*		1*	5
	Scarole			0.02*		10	0.05*	1(35)	0.01*(35)		1*	5
	Others			0.02*		10	0.05*	1	0.01*		1*	5
	b) Spinach & similar											
	Spinach			0.02*		0.02*	0.05*	0.5	0.01*		1*	0.05*
	Beet leaves (chard)			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Others			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	c) Watercress			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.3
	d) Witloof			0.02*		2	0.05*	0.02*	0.01*		1*	0.2
	e) Herbs											
	Chervil			0.02*		10	0.05*	1	0.01*		1*	5
	Chives			0.02*		10	0.05*	1	0.01*		1*	5
	Parsley			0.02*		10	0.05*	1	0.01*		1*	5
	Celery leaves			0.02*		10	0.05*	1	0.01*		1*	5
	Others			0.02*		10	0.05*	1	0.01*		1*	5
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)			0.02*		5	0.05*	0.2	0.01*		1*	1
	Beans (without pods)			0.02*			0.05*	0.02*	0.01*		1*	0.1
	Peas (with pods)			0.02*		1	0.05*	0.2	0.01*		1*	1
	Peas (without pods)			0.02*		0.2	0.05*	0.2	0.01*		1*	0.1
	Others			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
vii) STEM VEGETABLES												
	Asparagus			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*

Group to which food belongs	Groups include the following products	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic- hydrazide	Maneb Mancozeb Metiram Propineb Zineb
	Cardoons			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Celery			0.02*		0.02*	0.05*	0.3	0.01*		1*	0.5
	Fennel			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Globe artichokes			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Leeks			0.02*		0.02*	0.05*	0.02*	0.01*		1*	3
	Rhubarb			0.02*		0.2	0.05*	0.02*	0.01*		1*	0.05*
	Others			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
viii) FUNGI												
	a) Cultivated mushrooms			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	b) Wild mushrooms			0.02*		0.02*	0.05*	0.5	0.01*		1*	0.05*
3. PULSES												
	Beans			0.02*		0.2	0.05*	0.02*	0.01*		1*	0.05*
	Lentils			0.02*		0.2	0.05*	0.02*	0.01*		1*	0.05*
	Peas			0.02*		0.2	0.05*	0.02*	0.01*		1*	0.05*
	Others			0.02*		0.2	0.05*	0.02*	0.01*		1*	0.05*
4. OILSEEDS												
	Linseed			0.02*		0.1	0.1*	0.02*	0.01*		1*	0.1*
	Peanuts			0.02*		0.02*	0.1*	0.02*	0.01*		1*	0.1*
	Poppy seed			0.02*		0.02*	0.1*	0.02*	0.01*		1*	0.1*
	Sesame seed			0.02*		0.02*	0.1*	0.02*	0.01*		1*	0.1*
	Sunflower seed			0.02*		0.02*	0.1*	0.02*	0.01*		1*	0.1*
	Rape seed			0.02*		0.5	0.1*	0.02*	0.01*		1*	0.5
	Soya bean			0.02*		0.02*	0.1*	0.02*	0.01*		1*	0.1*
	Mustard seed			0.02*		0.02*	0.1*	0.02*	0.01*		1*	0.1*
	Cotton seed			0.02*		0.02*	0.1*	0.02*	0.01*		1*	0.1*
	Others			0.02*		0.02*	0.1*	0.02*	0.01*		1*	0.1*
5. POTATOES												
	Early potatoes			0.02*		0.02*	0.05*	0.02*	0.01*		1*	0.05*
	Ware potatoes			5		0.02*	0.05*	0.02*	0.01*		50	0.05*

Group to which food belongs	Groups include the following products	Hydrogen cyanide	Hydrogen phosphide	Imazalil	Inorganic bromide	Iprodione	Kresoxim-methyl	Lambda-cyhalothrin	Lindane	Malathion	Maleic- hydrazide	Maneb Mancozeb Metiram Propineb Zineb
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)			0.1*		0.1*	0.1*	1	0.05*	0.5	1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder			0.1*		0.1*	0.1*	10	0.05*		1*	25
8. CEREALS												
	Wheat	15	0.1	0.02*	50	0.5	0.05*	0.02*	0.01*	8		1
	Rye	15	0.1	0.02*	50	0.02*	0.05*	0.02*	0.01*	8		1
	Barley	15	0.1	0.02*	50	1	0.05*	0.05	0.01*	8		2
	Sorghum	15	0.1	0.02*	50	0.02*	0.05*	0.02*	0.01*	8		0.05*
	Oats	15	0.1	0.02*	50	0.02*	0.05*	0.02*	0.01*	8		2
	Triticale	15	0.1	0.02*	50	0.02*	0.05*	0.02*	0.01*	8		0.05*
	Maize	15	0.1	0.02*	50	0.02*	0.05*	0.02*	0.01*	8		0.05*
	Buckwheat	15	0.1	0.02*	50	0.02*	0.05*	0.02*	0.01*	8		0.05*
	Millet	15	0.1	0.02*	50	0.02*	0.05*	0.02*	0.01*	8		0.05*
	Rice (1)	15	0.1	0.02*	50	3	0.05*	0.02*	0.01*	8		0.05*
	Other cereals (2)	15	0.1	0.02*	50	0.02*	0.05*	0.02*	0.01*	8		0.05*
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)			0.02*		0.05*	0.02* (14)(15) 0.05 (14)(16)	0.5 (8)(39) 0.02* (9)(39)	0.7 (9)(20) 0.02 (8)			0.05*
	Milk (4) &			0.02*		0.05*	0.05* (18)	0.05(39)	0.001*			0.05*
	Dairy produce (5)											
	Eggs (6)			0.02*		0.05*	0.02*(7)	0.02*(39)	0.1 (20)			0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methacrifos	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl	Monocrotophos	Monolinuron
				Applying from 1 August 2003								
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit	0.05*	0.5	0.05*	0.2	2	0.5	0.01*	0.05*	0.05*		0.05*
	Lemons	0.05*	0.05*	0.05*	0.2	2	1	0.01*	0.05*	0.05*		0.05*
	Limes	0.05*	0.05*	0.05*	0.2	2	1	0.01*	0.05*	0.05*		0.05*
	Mandarins (inc clementines & similar hybrids)	0.05*	0.05*	0.05*	0.2	2	1	0.01*	0.05*	0.05*		0.05*
	similar hybrids											
	Oranges	0.05*	0.5	0.05*	0.2	2	0.5	0.01*	0.05*	0.05*		0.05*
	Pomelos	0.05*	0.5	0.05*	0.2	2	0.5	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.2	2	0.05*	0.01*	0.05*	0.05*		0.05*
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Brazil nuts	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Cashew nuts	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Chestnuts	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Coconuts	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Hazelnuts	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Macadamia nuts	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Pecans	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Pine nuts	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Pistachios	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Walnuts	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*		0.05*		0.05*
iii) POME FRUIT												
	Apples	0.05*	1	0.05*	0.05	0.3	0.2	0.01*	0.05*	0.05*		0.05*
	Pears	0.05*	1	0.05*	0.05	0.3	0.2	0.01*	0.05*	0.05*		0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methacrifos	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl	Monocrotophos	Monolinuron
				Applying from 1 August 2003								
	Quinces	0.05*	1	0.05*	0.05	0.3	0.2	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	1	0.05*	0.05	0.3	0.2	0.01*	0.05*	0.05*		0.05*
iv) STONE FRUIT												
	Apricots	0.05*	0.05*	0.05*	0.1	0.2	0.2	0.01*		0.05*		0.05*
	Cherries	0.05*	0.05*	0.05*	0.01*	0.02*	0.1	0.01*		0.05*		0.05*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	0.05*	0.05	0.2	0.2	0.01*		0.05*		0.05*
	Plums	0.05*	0.05*	0.05*	0.3	0.2	0.5	0.01*		0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.2	0.05*	0.01*		0.05*		0.05*
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	0.05*	2	0.05*	0.01*	0.5	0.05*	0.01*		0.05*		0.05*
	Wine grapes	0.05*	1	0.05*	0.01*	0.5	1	0.01*		0.05*		0.05*
	b) Strawberries (other than wild)	0.05*	0.5	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	c) Cane Fruit (other than wild)											
	Blackberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Dewberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Loganberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Raspberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Cranberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Currants (red, black & white)	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Gooseberries	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	e) Wild berries & wild fruit	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
vi) MISCELLANEOUS FRUIT												
	Avocados	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Bananas	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Dates	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methacrifos	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl	Monocrotophos	Monolinuron
				Applying from 1 August 2003								
	Figs	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*		0.05*
	Kiwi fruit	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Kumquats	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Litchis	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Mangoes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Olives (table consumption)	0.05*	0.05*	0.05*	0.01*	1	0.05*	0.01*	0.05*	0.05*		0.05*
	Olives (oil extract)	0.05*	0.05*	0.05*	0.01*	1	0.05*	0.01*	0.05*	0.05*		0.05*
	Papaya	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Passion fruit	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Pineapples	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Pomegranates	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Carrots	0.05*	0.1	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Celeriac	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Horseradish	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Jerusalem artichokes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Parsnips	0.05*	0.1	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Parsley root	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Radishes	0.05*	0.05*	0.05*	0.01*	0.02*	0.5	0.01*	0.05*	0.05*		0.05*
	Salsify	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Sweet potatoes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Swedes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Turnips	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Yams	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
ii) BULB VEGETABLES												
	Garlic	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Onions	0.05*	0.5	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methacrifos	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl	Monocrotophos	Monolinuron
				Applying from 1 August 2003								
	Shallots	0.05*	0.5	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Spring onions	0.05*	0.2	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes	0.05*	0.05*	0.05*	0.5	0.02*	0.5	0.01*	0.05*	0.05*		0.05*
	Peppers	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Chilli peppers	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Aubergines	0.05*	0.05*	0.05*	0.2	0.02*	0.5	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	b) Cucurbits-edible peel											
	Cucumbers	0.05*	0.5	0.05*	1	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Gherkins	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Courgettes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	c) Cucurbits-inedible peel											
	Melons	0.05*	0.2	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Squashes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Watermelons	0.05*	0.2	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	d) Sweet corn	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli	0.05*	0.1	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*(37)
	Cauliflower	0.05*	0.1	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.1	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	b) Head Brassicas											
	Brussels sprouts	0.05*	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Head cabbage	0.05*	1	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methacrifos	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl	Monocrotophos	Monolinuron
				Applying from 1 August 2003								
	c) Leafy Brassicas											
	Chinese cabbage	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Kale	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	d) Kohlrabi	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Lamb's lettuce	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Lettuce	0.05*	1	0.05*	0.2	0.02*	2	0.01*	0.05*	0.05*		0.05*
	Scarole	0.05*	1	0.05*	0.01*	0.02*	0.05*	0.01*(35)	0.05*	0.05*		0.05*(35)
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	b) Spinach & similar											
	Spinach	0.05*	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*		0.05*
	Beet leaves (chard)	0.05*	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*		0.05*
	c) Watercress	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	d) Witloof	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	e) Herbs											
	Chervil	0.05*	1	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*		0.05*
	Chives	0.05*	1	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*		0.05*
	Parsley	0.05*	1	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*		0.05*
	Celery leaves	0.05*	1	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	1	0.05*	0.01*	0.02*	2	0.01*	0.05*	0.05*		0.05*
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.05*	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Beans (without pods)	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Peas (with pods)	0.05*	0.05*	0.05*	0.5	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Peas (without pods)	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*		0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
vii) STEM VEGETABLES												
	Asparagus	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methacrifos	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl	Monocrotophos	Monolinuron
				Applying from 1 August 2003								
	Cardoons	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Celery	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Fennel	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Globe artichokes	0.05*	0.05*	0.05*	0.1	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Leeks	0.05*	0.2	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Rhubarb	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
viii) FUNGI												
a)	Cultivated mushrooms	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
b)	Wild mushrooms	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
3. PULSES												
	Beans	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*		0.05*
	Lentils	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*		0.05*
	Peas	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*		0.05*		0.05*
4. OILSEEDS												
	Linseed	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*		0.05*
	Peanuts	0.05*	0.05*	0.05*	0.01*	0.02*	0.1	0.01*	0.1*	0.1*		0.05*
	Poppy seed	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*		0.05*
	Sesame seed	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*		0.05*
	Sunflower seed	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*		0.05*
	Rape seed	0.05*	0.05*	0.05*	0.01*	0.05*	0.05*	0.01*	0.1*	0.1*		0.05*
	Soya bean	0.05*	0.05*	0.05*	0.01*	0.02*	0.1	0.01*	0.1*	0.1*		0.05*
	Mustard seed	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*		0.05*
	Cotton seed	0.05*	0.05*	0.05*	0.1	0.02*	0.1	0.01*	0.1*	0.1*		0.05*
	Others	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1*	0.1*		0.05*
5. POTATOES												
	Early potatoes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*
	Ware potatoes	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.05*	0.05*		0.05*

Group to which food belongs	Groups include the following products	Mecarbam	Metalaxyl	Methacrifos Applying from 1 August 2003	Methamidophos	Methidathion	Methomyl thiodicarb	Methoxychlor	Methyl bromide	Metsulfuron-methyl	Monocrotophos	Monolinuron
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*	0.05*	0.1*	0.1*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	10	0.1*	2	3	10	0.1*	0.05*	0.1*		0.1*
8. CEREALS												
	Wheat	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
	Rye	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
	Barley	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
	Sorghum	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
	Oats	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
	Triticale	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
	Maize	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
	Buckwheat	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
	Millet	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
	Rice [1]	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
	Other cereals [2]	0.05*	0.05*	0.05*	0.01*	0.02*	0.05*	0.01*	0.1	0.05*		0.05*
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)		0.05*	0.01*	0.01*	0.02*	0.02	0.01*				0.05*
	Milk [4] &		0.05*	0.01*	0.01*	0.02*	0.02	0.01*				0.05*
	Dairy produce [5]					0.02*	0.02*					
	Eggs [6]		0.05*	0.01*	0.01*	0.02*	0.02	0.01* (7)				0.05* (7)

Group to which food belongs	Groups include the following products	Myclobutanil	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Penconazole	Permethrin	Phorate	Phosmet	Phosphamidon	Phoxim
		Applying from 1 August 2003				Applying from 1 May 2003	Applying from 1 August 2003					
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit	3		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Lemons	3		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Limes	3		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Mandarins (inc clementines & similar hybrids)	3		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	similar hybrids											
	Oranges	3		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Pomelos	3		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	3		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Brazil nuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Cashew nuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Chestnuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Coconuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Hazelnuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Macadamia nuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Pecans	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Pine nuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Pistachios	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Walnuts	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.05*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
iii) POME FRUIT												
	Apples	0.5		0.02*	0.05*	0.05*	0.2	0.05*	0.05*			
	Pears	0.5		0.02*	0.05*	0.05*	0.2	0.05*	0.05*			

Group to which food belongs	Groups include the following products	Myclobutanil	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Penconazole	Permethrin	Phorate	Phosmet	Phosphamidon	Phoxim
		Applying from 1 August 2003				Applying from 1 May 2003	Applying from 1 August 2003					
	Quinces	0.5		0.02*	0.05*	0.05*	0.2	0.05*	0.05*			
	Others	0.5		0.02*	0.05*	0.05*	0.2	0.05*	0.05*			
iv) STONE FRUIT												
	Apricots	0.3		0.02*	0.05*	0.05*	0.1	0.05*	0.05*			
	Cherries	1		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Peaches (incl nectarines & similar hybrids)	0.5		0.02*	0.05*	0.05*	0.1	0.05*	0.05*			
	Plums	0.5		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	1		0.02*	0.05*	0.05*	0.2	0.05*	0.05*			
	Wine grapes	1		0.02*	0.05*	0.05*	0.2	0.05*	0.05*			
	b) Strawberries (other than wild)	1		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	c) Cane Fruit (other than wild)											
	Blackberries	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Dewberries	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Loganberries	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Raspberries	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Cranberries	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Currants (red, black & white)	1		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Gooseberries	1		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	e) Wild berries & wild fruit	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
vi) MISCELLANEOUS FRUIT												
	Avocados	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Bananas	2		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Dates	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			

Group to which food belongs	Groups include the following products	Myclobutanil	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Penconazole	Permethrin	Phorate	Phosmet	Phosphamidon	Phoxim
		Applying from 1 August 2003				Applying from 1 May 2003	Applying from 1 August 2003					
	Figs	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Kiwi fruit	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Kumquats	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Litchis	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Mangoes	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Olives (table consumption)	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Olives (oil extract)	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Papaya	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Passion fruit	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Pineapples	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Pomegranates	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Carrots	0.2		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Celeriac	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Horseradish	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Jerusalem artichokes	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Parsnips	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Parsley root	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Radishes	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Salsify	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Sweet potatoes	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Swedes	0.02*		0.02*	0.05*	0.05*	0..05*	0.05*	0.05*			
	Turnips	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Yams	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
ii) BULB VEGETABLES												
	Garlic	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Onions	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			

Group to which food belongs	Groups include the following products	Myclobutanil	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Penconazole	Permethrin	Phorate	Phosmet	Phosphamidon	Phoxim
		Applying from 1 August 2003				Applying from 1 May 2003	Applying from 1 August 2003					
	Shallots	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Spring onions	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
iii) FRUITING VEGETABLES												
a) Solanacea												
	Tomatoes	0.3		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Peppers	0.5		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Chilli peppers	0.3		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Aubergines	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
b) Cucurbits-edible peel												
	Cucumbers	0.1		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Gherkins	0.1		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Courgettes	0.1		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.1		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
c) Cucurbits-inedible peel												
	Melons	0.2		0.02*	0.05*	0.05*	0.1	0.05*	0.05*			
	Squashes	0.2		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Watermelons	0.2		0.02*	0.05*	0.05*	0.1	0.05*	0.05*			
	Others	0.2		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
d) Sweet corn		0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
iv) BRASSICA VEGETABLES												
a) Flowering Brassicas												
	Broccoli	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Cauliflower	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
b) Head Brassicas												
	Brussels sprouts	0.02*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*			
	Head cabbage	0.02*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			

Group to which food belongs	Groups include the following products	Myclobutanil	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Penconazole	Permethrin	Phorate	Phosmet	Phosphamidon	Phoxim
		Applying from 1 August 2003				Applying from 1 May 2003	Applying from 1 August 2003					
	c) Leafy Brassicas											
	Chinese cabbage	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Kale	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	d) Kohlrabi	0.02*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*			
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	0.02*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*			
	Lamb's lettuce	0.02*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*			
	Lettuce	0.02*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*			
	Scarole	0.02*		0.05(35)	0.05*	0.05*(35)	0.05*	0.05*(35)	0.05*			
	Others	0.02*		0.05	0.05*	0.05*	0.05*	0.05*	0.05*			
	b) Spinach & similar											
	Spinach	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Beet leaves (chard)	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	c) Watercress	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	d) Witloof	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	e) Herbs											
	Chervil	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Chives	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Parsley	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Celery leaves	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Beans (without pods)	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Peas (with pods)	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Peas (without pods)	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
vii) STEM VEGETABLES												
	Asparagus	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			

Group to which food belongs	Groups include the following products	Myclobutanil	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Penconazole	Permethrin	Phorate	Phosmet	Phosphamidon	Phoxim
		Applying from 1 August 2003				Applying from 1 May 2003	Applying from 1 August 2003					
	Cardoons	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Celery	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Fennel	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Globe artichokes	0.5		0.02*	0.05*	0.05*	0.2	0.05*	0.05*			
	Leeks	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Rhubarb	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
viii) FUNGI												
	a) Cultivated mushrooms	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	b) Wild mushrooms	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
3. PULSES												
	Beans	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Lentils	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Peas	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
4. OILSEEDS												
	Linseed	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Peanuts	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.1			
	Poppy seed	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Sesame seed	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Sunflower seed	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Rape seed	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Soya bean	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Mustard seed	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Cotton seed	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Others	0.05*		0.05*	0.05*	0.05*	0.05*	0.05*	0.05*			
5. POTATOES												
	Early potatoes	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			
	Ware potatoes	0.02*		0.02*	0.05*	0.05*	0.05*	0.05*	0.05*			

Group to which food belongs	Groups include the following products	Myclobutanil	Omethoate	Oxydemeton-methyl	Paraquat	Parathion	Penconazole	Permethrin	Phorate	Phosmet	Phosphamidon	Phoxim
		Applying from 1 August 2003				Applying from 1 May 2003	Applying from 1 August 2003					
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1	0.05*	0.1*	0.1*	0.1*	0.1*	0.1*	0.1*		0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	2		0.05*	0.1*	0.1*	0.5	0.1*	0.1*			
8. CEREALS												
	Wheat	0.02*		0.02*		0.05*	0.05*	0.05*	0.05*		0.05	
	Rye	0.02*		0.02*		0.05*	0.05*	0.05*	0.05*		0.05	
	Barley	0.02*		0.1		0.05*	0.05*	0.05*	0.05*		0.05	
	Sorghum	0.02*		0.02*		0.05*	0.05*	0.05*	0.05*		0.05	
	Oats	0.02*		0.1		0.05*	0.05*	0.05*	0.05*		0.05	
	Triticale	0.02*		0.02*		0.05*	0.05*	0.05*	0.05*		0.05	
	Maize	0.02*		0.02*		0.05*	0.05*	0.05*	0.05*		0.05	
	Buckwheat	0.02*		0.02*		0.05*	0.05*	0.05*	0.05*		0.05	
	Millet	0.02*		0.02*		0.05*	0.05*	0.05*	0.05*		0.05	
	Rice [1]	0.02*		0.02*		0.05*	0.05*	0.05*	0.05*		0.05	
	Other cereals [2]	0.02*		0.02*		0.05*	0.05*	0.05*	0.05*		0.05	
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)	0.01*		0.02*		0.05*	0.05*	0.5	0.05*			
	Milk [4] &	0.01*		0.02*		0.05*	0.01*	0.05	0.02*			
	Dairy produce [5]											
	Eggs [6]	0.01*		0.02*		0.05*	0.05*	0.05	0.05*			

Group to which food belongs	Groups include the following products	Pirimiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione and its salts expressed as prohexadione	Propargite	Propham	Propiconazole	Propoxur	Propyzamide
			Applying from 1 August 2003		Applying from 1 August 2003						
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin											
i) CITRUS FRUIT											
	Grapefruit	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Lemons	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	0.3	0.02*
	Limes	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	0.3	0.02*
	Mandarins (inc clementines & similar hybrids)	2	10	0.02*	0.05*	0.05*		0.05*	0.05*	0.3	0.02*
	similar hybrids										
	Oranges	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Pomelos	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	1	10	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
ii) TREE NUTS (shelled or unshelled)											
	Almonds	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Brazil nuts	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Cashew nuts	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Chestnuts	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Coconuts	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Hazelnuts	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Macadamia nuts	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Pecans	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Pine nuts	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Pistachios	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Walnuts	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.1*	0.05*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
iii) POME FRUIT											
	Apples	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Pears	0.05*	0.05*	1	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Pirimiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione and its salts expressed as prohexadione	Propargite	Propham	Propiconazole	Propoxur	Propyzamide
			Applying from 1 August 2003		Applying from 1 August 2003						
	Quinces	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
iv) STONE FRUIT											
	Apricots	0.05*	0.05*	2	0.05*	0.05*		0.05*	0.2	0.05*	0.02*
	Cherries	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Peaches (incl nectarines & similar hybrids)	0.05*	0.05*	2	0.05*	0.05*		0.05*	0.2	0.05*	0.02*
	Plums	0.05*	0.05*	2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
v) BERRIES AND SMALL FRUIT											
	a) Table & wine grapes										
	Table grapes	0.05*	0.05*	5	0.05*	0.05*		0.05*	0.5	0.05*	0.02*
	Wine grapes	2	0.05*	5	0.05*	0.05*		0.05*	0.5	0.05*	0.02*
	b) Strawberries (other than wild)	0.05*	0.05*	5	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	c) Cane Fruit (other than wild)										
	Blackberries	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Dewberries	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Loganberries	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Raspberries	0.05*	0.05*	10	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	d) Other small fruit & berries (other than wild)										
	Bilberries	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Cranberries	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Currants (red, black & white)	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.2	0.02*
	Gooseberries	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.2	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	e) Wild berries & wild fruit	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
vi) MISCELLANEOUS FRUIT											
	Avocados	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Bananas	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.1	0.05*	0.02*
	Dates	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Pirimiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione and its salts expressed as prohexadione	Propargite	Propham	Propiconazole	Propoxur	Propyzamide
			Applying from 1 August 2003		Applying from 1 August 2003						
	Figs	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Kiwi fruit	2	0.05*	5	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Kumquats	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Litchis	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Mangoes	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Olives (table consumption)	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Olives (oil extract)	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Papaya	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Passion fruit	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Pineapples	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Pomegranates	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
2. Vegetables, fresh or uncooked, frozen or dry											
i) ROOT AND TUBER VEGETABLES											
	Beetroot	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Carrots	1	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Celeriac	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Horseradish	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Jerusalem artichokes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Parsnips	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Parsley root	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Radishes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Salsify	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Sweet potatoes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Swedes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Turnips	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Yams	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
ii) BULB VEGETABLES											
	Garlic	0.05*	0.5	0.2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Onions	0.05*	0.05*	0.2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Pirimiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione and its salts expressed as prohexadione	Propargite	Propham	Propiconazole	Propoxur	Propyzamide
			Applying from 1 August 2003		Applying from 1 August 2003						
	Shallots	0.05*	5	0.2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Spring onions	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
iii) FRUITING VEGETABLES											
a) Solanacea											
	Tomatoes	1	0.05*	2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Peppers	1	0.05*	2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Chilli peppers	1	0.05*	2	5	0.05*		0.05*	0.05*	0.05*	0.02*
	Aubergines	0.05*	0.05*	2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
b) Cucurbits-edible peel											
	Cucumbers	0.1	0.05*	1	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Gherkins	0.05*	0.05*	1	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Courgettes	0.05*	0.05*	1	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	1	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
c) Cucurbits-inedible peel											
	Melons	1	0.05*	1	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Squashes	0.05*	0.05*	1	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Watermelons	0.05*	0.05*	1	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	1	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
d) Sweet corn		0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
iv) BRASSICA VEGETABLES											
a) Flowering Brassicas											
	Broccoli	1	0.05*	0.02*	0.05*	0.05*		0.05*(37)	0.05*	0.5	0.02*
	Cauliflower	1	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.5	0.02*
	Others	1	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.5	0.02*
b) Head Brassicas											
	Brussels sprouts	2	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Head cabbage	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.5	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Pirimiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione and its salts expressed as prohexadione	Propargite	Propham	Propiconazole	Propoxur	Propyzamide
			Applying from 1 August 2003		Applying from 1 August 2003						
	c) Leafy Brassicas										
	Chinese cabbage	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Kale	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	d) Kohlrabi	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
v) LEAF VEGETABLES AND FRESH HERBS											
	a) Lettuce & similar										
	Cress	0.05*	5	5	0.05*	0.05*		0.05*	0.05*	0.05*	1
	Lamb's lettuce	0.05*	5	5	0.05*	0.05*		0.05*	0.05*	0.05*	1
	Lettuce	0.05*	5	5	0.05*	0.05*		0.05*	0.05*	0.05*	1
	Scarole	0.05*	5	5	0.05*	0.05*		0.05*(35)	0.05*	0.05*	1
	Others	0.05*	5	5	0.05*	0.05*		0.05*	0.05*	0.05*	1
	b) Spinach & similar										
	Spinach	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Beet leaves (chard)	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	c) Watercress	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	d) Witloof	0.05*	0.05*	2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	e) Herbs										
	Chervil	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	1
	Chives	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	1
	Parsley	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	1
	Celery leaves	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	1
	Others	0.05*	5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	1
vi) LEGUME VEGETABLES (fresh)											
	Beans (with pods)	0.05*	0.05*	2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Beans (without pods)	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Peas (with pods)	0.05*	0.05*	1	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Peas (without pods)	0.05*	0.05*	0.3	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
vii) STEM VEGETABLES											
	Asparagus	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Pirimiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione and its salts expressed as prohexadione	Propargite	Propham	Propiconazole	Propoxur	Propyzamide
			Applying from 1 August 2003		Applying from 1 August 2003						
	Cardoons	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Celery	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Fennel	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Globe artichokes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Leeks	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	1	0.02*
	Rhubarb	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
viii) FUNGI											
	a) Cultivated mushrooms	2	2	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	b) Wild mushrooms	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
3. PULSES											
	Beans	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Lentils	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Peas	0.05*	0.3	0.2	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Others	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
4. OILSEEDS											
	Linseed	0.05*	0.5	0.05*	0.05*	0.1*		0.05*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.1*	0.05*	0.05*	0.1*		0.05*	0.05*	0.05*	0.05*
	Poppy seed	0.05*	0.1*	0.05*	0.05*	0.1*		0.05*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.1*	0.05*	0.05*	0.1*		0.05*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*	0.5	1/0.05* (32)	0.05*	0.1*		0.05*	0.05*	0.05*	0.05*
	Rape seed	0.05*	0.5	1	0.05*	0.1*		0.05*	0.05*	0.05*	0.1
	Soya bean	0.05*	0.1*	1	0.05*	0.1*		0.05*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.1*	0.05*	0.05*	0.1*		0.05*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.1*	0.05*	2	0.1*		0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.05*	0.1*		0.05*	0.05*	0.05*	0.05*
5. POTATOES											
	Early potatoes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Ware potatoes	0.05*	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*

Group to which food belongs	Groups include the following products	Pirimiphos-methyl	Prochloraz	Procymidone	Profenofos	Prohexadione and its salts expressed as prohexadione	Propargite	Propham	Propiconazole	Propoxur	Propyzamide
			Applying from 1 August 2003		Applying from 1 August 2003						
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.05*	0.1*	0.1*	0.1*	0.1*	5	0.1*	0.1*	0.1*	0.05*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.05*	0.1*	0.1*	0.1*	0.1*		0.1*	0.1*	0.1*	0.05*
8. CEREALS											
	Wheat	5	0.5	0.02*	0.05*	0.2		0.05*	0.05*	0.05*	0.02*
	Rye	5	0.5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Barley	5	1	0.02*	0.05*	0.2		0.05*	0.05*	0.05*	0.02*
	Sorghum	5	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Oats	5	1	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Triticale	5	0.5	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Maize	5	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Buckwheat	5	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Millet	5	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Rice [1]	5	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
	Other cereals [2]	5	0.05*	0.02*	0.05*	0.05*		0.05*	0.05*	0.05*	0.02*
9. PRODUCTS OF ANIMAL ORIGIN											
	Meat, fat & preparations of meat (3)	0.05*	0.2 (42) 2 (43) 0.5 (44) 0.1* (17)	0.05*	0.05*	0.05*		0.05*	0.1 (26) 0.05* (27)	0.05*	0.05* (28)(30) 0.02* (29)(30)
	Milk [4] &	0.05*	0.02*	0.05*	0.01*	0.01*		0.05*	0.01*	0.05*	0.01* (30)
	Dairy produce [5]	0.05*									
	Eggs [6]	0.05*	0.1*	0.05*	0.05*	0.05* (7)		0.05* (7)	0.05*	0.05*	0.02* (30)

Group to which food belongs	Groups include the following products	Pymetrozine	Pyrazophos	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Spiroxamine	Tecnazene	TEPP	Thiabendazole
								Applying from 1 August 2003				
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin												
i) CITRUS FRUIT												
	Grapefruit	0.3	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5
	Lemons	0.3	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5
	Limes	0.3	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5
	Mandarins (inc clementines & similar hybrids)	0.3	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5
	similar hybrids											
	Oranges	0.3	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5
	Pomelos	0.3	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5
	Others	0.3	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5
ii) TREE NUTS (shelled or unshelled)												
	Almonds	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Brazil nuts	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Cashew nuts	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Chestnuts	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Coconuts	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Hazelnuts	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Macadamia nuts	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Pecans	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Pine nuts	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Pistachios	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Walnuts	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.1*
iii) POME FRUIT												
	Apples	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5
	Pears	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5

Group to which food belongs	Groups include the following products	Pymetrozine	Pyrazophos	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Spiroxamine	Tecnazene	TEPP	Thiabendazole
								Applying from 1 August 2003				
	Quinces	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
iv) STONE FRUIT												
	Apricots	0.05	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Cherries	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Peaches (incl nectarines & similar hybrids)	0.05	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Plums	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
v) BERRIES AND SMALL FRUIT												
	a) Table & wine grapes											
	Table grapes	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	1	0.05*	0.01*	0.05*
	Wine grapes	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	1	0.05*	0.01*	0.05*
	b) Strawberries (other than wild)	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	c) Cane Fruit (other than wild)											
	Blackberries	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Dewberries	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Loganberries	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Raspberries	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	d) Other small fruit & berries (other than wild)											
	Bilberries	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Cranberries	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Currants (red, black & white)	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Gooseberries	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	e) Wild berries & wild fruit	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
vi) MISCELLANEOUS FRUIT												
	Avocados	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	15
	Bananas	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5
	Dates	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Pymetrozine	Pyrazophos	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Spiroxamine	Tecnazene	TEPP	Thiabendazole
								Applying from 1 August 2003				
	Figs	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Kiwi fruit	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Kumquats	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Litchis	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Mangoes	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	5
	Olives (table consumption)	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Olives (oil extract)	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Papaya	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	10
	Passion fruit	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Pineapples	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Pomegranates	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry												
i) ROOT AND TUBER VEGETABLES												
	Beetroot	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Carrots	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Celeriac	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Horseradish	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Jerusalem artichokes	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Parsnips	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Parsley root	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Radishes	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Salsify	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Sweet potatoes	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Swedes	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Turnips	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Yams	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
ii) BULB VEGETABLES												
	Garlic	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Onions	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Pymetrozine	Pyrazophos	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Spiroxamine	Tecnazene	TEPP	Thiabendazole
								Applying from 1 August 2003				
	Shallots	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Spring onions	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
iii) FRUITING VEGETABLES												
	a) Solanacea											
	Tomatoes	0.5	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Peppers	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Chilli peppers	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	
	Aubergines	0.5	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	b) Cucurbits-edible peel											
	Cucumbers	0.5	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Gherkins	0.5	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Courgettes	0.5	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.5	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	c) Cucurbits-inedible peel											
	Melons	0.2	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Squashes	0.2	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Watermelons	0.2	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.2	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	d) Sweet corn	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
iv) BRASSICA VEGETABLES												
	a) Flowering Brassicas											
	Broccoli	0.02*	0.05*(37)		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*(37)	0.01*	5
	Cauliflower	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	b) Head Brassicas											
	Brussels sprouts	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Head cabbage	0.05	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Pymetrozine	Pyrazophos	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Spiroxamine	Tecnazene	TEPP	Thiabendazole
								Applying from 1 August 2003				
	c) Leafy Brassicas											
	Chinese cabbage	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Kale	0.02*	0.05*		0.2	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	d) Kohlrabi	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS												
	a) Lettuce & similar											
	Cress	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Lamb's lettuce	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Lettuce	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Scarole	1	0.05*(35)		0.05*	0.05*	0.02*(35)	0.1*	0.05*	0.05*(35)	0.01*	0.05*
	Others	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	b) Spinach & similar											
	Spinach	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Beet leaves (chard)	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	c) Watercress	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	d) Witloof	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	e) Herbs											
	Chervil	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Chives	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Parsley	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Celery leaves	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	1	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
vi) LEGUME VEGETABLES (fresh)												
	Beans (with pods)	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Beans (without pods)	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Peas (with pods)	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Peas (without pods)	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
vii) STEM VEGETABLES												
	Asparagus	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*

Group to which food belongs	Groups include the following products	Pymetrozine	Pyrazophos	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin	Spiroxamine	Tecnazene	TEPP	Thiabendazole
								Applying from 1 August 2003				
	Cardoons	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Celery	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Fennel	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Globe artichokes	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Leeks	0.02*	0.05*		1	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Rhubarb	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
viii) FUNGI												
	a) Cultivated mushrooms	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	10
	b) Wild mushrooms	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
3. PULSES												
	Beans	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Lentils	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Peas	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
4. OILSEEDS												
	Linseed	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.05*
	Peanuts	0.02*	0.05*		0.05*	0.05*	0.05(38)	0.2*	0.05*	0.05*	0.01*	0.05*
	Poppy seed	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.05*
	Sesame seed	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.05*
	Sunflower seed	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.05*
	Rape seed	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.05*
	Soya bean	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.05*
	Mustard seed	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.05*
	Cotton seed	0.05	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.05*
	Others	0.02*	0.05*		0.05*	0.05*	0.02*	0.2*	0.05*	0.05*	0.01*	0.05*
5. POTATOES												
	Early potatoes	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	0.05*
	Ware potatoes	0.02*	0.05*		0.05*	0.05*	0.02*	0.1*	0.05*	0.05*	0.01*	15

Group to which food belongs	Groups include the following products	Pymetrozine	Pyrazophos	Pyrethrins	Pyridate	Quinalphos	Quintozene	Resmethrin Applying from 1 August 2003	Spiroxamine	Tecnazene	TEPP	Thiabendazole
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.1*		0.1*	0.1*	0.05*	0.2*	0.1*	0.1*	0.02*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	5	0.1*		0.1*	0.1*	0.05*	0.2*	0.1*	0.1*	0.02*	0.1*
8. CEREALS												
	Wheat	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*		0.05*
	Rye	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*		0.05*
	Barley	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.3	0.05*		0.05*
	Sorghum	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*		0.05*
	Oats	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.3	0.05*		0.05*
	Triticale	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*		0.05*
	Maize	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*		0.05*
	Buckwheat	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*		0.05*
	Millet	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*		0.05*
	Rice [1]	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*		0.05*
	Other cereals [2]	0.02*	0.05*	3	0.05*	0.02*	0.02*	0.05*	0.05*	0.05*		0.05*
9. PRODUCTS OF ANIMAL ORIGIN												
	Meat, fat & preparations of meat (3)	0.01*	0.02*		0.05*(17) 0.4 (31)		0.01*	0.1*	0.05* (13)(34) 0.2 (34)(36)	0.05*		0.1 (19)
	Milk [4] &	0.01*	0.02*		0.05*		0.01*	0.1*	0.02 (34)	0.05*		
	Dairy produce [5]											
	Eggs [6]	0.01*	0.1* (7)		0.05*		0.01*	0.1*	0.05* (7)(34)	0.05* (7)		0.1*

Group to which food belongs	Groups include the following products	Thifensulfuron methyl	Triadimefon and Triadimenol	Triasulfuron	Triazophos	Trichlorfon	Tridemorph	Triforine	2,4,5-T	Vinclozolin
		Applying from 1 July 2003	Applying from 1 August 2003	Applying from 1 July 2003			Applying from 1 August 2003			
1. Fruit, fresh, dried or uncooked, preserved by freezing not containin										
i) CITRUS FRUIT										
	Grapefruit	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Lemons	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Limes	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Mandarins (inc clementines & similar hybrids)	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	similar hybrids									
	Oranges	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Pomelos	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
ii) TREE NUTS (shelled or unshelled)										
	Almonds	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Brazil nuts	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Cashew nuts	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Chestnuts	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Coconuts	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Hazelnuts	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Macadamia nuts	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Pecans	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Pine nuts	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Pistachios	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Walnuts	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Others	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
iii) POME FRUIT										
	Apples	0.05*	0.2	0.05*	0.02*		0.05*	2	0.05*	1
	Pears	0.05*	0.1*	0.05*	0.02*		0.05*	2	0.05*	1

Group to which food belongs	Groups include the following products	Thifensulfuron methyl	Triadimefon and Triadimenol	Triasulfuron	Triazophos	Trichlorfon	Tridemorph	Triforine	2,4,5-T	Vinclozolin
		Applying from 1 July 2003	Applying from 1 August 2003	Applying from 1 July 2003			Applying from 1 August 2003			
	Quinces	0.05*	0.1*	0.05*	0.02*		0.05*	2	0.05*	1
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	2	0.05*	1
iv) STONE FRUIT										
	Apricots	0.05*	0.1*	0.05*	0.02*		0.05*	2	0.05*	2
	Cherries	0.05*	0.1*	0.05*	0.02*		0.05*	2	0.05*	0.5
	Peaches (incl nectarines & similar hybrids)	0.05*	0.1*	0.05*	0.02*		0.05*	2	0.05*	0.05*
	Plums	0.05*	0.1*	0.05*	0.02*		0.05*	1	0.05*	2
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
v) BERRIES AND SMALL FRUIT										
	a) Table & wine grapes									
	Table grapes	0.05*	2	0.05*	0.02*		0.05*	0.05*	0.05*	5
	Wine grapes	0.05*	2	0.05*	0.02*		0.05*	0.05*	0.05*	5
	b) Strawberries (other than wild)	0.05*	0.5	0.05*	0.02*		0.05*	0.05*	0.05*	5
	c) Cane Fruit (other than wild)									
	Blackberries	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	5
	Dewberries	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	5
	Loganberries	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	5
	Raspberries	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	5
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	5
	d) Other small fruit & berries (other than wild)									
	Bilberries	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Cranberries	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Currants (red, black & white)	0.05*	0.1*	0.05*	0.02*		0.05*	2	0.05*	10
	Gooseberries	0.05*	0.1*	0.05*	0.02*		0.05*	2	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	e) Wild berries & wild fruit	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
vi) MISCELLANEOUS FRUIT										
	Avocados	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Bananas	0.05*	0.2	0.05*	0.02*		0.05*	0.05*	0.05	0.05*
	Dates	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Thifensulfuron methyl	Triadimefon and Triadimenol	Triasulfuron	Triazophos	Trichlorfon	Tridemorph	Triforine	2,4,5-T	Vinclozolin
		Applying from 1 July 2003	Applying from 1 August 2003	Applying from 1 July 2003			Applying from 1 August 2003			
	Figs	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Kiwi fruit	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	10
	Kumquats	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Litchis	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Mangoes	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Olives (table consumption)	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Olives (oil extract)	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Papaya	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Passion fruit	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Pineapples	0.05*	3	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Pomegranates	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
2. Vegetables, fresh or uncooked, frozen or dry										
i) ROOT AND TUBER VEGETABLES										
	Beetroot	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Carrots	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.5
	Celeriac	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Horseradish	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Jerusalem artichokes	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Parsnips	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Parsley root	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Radishes	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Salsify	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Sweet potatoes	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Swedes	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Turnips	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Yams	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
ii) BULB VEGETABLES										
	Garlic	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	1
	Onions	0.05*	0.5	0.05*	0.02*		0.05*	0.05*	0.05*	1

Group to which food belongs	Groups include the following products	Thifensulfuron methyl	Triadimefon and Triadimenol	Triasulfuron	Triazophos	Trichlorfon	Tridemorph	Triforine	2,4,5-T	Vinclozolin
		Applying from 1 July 2003	Applying from 1 August 2003	Applying from 1 July 2003			Applying from 1 August 2003			
	Shallots	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	1
	Spring onions	0.05*	1	0.05*	0.02*		0.05*	0.05*	0.05*	1
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	1
iii) FRUITING VEGETABLES										
	a) Solanacea									
	Tomatoes	0.05*	0.3	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Peppers	0.05*	0.5	0.05*	0.02*		0.05*	0.05*	0.05*	3
	Chilli peppers	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	3
	Aubergines	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	3
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	3
	b) Cucurbits-edible peel									
	Cucumbers	0.05*	0.1*	0.05*	0.02*		0.05*	0.5	0.05*	1
	Gherkins	0.05*	0.1*	0.05*	0.02*		0.05*	0.5	0.05*	1
	Courgettes	0.05*	0.1*	0.05*	0.02*		0.05*	0.5	0.05*	1
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.5	0.05*	1
	c) Cucurbits-inedible peel									
	Melons	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	1
	Squashes	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	1
	Watermelons	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	1
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	1
	d) Sweet corn	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
iv) BRASSICA VEGETABLES										
	a) Flowering Brassicas									
	Broccoli	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Cauliflower	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	b) Head Brassicas									
	Brussels sprouts	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Head cabbage	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Thifensulfuron methyl	Triadimefon and Triadimenol	Triasulfuron	Triazophos	Trichlorfon	Tridemorph	Triforine	2,4,5-T	Vinclozolin
		Applying from 1 July 2003	Applying from 1 August 2003	Applying from 1 July 2003			Applying from 1 August 2003			
c) Leafy Brassicas										
	Chinese cabbage	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	2
	Kale	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
d) Kohlrabi		0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
v) LEAF VEGETABLES AND FRESH HERBS										
a) Lettuce & similar										
	Cress	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	5
	Lamb's lettuce	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	5
	Lettuce	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	5
	Scarole	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	5
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	5
b) Spinach & similar										
	Spinach	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Beet leaves (chard)	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
c) Watercress		0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
d) Witloof		0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	2
e) Herbs										
	Chervil	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Chives	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Parsley	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Celery leaves	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
vi) LEGUME VEGETABLES (fresh)										
	Beans (with pods)	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	2
	Beans (without pods)	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.5
	Peas (with pods)	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	2
	Peas (without pods)	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.3
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
vii) STEM VEGETABLES										
	Asparagus	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Thifensulfuron methyl	Triadimefon and Triadimenol	Triasulfuron	Triazophos	Trichlorfon	Tridemorph	Triforine	2,4,5-T	Vinclozolin
		Applying from 1 July 2003	Applying from 1 August 2003	Applying from 1 July 2003			Applying from 1 August 2003			
	Cardoons	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Celery	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Fennel	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Globe artichokes	0.05*	1	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Leeks	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Rhubarb	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
viii) FUNGI										
	a) Cultivated mushrooms	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	b) Wild mushrooms	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
3. PULSES										
	Beans	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.5
	Lentils	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Peas	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.5
	Others	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
4. OILSEEDS										
	Linseed	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Peanuts	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Poppy seed	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Sesame seed	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Sunflower seed	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Rape seed	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	1
	Soya bean	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Mustard seed	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
	Cotton seed	0.05*	0.2*	0.05*	0.1		0.1*	0.05*	0.05*	0.05*
	Others	0.05*	0.2*	0.05*	0.02*		0.1*	0.05*	0.05*	0.05*
5. POTATOES										
	Early potatoes	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*
	Ware potatoes	0.05*	0.1*	0.05*	0.02*		0.05*	0.05*	0.05*	0.05*

Group to which food belongs	Groups include the following products	Thifensulfuron methyl	Triadimefon and Triadimenol	Triasulfuron	Triazophos	Trichlorfon	Tridemorph	Triforine	2,4,5-T	Vinclozolin
		Applying from 1 July 2003	Applying from 1 August 2003	Applying from 1 July 2003			Applying from 1 August 2003			
6. TEA	(dried leaves and stalks, fermented or otherwise, Camellia sinensis)	0.1*	0.2*	0.1*	0.05*		20	0.1*	0.05*	0.1*
7. HOPS (dried)	including hop pellets & unconcentrated powder	0.1*	10	0.1*	0.05*		0.1*	30	0.05*	40
8. CEREALS										
	Wheat	0.05*	0.2	0.05*	0.02*	0.1	0.05*	0.1		0.05*
	Rye	0.05*	0.2	0.05*	0.02*	0.1	0.05*	0.1		0.05*
	Barley	0.05*	0.2	0.05*	0.02*	0.1	0.2	0.1		0.05*
	Sorghum	0.05*	0.1*	0.05*	0.02*	0.1	0.05*	0.05*		0.05*
	Oats	0.05*	0.2	0.05*	0.02*	0.1	0.2	0.1		0.05*
	Triticale	0.05*	0.2	0.05*	0.02*	0.1	0.05*	0.1		0.05*
	Maize	0.05*	0.1*	0.05*	0.02*	0.1	0.05*	0.05*		0.05*
	Buckwheat	0.05*	0.1*	0.05*	0.02*	0.1	0.05*	0.05*		0.05*
	Millet	0.05*	0.1*	0.05*	0.02*	0.1	0.05*	0.05*		0.05*
	Rice [1]	0.05*	0.1*	0.05*	0.02*	0.1	0.05*	0.05*		0.05*
	Other cereals [2]	0.05*	0.1*	0.05*	0.02*	0.1	0.05*	0.05*		0.05*
9. PRODUCTS OF ANIMAL ORIGIN										
	Meat, fat & preparations of meat (3)		0.1*		0.02*		0.05*	0.05*		0.05*
	Milk [4] &		0.1*		0.02*		0.05*	0.05*		0.05*
	Dairy produce [5]				0.02*					
	Eggs [6]		0.1*		0.02* (7)		0.05*	0.05*		0.05* "

UNITS:
Maximum residue levels (MRLs) are expressed in milligrammes of residue per kilogramme of food.

KEY:
* Level at or about the limit of determination.

FOOTNOTES:

1. Paddy or rough rice, husked rice and semi-milled or wholly milled rice.
2. Other cereals do not include rice.
3. Levels are measured on fat, except in the case of foods with a fat content of 10% or less by weight.
   In these cases the residue is related to the total weight of the boned foodstuff and the MRL is one tenth of the value given in the table,
   but must be no less than 0.01 mg/kg.
4. These levels are for fresh raw cow's milk and fresh whole cream cow's milk expressed on the whole milk.
5. For preserved, concentrated or sweetened cow's milk; for raw milk and whole cream milk of another animal origin; and for butter, cheese or curd.
   whether made from cow's milk or other milk of a combination, the following levels apply:
   - if the fat content is less than 2% by weight, the MRL is taken as half that set for raw milk and whole cream milk;
   - if the fat content is 2% or more by weight, the MRL is expressed in mg/kg of fat and is set at 25 times that set for raw milk and whole cream milk
6. Birds' eggs in shell (other than eggs for hatching) and whole egg products and egg yolk products (whether fresh, dried or otherwise prepared)
7. For eggs and egg products with a fat content higher than 10%, the maximum level is expressed in mg/kg fat. In this case, the maximum level is 10 times higher than the maximum level for fresh eggs.
8. All meat except poultrymeat.
9. Poultrymeat only.
10. Chicken liver.
11. Cattle kidney.
12. Cattle liver.
13. All meat except liver and kidney.
14. The residue definition for this MRL is: 2-methoxyimino-2-[2-(0-tolyloxymethyl)phenyl]acetic acid.
15. Meat, liver, fat.
16. Kidney.
17. Other meat products.
18. The residue definition for this MRL is: 2-[2-(4-hydroxy-2-methylphenoxymethyl)phenyl]-2-methoxy-iminoacetic acid.
19. With the exception of meat and other ovine, bovine and caprine products.
20. These MRLs are based on Codex MRLs (extraneous residue limits) and do not result from the use of plant protection products.
21. Meat of cattle, sheep and goats.
22. Other than meat or liver of cattle, sheep and goats, and poultrymeat.
23. Liver of cattle, sheep and goats. The residue definition for this MRL is: 1,1-bis-(parachlorophenol)-2,2-dichloroethanol(PP'-FW152), expressed as dicofol.

24. Pig kidney.
25. Cattle, goat and sheep kidney.
26. Ruminant liver.
27. All meat except ruminant liver.
28. Fat liver and kidney.
29. Other than fat, liver and kidney.
30. The residues definition for these MRLs is: sum of propyzamide and all metabolites containing the 3,5-dichlorobenzoic acid fraction expressed as propyzamide.
31. All kidney except poultry kidney.
32. Procymidone: 1 mg/kg applies to whole seeds; 0.05 mg/kg applies to seed without shell.
33. Meat and meat products other than those at footnotes 10, 11 and 12.
34 The residues definition for this MRL is: spiroxamine carboxylic acid expressed as spiroxamine
35 Scarole includes broad-leaf endive.
36 Liver and kidney.
37 Broccoli includes calabrese.
38 MRL is based on Codex MRL.
39 For animal products the MRLs relate to cyhalothrin (sum of isomers).
40 This figure is the sum of the alpha and beta isomers.
41 Cattle fat.
42 Bovine fat.
43 Bovine liver.
44 Bovine kidney.
45 Meat of cattle.
46 Liver of cattle, goat, pig, sheep.
47 Kidney of cattle, goat, pig, sheep.
48 Poultry meat, fat, edible offal.
49 Meat of cattle goat, pig, sheep.
50 All products except sheep.
51 Liver of sheep cattle and goat. The residue definition is sum of all compounds containing the 2-chlorobenzoyl moiety expressed as clofentezine.
52 This MRL also applies to spelt.
53 Except spelt.

Regulation 2(6)

SCHEDULE 2

"Regulation 2(1)

SCHEDULE 5

DEFINITION OF RESIDUE DIRECTIVES

"The Residue Directives" means Council Directive 1986/362/EEC(**a**) as amended by

Directive	*Reference*
Council Directive 1988/298/EEC	O.J. No. L 126, 20.5.88, p.53
Council Directive 1990/654EEC	O.J. No. L 353, 17.12.90, p.48
Council Directive 1993/57/EEC	O.J. No. L 211, 23.8.93, p.1
Council Directive 1994/29/EC	O.J. No. L 189, 23.7.94, p.67
Council Directive 1995/39/EC	O.J. No. L 197, 22.8.95, p.29
Council Directive 1996/33/EC	O.J. No. L 144, 18.6.96, p.35
Council Directive 1997/41/EC	O.J. No. L 184, 12.7.97, p.33
Commission Directive 1997/71/EC	O.J. No. L 347, 18.12.97, p.42
Commission Directive 1998/82/EC	O.J. No. L 290, 29.10.98, p.25
Commission Directive 1999/65/EC	O.J. No. L 172, 8.7.99, p.40
Commission Directive 1999/71/EC	O.J. No. L 194, 27.7.99, p.36
Commission Directive 2000/24/EC	O.J. No. L 107, 4.5.00, p.28
Commission Directive 2000/42/EC	O.J. No. L 158, 30.6.00, p. 51
Commission Directive 2000/48/EC	O.J. No. L 197, 3.8.00, p. 26
Commission Directive 2000/58/EC	O.J. No. L 244, 29.9.00, p.78
Commission Directive 2000/81/EC	O.J. No. L 326, 22.12.00, p.56
Commission Directive 2000/82/EC	O.J. No. L 3, 6.1.01, p.18
Commission Directive 2001/39/EC	O.J. No. L 148, 1.6.01, p.70
Commission Directive 2001/48/EC	O.J. No. L 180, 3.7.01, p.26
Commission Directive 2001/57/EC	O.J. No. L 208, 1.8.01, p.36
Commission Directive 2002/23/EC	O.J. No. L 64, 7.3.02, p.13
Commission Directive 2002/42/EC(**b**)	O.J. No. L 134, 22.5.02, p.29
Commission Directive 2002/66/EC	O.J. No. L 192, 20.7.02, p.47
Commission Directive 2002/71/EC	O.J. No. L 225, 22.8.02, p.21
Commission Directive 2002/76/EC	O.J. No. L 240, 7.9.02, p.45
Commission Directive 2002/79/EC	O.J. No. L 291, 28.10.02, p.1
Commission Directive 2002/97/EC	O.J. No. L 343, 18.12.02, p. 23

together with Council Directive 1986/363/EEC(**c**) as amended by

Directive	*Reference*
Council Directive 1993/57/EEC	O.J. No. L 211, 23.8.93, p.1
Council Directive 1994/29/EEC	O.J. No. L 189, 23.7.94, p.67
Council Directive 1995/39/EC	O.J. No. L 197, 22.8.95, p.29
Council Directive 1996/33/EC	O.J. No. L 144, 18.6.96, p.35
Council Directive 1997/41/EC	O.J. No. L 184, 12.7.97, p.33
Commission Directive 1997/71/EC	O.J. No. L 347, 18.12.97, p.42
Commission Directive 1998/82/EC	O.J. No. L 290, 29.10.98, p.25
Commission Directive 1999/71/EC	O.J. No. L 194, 27.7.99, p.36
Commission Directive 2000/24/EC	O.J. No. L 107, 4.5.00, p.28
Commission Directive 2000/81/EC	O.J. No. L 326, 22.12.00, p.56
Commission Directive 2000/82/EC	O.J. No. L 3, 6.1.01, p.18
Commission Directive 2001/39/EC	O.J. No. L 148, 1.6.01, p.70
Commission Directive 2001/57/EC	O.J. No. L 208, 1.8.01, p.36
Commission Directive 2002/23/EC	O.J. No. L 64, 7.3.02, p.13
Commission Directive 2002/42/EC	O.J. No. L 134, 22.5.02, p.29
Commission Directive 2002/66/EC	O.J. No. L 192, 20.7.02, p.47

(a) O.J. No. L 221, 7.8.86, p.37.
(b) As amended by Corrigendum to Commission Directive 2002/42/EC, O.J. No. L 140, 30.5.02, p.39.
(c) O.J. No. L 221, 7.8.86, p.43.

Directive	*Reference*
Commission Directive 2002/71/EC	O.J. No. L 225, 22.8.02, p.21
Commission Directive 2002/79/EC	O.J. No. L 291, 28.10.02, p.1
Commission Directive 2002/97/EC	O.J. No. L 343, 18.12.02, p.23

and Council Directive 1990/642/EEC(**a**) as amended by

Directive	*Reference*
Council Directive 1993/58/EEC	O.J. No. L 211, 23.8.93, p.6
Council Directive 1994/30/EC	O.J. No. L 189, 23.7.94, p.70
Council Directive 1995/38/EC	O.J. No. L 197, 22.8.95, p.14
Council Directive 1995/61/EC	O.J. No. L 292, 7.12.95, p.27
Council Directive 1996/32/EC	O.J. No. L 144, 18.6.96, p.12
Council Directive 1997/41/EC	O.J. No. L 184, 12.7.97, p.33
Commission Directive 1997/71/EC	O.J. No. L 347, 18.12.97, p.42
Commission Directive 1998/82/EC	O.J. No. L 290, 29.10.98, p.25
Commission Directive 1999/65/EC	O. J. No. L 172, 8.7.99, p.40
Commission Directive 1999/71/EC	O.J. No. L 194, 27.7.99, p.36
Commission Directive 2000/24/EC	O.J. No. L 107, 4.5.00, p.28
Commission Directive 2000/42/EC	O.J. No. L 158, 30.6.00, p. 51
Commission Directive 2000/48/EC	O.J. No. L 197, 3.8.00, p. 26
Commission Directive 2000/57/EC	O.J. No. L 244, 29.9.00, p.76
Commission Directive 2000/58/EC	O.J. No. L 244, 29.9.00, p.78
Commission Directive 2000/81/EC	O.J. No. L 326, 22.12.00, p.56
Commission Directive 2000/82/EC	O.J. No. L 3, 6.1.01, p.18
Commission Directive 2001/35/EC	O.J. No. L 136, 18.5.01, p.42
Commission Directive 2001/48/EC	O.J. No. L 180, 3.7.01, p.26
Commission Directive 2001/57/EC	O.J. No. L 208, 1.8.01, p.36
Commission Directive 2002/5/EC	O.J. No. L 34, 5.2.02, p.7
Commission Directive 2002/23/EC	O.J. No. L 64, 7.3.02, p.13
Commission Directive 2002/42/EC	O.J. No. L 134, 22.5.02, p.29
Commission Directive 2002/66/EC	O.J. No. L 192, 20.7.02, p.47
Commission Directive 2002/71/EC	O.J. No. L 225, 22.8.02, p.21
Commission Directive 2002/76/EC	O.J. No. L 240, 7.9.02, p.45
Commission Directive 2002/79/EC	O.J. No. L 291, 28.10.02, p.1
Commission Directive 2002/97/EC	O.J. No. L 343, 18.12.01, p.23
Commission Directive 2002/100/EC	O.J. No. L 2, 7.1.03, p.33

”

(a) O.J. No. L 350, 14.12.90, p.71.

EXPLANATORY NOTE

(This note is not part of the Regulations)

These Regulations, which extend to Scotland only, further amend the provisions of the Pesticides (Maximum Residue Levels in Crops, Food and Feeding Stuffs) (Scotland) Regulations 2000 ("the principal Regulations").

The Regulations insert into the principal Regulations references to the pesticides abamectin, azocyclotin, bifenthrin, bitertanol, bromopropylate, clofentezine, cyromazine, cyhexatin, fenpropimorph, flucythrinate, hexaconazole, myclobutanil, penconazole, prochloraz, profenofos, resmethrin, tridemorph, triadimefon and triadimenol, triasulfuron, thifensulfuron methyl and 2,4-D and their residues, to reflect Commission Directives 2002/79/EC and 2002/97/EC (regulation 2(2) and 2(3)).

The Regulations substitute the maximum residue levels for azoxystrobin in the principal Regulations with new maximum residue levels to reflect Commission Directive 2002/100/EC.

The Regulations remove pesticide residue levels for bitertanol, which had previously been set nationally by virtue of powers contained in the Food and Environment Protection Act 1985, from the list contained in Part 1 of Schedule 2 to the principal Regulations because they have been replaced by Community levels (regulation 2(4)).

The Regulations consolidate Part 2 of Schedule 2 to the principal Regulations to take account of changes and additions to the maximum residue levels that have been set at an EC level since the last substitution of that Part by S.S.I. 2001/84 (regulation 2(5) and Schedule 1).

The Regulations also update the definition of "Residue Directives" in the principal Regulations (by substituting Schedule 5 to the principal Regulations) to incorporate–

(a) Commission Directive 2002/79/EEC (O.J. No. L 291, 28.10.02 p.1);

(b) Commission Directive 2002/97/EEC (O.J. No. L 343, 18.12.02, p.23);

(c) Commission Directive 2002/100/EC (O.J. No. L 2, 7.1.03, p.33) (regulation 2(6) and Schedule 2).

Regulation 3 makes consequential amendments.

No Regulatory Impact Assessment has been produced in relation to these Regulations.