(iii) PLYWOOD

The Plywood Prices (No. 2) Order, 1949

1949 No. 2382

Made - - - -	*20th December*, 1949
Laid before Parliament	*22nd December*, 1949
Coming into Operation	*2nd January*, 1950

The Board of Trade in pursuance of the powers conferred upon them by Regulations 55 and 55AB of the Defence (General) Regulations, 1939, as having effect by virtue of the Supplies and Services (Transitional Powers) Act, 1945(a), as extended by the Supplies and Services (Extended Purposes) Act, 1947(b), hereby order as follows—

1.—(1) No person shall sell any plywood of a description for which a basis price is specified in Part II of the First Schedule to this Order at a price exceeding the appropriate maximum price computed in accordance with the provisions of Part I of that Schedule.

(2) No seller shall charge in relation to the sale of any such plywood in addition to the price paid or payable therefor any amount not authorized by the provisions set out in the Second Schedule to this Order.

(3) The seller of any such plywood shall, if the buyer so requires, furnish to the buyer a statement in writing (whether in an invoice or otherwise) showing in relation to the provisions of this Order how the price is computed and giving sufficient particulars to enable the buyer to verify that the price is in conformity with the provisions of this Order.

2. Nothing in this Order shall apply to plywood comprised in any sale complying with the provisions of Article 8 of the Control of Timber (No. 32) (General Provisions) Order, 1944(c), as amended from time to time(d).

3. In any proceedings in respect of any sale of any plywood in alleged contravention of Article 1 of this Order, it shall be a defence for the defendant to prove that the plywood was neither delivered nor intended to be delivered to any person in the United Kingdom, other than a person under an obligation to carry the plywood on behalf of the buyer thereof to a place outside the United Kingdom.

4. Nothing in this Order shall prohibit the doing of anything under the authority of a licence issued by the Board of Trade hereunder, and in accordance with any condition attached thereto.

5. In this Order—

" plywood " means any of the materials commonly known in the timber trade as plywood (including battenboard, blockboard and laminboard) whether or not faced with any material other than wood, and reclaimed plywood ; and

" reclaimed plywood " means any used plywood which is capable, with or without reconditioning, of use as plywood.

(a) 9 & 10 Geo. 6. c. 10; and S.R. & O. 1945 (Nos. 1611 and 1618) II, pp. 39 and 48.
(b) 10 & 11 Geo. 6. c. 55.
(c) S.R. & O. 1944 (No 917) II, p. 1594.
(d) The relevant amending Order at the date of this Order is S.I. 1949 No. 2093, p. 682 above.

6. The Plywood Prices Order, 1949(a), and the Plywood Prices (Amendment) Order, 1949(b), are hereby revoked.

7. This Order may be cited as the Plywood Prices (No. 2) Order, 1949, and shall come into operation on the 2nd day of January, 1950.

Dated this 20th day of December, 1949.

John Edwards,
Parliamentary Secretary to the Board of Trade.

FIRST SCHEDULE

PART I

1. The maximum price for any plywood (other than reclaimed plywood) of a description for which a basis price is specified in Division A or Division B of Part II of this Schedule, which is loaded at the expense of the seller on to a vehicle or vessel at the place where the plywood is lying, shall be the aggregate of—

(*a*) the appropriate basis price so specified;

(*b*) In the case of plywood lying at a place other than a Board of Trade store or the place of manufacture in the United Kingdom, a carriage charge calculated as follows:—

Distance from the Board of Trade store in which the plywood has been stored or (if it has not been so stored) the place of manufacture in the United Kingdom, to the place where the plywood is lying—	*Charge per mm. thickness per 100 sq. ft.* *d.*
Not more than 60 miles	1½
More than 60 miles but not more than 125 miles	2
More than 125 miles but not more than 200 miles	3
More than 200 miles	4;

(*c*) in the case of plywood specified in the buyer's order which

(i) has a value, calculated at the basis price, of less than £15, and

(ii) differs from the other plywood (if any) separately specified in that order in respect of species of wood, quality and thickness,

a sum equal to 20 per cent. of the value so calculated:

Provided that the aggregate of the addendum under this head and the value at the basis price to which it is added shall not exceed £15.

2. The maximum price of any reclaimed plywood of a description for which a basis price is specified in Part II of this Schedule which is loaded as aforesaid shall be—

(*a*) where it is sold in a parcel of uniform description, 90 per cent. of the basis price so specified for that description;

(*b*) where it is sold in a parcel of uniform species of wood and thickness, 90 per cent. of the basis price so specified for the lowest quality and smallest size comprised in that parcel specified in relation to plywood of that species of wood and thickness:

Provided that where the quality of the reclaimed plywood has not been ascertained, it shall be deemed to be of the lowest relevant quality;

(*c*) Where it is sold in a parcel sorted only according to thickness—90 per cent. of the lowest basis price so specified for that thickness, irrespective of species of wood, quality and size; and

(*d*) in any other case, £30 per ton.

(a) S.I. 1949 No. 498. (b) S.I. 1949 No. 2013.

3. The maximum price of any plywood offcuts for which a basis price is specified in Division C of Part II of this Schedule, which are loaded as aforesaid, shall be the appropriate basis price so specified.

4. The maximum price for any plywood, reclaimed plywood, or plywood offcuts not loaded as aforesaid shall be the amount provided in paragraph 1, 2 or 3 of this Part, as the case may be, less the reasonable cost which the buyer has incurred or may expect to incur of loading the material on to a vehicle or vessel at the place where the material is lying.

5. The prices in Part II of this Schedule include the packing (if any) of imported plywood but exclude the packing (if any) of plywood manufactured in the United Kingdom.

6. In the Tables in Part II of this Schedule code letters and figures indicating quality have the meaning attached to them by the custom of the timber trade, and the first dimension given is that parallel to the grain.

7. The prices in Division A and Division B of Part II of this Schedule are per 100 square feet.

INDEX TO PART II

DIVISION A—IMPORTED

	Table	*Pages*
Alder, Beech, Birch and Pine—Czechoslovak, Hungarian, Roumanian and Yugoslav manufacture	1	688
Alder and Birch—Russian manufacture	2	689
Baboen—Dutch Guiana manufacture	3	690
Beech and Limba—Danish manufacture	4	690
Beech—French manufacture	5	690
Birch—Canadian manufacture	6	690
Birch—Finnish manufacture	7	691
Cedar—Canadian and Mexican manufacture	8	693
Douglas Fir	9	694
Fabricator Panels—Canadian manufacture	10	695
Gaboon—Canadian manufacture	11	696
Gaboon—French and Spanish manufacture	12	696
Hardwood—American manufacture (including Birch and Maple)	13	697
Hemlock	9	694
Mahogany—African, French manufacture	12	696
Parana Pine	14	697
Pine—Chilean manufacture	15	698
Pine—Norwegian and Swedish manufacture (including whitewood and Gaboon)	16–17	699
Pine—Polish manufacture	18	701
Pitch Pine—American manufacture	19	701
Poplar—Dutch manufacture	20	701
Poplar—French manufacture	21	702
Poplar—Italian manufacture	22	702
Various Woods of Nigerian manufacture	23	702
Blockboards and Laminated Boards	24	703

DIVISION B—HOME MANUFACTURED

Faces of any woods	—	704

DIVISION C

Offcuts	—	705

PART II

DIVISION A—IMPORTED

TABLE 1—CZECHOSLOVAK, HUNGARIAN, ROUMANIAN AND YUGOSLAV ALDER, BEECH, BIRCH AND PINE

(CORES OF ANY WOOD)

INTERIOR TYPE

Sizes not over 87 in. × not over 60 in. or reverse

(*a*) SCRAPED OR SANDED ONE OR TWO SIDES

	Thickness	Quality					
		I, A *or* A/B	II, B, B/B, B/BJ *or* BJ	B/BB *or* BJ/BB	B/WG	BB	III, C *or* C/C
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
1	4 mm. ...	57 3	53 0	—	—	—	42 6
2	5 mm. ...	71 9	67 0	63 3	62 3	59 9	52 9
3	6 mm. ...	85 0	80 0	75 9	74 3	71 6	61 6

(*b*) NEITHER SCRAPED NOR SANDED

The prices are those given in Sub-Table (*a*) decreased by 5 per cent.

TABLE 2—RUSSIAN ALDER AND BIRCH

INTERIOR TYPE—DRY MANUFACTURE

Sizes not over 60 in. × not over 60 in.

	Thickness	Alder				Birch				Thickness
		Quality				Quality				
(1)	(2)	B Sanded two sides (3)	BB Sanded two sides (4)	BB/C Sanded one side (5)	C Unsanded (6)	B Sanded two sides (7)	BB Sanded two sides (8)	BB/C Sanded one side (9)	C Unsanded (10)	(11)
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	
1	3 mm.	45 9	32 6	30 3	22 0	48 3	34 3	31 9	23 3	3 mm.
2	4 mm.	54 6	38 9	36 3	25 0	57 3	40 9	38 0	26 3	4 mm.
3	5 mm.	64 0	44 3	41 3	30 6	67 6	46 9	43 6	—	5 mm.
4	6 mm.	76 0	55 3	49 6	36 0	80 0	58 6	51 0	—	6 mm.
5	8 mm.	—	—	—	—	102 9	72 3	67 0	—	8 mm.
6	10 mm.	—	—	—	—	125 3	85 0	80 6	—	10 mm.
7	12 mm.	—	—	—	—	147 6	102 3	95 6	—	12 mm.

TABLE 3—DUTCH GUIANA BABOEN

INTERIOR TYPE—SANDED TWO SIDES

Sizes not over 96 in. × not over 48 in. or reverse

(1)	Thickness (2)	Quality B (3)
		s. d.
1	6 mm.	81 6

TABLE 4—DANISH BEECH AND LIMBA

EXTERIOR TYPE—SANDED TWO SIDES

Sizes not over 84 in. × not over 60 in. or reverse

(1)	Thickness (2)	Quality: One Star *or* A (3)	Two Star *or* B (4)	Three Star *or* B/BB (5)	Four Star *or* BB (6)
		s. d.	s. d.	s. d.	s. d.
1	5 mm. ...	79 3	75 9	68 6	64 9
2	6 mm. ...	92 6	88 3	79 9	75 6

TABLE 5—FRENCH BEECH

INTERIOR TYPE—SCRAPED OR SANDED TWO SIDES

Sizes not over 84 in. × not over 48 in. or reverse

(1)	Thickness (2)	Quality: First *or* 1–3 (3)	B (4)
		s. d.	s. d.
1	5 mm.	67 0	60 0

TABLE 6—CANADIAN BIRCH

EXTERIOR, MOISTURE RESISTANT AND INTERIOR TYPES

¼ in. thick

(1)	Sizes in inches (2)	Quality: I (3)	II (4)
		s. d.	s. d.
... ...	61/84 × not over 36 ...	87 3	79 6
... ...	61/84 × 37/48 ...	90 9	82 3

TABLE 7—FINNISH BIRCH

(*a*) Interior Type

(i) Sizes not over 52 in. × not over 52 in. and 53/54 in. × not over 24 in. or reverse

(1)	Thickness (2)	Quality											Thickness (14)
		A (3)	A/B (4)	A/BB *or* B (5)	A/WG (6)	B/BB (7)	BJ*or*B/WG (8)	BJ/BB (9)	BJ/WG (10)	BB (11)	BB/WG (12)	WG (13)	
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	
1	3 mm.	77 6	69 3	54 6	53 9	48 0	46 9	44 6	42 6	38 0	37 3	35 6	3 mm.
2	4 mm.	88 9	79 6	62 6	61 9	55 9	53 9	50 9	48 6	43 3	42 6	40 3	4 mm.
3	4½ mm.	97 6	86 9	69 0	67 6	61 3	59 3	55 9	53 3	48 0	46 9	44 3	4½ mm.
4	5 mm.	104 0	94 0	76 0	75 0	67 6	65 3	62 0	58 9	52 9	51 6	49 0	5 mm.
5	6 mm.	122 9	110 3	87 9	86 3	78 3	75 3	72 3	68 9	62 9	61 6	58 6	6 mm.
6	7 mm.	141 3	127 9	102 9	102 0	91 3	88 3	84 0	81 6	72 6	71 6	69 0	7 mm.
7	8 mm.	157 9	143 9	115 9	115 0	103 3	99 6	94 9	92 0	82 0	81 0	78 3	8 mm.
8	9 mm.	174 6	158 9	129 0	128 0	114 9	111 0	105 9	102 6	91 3	90 3	87 3	9 mm.
9	10 mm.	190 0	173 6	142 3	141 0	126 0	122 3	116 3	112 3	100 6	99 3	96 0	10 mm.
10	11 mm.	205 9	189 0	155 3	154 0	138 0	133 9	127 3	122 9	110 0	108 9	105 0	11 mm.
11	12 mm.	221 9	204 6	168 6	167 3	149 9	145 0	138 0	133 6	119 6	118 3	114 3	12 mm.
12	12½ mm.	229 3	211 9	175 0	173 9	155 6	150 6	143 6	138 9	124 3	123 0	118 9	12½ mm.
13	15 mm.	267 9	247 3	204 9	203 0	181 9	176 0	170 3	163 6	149 9	148 0	143 3	15 mm.
14	17 mm.	296 3	278 6	233 6	231 6	207 3	201 3	193 3	187 3	169 9	168 3	161 9	17 mm.
15	18 mm.	313 9	293 9	246 6	244 6	219 3	212 0	204 6	197 9	179 6	177 6	171 3	18 mm.
16	19 mm.	330 9	309 0	259 6	257 3	230 3	222 9	215 9	208 6	189 9	187 9	181 0	19 mm.
17	20 mm.	348 0	325 6	273 9	271 3	242 9	235 0	227 9	220 0	200 9	198 3	191 9	20 mm.
18	21 mm.	364 0	341 6	287 6	284 9	255 9	247 0	239 6	231 6	212 0	209 6	202 3	21 mm.
19	22 mm.	382 6	358 0	300 9	298 3	266 9	258 0	251 0	242 9	222 9	220 3	212 9	22 mm.
20	24 mm.	414 9	388 6	327 0	324 0	290 9	280 9	273 6	264 0	243 3	240 3	232 0	24 mm.
21	25 mm.	432 6	405 3	341 9	338 9	303 3	293 9	286 0	276 6	254 0	251 0	242 3	25 mm.

(ii) to (viii) Other sizes

The prices are those given in sub-Table (i) increased as shown below

(1)	Sizes in inches (2)	Quality										
		A (3)	A/B (4)	A/BB *or* B (5)	A/WG (6)	B/BB (7)	BJ *or* B/WG (8)	BJ/BB (9)	BJ/WG (10)	BB (11)	BB/WG (12)	WG (13)
Sub-Table:												
(ii)	53/62 × 25/62, 25/52 × 53/62	For above qualities		by 5 per cent.	...	...	...	...	...	For above qualities	by 5 per cent.	
(iii)	Not over 52 × 63/73			by 25 per cent.	...	...	...	...	...		by 20 per cent.	
(iv)	63/73 × not over 52			by 30 per cent.	...	...	...	...	...		by 25 per cent.	
(v)	53/62 × 63/73 ...			by 30 per cent.	...	...	...	...	...		by 25 per cent.	
(vi)	Not over 62 × 74 and over			by 35 per cent.	...	...	...	...	...		by 30 per cent.	
(vii)	63/73 × 53/62 ...			by 35 per cent.	...	...	...	...	...		by 30 per cent.	
(viii)	74 and over × not over 62			by 35 per cent.	...	...	...	...	...		by 30 per cent.	

(*b*) EXTERIOR TYPE

Sizes not over 60 in. × not over 60 in.

(1)	Quality (2)	Thickness				
		0·8 mm. (3)	1·2 mm. (4)	1·5 mm. (5)	2 mm. (6)	3 mm. (7)
1	III or BBX ...	s. d. 50 6	s. d. 52 9	s. d. 57 3	s. d. 66 3	s. d. 76 9

TABLE 8—CANADIAN AND MEXICAN CEDAR

INTERIOR TYPE

Sizes not over 96 in. × not over 48 in.

	Thickness	Quality
(1)	(2)	I (3)
1	¼ in.	s. d. 90 9

TABLE 9—DOUGLAS FIR (OREGON AND CANADIAN PINE) AND HEMLOCK

(*a*) INTERIOR TYPE

(i) Sizes not over 96 in. × not over 48 in.

	Thickness	Ordinary Glue				Special Glue					Special Glue and Resin Sealed				
		Sanded		Sanded *or* Unsanded		Sanded			Sanded *or* Unsanded		Sanded			Sanded *or* Unsanded	
(1)	(2)	Sound two sides *or* B (3)	Sound one side *or* B/BB (4)	Wall-board (5)	Sheath-ing (6)	Sound two sides (7)	Sound one side (8)	Wall-board (9)	Sheath-ing (10)	Rejects (11)	Sound two sides (12)	Sound one side (13)	Wall-board (14)	Sheath-ing (15)	Rejects (16)
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
1	$\frac{3}{16}$ in.	56 0	51 9	—	—	60 0	57 3	—	—	—	71 6	68 9	—	—	63 6
2	$\frac{1}{4}$ in.	65 0	62 0	58 9	—	70 6	67 6	64 3	—	59 6	82 0	79 0	75 6	—	73 0
3	$\frac{5}{16}$ in.	72 0	65 6	—	56 9	75 0	73 0	—	62 3	—	—	—	—	73 9	80 6
4	$\frac{3}{8}$ in.	82 0	78 9	75 9	65 6	84 3	79 3	77 3	71 9	75 6	95 6	90 9	89 3	83 3	88 9
5	$\frac{7}{16}$ in.	109 3	99 9	90 9	—	110 0	106 9	101 9	—	94 9	121 0	118 3	113 3	—	109 9
6	$\frac{1}{2}$ in.	131 0	119 9	—	—	133 0	131 0	—	—	119 0	149 0	138 0	—	—	129 0
7	$\frac{9}{16}$ in.	152 3	139 6	—	—	154 0	152 0	—	—	137 0	170 0	158 0	—	—	148 0
8	$\frac{5}{8}$ in.	179 9	164 6	—	—	—	—	—	—	—	—	—	—	—	—
9	1 in.	207 3	189 9	—	—	—	—	—	—	—	—	—	—	—	—

(ii) Sizes 97/108 in. × not over 48 in. The prices are those given in sub-Table (a) (i) increased by 6s. 0d.

(iii) „ 109/120 in. × not over 48 in. The prices are those given in sub-Table (a) (i) increased by 9s. 0d.

(iv) „ 121/144 in. × not over 48 in. The prices are those given in sub-Table (a) (i) increased by 22s. 0d.

(*b*) EXTERIOR TYPE—NOT RESIN SEALED
SANDED OR UNSANDED
(i) Sizes not over 96 in. × not over 48 in.

(1)	Thickness (2)	Quality: Sound two Sides *or* B (3)	Quality: B/IB (4)	Quality: Hutment, Sound one Side *or* B/BB (5)	Quality: Rejects (6)
		s. d.	s. d.	s. d.	s. d.
1	$\frac{3}{16}$ in.	70 9	—	65 9	55 6
2	$\frac{1}{4}$ in.	74 9	—	69 6	64 6
3	$\frac{5}{16}$ in.	86 9	—	80 6	74 6
4	$\frac{3}{8}$ in.	96 9	—	91 6	85 0
5	$\frac{1}{2}$ in.	138 9	134 0	129 3	114 0
6	$\frac{9}{16}$ in.	150 9	—	141 0	—
7	$\frac{5}{8}$ in.	160 6	156 0	149 3	136 9
8	$\frac{3}{4}$ in.	181 9	176 9	175 6	163 0
9	$\frac{7}{8}$ in.	204 0	199 0	196 0	180 6
10	1 in.	246 0	—	238 0	—

(ii) Sizes 97/108 in. × not over 48 in.
The prices are those given in sub-Table (*b*) (i) increased by 6s. 0d.

(iii) Sizes 109/120 in. × not over 48 in.
The prices are those given in sub-Table (*b*) (i) increased by 9s. 0d.

(iv) Sizes 121/144 in. × not over 48 in.
The prices are those given in sub-Table (*b*) (i) increased by 22s. 0d.

(*c*) EXTERIOR TYPE—RESIN SEALED
SANDED OR UNSANDED

The prices are those given in sub-Table (*b*) increased by 9s. 0d.

TABLE 10.—CANADIAN FABRICATOR PANELS

FACES OF FIR OR POPLAR

Sizes not over 96 in. × not over 48 in.

(1)	Description (2)	Thickness (3)	Quality: A/B (4)	Quality: B/B (5)	Quality: B/C (6)
			s. d.	s. d.	s. d.
1	Urea glue	$\frac{3}{4}$ in.	162 0	152 3	139 6
2	Phenolic glue	$\frac{3}{4}$ in.	189 9	181 9	175 6
3	Urea glue	$\frac{7}{8}$ in.	185 0	179 9	164 6
4	Phenolic glue	$\frac{7}{8}$ in.	214 0	204 0	196 0

TABLE 11—CANADIAN GABOON

EXTERIOR TYPE—SANDED ONE OR TWO SIDES

Sizes not over 96 in. × not over 48 in. or reverse

(1)	Thickness (2)	Quality I (3)	Quality II (4)	Quality II with Reject reverse (5)
		s. d.	s. d.	s. d.
1	$\frac{3}{16}$ in.	83 3	80 3	76 0
2	$\frac{1}{4}$ in.	102 9	101 6	96 6

TABLE 12—FRENCH AND SPANISH GABOON AND FRENCH ROTARY CUT AFRICAN MAHOGANY OF VARIOUS SPECIES

INTERIOR TYPE

(*a*) SCRAPED OR SANDED ONE OR TWO SIDES

(i) Sizes not over 90½ in. × not over 60 in. or reverse

(1)	Thickness (2)	African mahogany or Gaboon throughout — Quality 1/3 *or* A/B (3)	2/2 *or* B (4)	2/3 (5)	African mahogany or Gaboon faces—Other cores — Quality 1/3 *or* A/B (6)	2/2 *or* B (7)	2/3 (8)
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
1	4 mm.	66 3	60 9	—	64 9	59 9	—
2	5 mm.	81 0	75 0	71 9	79 0	73 3	70 0
3	6 mm.	96 6	89 9	86 3	94 6	87 6	84 0

(ii) Sizes 91/102 in. × not over 60 in. or reverse. The prices are those given in sub-Table (i) increased by 2½ per cent.

(iii) Sizes 103/120 in. × not over 60 in. or reverse. The prices are those given in sub-Table (i) increased by 5 per cent.

(*b*) NEITHER SCRAPED NOR SANDED

The prices are those given in sub-Table (*a*) decreased by 5 per cent.

TABLE 13—AMERICAN HARDWOOD
(INCLUDING BIRCH AND MAPLE)

(*a*) SANDED OR UNSANDED

(i) $\frac{3}{16}$ in. thick

(1)	Sizes in inches (2)	Quality A–2 (3)	A–3 (4)	1–2 (5)	1–3 (6)	2–2 (7)	2–3 (8)
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
1	Not over 63 × not over 50 ...	61 3	59 3	55 9	53 3	48 0	46 9
2	64/73 × not over 50	73 6	71 3	67 0	64 0	56 0	50 0
3	74/96 × not over 50	79 9	77 0	71 6	67 9	60 6	55 9

(ii) $\frac{3}{32}$ in. thick
(iii) $\frac{3}{40}$ in. thick (other than Boxboard quality)
(iv) $\frac{1}{4}$ in. thick
(v) $\frac{5}{16}$ in. thick

} the prices are those given in sub-Table (i)

{ decreased by 8s. 0d.
{ decreased by 16s. 0d.
{ increased by 6s. 0d.
{ increased by 16s. 0d.

(*b*) BOXBOARD QUALITY

$\frac{3}{40}$ in. thick—Sizes not over 36 in. × not over 30 in.—25s. 0d.

TABLE 14—PARANA PINE
INTERIOR TYPE—SANDED OR UNSANDED

(i) Sizes not over 63 in. × not over 63 in.

(1)	Thickness (2)	Quality A (3)	A/B (4)	B (5)
		s. d.	s. d.	s. d.
1	3 mm.	33 9	32 0	30 3
2	4 mm.	42 9	40 9	38 9
3	5 mm.	52 0	49 6	47 0
4	6 mm.	61 0	58 0	55 0
5	8 mm.	82 3	78 3	74 3

(ii) Sizes 64/86½ in. × not over 86½ in. or reverse. The prices are those shown in sub-Table (i) increased by 10 per cent.

TABLE 15—CHILEAN PINE

INTERIOR TYPE—SANDED ONE OR TWO SIDES

(i) Sizes not over 60 in. × not over 60 in.

(1)	Thickness (2)	Quality			
		First (3)	Second *or* BB (4)	2–3 (5)	Third (6)
		s. d.	s. d.	s. d.	s. d.
1	3 mm.	—	46 9	—	38 3
2	4 mm.	—	—	—	50 9
3	5 mm.	—	67 9	65 3	63 6
4	6 mm.	81 0	78 6	75 6	73 6

(ii) Sizes 61/84 in. × not over 60 in. or reverse

(1)	Thickness (2)	Quality			
		First (3)	Second *or* BB (4)	2–3 (5)	Third (6)
		s. d.	s. d.	s. d.	s. d.
1	3 mm.	—	—	—	43 6
2	4 mm.	—	62 3	—	58 0
3	5 mm.	—	78 3	76 0	72 3
4	6 mm.	93 6	91 0	88 3	84 0

TABLE 16—NORWEGIAN AND SWEDISH PINE, WHITEWOOD AND GABOON—EXTERIOR TYPE

SIZES IN INCHES

(i) 51/60 × not over 60

not over 50 × 51/60

(1)	Quality (2)	Thickness									
		4 mm. (3)	5 mm. (4)	6 mm. (5)	8 mm. (6)	9 mm. (7)	10 mm. (8)	12 mm. (9)	12½ mm. (10)	15 mm. (11)	18 mm. (12)
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
1	A	79 6	89 9	100 6	125 9	128 0	141 0	165 3	172 3	204 9	239 3
2	A/B *or* I ...	77 9	87 9	97 9	123 0	126 6	135 3	161 0	167 9	199 0	235 3
3	A/BB, B *or* II ...	64 0	74 0	84 0	105 3	115 3	120 6	142 6	148 6	178 9	214 3
4	B/BB *or* III ...	55 9	64 6	76 3	99 3	109 3	114 6	135 0	140 9	168 6	200 6
5	BB *or* IV ...	49 0	58 3	68 6	89 0	98 9	108 3	125 0	130 3	154 9	182 9

(ii) Not over 50 × not over 50 — The prices are those given in sub-Table (i) decreased by 5 per cent.

(iii) 61/72 × 25/40 — The prices are those given in sub-Table (i) increased by 7½ per cent.

(iv) 61/72 × not over 24, 61/72 × 41/50 — increased by 12½ per cent.

(v) 73/82 × 37/40 — increased by 10 per cent.

(vi) 73/82 × not over 36, 73/82 × 41/50 — increased by 15 per cent.

(vii) 83/84 × 37/40 — increased by 15 per cent.

(viii) 83/84 × not over 36, 83/84 × 41/50 — increased by 20 per cent.

(ix) 61/84 × 51/60, 85/96 × not over 60 — increased by 25 per cent.

TABLE 17—NORWEGIAN AND SWEDISH PINE, WHITEWOOD AND GABOON—INTERIOR TYPE

SIZES IN INCHES

(i) 51/60 × not over 60

not over 50 × 51/60

(1)	Quality (2)	Thickness									
		4 mm. (3)	5 mm. (4)	6 mm. (5)	8 mm. (6)	9 mm. (7)	10 mm. (8)	12 mm. (9)	12½ mm. (10)	15 mm. (11)	18 mm. (12)
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
1	A	66 3	74 9	83 9	104 9	106 9	117 6	137 9	143 6	170 9	199 6
2	A/B *or* I ...	64 9	73 3	81 6	102 6	105 6	112 9	134 3	139 9	165 9	196 0
3	A/BB, B *or* II ...	53 3	61 9	70 0	87 9	96 0	100 6	118 9	123 9	149 0	178 6
4	B/BB *or* III ...	46 6	53 9	63 6	82 9	91 0	95 3	112 6	117 3	140 6	167 0
5	BB *or* IV ...	40 9	48 6	57 0	74 3	82 3	90 3	104 3	108 6	128 9	152 3

(ii) Not over 50 × not over 50 — The prices are those given in sub-Table (i) decreased by 5 per cent.

(iii) 61/72 × 25/40 — The prices are those given in sub-Table (i) increased by 7½ per cent.

(iv) 61/72 × not over 24, 61/72 × 41/50 — increased by 12½ per cent.

(v) 73/82 × 37/40 — increased by 10 per cent.

(vi) 73/82 × not over 36, 73/82 × 41/50 — increased by 15 per cent.

(vii) 83/84 × 37/40 — increased by 15 per cent.

(viii) 83/84 × not over 36, 83/84 × 41/50 — increased by 20 per cent.

(ix) 61/84 × 51/60, 85/96 × not over 60 — increased by 25 per cent.

TABLE 18—POLISH PINE

INTERIOR TYPE—SANDED TWO SIDES

Sizes not over 90 in. × not over 65 in.

(1)	Thickness (2)	Quality	
		B (3)	BB (4)
		s. d.	s. d.
1	4 mm.	59 0	45 0
2	5 mm.	68 3	53 6
3	6 mm.	77 3	62 9

TABLE 19—AMERICAN PITCH PINE

INTERIOR TYPE—SANDED OR UNSANDED

$\frac{3}{16}$ in. thick

Sizes not over 72 in. × not over 50 in. or reverse

(1)	Quality				
	1–1 (2)	1–2 (3)	1–3 (4)	2–2 (5)	2–3 (6)
	s. d.	s. d.	s. d.	s. d.	s. d.
1	62 3	58 6	56 0	50 6	49 0

TABLE 20—DUTCH POPLAR

INTERIOR TYPE—UNSANDED

Sizes not over 84 in. × not over 48 in. or reverse

(1)	Thickness (2)	Quality
		B/BB (3)
		s. d.
1	5 mm.	59 6
2	6 mm.	71 6

TABLE 21—FRENCH POPLAR

INTERIOR TYPE—SANDED OR SCRAPED TWO SIDES

Sizes not over 96 in. × not over 54 in. or reverse

(1)	Thickness (2)	Quality B (3)
		s. d.
1	5 mm.	61 9
2	6 mm.	74 3

TABLE 22—ITALIAN POPLAR

INTERIOR TYPE

Sizes not over 98 in. × not over 63 in. or reverse

(1)	Thickness (2)	Sanded one side		Sanded or Unsanded
		A/BB *or* B/B (3)	B/BB *or* II (4)	BB/C, C/C *or* III (5)
		s. d.	s. d.	s. d.
1	4 mm.	51 9	46 3	37 6
2	5 mm.	63 0	57 9	45 3

TABLE 23—VARIOUS WOODS OF NIGERIAN MANUFACTURE

EXTERIOR TYPE

Sizes not over 96 in. × not over 60 in. or reverse

(*a*) SANDED OR SCRAPED ONE OR TWO SIDES

(1)	Quality (2)	Thickness				
		3 mm. (3)	4 mm. (4)	5 mm. (5)	6 mm. (6)	9 mm. (7)
		s. d.	s. d.	s. d.	s. d.	s. d.
1	A/B	50 0	61 0	74 9	87 9	128 6
2	N	48 6	59 3	72 6	85 0	124 9

(*b*) NEITHER SANDED NOR SCRAPED

The prices are those given in sub-Table (*a*) decreased by 5 per cent.

TABLE 24—IMPORTED BLOCKBOARDS AND LAMINATED BOARDS

(*a*) BLOCKBOARDS

(1)	Thickness (2)	Sizes in inches (3)	Faces				
			Pine		Alder, Beech, Limba, Lime, Poplar	Gaboon and African Mahogany	All other woods
			Quality				
			B (4)	Inferior to B (5)	All qualities (6)	All qualities (7)	All qualities (8)
			s. d.	s. d.	s. d.	s. d.	s. d.
1	16 mm. ...	Not over 62 × not over 106 or reverse...	—	—	—	—	176 6
2	16 mm. ...	Not over 62 × 107/145 ...	—	—	—	—	184 6
3	18/19 mm. ...	Not over 62 × not over 106 or reverse; Not over 20 × 107/145	197 0	192 3	200 0	208 6	203 6
4	18/19 mm. ...	21/62 × 107/145	204 6	200 6	210 0	218 0	212 6
5	18/19 mm. ...	63/73 × not over 145 or reverse	209 6	204 6	215 3	222 0	—
6	22 mm. ...	Not over 62 × not over 106 or reverse...	222 0	216 6	226 0	232 0	229 6
7	22 mm. ...	Not over 62 × 107/145 ...	231 9	226 0	237 0	243 0	239 0
8	25 mm. ...	Not over 62 × not over 106 or reverse...	—	—	250 3	256 0	254 9
9	25 mm. ...	Not over 62 × 107/145 ...	—	—	—	—	265 3

(*b*) LAMINATED BOARDS. The prices are those given in sub-Table (*a*) increased by 10 per cent.

(*c*) TITUS CONSTRUCTION BOARDS. The prices are those given in sub-Table (*a*), columns (4) and (5), decreased by 5 per cent.

DIVISION B—HOME MANUFACTURED

UNPROCESSED RECTANGULAR SQUARE EDGED BOARDS OF COMMERCIAL QUALITIES

FACES OF ANY WOODS

SANDED OR SCRAPED, OR NEITHER SANDED NOR SCRAPED

EXTERIOR TYPE

(i) Sizes not over 84 ins. × not over 48 in. or reverse

(1)	Quality (2)	Thickness											
		3 mm. *or* $\frac{1}{8}$ in. (3)	4 mm. *or* $\frac{5}{32}$ in. (4)	$4\frac{1}{2}$ mm. *or* $\frac{3}{16}$ in. (5)	5 mm. (6)	6 mm. *or* $\frac{1}{4}$ in. (7)	8 mm. *or* $\frac{5}{16}$ in. (8)	9 mm. *or* $\frac{3}{8}$ in. (9)	12/12½mm. *or* $\frac{1}{2}$ in. (10)	15/16 mm. *or* $\frac{5}{8}$ in. (11)	18/19 mm. *or* $\frac{3}{4}$ in. (12)	22 mm. *or* $\frac{7}{8}$ in. (13)	25 mm. *or* 1 in. (14)
		s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
1	First (I) ...	63 9	74 3	85 0	92 9	105 0	137 3	152 9	192 9	240 3	292 0	328 0	364 0
2	Second (II)	61 6	71 9	82 0	89 6	101 3	132 3	147 3	185 9	231 9	281 6	316 3	351 3
3	Third (III) ...	58 0	67 9	77 3	84 6	95 6	125 0	139 0	175 6	218 9	266 0	298 9	331 9
4	Fourth (IV)	54 6	63 9	72 9	79 6	90 0	117 9	131 0	165 3	206 0	250 6	281 3	312 6

Sizes in inches

(ii) Not over 84 × 49/60 or reverse	The prices are those given in sub-Table (i) increased by	2½ per cent.
(iii) Not over 84 × 61/72 or reverse		5 per cent.
(iv) 85/96 × not over 48 or reverse		2½ per cent.
(v) 85/96 × 49/60 or reverse		5 per cent.
(vi) 85/96 × 61/72 or reverse		7½ per cent.
(vii) 97/108 × not over 48 or reverse		5 per cent.
(viii) 97/108 × 49/60 or reverse		7½ per cent.
(ix) 97/108 × 61/72 or reverse		10 per cent.
(x) 109/120 × not over 48 or reverse		7½ per cent.
(xi) 109/120 × 49/60 or reverse		10 per cent.
(xii) 109/120 × 61/72 or reverse		12½ per cent.

DIVISION C

Plywood Offcuts

On the sale of plywood offcuts which are of a species of wood, quality and thickness specified in Division A or Division B of this Part, the basis price shall be—

(*a*) where those offcuts are rectangular in shape and are sold sorted according to species of wood, thickness and length or width, the percentage indicated below of the lowest basis price specified in Division A or Division B (as the case may be) of this Part for that species of wood and thickness:—

Length or Width (whichever is the less)	Percentage of basis price
over 12 in. but under 24 in.	90
over 6 in. but not over 12 in.	75
not over 6 in.	50; or

(*b*) in any other case, £30 per ton.

SECOND SCHEDULE

The following amounts may be charged for the respective services set out below if agreed between the buyer and the seller and if an invoice is given for the plywood to which the amount relates stating separately each such amount and the service to which it relates:—

Services	*Amounts*
(1) The seller to provide transport beyond the place at which the plywood is loaded.	An amount which is reasonable in relation to the cost incurred by the seller in respect of that transport.
(2) The seller to give credit to the buyer beyond the date of delivery.	Interest from the date of delivery or such later date as may be agreed, at a rate not exceeding 6 per centum per annum.
(3) The seller to subject the plywood to any processing or conversion.	An amount which is reasonable in relation to the cost incurred by the seller in respect of that processing or conversion.
(4) The seller to provide packing for plywood manufactured in the United Kingdom or to provide re-packing for plywood imported into the United Kingdom.	An amount which is reasonable in relation to the cost incurred by the seller in providing that packing or re-packing

---

EXPLANATORY NOTE

(This Note is not part of the Order, but is intended to indicate its general purport.)

This Order replaces the Plywood Prices Order, 1949, and the Plywood Prices (Amendment) Order, 1949.

The principal changes are as follows :—

(*a*) maximum prices are provided for Polish pine and Russian alder and birch plywood ;

(*b*) maximum prices are provided for additional descriptions of Chilean pine plywood, French gaboon plywood and imported blockboard.