1	2	
Elastic—*(cont.)*	Minimum number of rubber threads:	18 for webbing 1″ wide and pro rata for other widths.
	Minimum number of picks per inch at rest:	60
	Minimum stretch:	6″—9″
	Minimum weight of rubber content (if naked rubber is used):	0·90 lb. per gross yards for webbing 1″ wide and pro rata for other widths.
	Minimum weight of rubber content (if covered rubber is used for all the rubber threads):	0·70 lb. per gross yards for webbing 1″ wide and pro rata for other widths.
	Minimum total weight:	5·50 lbs. per gross yards for webbing 1″ wide and pro rata for other widths.

EXPLANATORY NOTE

(This Note is not part of the Order, but is intended to indicate its general purport.)

This Order amends the Utility Braces (Marking and Manufacturers' Prices) Order, 1948. The principal change is that the detailed specifications, covering all points of style and construction as well as the quality of webbing, are replaced by nine simplified specifications, covering length of braces and width and quality of webbing. Manufacturers' maximum prices are provided for the new specifications; these maximum prices are in line with the maximum prices previously provided for the better grades of the old specifications.

Manufacturers are no longer required to apply a type number to utility braces.

The Utility Corsets (Manufacture and Supply) Order, 1950

1950 No. 275

Made - - - -	*24th February*, 1950
Laid before Parliament	*1st March*, 1950
Coming into Operation	*6th March*, 1950

The Board of Trade in pursuance of the powers conferred upon them by Regulations 55 and 55AB of the Defence (General) Regulations, 1939, as having effect by virtue of the Supplies and Services (Transitional Powers)

Act, 1945(a), as extended by the Supplies and Services (Extended Purposes) Act, 1947(b), hereby order as follows:—

Manufacture

1.—(1) A person may, in the course of his business, use any utility goods being cloth of which the specification number appears in the fourth column of Part I of the Schedule hereto, in the manufacture of a garment of a description specified in that Part, but shall not include in the manufacture thereof any other cloth (except elastic material or in accordance with the provisions of Part II of the Schedule hereto).

(2) The provisions of Part II of the Schedule hereto shall have effect in relation to garments of a description specified in Part I.

(3) A person may, in the course of his business, use utility goods being circular knitted roll-on blanks in the manufacture of garments of a description specified in Part III of the Schedule hereto.

(4) A person shall not use in the manufacture of a garment of a description specified in Part I of the Schedule hereto any supports of a material other than steel or a material approved for the purpose by the Board of Trade, apart, in the case of laced back corsets, from inside back bones of fibre.

Marking

2.—(1) Subject to the provisions of the following paragraph, whenever a person applies the utility mark to any garment of a description specified in Part I or Part III of the Schedule hereto he shall also apply to that garment by means of a transfer or stamp in a place adjacent to the utility mark or upon the label used to apply that mark—

(*a*) the identification number notified to him by the Board of Trade, and

(*b*) the type number of the garment.

(2) No person shall apply to a garment of any description a type number including the letter X unless he has lodged with the Board of Trade a sample of that description of garment and that sample has been approved by the Board for the purposes of this Article, or the corresponding provisions of the Utility Corsets (Manufacture and Supply) Order, 1948(c), or the Utility Corsets (Manufacture and Supply) Order, 1949(d).

Maximum Prices

3.—(1) A person shall not charge in respect of the sale of a garment of a description specified in Part I or Part III of the Schedule hereto manufactured by him whether before or after the commencement of this Order, but supplied thereafter, a gross price exceeding—

(*a*) in the case of a sale to a wholesaler, the appropriate amount specified in Part I or Part III of that Schedule, as the case may be;

(a) 9 & 10 Geo. 6. c. 10; S.R. & O. 1945 (Nos. 1611 and 1618) II, pp. 39 and 48.
(b) 10 & 11 Geo. 6. c. 55.
(c) S.I. 1948 No. 303.
(d) S.I. 1949 No. 39.

(*b*) in the case of a sale otherwise than to a wholesaler of a garment of a description specified in Part I of that Schedule, the appropriate amount specified in that Part, together with 19.05 per cent. thereof;

(*c*) in the case of a sale otherwise than to a wholesaler of a garment of a description specified in Part III of that Schedule, the appropriate amount specified in that Part, together with 15 per cent. thereof.

(2) For the purposes of paragraph (1) of this Article—

(*a*) any amount specified in Part I of the Schedule hereto shall be deemed to be increased by 15 per cent. thereof—

(i) in the case of garments of type numbers 1, 2, X1 and X2 of which the bust measurement exceeds 38 ins.,

(ii) in the case of garments of type numbers 3 to 8 and X3 to X8 of which the waist measurement exceeds 32 ins., and

(iii) in the case of garments of type numbers 10 to 14 and X10 to X14 of which the bust measurement exceeds 38 in.,

(*b*) any amount specified in Part I of the Schedule hereto shall be deemed to be increased by 22½ per cent. thereof—

(i) in the case of garments of type numbers 1, 2, X1 and X2 of which the bust measurement is not less than 46 ins.,

(ii) in the case of garments of type numbers 3 to 8 and X3 to X8 of which the waist measurement is not less than 40 ins., and

(iii) in the case of garments of type numbers 10 to 14 and X10 to X14 of which the bust measurement is not less than 46 ins.;

(*c*) if a garment of any description includes two or more cloths specified in Part I in relation to that description, the appropriate amount shall be taken to be that specified in relation to that cloth of which the greatest area is included.

(3) In relation to a garment of a description specified in section 1 and section 2 of Part I of the Schedule hereto, the appropriate amount for the purposes of this Article shall be—

(*a*) where a specification number including the letter X has been duly applied to that garment in accordance with the provisions of Article 2 of this Order, or the corresponding provisions of the Utility Corsets (Manufacture and Supply) Order, 1948, or the Utility Corsets (Manufacture and Supply) Order, 1949, the amount specified in section 2 in relation to that description;

(*b*) in any other case, the amount so specified in section 1.

(4) The price charged by any person in respect of the sale (otherwise than by retail) of a garment to which this Article applies manufactured by him shall be reduced by an amount not less than 2½ per cent. of the gross price in any case in which payment for those goods is made or tendered before the tenth day of the month succeeding that during which the goods were consigned by the seller to or to the order of the buyer.

Licences

4. Nothing in this Order shall prohibit the doing of anything under the authority of a licence issued by the Board of Trade hereunder and in accordance with any condition attached thereto.

Interpretation

5.—(1) In this Order " gross price " means the price inclusive of all delivery charges payable either by the buyer or the seller and before any deductions by way of discount have been made ;

Provided that no account shall be taken of delivery charges payable by the buyer—

(*a*) on a sale by retail, or

(*b*) on a sale otherwise than by retail of goods to which this Order applies, whether or not the goods are included in a parcel comprising goods to which this Order does not apply, where the total price in respect of such goods, or where such goods are included in such a parcel, in respect of such parcel (exclusive of the appropriate amount of purchase tax where such tax is chargeable and exclusive of delivery charges) does not exceed £2.

(2) The provisions of paragraph (2) of Article 15, and Article 18 of the Utility Mark and Apparel and Textiles (General Provisions) Order, 1947(**a**), (as amended from time to time) shall, so far as they are relevant, be incorporated with this Order.

(3) Any reference in this Order to a specification number shall be deemed to include a reference to that number preceded by the letter " Z ".

Revocation and Citation

6.—(1) The Utility Corsets (Manufacture and Supply) Order, 1949(**b**), the Utility Corsets (Manufacture and Supply) (Amendment) Order, 1949(**c**), the Utility Corsets (Manufacture and Supply) (Amendment No. 2) Order, 1949(**d**), and the Utility Corsets (Manufacture and Supply) (Amendment No. 3) Order, 1950(**e**), are hereby revoked :

Provided that any current licence issued or having effect thereunder shall have effect as if it had been issued under this Order.

(2) This Order may be cited as the Utility Corsets (Manufacture and Supply) Order, 1950, and shall come into operation on the 6th day of March, 1950.

Dated this 24th day of February, 1950.

J. H. Woods,
Secretary to the Board of Trade.

(**a**) S.R. & O. 1947 (No. 2642) II, p. 160. (**b**) S.I. 1949 No. 39.
(**c**) S.I. 1949 No. 1505. (**d**) S.I. 1949 No. 1601. (**e**) S.I. 1950 No. 25.

SCHEDULE

PART I

SECTION 1

Type No.	Description of Corset			Maximum Price
		Particulars and Restrictions	Specification numbers of utility cloth used in manufacture	On sale to wholesaler per dozen
1	2	3	4	5
				s. d.
1	Corselette with underbelt.		X9034	107 0+
			X9031	107 10+
			X9070, X9090, X9094	128 10+
			X9071	130 5+
			X9091	135 10+
			X9092	136 8+
			X9032	142 2+
			X9035	141 9+
			X9093	152 5+
2	Corselette without underbelt.		X9070, X9090, X9094	114 11+
			X9071	116 5+
			X9091	121 7+
			X9092	122 3+
			X9032	127 7+
			X9035	127 2+
			X9093	138 0+
3	Laced back corset with belt.		X9034	121 1+
			X9031	121 9+
			X9033	135 5−
			X9032	145 9+
			X9035	145 2+
4	Laced back corset without belt.		X9034	90 4+
			X9031	91 0+
			X9090, X9094	101 8+
			X9091	102 6+
			X9033	105 5−
			X9092	109 11+
			X9032	114 9+
			X9035	114 5+
			X9093	123 0+
5	Laced front corset		X9034	89 4+
			X9031	90 0+
			X9090, X9094	103 1+
			X9091	108 10+
			X9033	111 9−
			X9092	116 3+
			X9032	121 1+
			X9035	120 9+
			X9093	129 7+
6	Busk front wrap-round.		X9034	92 2+
			X9031	92 9+
			X9070, X9090, X9094	105 10+
			X9071	107 0+
			X9091	110 9+
			X9092	111 3+
			X9032	115 6+
			X9035	115 2+
			X9033	113 4
			X9093	122 4+

1	2	3	4	5 s. d.
7	Side fastening wrap-round.	Not less than 10 ins. in depth at widest part. Waist measurement not to exceed 32 ins.	X9034	92 3+
			X9031	92 10+
			X9070, X9090, X9094	106 2+
			X9071	107 4+
			X9091	111 1+
			X9092	111 7+
			X9032	115 11+
			X9035	115 6+
			X9033	113 9+
			X9093	122 7+
8	Maternity corset	Hookside, double side lacing.	X9070, X9090, X9094	102 2+
			X9071	103 6+
			X9034	104 6+
			X9031	105 2+
			X9091	107 11+
			X9092	108 6+
			X9032	113 4+
			X9033	111 0−
			X9093	119 0+
			X9035	121 6+
9	Suspender belt ...	Not more than 10 ins. in width at widest part	X9090, X9094	40 6+
			X9070	42 0+
			X9071	42 6+
			X9091	44 2+
			X9092	44 6+
10	Brief brassiere ...	Not more than 8 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	1072, 1072/1, 1072/2, 1100, 1101, 1101/1, 1101/2, 1102, 1102/1, 1102/2, 1103, 1103/1, 1103/2, 1106, 1106/1, 1106/2, 1114/1, 1114/2	24 8
			X9030	25 3+
			X9036	26 0+
			X9090	25 1+
			X9031	25 10+
			X9142	25 8−
			X9140/1, X9070, X9094 ...	26 11+
			X9071	27 3+
			X9034	27 6+
			X9091	28 7+
			X9092, X9140/2...	28 9+
			X9141, X9141/1...	26 5+
		The body of the garment to be made throughout from cloth of double thickness. Not more than 8 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	X9143/1	30 11−
			X9143/2	
			X9144/1	26 3
			X9144/2	
11	Medium brassiere	More than 8 ins. and not more than 10 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	1072, 1072/1, 1072/2, 1100, 1101, 1101/1, 1101/2, 1102, 1102/1, 1102/2, 1103, 1103/1, 1103/2, 1106, 1106/1, 1106/2, 1114/1, 1114/2	27 3
			X9030	28 0+
			X9036	29 1+

1	2	3	4	5
				s. d.
11—*cont.*	Medium brassiere —*cont.*		X9090	27 9+
			X9031	28 11+
			X9142	28 6—
			X9070, X9094	29 9+
			X9071	30 3+
			X9034	30 8+
			X9140/1	30 6+
			X9091	32 3+
			X9092	32 6+
			X9140/2	32 7+
			X9141, X9141/1...	29 7+
		The body of the garment to be made throughout from cloth of double thickness. More than 8 ins. and not more than 10 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	X9143/1 ... ... } X9143/2 ... ... }	36 7—
			X9144/1 ... ... } X9144/2 ... ... }	29 6
12	Deep brassiere ...	More than 10 ins. and not more than 14 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	1072, 1072/1, 1072/2, 1100, 1101, 1101/1, 1101/2, 1102, 1102/1, 1102/2, 1103, 1103/1, 1103/2, 1106, 1106/1, 1106/2, 1114/1, 1114/2	36 7
			X9030	37 7+
			X9036	39 3+
			X9090	37 3+
			X9031	39 1+
			X9142	38 5+
			X9070, X9094	40 4+
			X9071	41 1+
			X9034	41 9+
			X9140/1	41 5+
			X9091	44 0+
			X9092	44 4+
			X9140/2	44 6+
		The body of the garment to be made throughout from cloth of double thickness. More than 10 ins. and not more than 14 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	X9143/1 ... ... } X9143/2 ... ... }	50 4—
13	Medium nursing brassiere.	More than 8 ins. and not more than 10 ins. in depth. Depth to be measured from top of bust section to bottom of garment. Front fastening or adjustment suitable for nursing purposes.	1072, 1072/1, 1072/2, 1100, 1101, 1101/1, 1101/2, 1102, 1102/1, 1102/2, 1103, 1103/1, 1103/2, 1106, 1106/1, 1106/2, 1114/1, 1114/2	31 2
			X9030	31 11+
			X9036	33 0+
			X9090	31 8+
			X9031	32 11+

1	2	3	4	5
				s. d.
13—*cont.*	Medium nursing brassiere—*cont.*		X9142	32 6—
			X9140/1, X9070, X9094 ...	34 6+
			X9071	35 0+
			X9034	35 5+
			X9091	37 0+
			X9092 ... ... }	37 3+
			X9140/2 ... ... }	
			X9141, X9141/1...	33 7+
		The body of the garment to be made throughout from cloth of double thickness. More than 8 ins. and not more than 10 ins. in depth. Depth to be measured from top of bust section to bottom of garment. Front fastening or adjustment suitable for nursing purposes.	X9143/1 ... ... }	40 6—
			X9143/2 ... ... }	
14	Deep nursing brassiere.	More than 10 ins. and not more than 14 ins. in depth. Depth to be measured from top of bust section to bottom of garment. Front fastening or adjustment suitable for nursing purposes.	1072, 1072/1, 1072/2, 1100, 1101, 1101/1, 1101/2, 1102, 1102/1, 1102/2, 1103, 1103/1, 1103/2, 1106, 1106/1, 1106/2, 1114/1, 1114/2	44 8
			X9030	45 10+
			X9036	47 7+
			X9090	45 5+
			X9031	47 4+
			X9142	46 8—
			X9070, X9094	49 3+
			X9071	50 1+
			X9140/1	50 0+
			X9034	50 10+
			X9091	53 3+
			X9092	53 9+
			X9140/2	53 11+

Section 2

Garments complying with approved samples

1	2	3	4	5
				s. d.
X1	Corselette with underbelt.		X9034	167 0+
			X9031	167 10+
			X9090, X9094	190 11+
			X9091	197 11+
			X9032	204 3+
			X9035	203 11+
			X9070	202 5+
			X9071	204 0+
			X9092	211 0+
			X9093	215 5+

1	2	3	4	5
				s. d.
X2	Corselette without underbelt.		X9090, X9094	177 3+
			X9091	183 10+
			X9032	189 11+
			X9035	189 6+
			X9070	188 8+
			X9071	190 2+
			X9092	196 1+
			X9093	201 6+
X3	Laced back corset with belt.		X9034	165 8+
			X9031	166 4+
			X9032	200 8+
			X9035	200 1+
			X9033	197 3—
X4	Laced back corset without belt.		X9034	125 1+
			X9031	125 9+
			X9090, X9094	138 0+
			X9091	138 10+
			X9092	154 8+
			X9093	156 11+
			X9032	159 9+
			X9035	159 5+
			X9033	157 4—
X5	Laced front corset		X9034	127 1+
			X9031	127 9+
			X9090, X9094	140 0+
			X9091	145 10+
			X9093	163 10+
			X9032	166 8+
			X9035	166 4+
			X9033	164 3—
			X9092	161 8+
X6	Busk front wrap-round.		X9034	118 2+
			X9031	118 9+
			X9070, X9090, X9094	131 5+
			X9071	132 7+
			X9091	136 5+
			X9092	136 11+
			X9032	141 1+
			X9035	140 9+
			X9033	139 0
			X9093	158 0+
X7	Side fastening wrap-round.	Not less than 10 ins. in depth at widest part. Waist measurement not to exceed 32 ins.	X9034	118 3+
			X9031	118 10+
			X9070, X9090, X9094	131 6+
			X9071	132 8+
			X9091	136 6+
			X9092	137 0+
			X9032	141 4+
			X9035	140 10+
			X9033	139 2+
			X9093	158 2+
X8	Maternity corset	Hookside, double side lacing.	X9070, X9090, X9094	147 0+
			X9071	148 4+
			X9034	149 4+
			X9031	150 0+
			X9091	152 10+
			X9092	153 5+
			X9093	155 4+
			X9032	158 2+
			X9035	157 10+
			X9033	155 10—

1	2	3	4	5
				s. d.
X10	Brief brassiere ...	Not more than 8 ins in depth. Depth to be measured from top of bust section to bottom of garment.	1072, 1072/1, 1072/2, 1100, 1101, 1101/1, 1101/2, 1102, 1102/1, 1102/2, 1103, 1103/1, 1103/2, 1106, 1106/1, 1106/2, 1114/1, 1114/2	33 11
			X9030	34 6+
			X9036	35 3+
			X9090	34 4+
			X9031	35 1+
			X9142	34 11−
			X9070, X9094	36 1+
			X9071	36 5+
			X9140/1	36 2+
			X9034	36 8+
			X9091	37 8+
			X9092, X9140/2...	37 10+
			X9141, X9141/1...	35 9+
		The body of the garment to be made throughout from cloth of double thickness. Not more than 8 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	X9143/1	40 2−
			X9143/2	
			X9144/1	35 6
			X9144/2	
X11	Medium brassiere	More than 8 ins. and not more than 10 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	1072, 1072/1, 1072/2, 1100, 1101, 1101/1, 1101/2, 1102, 1102/1, 1102/2, 1103, 1103/1, 1103/2, 1106, 1106/1, 1106/2, 1114/1, 1114/2	37 11
			X9030	38 8+
			X9036	39 9+
			X9090	38 5+
			X9031	39 8+
			X9142	39 3−
			X9070, X9094	40 4+
			X9071	40 10+
			X9034	41 3+
			X9140/1	
			X9091	42 10+
			X9092	43 1+
			X9140/2	43 2+
			X9141, X9141/1...	40 5+
		The body of the garment to be made throughout from cloth of double thickness. More than 8 ins. and not more than 10 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	X9143/1	47 3−
			X9143/2	
			X9144/1	40 2
			X9144/2	

1	2	3	4	5
X12	Deep brassiere ...	More than 10 ins. and not more than 14 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	1072, 1072/1, 1072/2, 1100, 1101, 1101/1, 1101/2, 1102, 1102/1, 1102/2, 1103, 1103/1, 1103/2, 1106, 1106/1, 1106/2, 1114/1, 1114/2	s. d. 56 0
			X9030	57 1+
			X9036	58 9+
			X9090	56 9+
			X9031	58 7+
			X9142	57 11+
			X9070, X9094	59 7+
			X9071	60 4+
			X9034	61 0+
			X9140/1	60 11+
			X9091	63 2+
			X9092	63 6+
			X9140/2	63 8+
		The body of the garment to be made throughout from cloth of double thickness. More than 10 ins. and not more than 14 ins. in depth. Depth to be measured from top of bust section to bottom of garment.	X9143/1 ... ... X9143/2	70 0—
X13	Medium nursing brassiere.	More than 8 ins. and not more than 10 ins. in depth. Depth to be measured from top of bust section to bottom of garment. Front fastening or adjustment suitable for nursing purposes.	1072, 1072/1, 1072/2, 1100, 1101, 1101/1, 1101/2, 1102, 1102/1, 1102/2, 1103, 1103/1, 1103/2, 1106, 1106/1, 1106/2, 1114/1, 1114/2	41 5
			X9030	42 2+
			X9036	43 3+
			X9090	41 11+
			X9031	43 2+
			X9142	42 9—
			X9070, X9094	44 0+
			X9071	44 6+
			X9034	44 11+
			X9140/1	44 9+
			X9091	46 5+
			X9092	46 8+
			X9140/2	46 9+
			X9141, X9141/1...	43 11+
		The body of the garment to be made throughout from cloth of double thickness. More than 8 ins. and not more than 10 ins. in depth. Depth to be measured from top of bust section to bottom of garment. Front fastening or adjustment suitable for nursing purposes.	X9143/1 ... ... X9143/2	50 9—

1	2	3	4	5
				s. d.
X14	Deep nursing brassiere.	More than 10 ins. and not more than 14 ins. in depth. Depth to be measured from top of bust section to bottom of garment. Front fastening or adjustment suitable for nursing purposes.	1072, 1072/1, 1072/2, 1100, 1101, 1101/1, 1101/2, 1102, 1102/1, 1102/2, 1103, 1103/1, 1103/2, 1106, 1106/1, 1106/2, 1114/1, 1114/2	59 6
			X9030	60 8+
			X9036	62 5+
			X9090	60 3+
			X9031	62 3+
			X9142	61 6—
			X9070, X9094	63 2+
			X9071	64 0+
			X9034	64 9+
			X9140/1	64 10+
			X9091	67 2+
			X9092	67 8+
			X9140/2	67 10+

PART II

Use of cloth for subsidiary purposes

1. Utility cloth of the specification number X9030, X9036 or X9142, may be used for the strapping or lining of a garment of any description specified in this Schedule.

2. Utility cloth of the specification number X9000, X9010, X9011, X9020 or X9021, may be used, otherwise than as the body cloth in the manufacture of a garment of any description specified in Part I of this Schedule.

3. Utility cloth of the specification number X9140/1, or X9140/2, may be used in the bust section of a garment of type number 1, 2, X1 or X2.

4. Utility cloth of the specification number X9141 or X9141/1 may be used, if in double thickness, in the bust section of a corselette of type number 1, 2, X1 or X2.

5. Utility cloth of the specification number X3072 may be used for the lining of a nursing brassiere of type number 13, 14, X13 or X14.

6. The following materials may be used as trimmings in the manufacture of any garment of a description specified in Part I of this Schedule—

(*a*) embroidered net,
(*b*) gimps,
(*c*) braid,
(*d*) embroidered motifs.

Descriptions specified in section 2 of Part I

7. The cut, finish and boning of a garment of a description specified in section 2 of Part I of this Schedule shall not be inferior in quality to, and the material and components used therein shall not be less in quantity than, those used in the sample of the garment of that description lodged by the manufacturer with the Board of Trade for the purposes of this Order, the Utility Corsets (Manufacture and Supply) Order, 1948(a), or the Utility Corsets (Manufacture and Supply) Order, 1949(b), and approved by the Board for the purposes thereof.

Use of cloth of specification number X9090

8. Whenever utility cloth of the specification number X9090 is used as the body cloth in the manufacture of a garment of any description specified in Part I of this Schedule, such body cloth shall be cut on the straight and not on the bias.

Utility Cloth

9. In this Part "utility cloth" means cloth to which the utility mark has been duly applied in accordance with an Order made by the Board of Trade.

(a) S.I. 1948 No. 303. (b) S.I. 1949 No. 39.

PART III*

Type Number of Corset	Description of Corset	Maximum Price: On sale to a wholesaler per dozen
		s. d.
26	Roll-on elastic belt made from utility goods being one-way stretch blank not marked "underweight" or "substandard"; back suspenders to be fitted with buckles; to have four suspenders comprising a total of not less than 20 ins. of elastic:	
	Small	44 4
	Medium	
	Large	
27	Roll-on elastic belt made from utility goods being two-way stretch blank not marked "underweight" or "substandard"; to have four suspenders comprising a total of not less than 20 ins. of elastic:	
	Small	61 11
	Medium	
	Large	

EXPLANATORY NOTE

(This Note is not part of the Order but is intended to indicate its general purport.)

This Order supersedes the current Orders relating to the manufacture and supply of utility corsets.

The principal changes are as follows:—

(*a*) manufacturers' maximum prices have been revised, increased prices are indicated by plus (+) signs in the Schedule and reduced prices by minus (−) signs;

(*b*) the use, as trimmings, of embroidered net, gimps, braid and embroidered motifs is now permitted;

(*c*) the Order no longer provides for garments manufactured from subsidised cotton cloths.

* For new Part III substit. by S.I. 1950 No. 1604 see p. 94 below.