MINIMUM MEASUREMENTS

Size	Circumference at junction of crown and brim	Depth of brim	
		Front	Back
Men's and Women's :—			
S.A. Small	24″	2″	4″
M.A. Medium... ...	25″		
L.A. Large	26″		
Children's :—			
S.C. Small	21″	1½″	3½″
M.C. Medium... ...	22″		
L.C. Large	23″		

3. In this part of this Schedule " utility 3162, X3162, 3164 or X3164 " means utility goods being cloths of those specification numbers or of those numbers preceded by the letter " Z ".

EXPLANATORY NOTE

(This Note is not part of the Order, but is intended to indicate its general purport.)

This Order replaces the current Directions relating to Oilskins.

Provision is made for the use of unsubsidised cotton cloth (i.e. cloth of which the specification number is preceded by the letter " X ") in making up oilskins and the manufacturer's overriding maximum prices for cycling capes, leggings and sou'westers have been increased.

(H) OVERALLS AND APRONS

The Utility Overalls and Aprons (Manufacture and Supply) Order, 1948

1948 No. 216

Made - - - -	*9th February,* 1948
Laid before Parliament	*10th February,* 1948
Coming into Operation	*23rd February,* 1948

The Board of Trade in pursuance of Regulations 55 and 55AB of the Defence (General) Regulations, 1939(a), as having effect by virtue of the Supplies and Services (Transitional Powers) Act, 1945(b), as extended by the Supplies and Services (Extended Purposes) Act, 1947(c), hereby order as follows:

1.—(1) A person may, in the course of his business, use utility goods, being cloth of which the specification number is included in the second column of the First Schedule hereto for the purpose of making up garments of a type

(a) *See* Note, p. 15 above.
(b) 9 & 10 Geo. 6. c. 10; and S.R. & O. 1945 (Nos. 1611 and 1618) II, pp. 39 and 48.
(c) 10 & 11 Geo. 6. c. 55.

specified in the first column thereof in relation to that cloth but shall not include in that garment any other cloth except—

(*a*) cloth being binding, and

(*b*) cloth to an area not exceeding 5 per cent., or in the case of a mess jacket 10 per cent., of the total area of cloth (excluding binding) used in the manufacture of that garment.

(2) The cloth referred to in heading (*b*) of the preceding paragraph may be utility goods or cloth not being utility goods.

(3) The provisions of Part I of the Third Schedule hereto shall apply to the manufacture of a garment of a description specified in the First Schedule hereto, and the provisions of Part II of the Third Schedule hereto shall apply to the matters specified in the First Schedule hereto.

2.—(1) A label shall be securely sewn by the manufacturer to any garment manufactured by him in accordance with the preceding Article, such label shewing—

(*a*) the size of the garment, or

(*b*) subject to the provisions of the following paragraph, in the case of a garment made to special order, that is to say a garment not being of any regular stock size nor capable of being produced by minor adaptations to a garment of a regular stock size, made to a retail customer's own measurements and cut singly by a special order cutter, the word "special" or an abbreviation thereof (not being the letter "S").

(2) A manufacturer shall not apply a label shewing the word "special" or an abbreviation thereof in accordance with the provisions of heading (*b*) of the preceding pragraph to a garment of any description specified in the First Schedule hereto if the number of garments to which such label has been applied by him already exceeds or would thereby exceed 2 per cent. of the total quantity of garments of descriptions so specified manufactured by him in pursuance of this Order.

3.*—(1) A person shall not, in the course of his business, charge in respect of the sale of any garment of a description specified in the First Schedule hereto manufactured by him whether before or after the commencement of this Order, but supplied thereafter, not being a garment marked "special" or an abbreviation thereof in accordance with the provisions of the preceding Article, a gross price exceeding the lesser of the two following prices, that is to say—

(*a*) the manufacturer's costs together with 4 per cent. thereof; or

(*b*) such overriding maximum specified in the First Schedule hereto in relation to a garment of that description and of that size as is appropriate to that sale.

(2) A person shall not, in the course of his business, charge in respect of the sale of any garment of a description specified in the First Schedule hereto marked "special" or an abbreviation thereof in accordance with the provisions of the preceding paragraph manufactured by him whether before or after the commencement of this Order, but supplied thereafter, a gross price exceeding the lesser of the two following prices, that is to say—

(*a*) the manufacturer's costs together with 4 per cent. thereof; or

(*b*) such overriding maximum specified in the First Schedule hereto in relation to a garment of the like description and of the nearest size thereto as is appropriate to that sale together with 25 per cent. thereof.

* New Art. 3 substituted, *see* pp. 267-9 below.

For the purposes of this Article, the nearest size shall be calculated by reference to the quantity of cloth used in the garment marked as aforesaid and to the quantity which would be used in garments of the same type having the measurements respectively specified in the Third Schedule as minimum measurements for the sizes specified in the First Schedule.

(3) A person who manufactures on commission any goods described in the First Schedule hereto shall not charge in respect thereof a service charge exceeding the manufacturer's costs, together with 4 per cent. thereof.

(3) The price charged by any person in respect of the sale (otherwise than to a retail customer) of any goods so described shall be reduced by an amount not less than 2½ per cent. of the gross price in any case in which payment for those goods is made or tendered before the tenth day in the month immediately succeeding that in which the goods were consigned by the seller to or to the order of the buyer.

(4) A person shall not in the course of his business charge in respect of all the relevant goods supplied by sale or in execution of any contracts providing for manufacture on commission, during any period beginning after the 23rd day of July, 1945, being a period of not less than 4 nor more than 12 months, an aggregate of gross prices and service charges exceeding—

(*a*) the manufacturer's costs of production incurred during that period of all relevant goods manufactured during that period adjusted by—

(i) adding his costs of production of his opening stocks, and

(ii) subtracting his costs of production of his closing stocks,

of relevant goods whether wholly or partly manufactured, and

(*b*) the manufacturer's other costs of the relevant goods so supplied by him during that period, and

(*c*) an amount equal to 4 per cent. of the same calculated under the above heads,

so, however, that where in respect of any goods supplied by sale, the manufacturer's costs together with 4 per cent. thereof exceed the appropriate amount specified in relation to them in the relevant Schedule to this Order or to the Directions hereby revoked or to the Directions revoked by those Directions (with any adjustment provided for in relation to the nature of the goods or of the buyer) the amount of the excess shall be deducted from the sums calculated under the above heads.

(5) For the purposes of the preceding paragraph the costs of the provision of materials shall be deemed to be incurred during the period when they were cut or otherwise used in the manufacture of relevant goods.

(6) Any reference to an amount specified in the First Schedule hereto shall be deemed to be a reference to that amount with any appropriate modification specified in the Second Schedule hereto.

4. Nothing in this Order shall prohibit the doing of anything under the authority of a Licence issued by the Board of Trade hereunder and in accordance with any condition attaching thereto.

5. Any reference in this Order to a specification number shall be deemed to include a reference to that number preceded by the letter "X".

6.—(1) In this Order—

"gross price" means the price inclusive of all delivery charges payable either by the buyer or the seller and before any deductions by way of

discount have been made, so, however, that no account shall be taken of delivery charges payable by the buyer—

(*a*) on a sale to a retail customer, or

(*b*) on a sale otherwise than to a retail customer of goods to which this Order applies, whether or not the goods are included in a parcel comprising goods to which this Order does not apply, where the total price in respect of such goods, or, where such goods are included in such a parcel, such parcel (exclusive of the appropriate amount of purchase tax where such tax is chargeable and exclusive of delivery charges) does not exceed £2;

" opening stocks " of any person in relation to any period means relevant goods manufactured by him but not supplied before the beginning of the period by sale or in the execution of a contract under which the goods are to be manufactured on commission, and " closing stocks " of any person in relation to any period means relevant goods manufactured by him, whether before or during the period, but not so supplied before the end of it;

" relevant goods "(**a**) in relation to any person means goods the manufacture of which is provided for by Article 1 of this Order, or by the Directions hereby revoked, or by the Directions revoked by those Directions, manufactured by that person, whether before or after the 23rd day of July, 1945, being such goods generally or any class of such goods (defined by reference to description, type, size or any other matter whatsoever) but not being goods supplied to or for the execution of a contract of a Government Department;

" retail customer " means a person to whom goods are offered for sale by retail.

(2) The provisions of Articles 14, 15 and 18 of the Utility Mark and Apparel and Textiles (General Provisions) Order, 1947(**b**), shall be deemed to be incorporated in this Order as if they were herein set out.

7. The Utility Apparel (Overalls and Aprons) (Consolidation) Directions, 1946(**c**), and the Utility Apparel (Overalls and Aprons) (Amendment) Directions, 1947(**d**), are hereby revoked, but any current licence issued thereunder shall have effect as if it were issued under this Order, with any necessary consequential amendments.

8. This Order may be cited as the Utility Overalls and Aprons (Manufacture and Supply) Order, 1948, and shall come into operation on the 23rd day of February, 1948.

Dated the 9th day of February, 1948.

Arthur G. Bottomley,
Secretary for Overseas Trade.

(**a**) New definition substituted, *see* p. 269 below.
(**b**) S.R. & O. 1947 (No. 2642) II, p. 160.
(**c**) S.R. & O. 1946 (No. 1281) II, p. 266.
(**d**) S.R. & O. 1947 (No. 1549) noted, II, p. 146.

FIRST SCHEDULE

SECTION I

WOMEN'S DOMESTIC AND LIGHT INDUSTRIAL OVERALLS AND DOMESTIC APRONS

Reference to Third Schedule Part II	Description of Garment		(2) Specification No. of cloth from which made	Manufacturer's Overriding Maxima					
	(1) Type of Garment			(3) On Sale to Wholesaler per dozen			(4) On Sale otherwise than to Wholesaler per dozen		
	(a)	(b)		W	Sizes OS	XOS	W	Sizes OS	XOS
				s. d.	s. d.	s. d.	s. d.	s. d.	s. d.
Section I Item 1	1. Woman's Sleeveless Wrap-over Overall. Cotton Cloths.		3060/1 3060/2 3060/3 3061/1 3061/2 3061/3 3061/4 3062/1 3062/2	37 1	42 6	50 0	44 6	51 0	60 0
			3060/4 3062/3 3063	42 7	48 11	57 11	51 1	58 8	69 6

	(1)		(2)	(3)			(4)		
				Sizes			Sizes		
	(a)	(b)		W	OS	XOS	W	OS	XOS
Section 1 Item 2	2. Woman's Empire Slip-on Overall. Cotton cloths.	To have closed bodice and closed skirt.	3060/1, 3060/2, 3060/3, 3061/1, 3061/2, 3061/3, 3061/4, 3062/1, 3062/2	37 2	42 0	48 4	44 7	50 5	58 0
			3060/4, 3062/3, 3063	42 4	48 0	55 7	50 10	57 7	66 8
Section 1 Item 3	3. Woman's Open-backed Overall. (a) Cotton cloths.	The back of the bodice part of the garment (i.e. from the centre back neck downwards towards the waist) should be either in one piece or, if in two pieces, these must meet and be fastened at neck and waist. Straps only are not admissible.	3060/1, 3060/2, 3060/3, 3061/1, 3061/2, 3061/3, 3061/4, 3062/1, 3062/2	30 0	34 7	38 2	36 0	41 6	45 10
			3060/4, 3062/3, 3063	34 0	39 5	43 7	40 10	47 4	52 4
	(b) Rayon cloths.		1005/1	34 0	39 5	43 7	40 10	47 4	52 4
			1005/2	39 7	46 1	51 1	47 6	55 4	61 4

				Sizes W	Sizes OS	Sizes W	Sizes OS
				s. d.	s. d.	s. d.	s. d.
Section 1 Item 4	4. Woman's Pinarette.						
	(*a*) Cotton cloths.		3060/1 3060/2 3060/3 3061/1 3061/2 3061/3 3061/4 3062/1 3062/2	22 7	25 10	27 1	31 0
			3060/4 3062/3 3063	23 9	27 0	28 6	32 5
	(*b*) Rayon cloths.		1005/1	24 11	28 4	29 11	34 0
			1005/2	28 0	32 0	33 7	38 5
Section 1 Item 5	5. Woman's Dutch Apron with bib.	To have ties of self material.					
	(*a*) Cotton cloths.		3060/1 3060/2 3060/3 3061/1 3061/2 3061/3 3061/4 3062/1 3062/2	22 0		26 5	
			3060/4 3062/3 3063	23 3		27 11	
	(*b*) Rayon cloths		1005/1	24 5		29 4	
			1005/2	27 6		33 0	

	(1)		(2)	(3)		(4)	
	(a)	(b)		Sizes		Sizes	
Section 1 Item 6	6. Woman's Smock Overall with short or long sleeves.			W — s. d.	OS — s. d.	W — s. d.	OS — s. d.
	(a) Cotton cloths; with short sleeves.		3060/1 3060/2 3060/3 3061/1 3061/2 3061/3 3061/4 3062/1 3062/2	62 8	69 6	75 2	83 5
			3062/3 3063	66 2	73 7	79 8	88 4
	(b) Cotton cloths; with long sleeves.		3060/1 3060/2 3060/3 3061/1 3061/2 3061/3 3061/4 3062/1 3062/2	69 6	76 0	83 5	91 2
			3062/3 3063	73 8	89 9	88 5	107 8
	(c) Rayon cloths; with short sleeves		1005/1	69 8	77 7	83 7	93 1
			1005/2	78 8	87 11	94 5	105 6
	(d) Rayon cloths; with long sleeves.		1005/1	77 11	85 6	93 6	102 7
			1005/2	88 6	97 6	106 2	117 0

				Sizes																			
				SSW		SW		W		WX		OS		XOS		SSW		SW		W		WX		OS		XOS	
				s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.	s.	d.
Section 1 Item 7	7. Woman's Button-front Overall, with short or long sleeves.	To have not less than two pockets; to fasten with not less than five buttons, the bottom button to be not more than 10 inches from the hem.	3117/1	79	6	83	6	90	9	93	9	108	0	113	3	95	5	100	2	108	11	112	6	129	7	135	11
	(a) With short sleeves.		3117/2	83	6	87	9	95	3	99	0	113	9	119	3	100	2	105	4	114	4	118	10	136	6	143	1
			3117/3	92	6	97	3	106	0	120	6	127	0	133	0	111	0	116	8	127	2	144	7	152	5	159	7
	(b) With long sleeves.		3117/1	90	9	94	9	101	0	105	0	117	3	126	6	108	11	113	8	121	2	126	0	140	8	148	2
			3117/2	94	9	102	0	106	0	111	3	123	6	130	6	113	8	122	5	127	2	133	6	148	2	156	7
			3117/3	104	6	112	3	117	3	123	6	137	3	145	3	125	5	134	8	140	8	148	2	164	8	174	4
Section 1 Item 8	8. Woman's Wrap-over Overall with short or long sleeves.		3117/1	69	0	72	3	78	3	81	6	87	9	98	0	82	10	86	8	93	11	97	10	105	4	117	7
			3117/2	79	3	82	3	87	3	89	6	96	0	106	9	95	1	98	8	104	8	107	5	115	2	128	1
			3117/3	84	0	88	0	93	9	96	3	104	6	115	9	100	10	105	7	112	6	115	6	125	5	138	11
	(a) With short sleeves.		3117/1	75	3	78	3	84	3	87	9	93	9	104	0	90	4	93	11	101	1	105	4	112	6	124	10
	(b) With long sleeves.		3117/2	85	3	88	3	93	6	95	9	102	6	113	0	102	4	105	11	112	2	114	11	123	0	135	7
			3117/3	90	9	94	6	100	3	103	3	111	6	123	3	108	11	113	5	120	4	123	11	133	10	147	11

FIRST SCHEDULE

SECTION 2

[*New Section substituted, see* pp. 270-302 *below.*]

SECOND SCHEDULE

[*New Schedule substituted, see* p. 303 *below.*]

INDEX
TO
FIRST SCHEDULE
AND TO
PART II
OF
THIRD SCHEDULE

MEN'S AND WOMEN'S DOMESTIC AND INDUSTRIAL OVERALLS AND APRONS

SECTION 1

Pages

1. WOMEN'S SLEEVELESS WRAP-OVER OVERALLS
(*a*) In Cotton Cloths 241

2. WOMEN'S EMPIRE SLIP-ON OVERALLS
(*a*) In Cotton Cloths 242

3. WOMEN'S OPEN-BACKED OVERALLS
(*a*) In Cotton Cloths 242
(*b*) In Rayon Cloths 242

4. WOMEN'S PINARETTES
(*a*) In Cotton Cloths 243
(*b*) In Rayon Cloths 243

5. WOMEN'S DUTCH APRONS
(*a*) In Cotton Cloths 243
(*b*) In Rayon Cloths 243

Pages

6. WOMEN'S SMOCKS
(*a*) In Cotton Cloths with short sleeves 244
(*b*) In Cotton Cloths with long sleeves 244
(*c*) In Rayon Cloths with short sleeves 244
(*d*) In Rayon Cloths with long sleeves 244

7. WOMEN'S BUTTON-FRONT OVERALLS with short or long sleeves
(*a*) With short sleeves 245
(*b*) With long sleeves 245

8. WOMEN'S WRAP-OVER OVERALLS
(*a*) With short sleeves 245
(*b*) With long sleeves 245

SECTION 2*

1. MEN'S BOILER SUITS ... 270

2. MEN'S R.A.F. TYPE BOILER SUITS 272

3. MEN'S BIB AND BRACE OVERALLS 274

4. MEN'S OVERALL LONG COATS 276

5. MEN'S THREE-QUARTER LENGTH OVERALL COATS 278

6. MEN'S OVERALL JACKETS 280

7. CHEF'S DOUBLE-BREASTED JACKETS 282

8. MESS JACKETS 282

9. MEN'S OVERALL TROUSERS 283

10. PAINTERS' SLIPS 285

11. MEN'S AND YOUTHS' INDUSTRIAL APRONS ... 286

12. MILKERS' OVERALLS ... 287

13. WOMEN'S BOILER SUITS ... 288

14. WOMEN'S BIB AND BRACE OVERALLS 290

15. WOMEN'S BUTTON-FRONT OVERALLS with short or long sleeves
(*a*) With short sleeves 292
(*b*) With long sleeves 294

16. WOMEN'S WRAP-OVER OVERALLS with long or short sleeves
(*a*) With short sleeves 297
(*b*) With long sleeves 299

17. WOMEN'S INDUSTRIAL HATS 301

18. MEN'S INDUSTRIAL HATS 302

* This index refers to new Section 2, printed at pp. 270-302 below.

THIRD SCHEDULE

Part I

1. The minimum number of stitches per inch in the seams of any garment shall be twelve in the case of a garment of a description included in Section I and ten in the case of a garment of a description included in Section II.

2. When bias binding is used in the making up of any garment the binding shall be vat dyed.

3. The minimum quantity of material to be used in the making of each dozen of women's open-backed overalls of a description specified in Section I of the First Schedule shall be 15 square yards in the case of such overalls of size W, 18 square yards in the case of such overalls of size O.S. and 20 square yards in the case of such overalls of size X.O.S.

4. The maximum depth of the front yoke of a woman's smock of a description specified in Section I of the First Schedule shall be 6 ins. in the case of such a smock of size W, and 8 ins. in the case of such a smock of size O.S.

5. The maximum length of a woman's smock of a description specified in Section I of the First Schedule shall be 37 ins.

Part II

Minimum Measurements

1. A garment of a description specified in the First Schedule shall be regarded as of a size specified in column 3 or 4 thereof only if its measurements made as directed in relation to that garment in sub-column (*a*) of column 2 of the following table are not less than the measurements (or the appropriate measurements, as the case may be) respectively specified in sub-column (*b*) thereof (*a*) in relation to that garment and to that size.

2. Where no size is specified in the First Schedule in relation to a garment of a description there specified, the measurements of that garment made as directed in relation to that garment in sub-column (*a*) of column 2 of the following table shall be not less than the measurements (or the appropriate measurements, as the case may be) respectively specified in sub-column (*b*) thereof(a) in relation to that garment.

3. The particulars set out in column 3 of the following table shall have effect in relation to the matters set out in sub-column (*a*) of column 2 thereof.

(a) *See* amendment, p. 269 below.


3.

TABLE OF MINIMUM MEASUREMENTS

SECTION 1

WOMEN'S DOMESTIC AND LIGHT INDUSTRIAL OVERALLS AND DOMESTIC APRONS

Reference to First Schedule	Col. 1 Type of Garment	Col. 2 Minimum Measurements in inches			
		(a)	(b) Sizes		
			W	OS	XOS
SECTION 1 Items 1(a) and 1(b)	1. **Woman's Sleeveless Wrap-over Overall**	Cross back	14	16	17
		Centre shoulder to point of tie	18	20	22
		Width of garment at point of tie (excluding tie)	48	53	60
		Length	42	44	46
		Width of skirt	60	68	80
		Length of tie	22	25	28
		Armhole circumference	20	22	24



Col. 3

Method of Calculating Measurements

Cross back.—The garment should be measured at a point 5 ins. down from point A on centre shoulder seam, straight across between armholes.

Centre shoulder to point of tie.—The garment should be measured from point A on centre shoulder seam, across garment to join of tie—AB.

Width of garment at point of tie (excluding tie).—The garment should be opened flat and measured straight across from join of tie at front waist to join of tie at front overlap.


Length.—The garment should be measured from point A on centre shoulder seam, full length to lower edge of garment—AC.

Width of skirt.—The garment should be opened flat and the lower hem measured edge to edge.

	Col. 1	Col. 2			
		(a)	(b) Sizes		
			W	OS	XOS
SECTION 1 Items 2(a) and 2(b)	2. **Woman's Empire Slip-on Overall** To have closed bodice and closed skirt	Centre shoulder to waist	16	17	18
		Width of waist at point of tie	38	44	50
		Length	42	44	46
		Width of skirt	58	64	70
		Length of tie	20	25	30
		Armhole circumference	25	26	27

Col. 3

Method of Calculating Measurements




Centre shoulder to waist.—The garment should be measured from point A on centre shoulder to point B at join of tie at waist seam—AB.

Width of waist at point of tie.—The garment should be measured around the waist seam at point B.

Length.—The garment should be measured from point A on centre shoulder seam, full length to lower edge of garment at point C —AC.

Width of skirt.—The garment should be laid flat and measured along the lower edge—twice DE.


	Col. 1	Col. 2			
		(a)	(b) Sizes		
			W	OS	XOS
SECTION 1 Items 3(a) and 3(b)	**3. Woman's Open-backed Overall** The back of the bodice part of the garment (i.e., from the centre back neck downwards towards the waist) should be either in one piece or if in two pieces these must meet and be fastened at neck and waist. Straps only are not admissible.	Minimum length ... ... Minimum width of skirt ...	42 34	44 42	45 46
		Yardage to be used for each dozen garments not to be less than	Square yards 15	Square yards 18	Square yards 20



Col. 3
Method of Calculating Measurements

Length.—The garment should be measured from the centre shoulder, full length to lower edge of garment—AB.
Width of skirt.—The garment should be opened flat and the lower hem measured edge to edge—CD.


	Col. 1	Col. 2		
		(a)	(b) Sizes	
			W.	OS.
SECTION 1 Items 4(a) and 4(b)	4. **Woman's Pinarette**	Length	35½	35½
		Width	26	31½
		Bib width	9¾	11
		Collar width*	2¾	3½
		Back strap or shoulder strap width* ...	1½	2
		* Where a collar or a back strap or other straps are incorporated in the garment.		



Col. 3
Method of Calculating Measurements

Length.—The garment should be measured from the top of bib full length to lower edge of garment—AB.
Width.—The garment should be measured straight across from edge to edge at waistline—CD.
Bib width.—The width of bib should be measured at top of bib—EF.
Collar width.—The collar should be measured across at its narrowest part.
Back strap or shoulder strap width.—The strap should be measured across at the narrowest part.

	Col. 1	Col. 2	
SECTION 1 Items 5(*a*) and 5(*b*)	**5. Woman's Dutch Apron with bib** To have ties of self material	(*a*)	(*b*)
		Width of skirt	29
		Length of skirt	23½
		Width of bib	17½
		Depth of bib (*a*) at centre ...	4
		(*b*) at ends ...	1½
		Width of ties	1½
		Length of ties	20




Col. 3

Method of Calculating Measurements

Width of skirt.—The garment should be measured along the bottom—DE.
Length of skirt.—The garment should be measured from the bottom of the band down to the lower edge—CD.
Width of bib.—The garment should be measured along the top edge of the bib—AB.
Depth of bib.—(*a*) at centre.—The bib should be measured from the top to the bottom, i.e., where it joins the skirt, in the centre—FG.
(*b*) at ends.—The bib should be measured from the top to the bottom, i.e., where it joins the skirt, at the ends—AC.


	Col. 1	Col. 2			
		(a)		(b) Sizes	
				W.	OS.
SECTION 1 Short sleeves Items 6(*a*) and 6(*c*) Long sleeves Items 6(*b*) and 6(*d*)	6. **Woman's Smock Overall**	Length		36	36
		Width of yoke in front		15	16½
		Bust		50	56
		Width of skirt		56	62
		Sleeve length (long sleeve)		18	19
		Sleeve length (short sleeve)		4	5
		Armhole circumference		20	22
		Maximum length		37	37
		Maximum depth of front yoke		6	8



Col. 3
Method of Calculating Measurements

Length.—The garment should be measured from point A on centre shoulder seam, full length to lower edge of garment—AB.
Width of yoke in front.—The garment should be buttoned and measured between the armholes—CD.
Bust.—The garment should be buttoned and measured straight across between points on the side seams 1 in. below armholes.
Width of skirt.—The garment should be opened flat and the lower hem measured edge to edge.
Sleeve length.—The garment should be measured along underarm seam from armhole edge to cuff—EF.
Depth of front yoke.—The garment should be measured straight down from point A on centre shoulder seam to bottom of yoke.


	Col. 1	Col. 2 Minimum Measurements in inches											
		(a)	(b) For garments made from SHRUNK CLOTH Sizes						(c) For garments made from UNSHRUNK CLOTH Sizes					
		To fit body measurements of :—	SSW	SW	W	WX	OS	XOS	SSW	SW	W	WX	OS	XOS
		Bust	29–31	32–34	35–38	39–42	43–46	47–50	29–31	32–34	35–38	39–42	43–46	47–50
		Hip	31–33	34–36	37–40	41–44	45–48	49–52	31–33	34–36	37–40	41–44	45–48	49–52
		Minimum finished garment measurements for :—												
SECTION 1 Items 7(*a*) and 7(*b*)	7. **Woman's Button-front Overall** To have not less than two pockets; to fasten with not less than five buttons, the bottom button to be not more than 10 ins. from the hem.	Bust	35	38	42	46	50	54	37	40	44	48	52	56
		Cross back	13½	14	15	16	17	18	14	14½	15½	16½	17½	18
		Hip	41	44	48	52	56	60	44	47	51	55	59	63½
		Length	38	40	42	44	46	47	41	43	45	47	49	50
		Width of skirt	52	54	58	62	66	70	56	58	62½	66	70½	74
		Sleeve length (long sleeve)	17½	18	18½	18½	19	19½	18½	19	19	19½	20	20
		Sleeve length (short sleeve)	4	4	5	5	5	5	4½	4½	5½	5½	5½	5½
		Armhole circumference ...	18	18½	19	20	21	22½	19	19½	20	21	22	23½
		Belt buttoned	31	33	35	39	43	47	33	35	37	41	45	49½



Col. 3
Method of Calculating Measurements

Bust.—The garment should be buttoned and measured straight across between two points on the side seams 1 in. below armholes.
Cross back.—The garment should be measured at a point 5 in. down from centre back neck, straight across between the armholes.
Hip.—The garment should be buttoned and measured straight across at a point 25 in. down from centre back neck.
Length.—The garment should be measured from centre back neck, full length to lower edge of garment.
Width of skirt.—The garment should be opened flat and the lower hem measured edge to edge.
Sleeve length.—Both long sleeves and short sleeves should be measured along the under arm.

	Col. 1	Col. 2 Minimum measurements in inches											
		(a)	(b) For garments made from Shrunk Cloth						(c) For garments made from Unshrunk Cloth					
			Sizes						Sizes					
		To fit body measurements of :—	SSW	SW	W	WX	OS	XOS	SSW	SW	W	WX	OS	XOS
		Bust	29–31	32–34	35–38	39–42	43–46	47–50	29–31	32–34	35–38	39–42	43–46	47–50
		Hip	31–33	34–36	37–40	41–44	45–48	49–52	31–33	34–36	37–40	41–44	45–48	49–52
Section 1 Short sleeves Item 8 (*a*) Long sleeves Item 8 (*b*)	8. **Woman's Wrap-over Overall**	Minimum finished garment measurements :—												
		Cross back	13½	14	15	16	17	18	14	14½	15½	16½	17½	18½
		Hip	45	48	52	56	60	64	48	51	55	59	63	67
		Length	38	40	42	44	46	47	41	43	45	47	49	50
		Width of skirt	56	58	62	66	70	74	60	62	66	70	74	78
		Centre back neck to point of tie (excluding tie) ...	19	20	21	22	23	24	20½	21½	22½	23½	24½	25½
		Width of garment at point of tie (excluding tie) ...	42	45	49	53	57	61	45	48	52	56	60	64
		Sleeve length (long sleeve)	17½	18	18½	18½	19	19½	18½	19	19½	19½	20	21
		Sleeve length (short sleeve)	4	4	5	5	5	5	4½	4½	5½	5½	5½	5½
		Armhole circumference ...	18	18½	19	20	21	22½	19	19½	20	21	22	23½



Col. 3
Method of Calculating Measurements

Cross back.—The garment should be measured at a point 5 ins. down from centre back neck, straight across between the armholes.
Hip.—The garment should be opened flat and measured straight across at a point 25 in. down from centre back neck.
Length.—The garment should be measured from centre back neck full length to lower edge of garment.
Width of skirt.—The garment should be opened flat and the lower hem measured edge to edge.
Centre back neck to point of tie.—The garment should be measured from centre back neck along collar seam to point of tie.
Width of garment at point of tie.—The garment should be opened flat and measured from join of tie at front waist to join of tie at front overlap.
Sleeve length.—Both long and short sleeves should be measured along the under-arm.

SECTION 2

MEN'S AND WOMEN'S INDUSTRIAL OVERALLS AND APRONS

Reference to First Schedule	Col. 1 Type of Garment	Col. 2 Minimum Measurements in inches																			
		(a)	(b) For Garments made from SHRUNK CLOTH — Sizes										(c) For Garments made from UNSHRUNK CLOTH — Sizes									
			28	30	32	34	36	38	40	42	44	46	28	30	32	34	36	38	40	42	44	46
SECTION 2 Item 1	1. **Man's Boiler Suit**	Chest of garment when buttoned	30	32	34	36	39	41	43	46	48	50	32	34	36	38	41	43	45	48	50	52
		Neck to crutch	28½	29½	31	33½	34½	35½	36	36½	37	37½	30	31	32½	35	36	37	37½	38	38½	39
		Inside leg ...	26	27	28	28	29	29	29	29	29	29	28	29	30	30	31	31	31	31	31	31
		Sleeve	27	28	29	30½	31½	31½	32	32½	33	33½	28½	29½	30½	32	33	33	33½	34	34½	35
		Seat	36	38	40	42	44	46	48	50	52	54	38	40	42	44	46	48	50	52	54	56
		Upper leg width	22½	23½	24½	27	28	29	29	29	31	31½	23½	24½	25½	28	29	30	30	30	32	32½
		Width at knee	19	19½	20½	21½	22½	22½	23	23	24	24	20	20½	21½	22½	23½	23	24	24	25	25
		Width at bottom of leg ...	17	18	18	19	20	20	20	20	20½	20½	18	19	19	20	21	21	21	21	21½	21½

Col. 3
Method of Calculating Measurements

Neck to crutch.—The garment should be measured from centre back neck collar seam to fork.
Sleeve.—The garment should be measured from centre back to wrist (full length sleeve).
Seat.—The garment should be measured at a point 8 in. above the fork line.
Upper leg width.—The garment should be measured at a point 2 ins. below the fork line.

	Col. 1	Col. 2																			
		(a)	(b) Sizes										(c) Sizes								
			28	30	32	34	36	38	40	42	44	46	28	30	32	34	36	38	40	42	44	46
SECTION 2 Item 2	**2. Man's R.A.F.-type Boiler Suit** To have 1¼ in. loose all round belt; not less than 6 buttons down front including fly; 2 side slits; not less than 5 pockets including 2 pleated breast pockets with flaps to fasten and 2 front swing or side swing trouser pockets.	Chest of garment when buttoned ...	30	32	34	36	39	41	43	46	48	50	32	34	36	38	41	43	45	48	50	52
		Neck to crutch	28½	29½	31	33½	34½	35½	36	36½	37	37½	28	29	30	30	31	31	31	31	31	31
		Inside leg ...	26	27	28	28	29	29	29	29	29	29	28	29	30	30	31	31	31	31	31	31
		Sleeve	27	28	29	30½	31½	31½	32	32½	33	33½	28½	29½	30½	32	33	33	33½	34	34½	35
		Seat	36	38	40	42	44	46	48	50	52	54	38	40	42	44	46	48	50	52	54	56
		Upper leg width	22½	23½	24½	27	28	29	29	29	31	31½	23½	24½	25½	28	29	30	30	30	32	32½
		Width at knee	19	19½	20½	21½	22½	22½	23	23	24	24	20	20½	21½	22½	23½	23½	24	24	25	25
		Width at bottom of leg ...	17	18	18	19	20	20	20	20	20½	20½	18	19	19	20	21	21	21	21	21½	21½

Col. 3

Method of Calculating Measurements

Neck to crutch.—The garment should be measured from centre back neck collar seam to fork.
Sleeve.—The garment should be measured from centre back to wrist.
Seat.—The garment should be measured at a point 8 in. above the fork line.
Upper leg width.—The garment should be measured at a point 2 in. below the fork line.

	Col. 1	Col. 2																			
		(a)	(b) Sizes										(c) Sizes									
			26	28	30	32	34	36	38	40	42	44	26	28	30	32	34	36	38	40	42	44
SECTION 2 Item 3	3. **Man's Bib and Brace Overall**	Waist of garment when buttoned ...	26	28	30	32	34	36	38	40	42	44	28	30	32	34	36	38	40	42	44	46
		Inside leg ...	26	27	28	29	30	30	30	30	30	30	28	29	30	31	32	32	32	32	32	32
		Seat	34	36	38	40	42	44	46	48	49	50	36	38	40	42	44	46	48	50	51	52
		Upper leg width	21	22	23	24	25	26	27	28	29	30	22	23	24	25	26	27	28	29	30	31
		Width at knee	18	19	19½	21	22	22	23	23	24	24	19	20	20½	22	23	23	24	24	25	25
		Width at bottom of leg ...	17	18	18	19	20	20	20	20	20½	20½	18	19	19	20	21	21	21	21	21½	21½
		Crutch to top of bib	20	20½	21	22	23	24	25	25½	26	26½	21	21½	22	23	24	25	26	26½	27	27½
		Width of bib ...	7½	7½	8	8½	9	9½	10	10	10½	11	8	8	8½	9	9½	10	10½	10½	11	11½
		Length of side seam (excluding bib) ...	36½	37½	38½	39½	40½	41½	42	42½	43	43½	39	40	41	42	43	44	44½	45	45½	46

Col. 3

Method of Calculating Measurements

Seat.—The garment should be measured at a point 8 ins. above the fork line.

Upper leg width.—The garment should be measured at a point 2 ins. below the fork line.

	Col. 1	Col. 2																		
		(a)	(b) Sizes									(c) Sizes								
			30	32	34	36	38	40	42	44	46	30	32	34	36	38	40	42	44	46
SECTION 2 Items 4 and 5	4. **Man's Overall Long Coat (full length type)**	Chest of garment buttoned ...	34	36	38	40	42	44	46	48	50	36	38	40	42	44	46	48	50	52
		Sleeve	27½	28½	30½	31½	31½	32	32½	33	33½	29	30	32	33	33	33½	34	34½	35
	5. **Man's Three-Quarter length Overall Coat**	Length — full length type ...	37	39	41	43	43	43	43	43	43	39	41	43	45	45	45	45	45	45
		Length — three-quarterlength type ...	34	36	38	40	40	40	40	40	40	36	38	40	42	42	42	42	42	42
		Width of skirt at bottom — full length type ...	45	48	51	54	56	58	60	62	65	47	50	53	56	58	60	62	64	67
		Width of skirt at bottom — three-quarter length type ...	43	45	47	50	52	54	56	59	62	45	47	49	52	54	56	58	61	64

Col. 3
Method of Calculating Measurements.

Length.—The garment should be measured from the centre back neck collar seam to hem.
Sleeve.—The garment should be measured from centre back to wrist.

	Col. 1	Col. 2																		
		(a)	(b) Sizes									(c) Sizes								
			30	32	34	36	38	40	42	44	46	30	32	34	36	38	40	42	44	46
SECTION 2 Item 6	6. **Man's Overall Jacket**	Chest of garment when buttoned ...	32	34	36	38	40	42	44	46	48	34	36	38	40	42	44	46	48	50
		Length	24	25	26	26½	27	27	28	28	28	25	26	27	27½	28	28	29	29	29
		Sleeve	27½	28½	30½	31½	31½	32	32½	33	33½	29	30	32	33	33	33½	34	34½	35

Col. 3
Method of Calculating Measurements

Length.—The garment should be measured from centre back neck collar seam to hem.
Sleeve.—The garment should be measured from centre back to wrist.

	Col. 1.	Col. 2.											
		(a)	(b) Sizes						(c) Sizes					
			36	38	40	42	44	46	36	38	40	42	44	46
Section 2 Item 7	7. **Chef's Double-breasted Jacket** To have not less than 10 buttons	Chest of garment buttoned	38	40	42	44	46	48	40	42	44	46	48	50
		Length	24	25	26	26	26	26	25	26	27	27	27	27
		Sleeve	30½	31½	32	32½	33	33½	32	33	33½	34	34½	35

Col. 3
Method of Calculating Measurements

Length.—The garment should be measured from centre back neck collar seam to hem.
Sleeve.—The garment should be measured from centre back to wrist.

	Col. 1.	Col. 2.																	
		(a)	(b) Sizes									(c) Sizes							
			30	32	34	36	38	40	42	44	46	30	32	34	36	38	40	42	44	46
Section 2 Item 8	8. **Mess Jacket** To be made in Eton style with pointed back, roll collar or double-breasted lapels and to have side bodies.	Chest of garment when buttoned ...	32	34	36	38	40	42	44	46	48	34	36	38	40	42	44	46	48	50
		Length	17½	18½	19	19½	20	20½	20½	21	21½	18½	19½	20	20½	21	21½	21¾	22	22¼
		Sleeve	27½	28½	29½	30½	31½	32	32½	33	33½	29	30	31	32	33	33½	34	34½	35

Col. 3
Method of Calculating Measurements

Length.—The garment should be measured from centre back neck collar seam to hem.
Sleeve.—The garment should be measured from centre back to wrist.


	Col. 1	Col. 2																		
		(a)	(b) Sizes									(c) Sizes								
			28	30	32	34	36	38	40	42	44	28	30	32	34	36	38	40	42	44
Section 2 Item 9	**9. Man's Overall Trousers**	Waist of garment when buttoned ...	28	30	32	34	36	38	40	42	44	30	32	34	36	38	40	42	44	46
		Inside leg	27	28	29	30	30	30	30	30	30	29	30	31	32	32	32	32	32	32
		Seat...	36	38	40	42	44	46	48	49	50	38	40	42	44	46	48	50	51	52
		Upper leg width ...	22	23	24	25	26	27	28	29	30	23	24	25	26	27	28	29	30	31
		Width at knee ...	19	20	21	22	22	23	23	24	24	20	21	22	23	23	24	24	25	25
		Width at bottom of leg	18	18	19	20	20	20	20	20½	20½	19	19	20	21	21	21	21	21½	21½
		Side seam	37½	38½	40½	41½	41½	42	42½	43	43½	40	41	43	44	44	44½	45	45½	46

Col. 3
Method of Calculating Measurements


Seat.—The garment should be measured at a point 8 ins. above fork line.
Upper leg width.—The garment should be measured at a point 2 ins. below the fork line.

	Col. 1	Col. 2		
		(a)	(b)	(c)
Section 2 Item 10	**10. Painters' Slips** To have not less than 2 button-holes on each strap.	Inside leg	27	29
		Outside leg at longest part	32	34
		Width at knee	23	24
		Width at ankle	21	22
		Strap length	11	12


	Col. 1	Col. 2			
		(a)	(b)	(c)	
			Men's	*Youths'*	
SECTION 2 Item 11	11. **Men's and Youths' Industrial Aprons**				
	Style No. 1. Apron with bib (top shaped or square); with or without pockets; with waist tapes and neck or cross tapes, or self bands.	Width	30	28	
		Length	42	36	
	Style No. 3. Apron with waist tapes.	Width	30	—	
		Length	36	—	
	Style No. 4. Pointed top apron with waist tapes; one button hole.	Width	30	—	
		Length from point ...	40	—	



Style 1



Style 3



Style 4

	Col. 1	Col. 2			
		(a)	(b) Sizes		
		To fit chest measurements of :—	SMALL	MEDIUM	LARGE
SECTION 2 Item 12	**12. Milker's Overall** To be a loose one-piece garment fastening at the back; the front to extend at least 9 ins. below the knee and to have not less than 2 pockets.		Not less than 32 in. but Not more than 36½ ins.	More than 36½ ins. but Not more than 41½ ins.	More than 41½ ins.

	Col. 1	Col. 2													
		(a)	(b) Sizes							(c) Sizes						
			30	32	34	36	38	40	42	30	32	34	36	38	40	42
SECTION 2 Item 13	**13. Woman's Boiler Suit**	Bust of garment buttoned	33	35	37	39	41	43	45	35	37	39	41	43	45	47
		Neck to crutch ...	30	31½	33	34	35	35½	36	31½	33	34½	35½	36½	37	37½
		Inside leg	25	25½	26½	26½	27½	27½	27½	26½	27	28	28	29	29	29
		Sleeve	27	28	29	30	30½	30½	30½	28½	29½	30½	31½	32	32	32
		Seat	39	42	44	46	48	50	52	41	44	46	48	50	52	54
		Upper leg width ...	25	26	27	28	29	29½	30	26	27	28	29	30	30½	31
		Width at bottom of leg	17	17	18	19	19	19	19	18	18	19	20	20	20	20

Col. 3

Method of Calculating Measurements

Neck to crutch.—The garment should be measured from the centre back neck collar seam to fork.
Sleeve.—The garment should be measured from centre back to wrist.
Seat.—The garment should be measured at a point 6 in. above fork line.
Upper leg width.—The garment should be measured at a point 2 in. below fork line.

	Col. 1	Col. 2											
		(a)	(b) Sizes						(c) Sizes					
			26	28	30	32	34	36	26	28	30	32	34	36
SECTION 2 Item 14	14. **Woman's Bib and Brace Overall**	Waist of garment buttoned ...	27	29	31	33	35	37	28	30	32	34	36	38
		Inside leg	25½	26½	26½	27½	27½	27½	27	28	28	29	29	29
		Seat	40	42	44	46	48	50	42	44	46	48	50	52
		Upper leg width	25	26	27	28	28½	29	26	27	28	29	29½	30
		Width at bottom of leg	17	18	19	19	19	19	18	19	20	20	20	20
		Crutch to top of bib	25	25	25	26	26	26	26	26	26	27	27	27
		Width of bib	8	8	8	8½	8½	8½	8½	8½	8½	9	9	9
		Length of side seam (excluding bib)	38½	39½	40	41	41½	41½	41	42	42½	43½	44	44

Col. 3

Method of Calculating Measurements

Seat.—The garment should be measured at a point 6 in. above the fork line.
Upper length width.—The garment should be measured at a point 2 in. below the fork line.

	Col. 1	Col. 2												
		(a)	(b) Sizes						(c) Sizes					
		To fit body measurements of :—	SSW.	SW.	W.	WX.	OS.	XOS.	SSW.	SW.	W.	WX.	OS.	XOS.
		Bust	29–31	32–34	35–38	39–42	43–46	47–50	29–31	32–34	35–38	39–42	43–46	47–50
		Hip	31–33	34–36	37–40	41–44	45–48	49–52	31–33	34–36	37–40	41–44	45–48	49–52
SECTION 2 Item 15	15. **Woman's Button-front Overall.**	Minimum finished garment measurements :—												
		Bust	35	38	42	46	50	54	37	40	44	48	52	56
		Cross back	13½	14	15	16	17	18	14	14½	15½	16½	17½	18½
		Hip	41	44	48	52	56	60	44	47	51	55	59	63
		Length	38	40	42	44	46	47	41	43	45	47	49	50
		Width of skirt	52	54	58	62	66	70	56	58	62½	66	70½	74
		Sleeve length (long sleeve).	17½	18	18½	18½	19	19½	18½	19	19	19½	20	20½
		Sleeve length (short sleeve).	4	4	5	5	5	5	4½	4½	5½	5½	5½	5½
		Armhole circumference...	18	18½	19	20	21	22½	19	19½	20	21	22	23½
		Belt buttoned	31	33	35	39	43	47	33	35	37	41	45	49

Col. 3
Method of Calculating Measurements

Bust.—The garment should be measured 1 in. below underarm.
Cross back.—The garment should be measured 5 ins. down from centre back neck.
Hip.—The garment should be measured 25 in. down from centre back neck.
Length.—The garment should be measured from centre back neck, full length to lower edge of garment.
Width of skirt.—The garment should be opened flat and the lower hem measured edge to edge.
Sleeve length.—Both long sleeves and short sleeves should be measured along the under arm.

	Col. 1	Col. 2											
		(a)	(b) Sizes						(c) Sizes					
		To fit body measurements of :—	SSW.	SW.	W.	WX.	OS.	XOS.	SSW.	SW.	W.	WX.	OS.	XOS.
		Bust	29–31	32–34	35–38	39–42	43–46	47–50	29–31	32–34	35–38	39–42	43–46	47–50
		Hip	31–33	34–36	37–40	41–44	45–48	49–52	31–33	34–36	37–40	41–44	45–48	49–52
SECTION 2 Item 16	16. **Woman's Wrap-over Overall.**	Minimum finished garment measurements :—												
		Cross back	13½	14	15	16	17	18	14	14½	15½	16½	17½	18½
		Hip	45	48	52	56	60	64	48	51	55	59	63	67
		Length	38	40	42	44	46	47	41	43	45	47	49	50
		Width of skirt	56	58	62	66	70	74	60	62	66	70	74	78
		Centre back neck to point of tie (excluding tie) ...	19	20	21	22	23	24	20½	21½	22½	23½	24½	25½
		Width of garment at point of tie (excluding tie) ...	42	45	49	53	57	61	45	48	52	56	60	64
		Sleeve length (long sleeve)	17½	18	18½	18½	19	19½	18½	19	19½	19½	20	21
		Sleeve length (short sleeve)	4	4	5	5	5	5	4½	4½	5½	5½	5½	5½
		Armhole circumference...	18	18½	19	20	21	22½	19	19½	20	21	22	23½

Col. 3

Method of Calculating Measurements

Cross back.—The garment should be measured at a point 5 ins. down from centre back, straight across between the armholes.
Hip.—The garment should be opened flat and measured straight across at a point 25 in. down from centre back neck.
Length.—The garment should be measured from centre back neck full length to lower edge of garment.
Width of skirt.—The garment should be opened flat and the lower hem measured edge to edge.
Centre back neck to point of tie.—The garment should be measured from centre back neck along collar seam to point of tie.
Width of garment at point of tie.—The garment should be opened flat and measured from join of tie at front to join of tie at front overlap.
Sleeve length.—Both long and short sleeves should be measured along the under arm.

EXPLANATORY NOTE

(This Note is not part of the Order, but is intended to indicate its general purport.)

This Order replaces the Utility Apparel (Overalls and Aprons) (Consolidation) Directions, 1946, and amending Directions.

Provision is made for the use of cloths having specification numbers preceded by the letter "X", which are unsubsidized cotton cloths. These cloths may be used in the same way as the subsidized cotton cloths. Provision is also made for increased overriding maximum prices for garments made from unsubsidized cotton cloths.

The Utility Overalls and Aprons (Manufacture and Supply) (Amendment) Order, 1948

1948 No. 1552

Made - - - -	*5th July*, 1948
Laid before Parliament	*5th July*, 1948
Coming into Operation	*12th July*, 1948

[This Order was revoked and replaced (April 4, 1949) by the Utility Overalls and Aprons (Manufacture and Supply) (Amendment) (No. 4) Order, 1949 (S.I. 1949 No. 550) and is therefore omitted from this volume.]

The Utility Overalls and Aprons (Manufacture and Supply) (Amendment) (No. 3) Order, 1948

1948 No. 2852

Made - - - -	*31st December*, 1948
Laid before Parliament	*1st January*, 1949
Coming into Operation	*12th January*, 1949

The Board of Trade in pursuance of the powers conferred upon them by Regulations 55 and 55AB of the Defence (General) Regulations, 1939(a), as having effect by virtue of the Supplies and Services (Transitional Powers) Act, 1945(b), as extended by the Supplies and Services (Extended Purposes) Act, 1947(c), hereby order as follows:—

1. The Utility Overalls and Aprons (Manufacture and Supply) Order, 1948(d), as amended(e), shall have effect subject to the following amendments:—

(*a*) for Article 3 thereof there shall be substituted the following:—

"3.—(1) A person shall not, in the course of his business, charge in respect of the sale of any garment of a description specified in Section 1 of the First Schedule hereto manufactured by him whether before or after the commencement of this Order, but supplied thereafter, not being a garment marked "special" or an abbreviation thereof in accordance with the provisions of Article 2, a gross price exceeding the lesser of the two following prices, that is to say,

(*a*) the manufacturer's costs together with 4 per cent. thereof; or

(*b*) such amount specified in Section 1 of the First Schedule hereto in relation to a garment of that description and of that size as is appropriate to that sale.

(a) *See* Note, p. 15 above.

(b) 9 & 10 Geo. 6. c. 10; and S.R. & O. 1945 (Nos. 1611 and 1618) II, pp. 39 and 48.

(c) 10 & 11 Geo. 6. c. 55.

(d) S.I. 1948 No. 216, p. 237 above.

(e) S.I. 1948 No. 1552, noted above, and No. 2309.